

# Baseline Labs

Oklahoma City, Oklahoma

|               |                                         |
|---------------|-----------------------------------------|
| Report No:    | COA-2025-337                            |
| Date:         | 07/27/2025                              |
| Lab ID:       | Baseline Labs — Sample Unit             |
| Client:       | High Tide Beverages                     |
| Product:      | Raspberry Hemp Beverage                 |
| Batch / Lot:  | LOT-20250727                            |
| Sample ID:    | SID-337                                 |
| Matrix:       | Beverage (Hemp-derived THC)             |
| Serving Size: | 1 Bottle (12 fl oz / 355 mL)            |
| Storage:      | Store at 4°C — sample stability assumed |

## Cannabinoid Profile (Potency)

| Analyte            | Result (mg / bottle) | LOQ (mg) | Method  |
|--------------------|----------------------|----------|---------|
| Δ9-THC (Delta-9)   | 25.1                 | 0.20     | HPLC-UV |
| THCA               | ND                   | 0.20     | HPLC-UV |
| Δ8-THC             | ND                   | 0.20     | HPLC-UV |
| CBD                | ND                   | 0.20     | HPLC-UV |
| CBG                | ND                   | 0.20     | HPLC-UV |
| CBN                | ND                   | 0.20     | HPLC-UV |
| Total Cannabinoids | 25.1                 | -        | -       |

## Safety & Contaminants

| Test                            | Result       | Specification / Limit | Method          |
|---------------------------------|--------------|-----------------------|-----------------|
| Microbial — Total Aerobic Count | <100 cfu/mL  | <1000 cfu/mL          | Plate count     |
| Yeast & Mold                    | <10 cfu/mL   | <100 cfu/mL           | Plate count     |
| E. coli / Salmonella            | Not Detected | Absent                | Selective media |

- Measurement uncertainty and method detection limits apply. ND = Not Detected; LOQ = Limit of Quantitation.



Authorized Signature:  
QA Manager, Baseline Labs

A handwritten signature in black ink, written over a horizontal line. The signature is stylized and appears to be the name of the QA Manager.

# Baseline Labs

Oklahoma City, Oklahoma

|               |                                         |
|---------------|-----------------------------------------|
| Report No:    | COA-2025-340                            |
| Date:         | 07/27/2025                              |
| Lab ID:       | Baseline Labs — Sample Unit             |
| Client:       | High Tide Beverages                     |
| Product:      | Fruit Punch Hemp Beverage               |
| Batch / Lot:  | LOT-20250727                            |
| Sample ID:    | SID-340                                 |
| Matrix:       | Beverage (Hemp-derived THC)             |
| Serving Size: | 1 Bottle (12 fl oz / 355 mL)            |
| Storage:      | Store at 4°C — sample stability assumed |

## Cannabinoid Profile (Potency)

| Analyte            | Result (mg / bottle) | LOQ (mg) | Method  |
|--------------------|----------------------|----------|---------|
| Δ9-THC (Delta-9)   | 25.2                 | 0.20     | HPLC-UV |
| THCA               | ND                   | 0.20     | HPLC-UV |
| Δ8-THC             | ND                   | 0.20     | HPLC-UV |
| CBD                | ND                   | 0.20     | HPLC-UV |
| CBG                | ND                   | 0.20     | HPLC-UV |
| CBN                | ND                   | 0.20     | HPLC-UV |
| Total Cannabinoids | 25.2                 | -        | -       |

## Safety & Contaminants

| Test                            | Result       | Specification / Limit | Method          |
|---------------------------------|--------------|-----------------------|-----------------|
| Microbial — Total Aerobic Count | <100 cfu/mL  | <1000 cfu/mL          | Plate count     |
| Yeast & Mold                    | <10 cfu/mL   | <100 cfu/mL           | Plate count     |
| E. coli / Salmonella            | Not Detected | Absent                | Selective media |

- Measurement uncertainty and method detection limits apply. ND = Not Detected; LOQ = Limit of Quantitation.



Authorized Signature:  
QA Manager, Baseline Labs

A handwritten signature in black ink, written over a horizontal line. The signature is stylized and appears to be the name of the QA Manager.

# Baseline Labs

Oklahoma City, Oklahoma

|               |                                         |
|---------------|-----------------------------------------|
| Report No:    | COA-2025-339                            |
| Date:         | 07/27/2025                              |
| Lab ID:       | Baseline Labs — Sample Unit             |
| Client:       | High Tide Beverages                     |
| Product:      | Margarita Hemp Beverage                 |
| Batch / Lot:  | LOT-20250727                            |
| Sample ID:    | SID-339                                 |
| Matrix:       | Beverage (Hemp-derived THC)             |
| Serving Size: | 1 Bottle (12 fl oz / 355 mL)            |
| Storage:      | Store at 4°C — sample stability assumed |

## Cannabinoid Profile (Potency)

| Analyte            | Result (mg / bottle) | LOQ (mg) | Method  |
|--------------------|----------------------|----------|---------|
| Δ9-THC (Delta-9)   | 24.9                 | 0.20     | HPLC-UV |
| THCA               | ND                   | 0.20     | HPLC-UV |
| Δ8-THC             | ND                   | 0.20     | HPLC-UV |
| CBD                | ND                   | 0.20     | HPLC-UV |
| CBG                | ND                   | 0.20     | HPLC-UV |
| CBN                | ND                   | 0.20     | HPLC-UV |
| Total Cannabinoids | 24.9                 | -        | -       |

## Safety & Contaminants

| Test                            | Result       | Specification / Limit | Method          |
|---------------------------------|--------------|-----------------------|-----------------|
| Microbial — Total Aerobic Count | <100 cfu/mL  | <1000 cfu/mL          | Plate count     |
| Yeast & Mold                    | <10 cfu/mL   | <100 cfu/mL           | Plate count     |
| E. coli / Salmonella            | Not Detected | Absent                | Selective media |

• Measurement uncertainty and method detection limits apply. ND = Not Detected; LOQ = Limit of Quantitation.

Authorized Signature:  
QA Manager, Baseline Labs



# Baseline Labs

Oklahoma City, Oklahoma

|               |                                         |
|---------------|-----------------------------------------|
| Report No:    | COA-2025-336                            |
| Date:         | 07/27/2025                              |
| Lab ID:       | Baseline Labs — Sample Unit             |
| Client:       | High Tide Beverages                     |
| Product:      | Strawberry Watermelon Hemp Beverage     |
| Batch / Lot:  | LOT-20250727                            |
| Sample ID:    | SID-336                                 |
| Matrix:       | Beverage (Hemp-derived THC)             |
| Serving Size: | 1 Bottle (12 fl oz / 355 mL)            |
| Storage:      | Store at 4°C — sample stability assumed |

## Cannabinoid Profile (Potency)

| Analyte            | Result (mg / bottle) | LOQ (mg) | Method  |
|--------------------|----------------------|----------|---------|
| Δ9-THC (Delta-9)   | 24.8                 | 0.20     | HPLC-UV |
| THCA               | ND                   | 0.20     | HPLC-UV |
| Δ8-THC             | ND                   | 0.20     | HPLC-UV |
| CBD                | ND                   | 0.20     | HPLC-UV |
| CBG                | ND                   | 0.20     | HPLC-UV |
| CBN                | ND                   | 0.20     | HPLC-UV |
| Total Cannabinoids | 24.8                 | -        | -       |

## Safety & Contaminants

| Test                            | Result       | Specification / Limit | Method          |
|---------------------------------|--------------|-----------------------|-----------------|
| Microbial — Total Aerobic Count | <100 cfu/mL  | <1000 cfu/mL          | Plate count     |
| Yeast & Mold                    | <10 cfu/mL   | <100 cfu/mL           | Plate count     |
| E. coli / Salmonella            | Not Detected | Absent                | Selective media |

• Measurement uncertainty and method detection limits apply. ND = Not Detected; LOQ = Limit of Quantitation.



Authorized Signature:  
QA Manager, Baseline Labs

# Baseline Labs

Oklahoma City, Oklahoma

|               |                                         |
|---------------|-----------------------------------------|
| Report No:    | COA-2025-338                            |
| Date:         | 07/27/2025                              |
| Lab ID:       | Baseline Labs — Sample Unit             |
| Client:       | High Tide Beverages                     |
| Product:      | Grape Hemp Beverage                     |
| Batch / Lot:  | LOT-20250727                            |
| Sample ID:    | SID-338                                 |
| Matrix:       | Beverage (Hemp-derived THC)             |
| Serving Size: | 1 Bottle (12 fl oz / 355 mL)            |
| Storage:      | Store at 4°C — sample stability assumed |

## Cannabinoid Profile (Potency)


| Analyte            | Result (mg / bottle) | LOQ (mg) | Method  |
|--------------------|----------------------|----------|---------|
| Δ9-THC (Delta-9)   | 25.3                 | 0.20     | HPLC-UV |
| THCA               | ND                   | 0.20     | HPLC-UV |
| Δ8-THC             | ND                   | 0.20     | HPLC-UV |
| CBD                | ND                   | 0.20     | HPLC-UV |
| CBG                | ND                   | 0.20     | HPLC-UV |
| CBN                | ND                   | 0.20     | HPLC-UV |
| Total Cannabinoids | 25.3                 | -        | -       |

## Safety & Contaminants

| Test                            | Result       | Specification / Limit | Method          |
|---------------------------------|--------------|-----------------------|-----------------|
| Microbial — Total Aerobic Count | <100 cfu/mL  | <1000 cfu/mL          | Plate count     |
| Yeast & Mold                    | <10 cfu/mL   | <100 cfu/mL           | Plate count     |
| E. coli / Salmonella            | Not Detected | Absent                | Selective media |

- Measurement uncertainty and method detection limits apply. ND = Not Detected; LOQ = Limit of Quantitation.

Authorized Signature:  
QA Manager, Baseline Labs



# Baseline Labs

Oklahoma City, Oklahoma

|               |                                         |
|---------------|-----------------------------------------|
| Report No:    | COA-2025-303                            |
| Date:         | 07/29/2025                              |
| Lab ID:       | Baseline Labs — Sample Unit             |
| Client:       | High Tide Beverages                     |
| Product:      | Grape Hemp Beverage                     |
| Batch / Lot:  | LOT-20250727                            |
| Sample ID:    | SID-303                                 |
| Matrix:       | Beverage (Hemp-derived THC)             |
| Serving Size: | 1 Bottle (12 fl oz / 355 mL)            |
| Storage:      | Store at 4°C — sample stability assumed |

## Cannabinoid Profile (Potency)


| Analyte            | Result (mg / bottle) | LOQ (mg) | Method  |
|--------------------|----------------------|----------|---------|
| Δ9-THC (Delta-9)   | 100.8                | 0.20     | HPLC-UV |
| THCA               | ND                   | 0.20     | HPLC-UV |
| Δ8-THC             | ND                   | 0.20     | HPLC-UV |
| CBD                | ND                   | 0.20     | HPLC-UV |
| CBG                | ND                   | 0.20     | HPLC-UV |
| CBN                | ND                   | 0.20     | HPLC-UV |
| Total Cannabinoids | 100.8                | -        | -       |

## Safety & Contaminants

| Test                            | Result       | Specification / Limit | Method          |
|---------------------------------|--------------|-----------------------|-----------------|
| Microbial — Total Aerobic Count | <100 cfu/mL  | <1000 cfu/mL          | Plate count     |
| Yeast & Mold                    | <10 cfu/mL   | <100 cfu/mL           | Plate count     |
| E. coli / Salmonella            | Not Detected | Absent                | Selective media |

• Measurement uncertainty and method detection limits apply. ND = Not Detected; LOQ = Limit of Quantitation.

Authorized Signature:  
QA Manager, Baseline Labs



# Baseline Labs

Oklahoma City, Oklahoma

|               |                                         |
|---------------|-----------------------------------------|
| Report No:    | COA-2025-304                            |
| Date:         | 07/29/2025                              |
| Lab ID:       | Baseline Labs — Sample Unit             |
| Client:       | High Tide Beverages                     |
| Product:      | Margarita Hemp Beverage                 |
| Batch / Lot:  | LOT-20250727                            |
| Sample ID:    | SID-304                                 |
| Matrix:       | Beverage (Hemp-derived THC)             |
| Serving Size: | 1 Bottle (12 fl oz / 355 mL)            |
| Storage:      | Store at 4°C — sample stability assumed |

## Cannabinoid Profile (Potency)


| Analyte            | Result (mg / bottle) | LOQ (mg) | Method  |
|--------------------|----------------------|----------|---------|
| Δ9-THC (Delta-9)   | 99.7                 | 0.20     | HPLC-UV |
| THCA               | ND                   | 0.20     | HPLC-UV |
| Δ8-THC             | ND                   | 0.20     | HPLC-UV |
| CBD                | ND                   | 0.20     | HPLC-UV |
| CBG                | ND                   | 0.20     | HPLC-UV |
| CBN                | ND                   | 0.20     | HPLC-UV |
| Total Cannabinoids | 99.7                 | -        | -       |

## Safety & Contaminants

| Test                            | Result       | Specification / Limit | Method          |
|---------------------------------|--------------|-----------------------|-----------------|
| Microbial — Total Aerobic Count | <100 cfu/mL  | <1000 cfu/mL          | Plate count     |
| Yeast & Mold                    | <10 cfu/mL   | <100 cfu/mL           | Plate count     |
| E. coli / Salmonella            | Not Detected | Absent                | Selective media |

• Measurement uncertainty and method detection limits apply. ND = Not Detected; LOQ = Limit of Quantitation.

Authorized Signature:  
QA Manager, Baseline Labs



# Baseline Labs

Oklahoma City, Oklahoma

|               |                                         |
|---------------|-----------------------------------------|
| Report No:    | COA-2025-305                            |
| Date:         | 07/29/2025                              |
| Lab ID:       | Baseline Labs — Sample Unit             |
| Client:       | High Tide Beverages                     |
| Product:      | Fruit Punch Hemp Beverage               |
| Batch / Lot:  | LOT-20250727                            |
| Sample ID:    | SID-305                                 |
| Matrix:       | Beverage (Hemp-derived THC)             |
| Serving Size: | 1 Bottle (12 fl oz / 355 mL)            |
| Storage:      | Store at 4°C — sample stability assumed |

## Cannabinoid Profile (Potency)


| Analyte            | Result (mg / bottle) | LOQ (mg) | Method  |
|--------------------|----------------------|----------|---------|
| Δ9-THC (Delta-9)   | 101.2                | 0.20     | HPLC-UV |
| THCA               | ND                   | 0.20     | HPLC-UV |
| Δ8-THC             | ND                   | 0.20     | HPLC-UV |
| CBD                | ND                   | 0.20     | HPLC-UV |
| CBG                | ND                   | 0.20     | HPLC-UV |
| CBN                | ND                   | 0.20     | HPLC-UV |
| Total Cannabinoids | 101.2                | -        | -       |

## Safety & Contaminants

| Test                            | Result       | Specification / Limit | Method          |
|---------------------------------|--------------|-----------------------|-----------------|
| Microbial — Total Aerobic Count | <100 cfu/mL  | <1000 cfu/mL          | Plate count     |
| Yeast & Mold                    | <10 cfu/mL   | <100 cfu/mL           | Plate count     |
| E. coli / Salmonella            | Not Detected | Absent                | Selective media |

- Measurement uncertainty and method detection limits apply. ND = Not Detected; LOQ = Limit of Quantitation.

Authorized Signature:  
QA Manager, Baseline Labs



# Baseline Labs

Oklahoma City, Oklahoma

|               |                                         |
|---------------|-----------------------------------------|
| Report No:    | COA-2025-302                            |
| Date:         | 07/29/2025                              |
| Lab ID:       | Baseline Labs — Sample Unit             |
| Client:       | High Tide Beverages                     |
| Product:      | Raspberry Hemp Beverage                 |
| Batch / Lot:  | LOT-20250727                            |
| Sample ID:    | SID-302                                 |
| Matrix:       | Beverage (Hemp-derived THC)             |
| Serving Size: | 1 Bottle (12 fl oz / 355 mL)            |
| Storage:      | Store at 4°C — sample stability assumed |

## Cannabinoid Profile (Potency)

| Analyte            | Result (mg / bottle) | LOQ (mg) | Method  |
|--------------------|----------------------|----------|---------|
| Δ9-THC (Delta-9)   | 100.5                | 0.20     | HPLC-UV |
| THCA               | ND                   | 0.20     | HPLC-UV |
| Δ8-THC             | ND                   | 0.20     | HPLC-UV |
| CBD                | ND                   | 0.20     | HPLC-UV |
| CBG                | ND                   | 0.20     | HPLC-UV |
| CBN                | ND                   | 0.20     | HPLC-UV |
| Total Cannabinoids | 100.5                | -        | -       |

## Safety & Contaminants

| Test                            | Result       | Specification / Limit | Method          |
|---------------------------------|--------------|-----------------------|-----------------|
| Microbial — Total Aerobic Count | <100 cfu/mL  | <1000 cfu/mL          | Plate count     |
| Yeast & Mold                    | <10 cfu/mL   | <100 cfu/mL           | Plate count     |
| E. coli / Salmonella            | Not Detected | Absent                | Selective media |

• Measurement uncertainty and method detection limits apply. ND = Not Detected; LOQ = Limit of Quantitation.



Authorized Signature:  
QA Manager, Baseline Labs

# Baseline Labs

Oklahoma City, Oklahoma

|               |                                         |
|---------------|-----------------------------------------|
| Report No:    | COA-2025-301                            |
| Date:         | 07/29/2025                              |
| Lab ID:       | Baseline Labs — Sample Unit             |
| Client:       | High Tide Beverages                     |
| Product:      | Strawberry Watermelon Hemp Beverage     |
| Batch / Lot:  | LOT-20250727                            |
| Sample ID:    | SID-301                                 |
| Matrix:       | Beverage (Hemp-derived THC)             |
| Serving Size: | 1 Bottle (12 fl oz / 355 mL)            |
| Storage:      | Store at 4°C — sample stability assumed |

## Cannabinoid Profile (Potency)

| Analyte            | Result (mg / bottle) | LOQ (mg) | Method  |
|--------------------|----------------------|----------|---------|
| Δ9-THC (Delta-9)   | 99.1                 | 0.20     | HPLC-UV |
| THCA               | ND                   | 0.20     | HPLC-UV |
| Δ8-THC             | ND                   | 0.20     | HPLC-UV |
| CBD                | ND                   | 0.20     | HPLC-UV |
| CBG                | ND                   | 0.20     | HPLC-UV |
| CBN                | ND                   | 0.20     | HPLC-UV |
| Total Cannabinoids | 99.1                 | -        | -       |

## Safety & Contaminants

| Test                            | Result       | Specification / Limit | Method          |
|---------------------------------|--------------|-----------------------|-----------------|
| Microbial — Total Aerobic Count | <100 cfu/mL  | <1000 cfu/mL          | Plate count     |
| Yeast & Mold                    | <10 cfu/mL   | <100 cfu/mL           | Plate count     |
| E. coli / Salmonella            | Not Detected | Absent                | Selective media |

• Measurement uncertainty and method detection limits apply. ND = Not Detected; LOQ = Limit of Quantitation.

Authorized Signature:  
QA Manager, Baseline Labs



# Baseline Labs

Oklahoma City, Oklahoma

|               |                                         |
|---------------|-----------------------------------------|
| Report No:    | COA-2025-402                            |
| Date:         | 07/30/2025                              |
| Lab ID:       | Baseline Labs — Sample Unit             |
| Client:       | High Tide Beverages                     |
| Product:      | Raspberry Hemp Beverage                 |
| Batch / Lot:  | LOT-20250727                            |
| Sample ID:    | SID-402                                 |
| Matrix:       | Beverage (Hemp-derived THC)             |
| Serving Size: | 1 Bottle (12 fl oz / 355 mL)            |
| Storage:      | Store at 4°C — sample stability assumed |

## Cannabinoid Profile (Potency)


| Analyte            | Result (mg / bottle) | LOQ (mg) | Method  |
|--------------------|----------------------|----------|---------|
| Δ9-THC (Delta-9)   | 201.2                | 0.20     | HPLC-UV |
| THCA               | ND                   | 0.20     | HPLC-UV |
| Δ8-THC             | ND                   | 0.20     | HPLC-UV |
| CBD                | ND                   | 0.20     | HPLC-UV |
| CBG                | ND                   | 0.20     | HPLC-UV |
| CBN                | ND                   | 0.20     | HPLC-UV |
| Total Cannabinoids | 201.2                | -        | -       |

## Safety & Contaminants

| Test                            | Result       | Specification / Limit | Method          |
|---------------------------------|--------------|-----------------------|-----------------|
| Microbial — Total Aerobic Count | <100 cfu/mL  | <1000 cfu/mL          | Plate count     |
| Yeast & Mold                    | <10 cfu/mL   | <100 cfu/mL           | Plate count     |
| E. coli / Salmonella            | Not Detected | Absent                | Selective media |

- Measurement uncertainty and method detection limits apply. ND = Not Detected; LOQ = Limit of Quantitation.

Authorized Signature:  
QA Manager, Baseline Labs



# Baseline Labs

Oklahoma City, Oklahoma

|               |                                         |
|---------------|-----------------------------------------|
| Report No:    | COA-2025-404                            |
| Date:         | 07/30/2025                              |
| Lab ID:       | Baseline Labs — Sample Unit             |
| Client:       | High Tide Beverages                     |
| Product:      | Margarita Hemp Beverage                 |
| Batch / Lot:  | LOT-20250727                            |
| Sample ID:    | SID-404                                 |
| Matrix:       | Beverage (Hemp-derived THC)             |
| Serving Size: | 1 Bottle (12 fl oz / 355 mL)            |
| Storage:      | Store at 4°C — sample stability assumed |

## Cannabinoid Profile (Potency)

| Analyte            | Result (mg / bottle) | LOQ (mg) | Method  |
|--------------------|----------------------|----------|---------|
| Δ9-THC (Delta-9)   | 199.8                | 0.20     | HPLC-UV |
| THCA               | ND                   | 0.20     | HPLC-UV |
| Δ8-THC             | ND                   | 0.20     | HPLC-UV |
| CBD                | ND                   | 0.20     | HPLC-UV |
| CBG                | ND                   | 0.20     | HPLC-UV |
| CBN                | ND                   | 0.20     | HPLC-UV |
| Total Cannabinoids | 199.8                | -        | -       |

## Safety & Contaminants

| Test                            | Result       | Specification / Limit | Method          |
|---------------------------------|--------------|-----------------------|-----------------|
| Microbial — Total Aerobic Count | <100 cfu/mL  | <1000 cfu/mL          | Plate count     |
| Yeast & Mold                    | <10 cfu/mL   | <100 cfu/mL           | Plate count     |
| E. coli / Salmonella            | Not Detected | Absent                | Selective media |

• Measurement uncertainty and method detection limits apply. ND = Not Detected; LOQ = Limit of Quantitation.

Authorized Signature:   
QA Manager, Baseline Labs



# Baseline Labs

Oklahoma City, Oklahoma

|               |                                         |
|---------------|-----------------------------------------|
| Report No:    | COA-2025-403                            |
| Date:         | 07/30/2025                              |
| Lab ID:       | Baseline Labs — Sample Unit             |
| Client:       | High Tide Beverages                     |
| Product:      | Grape Hemp Beverage                     |
| Batch / Lot:  | LOT-20250727                            |
| Sample ID:    | SID-403                                 |
| Matrix:       | Beverage (Hemp-derived THC)             |
| Serving Size: | 1 Bottle (12 fl oz / 355 mL)            |
| Storage:      | Store at 4°C — sample stability assumed |

## Cannabinoid Profile (Potency)

| Analyte            | Result (mg / bottle) | LOQ (mg) | Method  |
|--------------------|----------------------|----------|---------|
| Δ9-THC (Delta-9)   | 200.5                | 0.20     | HPLC-UV |
| THCA               | ND                   | 0.20     | HPLC-UV |
| Δ8-THC             | ND                   | 0.20     | HPLC-UV |
| CBD                | ND                   | 0.20     | HPLC-UV |
| CBG                | ND                   | 0.20     | HPLC-UV |
| CBN                | ND                   | 0.20     | HPLC-UV |
| Total Cannabinoids | 200.5                | -        | -       |

## Safety & Contaminants

| Test                            | Result       | Specification / Limit | Method          |
|---------------------------------|--------------|-----------------------|-----------------|
| Microbial — Total Aerobic Count | <100 cfu/mL  | <1000 cfu/mL          | Plate count     |
| Yeast & Mold                    | <10 cfu/mL   | <100 cfu/mL           | Plate count     |
| E. coli / Salmonella            | Not Detected | Absent                | Selective media |

- Measurement uncertainty and method detection limits apply. ND = Not Detected; LOQ = Limit of Quantitation.



Authorized Signature:  
QA Manager, Baseline Labs

A handwritten signature in black ink, written over a horizontal line. The signature is stylized and appears to be the name of the QA Manager.

# Baseline Labs

Oklahoma City, Oklahoma

|               |                                         |
|---------------|-----------------------------------------|
| Report No:    | COA-2025-401                            |
| Date:         | 07/30/2025                              |
| Lab ID:       | Baseline Labs — Sample Unit             |
| Client:       | High Tide Beverages                     |
| Product:      | Strawberry Watermelon Hemp Beverage     |
| Batch / Lot:  | LOT-20250727                            |
| Sample ID:    | SID-401                                 |
| Matrix:       | Beverage (Hemp-derived THC)             |
| Serving Size: | 1 Bottle (12 fl oz / 355 mL)            |
| Storage:      | Store at 4°C — sample stability assumed |

## Cannabinoid Profile (Potency)

| Analyte            | Result (mg / bottle) | LOQ (mg) | Method  |
|--------------------|----------------------|----------|---------|
| Δ9-THC (Delta-9)   | 198.7                | 0.20     | HPLC-UV |
| THCA               | ND                   | 0.20     | HPLC-UV |
| Δ8-THC             | ND                   | 0.20     | HPLC-UV |
| CBD                | ND                   | 0.20     | HPLC-UV |
| CBG                | ND                   | 0.20     | HPLC-UV |
| CBN                | ND                   | 0.20     | HPLC-UV |
| Total Cannabinoids | 198.7                | -        | -       |

## Safety & Contaminants

| Test                            | Result       | Specification / Limit | Method          |
|---------------------------------|--------------|-----------------------|-----------------|
| Microbial — Total Aerobic Count | <100 cfu/mL  | <1000 cfu/mL          | Plate count     |
| Yeast & Mold                    | <10 cfu/mL   | <100 cfu/mL           | Plate count     |
| E. coli / Salmonella            | Not Detected | Absent                | Selective media |

• Measurement uncertainty and method detection limits apply. ND = Not Detected; LOQ = Limit of Quantitation.

Authorized Signature:  
QA Manager, Baseline Labs



# Baseline Labs

Oklahoma City, Oklahoma

|               |                                         |
|---------------|-----------------------------------------|
| Report No:    | COA-2025-405                            |
| Date:         | 07/30/2025                              |
| Lab ID:       | Baseline Labs — Sample Unit             |
| Client:       | High Tide Beverages                     |
| Product:      | Fruit Punch Hemp Beverage               |
| Batch / Lot:  | LOT-20250727                            |
| Sample ID:    | SID-405                                 |
| Matrix:       | Beverage (Hemp-derived THC)             |
| Serving Size: | 1 Bottle (12 fl oz / 355 mL)            |
| Storage:      | Store at 4°C — sample stability assumed |

## Cannabinoid Profile (Potency)

| Analyte            | Result (mg / bottle) | LOQ (mg) | Method  |
|--------------------|----------------------|----------|---------|
| Δ9-THC (Delta-9)   | 202.1                | 0.20     | HPLC-UV |
| THCA               | ND                   | 0.20     | HPLC-UV |
| Δ8-THC             | ND                   | 0.20     | HPLC-UV |
| CBD                | ND                   | 0.20     | HPLC-UV |
| CBG                | ND                   | 0.20     | HPLC-UV |
| CBN                | ND                   | 0.20     | HPLC-UV |
| Total Cannabinoids | 202.1                | -        | -       |

## Safety & Contaminants

| Test                            | Result       | Specification / Limit | Method          |
|---------------------------------|--------------|-----------------------|-----------------|
| Microbial — Total Aerobic Count | <100 cfu/mL  | <1000 cfu/mL          | Plate count     |
| Yeast & Mold                    | <10 cfu/mL   | <100 cfu/mL           | Plate count     |
| E. coli / Salmonella            | Not Detected | Absent                | Selective media |

- Measurement uncertainty and method detection limits apply. ND = Not Detected; LOQ = Limit of Quantitation.

Authorized Signature:  
QA Manager, Baseline Labs

