


GrimmSpeed Install Guide Series Installing the GrimmSpeed Reflect-A-Gold Foil for Version 2 Heat Shields Updated 1/24/2020





Introduction:

This guide will walk you through the installation of The GrimmSpeed Reflect-A-Gold Foil. This foil is pre-cut to fit our Version 2 Heat Shield. It will not fit the GrimmSpeed Version 1 Heat Shield.

Tools:

- Scissors
- Micro Fiber Cloth with Cleaning Solution (ie. rubbing alcohol)

NOTE: Take your time when applying. Once adhesive sets, it is hard to remove and/or relay foil.

If you have any questions don't hesitate to contact us directly! Support@GrimmSpeed.com | 612-379-0000

Procedure:

1. Take foil out of the package and inspect. Take note of how the foil is laid out.



2. Use a pair of scissors along the perforations to cut the foil into pieces.




3. Wipe heat shield free of oils and dust.



If you have any questions don't hesitate to contact us directly! Support@GrimmSpeed.com | 612-379-0000

4. Line up foil pieces up to shield making sure they are being placed correctly, then remove backing and apply.







5. You're all done! Refer to the CrimmSpeed Heat Shield installation guide to complete installing it in your car.

If you have any questions don't hesitate to contact us directly! Support@GrimmSpeed.com | 612-379-0000