

EINSTAR

3D Scanner

Go Ahead With Einstar








Variety Applications

Support multiple data format outputs, compatible with 3D printers and 3D design softwares.




3D Printing



Designing




Digital Archiving



Education



Culture and Art



VR&AR



High Quality Data

Collect high density point cloud data fast and easily with point distance up to 0.1 mm.





High Color Fidelity

Benefit from built-in RGB color camera. 3D data with authentic colors.





Detail-oriented Enhancement Technology

Built-in detail enhancement technology optimizes the point cloud for complete data acquisition.



Green:

Adequate data amount

Yellow:

Incomplete data amount

Red:

Insufficient data amount

Data Quality Indicator:

Turn on to better guide the scanning and improve the data quality.




Streamlined User Experience

Smooth and fast, scanning speed up to 14 FPS.

· Smart tracking performance

· Automatic alignment






Stable Outdoor Scanning

Equipped with 3 Infrared VCSEL Projectors, 2 Stereo Depth Cameras and 1 RGB Camera, Einstar can capture clear scan data and generate stable outputs outdoors. Provide a flexible working distance for small and large objects.









Extremely Easy to Use

- · Ergonomic design
- · Only one USB cable for data transmission and power
- · Clear and elegant workflow for scanning and post processing
- · Easy to setup, plug and play









Comfortable for Eyes, Easy to Scan Hair

- · No projector light during scanning process.
- · Comfortable and safe for eyes.
- Turning on "Hair Mode" to get sufficient hair data for human scan and improve the whole data completeness.



TECHNICAL SPECIFICATIONS

EINSTAR

Light Source	Infrared VCSEL structured light*
Point Distance	0.1 mm ~ 3 mm
Effective Working Distance	160 mm ~ 1400 mm
Optimal Working Distance	400 mm
FOV (under optimal work distance)	434 mm x 379 mm
Scan Rate	Up to 14 fps
Data Alignment Mode	Texture/ Feature/ Hybrid Alignment/ Global Markers*
Full Color Scanning	Yes
Outdoor Scanning	Yes
Output Formats	OBJ, STL, PLY, ASC, 3MF, P3
Scanner Weight	0.5 kg
Scanner Dimensions	220 mm x 46 mm x 55 mm
Carrying Case Dimensions	245 mm x 245 mm x 90 mm
Interface	USB 2.0 or above
Supported OS	Windows 10/11 64-bit

^{*}Einstar infrared light source, certificated as Class 1 laser product, is safe under all conditions of normal use.

^{*}Global Markers alignment is only available in Object Scan Mode







@einstar3d

Computer Requirements:

CPU: Intel Core i7-11800H or above

Graphics card: NVIDIA GTX 1060 or above

VRAM: 6GB or above

Einstar-EN 20220914-V1.2



www.shining3d.com

www.einstar.com

einstar_support@shining3d.com



www.afinia.com

sales@afinia.com

888.215.3966