


JENNA CLIFFORD

HOW TO DETERMINE YOUR RING SIZE


CONFIRM PRINTED PAPER SIZE




- 1. Ring measurements are very precise.** Carefully follow these instructions to obtain an accurate measurement.
- 2. Prior to printing,** ensure that Page Scaling is set to "None" on your print dialog box. (To open the print dialog box, press CTRL+P.)
- 3. Measure the bar on the left.** It must be exactly 2 inches or 50 mm long.

MEASURE CURRENT RING

1. Select a ring that properly fits the intended finger.
2. Place the ring over the circles below. Match the inside edge of the ring to the circle nearest in size. This measurement refers to the **diameter** of the ring.
3. If the ring falls between two sizes, order the larger size.



MEASUREMENTS MATCH THE INSIDE EDGE OF THE RING



MEASUREMENTS REFLECT RING SIZES IN SOUTH AFRICA, ENGLAND, IRELAND AND AUSTRALIA

JENNA CLIFFORD

INTERNATIONAL RING SIZE CHART

Circumf.	Diameter	United States and Canada	Portugal and Switzerland	Europe	U. Kingdom Irland,S. Africa, Australia
mm	mm				
41.0	13.1	2	1 ½	41	D ¼
42.3	13.6	2 ¼	2 ¼	42.25	D ¾
42.8	13.7	2 ½	2 ¾	42.75	E ¼
43.5	13.9	2 ¾	3 ½	43.5	E ¾
44.0	14.1	3	4	44	F ½
44.8	14.3	3 ¼	4 ¾	44.75	F ¾
45.5	14.5	3 ½	5 ½	45.5	G ¼
46.0	14.7	3 ¾	6	46	G ¾
46.8	14.9	4	6 ¾	46.75	H ¼
47.3	15.0	4 ¼	7 ¼	47.25	H ¾
48.0	15.3	4 ½	8	48	I ¾
48.8	15.5	4 ¾	8 ¾	48.75	J
49.3	15.7	5	9 ¼	49.25	J ¾
50.0	15.9	5 ¼	10	50	K
50.5	16.1	5 ½	10 ½	50.5	K ¼
51.3	16.3	5 ¾	11 ¼	51.25	L
51.8	16.5	6	11 ¾	51.75	M
52.5	16.7	6 ¼	12 ½	52.5	M ¼
53.3	16.9	6 ½	13 ¼	53.25	M ½
53.8	17.1	6 ¾	13 ¾	53.75	N
54.5	17.3	7	14 ½	54.5	N ½
55.0	17.5	7 ¼	15	55	O
55.8	17.7	7 ½	15 ¾	55.75	O ½
56.5	17.9	7 ¾	16 ½	56.5	P ¼
57.0	18.1	8	17	57	P ½
57.8	18.3	8 ¼	17 ¾	57.75	Q
58.3	18.5	8 ½	18 ¼	58.25	Q ½
59.0	18.8	8 ¾	19	59	R ¼
59.8	19.0	9	19 ¾	59.75	R ¾
60.3	19.2	9 ¼	20 ¼	60.25	S ¼
61.0	19.4	9 ½	21	61	S ¾
61.5	19.6	9 ¾	21 ½	61.5	T ¼
62.3	19.8	10	22 ¼	62.25	T ¾
63.0	20.0	10 ¼	23	63	U ¼
63.5	20.2	10 ½	23 ½	63.5	U ¾
64.3	20.4	10 ¾	24 ¼	64.25	V ½
64.8	20.6	11	24 ¾	64.75	V ¾
65.5	20.8	11 ¼	25 ½	65.5	W ½
66.0	21.0	11 ½	26	66	X
66.8	21.2	11 ¾	26 ¾	66.75	X ½
67.5	21.4	12	27 ½	67.5	Y
68.0	21.6	12 ¼	28	68	Y ½
68.8	21.8	12 ½	28 ¾	68.75	Z
69.3	22.0	12 ¾	29 ¼	69.25	Z ½
70.0	22.2	13	30	70	Z + 1
70.8	22.4	13 ¼	30 ¾	70.75	Z + 1 ½

JENNA CLIFFORD

HOW TO DETERMINE YOUR RING SIZE

MEASURING YOUR FINGER

Your ring should fit your finger comfortably ; snug enough so that it will not fall off, but loose enough to slide over your knuckle.

Your finger size changes depending on the time of day, your level of hydration, and the weather. For best results measure your finger size:

1. At the end of the day and when your fingers are warm (Fingers are smaller in the early morning and especially when it is cold.)
2. Measure your finger size three to four times to eliminate an erroneous measurement.

Avoid using string or paper to measure ring size as these materials can stretch or twist, yielding an inaccurate measurement.

TIPS FOR BUYING THE RING AS A SURPRISE

Ask your significant other's friends or mother if they know her or his finger size. Borrow one of your significant other's rings (from the correct finger) and use the ring measurements provided to determine its size.

INTERNATIONAL SIZE CONVERSION

If ordering from outside of South Africa, determine your ring size according to your country's standard. Then use the International Ring Size Chart to convert to the corresponding South Africa ring size to place your order.