

CoreNDT Transducers

Transducer Type	SKU #	MHz	Diameter	Connector
Angle Beam	AB-1-500-G	1 MHz	.5"	BNC
Angle Beam	AB-1-500-1000-G	1 MHz	.5" x 1"	BNC
Angle Beam	AB-2-500-G	2.25 MHz	.5"	BNC
Angle Beam	AB-2-500-500-G	2.25 MHz	.5" x .5"	BNC, 4-40 holes
Angle Beam	AB-2-500-1000-G	2.25 MHz	.5" x 1"	BNC
Angle Beam AWS	AB-2-625-625-AWS	2.25 MHz	.625" x .625"	BNC
Angle Beam AWS	AB-2-625-750-AWS	2.25 MHz	.625" x .75"	BNC
Angle Beam AWS	AB-2-750-750-AWS	2.25 MHz	.75" x .75"	BNC
Angle Beam	AB-2-750-1000-G	2.25 MHz	.75" x 1"	BNC
Angle Beam	AB-2-1000-G	2.25 MHz	1"	BNC
Angle Beam	AB-3-500-G	3.5 MHz	.5"	BNC
Angle Beam	AB-3-500-500-G	3.5 MHz	.5" x .5"	BNC, 4-40 holes
Angle Beam	AB-3-500-1000-G	3.5 MHz	.5" x 1"	BNC
Angle Beam	AB-5-500-G	5 MHz	.5"	BNC
Angle Beam	AB-5-500-500-G	5 MHz	.5" x .5"	BNC, 4-40 holes
Angle Beam	AB-5-500-1000-G	5 MHz	.5" x 1"	BNC
Angle Beam	AB-5-1000-G	5 MHz	1"	BNC
Angle Beam Quick Change	ABQC-2-250-G	2.25 MHz	.25"	Microdot
Angle Beam Quick Change	ABQC-2-375-G	2.25 MHz	.375"	Microdot
Angle Beam Quick Change	ABQC-2-500-G	2.25 MHz	.5"	Microdot
Angle Beam Quick Change	ABQC-3-250-G	3.5 MHz	.25"	Microdot
Angle Beam Quick Change	ABQC-3-375-G	3.5 MHz	.375"	Microdot
Angle Beam Quick Change	ABQC-3-500-G	3.5 MHz	.5"	Microdot
Angle Beam Quick Change	ABQC-5-250-G	5 MHz	.25"	Microdot
Angle Beam Quick Change	ABQC-5-375-G	5 MHz	.375"	Microdot
Angle Beam Quick Change	ABQC-5-500-G	5 MHz	.5"	Microdot
Angle Beam Quick Change	ABQC-10-250-G	10 MHz	.25"	Microdot
Angle Beam Quick Change	ABQC-10-375-G	10 MHz	.375"	Microdot
Angle Beam Removable Fingertip	ABR-1-500-G	1 MHz	.5"	Microdot
Angle Beam Removable Fingertip	ABR-2-250-G	2.25 MHz	.25"	Microdot
Angle Beam Removable Fingertip	ABR-2-500-G	2.25 MHz	.5"	Microdot
Angle Beam Removable Fingertip	ABR-3-250-G	3.5 MHz	.25"	Microdot
Angle Beam Removable Fingertip	ABR-3-500-G	3.5 MHz	.5"	Microdot

Transducer Type	SKU #	MHz	Diameter	Connector
Angle Beam Removable Fingertip	ABR-5-500-G	5 MHz	.5"	Microdot
Angle Beam Removable Fingertip	ABR-10-250-G	10 MHz	.25"	Microdot
Angle Beam Removable Fingertip	ABR-10-500-G	10 MHz	.5"	Microdot
Contact	C-2-500-G	2.25 MHz	.5"	BNC
Contact	C-2-500-H	2.25 MHz	.5"	BNC, HR
Contact	C-2-750-G	2.25 MHz	.75"	BNC
Contact	C-2-750-H	2.25 MHz	.75"	BNC, HR
Contact	C-2-1000-G	2.25 MHz	1"	BNC
Contact	C-2-1000-H	2.25 MHz	1"	BNC, HR
Contact	C-3-500-G	3.5 MHz	.5"	BNC
Contact	C-3-500-H	3.5 MHz	.5"	BNC, HR
Contact	C-3-750-G	3.5 MHz	.75"	BNC
Contact	C-3-750-H	3.5 MHz	.75"	BNC, HR
Contact	C-3-1000-G	3.5 MHz	1"	BNC
Contact	C-3-1000-H	3.5 MHz	1"	BNC, HR
Contact	C-5-500-G	5 MHz	.5"	BNC
Contact	C-5-500-H	5 MHz	.5"	BNC, HR
Contact	C-5-750-G	5 MHz	.75"	BNC
Contact	C-5-750-H	5 MHz	.75"	BNC, HR
Contact	C-5-1000-G	5 MHz	1"	BNC
Contact	C-5-1000-H	5 MHz	1"	BNC, HR
Contact	C-10-500-G	10 MHz	.5"	BNC
Contact	C-10-500-H	10 MHz	.5"	BNC, HR
Contact Fingertip	FC-2-250-G	2.25 MHz	.25"	Microdot
Contact Fingertip	FC-2-250-H	2.25 MHz	.25"	Microdot, HR
Contact Fingertip	FC-2-375-G	2.25 MHz	.375"	Microdot
Contact Fingertip	FC-2-375-H	2.25 MHz	.375"	Microdot, HR
Contact Fingertip	FC-2-500-G	2.25 MHz	.5"	Microdot
Contact Fingertip	FC-2-500-H	2.25 MHz	.5"	Microdot, HR
Contact Fingertip	FC-2-750-G	2.25 MHz	.75"	Microdot
Contact Fingertip	FC-2-750-H	2.25 MHz	.75"	Microdot, HR
Contact Fingertip	FC-3-250-G	3.5 MHz	.25"	Microdot
Contact Fingertip	FC-3-250-H	3.5 MHz	.25"	Microdot, HR
Contact Fingertip	FC-3-375-G	3.5 MHz	.375"	Microdot
Contact Fingertip	FC-3-375-H	3.5 MHz	.375"	Microdot, HR
Contact Fingertip	FC-3-500-G	3.5 MHz	.5"	Microdot
Contact Fingertip	FC-3-500-H	3.5 MHz	.5"	Microdot, HR

Transducer Type	SKU #	MHz	Diameter	Connector
Contact Fingertip	FC-5-250-G	5 MHz	.25"	Microdot
Contact Fingertip	FC-5-250-H	5 MHz	.25"	Microdot, HR
Contact Fingertip	FC-5-375-G	5 MHz	.375"	Microdot
Contact Fingertip	FC-5-375-H	5 MHz	.375"	Microdot, HR
Contact Fingertip	FC-5-500-G	5 MHz	.5"	Microdot
Contact Fingertip	FC-10-500-H	10 MHz	.5"	Microdot, HR
Delay Line Removable	RDL-2-250-H	2.25 MHz	.25"	Microdot, Peek Delay
Delay Line Removable	RDL-2-500-H	2.25 MHz	.5"	Microdot, Peek Delay
Delay Line Removable	RDL-3-250-H	3.5 MHz	.25"	Microdot
Delay Line Removable	RDL-3-500-H	3.5 MHz	.5"	Microdot
Delay Line Removable	RDL-5-250-H	5 MHz	.25"	Microdot
Delay Line Removable	RDL-5-500-H	5 MHz	.5"	Microdot
Delay Line Removable	RDL-10-250-H	10 MHz	.25"	Microdot
Delay Line Removable	RDL-10-500-H	10 MHz	.5"	Microdot
Delay Line Removable	RDL-15-250-H	15 MHz	.25"	Microdot
Immersion Large Diameter	IL-1-750-G	1 MHz	.75"	UHF
Immersion Large Diameter	IL-1-1000-G	1 MHz	1"	UHF
Immersion Large Diameter	IL-2-750-G	2.25 MHz	.75"	UHF
Immersion Large Diameter	IL-2-1000-G	2.25 MHz	1"	UHF
Immersion Large Diameter	IL-3-750-G	3.5 MHz	.75"	UHF
Immersion Large Diameter	IL-3-1000-G	3.5 MHz	1"	UHF
Immersion Large Diameter	IL-5-750-G	5 MHz	.75"	UHF
Immersion Large Diameter	IL-5-1000-G	5 MHz	1"	UHF
Immersion Large Diameter	IL-10-750-G	10 MHz	.75"	UHF
Immersion Slimline	I-1-500-G	1 MHz	.5"	UHF
Immersion Slimline	I-2-250-G	2.25 MHz	.25"	UHF
Immersion Slimline	I-2-375-G	2.25 MHz	.375"	UHF
Immersion Slimline	I-2-500-G	2.25 MHz	.5"	UHF
Immersion Slimline	I-3-250-G	3.5 MHz	.25"	UHF
Immersion Slimline	I-3-375-G	3.5 MHz	.375"	UHF
Immersion Slimline	I-5-250-G	5 MHz	.25"	UHF
Immersion Slimline	I-5-375-G	5 MHz	.375"	UHF
Immersion Slimline	I-5-500-G	5 MHz	.5"	UHF
Protective Face	P-5-750-G	.5 MHz	.75"	BNC
Protective Face	P-5-1000-G	.5 MHz	1"	BNC
Protective Face	P-1-500-G	1 MHz	.5"	BNC
Protective Face	P-1-750-G	1 MHz	1"	BNC

Transducer Type	SKU #	MHz	Diameter	Connector
<i>Protective Face</i>	<i>P-1-1000-G</i>	1 MHz	1"	BNC
<i>Protective Face</i>	<i>P-2-500-G</i>	2.25 MHz	.5"	BNC
<i>Protective Face</i>	<i>P-2-750-G</i>	2.25 MHz	.75"	BNC
<i>Protective Face</i>	<i>P-2-1000-G</i>	2.25 MHz	1"	BNC
<i>Protective Face</i>	<i>P-3-500-G</i>	3.5 MHz	.5"	BNC
<i>Protective Face</i>	<i>P-3-750-G</i>	3.5 MHz	.75"	BNC
<i>Protective Face</i>	<i>P-3-1000-G</i>	3.5 MHz	1"	BNC
<i>Protective Face</i>	<i>P-5-500-G</i>	5 MHz	.5"	BNC
<i>Protective Face</i>	<i>P-5-750-G</i>	5 MHz	.75"	BNC
<i>Protective Face</i>	<i>P-5-1000-G</i>	5 MHz	1"	BNC

Transducer Type	SKU #	Length	Diameter	Connector
<i>Search Tube</i>	<i>ST-2-737-g</i>	2"	.737"	UHF
<i>Search Tube</i>	<i>ST-4-737-g</i>	4"	.737"	UHF
<i>Search Tube</i>	<i>ST-6-737-g</i>	6"	.737"	UHF
<i>Search Tube</i>	<i>ST-12-737-g</i>	12"	.737"	UHF
<i>Search Tube</i>	<i>ST-36-737-g</i>	36"	.737"	UHF