

STU-1K

"STU-1K": Tension/Compression load cells



Tension/Compression <u>load cells</u>, suitable for weighing in tension suspended loads and as overload checking and limitation, or for compression use in the creation of weighing systems with various load cells.

CAPACITIES (kg): 2000, 5000, 8000, 10000.

OIML R60. C3 precision class.

Stainless steel. IP68 protection.

MAIN FEATURES

- C3 PRECISION CLASS
- STAINLESS STEEL CONSTRUCTION
- IP68 PROTECTION LEVEL
- MAX. CAPACITIES FROM 2000 TO 10000 kg
- 3m SHIELDED CONNECTION CABLE

TECHNICAL FEATURES

• nLC: 3000

• Y: 12000(compression, Y=Emax/Vmin)

• Y: 9500(tension, Y=Emax/Vmin)

• Cn: 2,4 mV/V

Input: 1000 +/- 20 Ohm
Output: 1000 +/- 5 Ohm
Excitation: 1...10Vdc
Safe Overload: 120%

• 6-wire shielded cable, 3 m long, 5mm diameter

MAIN CERTIFICATIONS

- OIML R60
- Australian legal for trade certificate of approval (NMI S840)

DETAIL 1



Dimensions (mm)

<u>Wiring Code</u>		
<u>Colour</u>	<u>Function</u>	
METAL	SHIELD	
YELLOW	OUTPUT +	
GREY	SENSE +	
BROWN	INPUT +	
WHITE	OUTPUT -	
PINK	SENSE -	
GREEN	INPUT -	

VERSIONS

Available versions		
	Code	Max (kg)
SE	STU2000-1KD	2000
S	STU5000-1KD	5000
S	STU8000-1KD	8000
Sie	STU10000-1KD	10000



WOMAG WEIGHING LTD
UNIT 8, SPITFIRE CLOSE - CV5 6UR - COVENTRY - UNITED KINGDOM
Tel. 0330 0550 500

E-mail info@womag.co.uk
Web womag.co.uk