

TOUJOURS TOUJOURS TOUJOURS

*Défiez mère Nature et
prolongez votre saison
à l'infini.*

eVPS 26" x 4.8"

OUTLAND TORNGAT RS



VÉLO QUATRE SAISONS

Contrôle et maniabilité accrus sur le sable, la neige et la boue grâce à un moteur dynamique offrant tous les avantages de l'assistance électrique sans compromettre l'expérience de conduite traditionnelle.



SYSTÈME D'ASSISTANCE AU PÉDALAGE

ACCÉLÉRATEUR AVEC PUISSANCE SUR DEMANDE



Configurable par l'utilisateur à **CLASSE 1**
Option **CLASSE 3** où la loi permet **

MOTEUR ET ACCÉLÉRATEUR

Moteur central de 130 Nm/500 W avec capteurs couple/cadence et accélérateur pour une expérience de conduite puissante, intuitive et naturelle.

BATTERIE ET AUTONOMIE

Batterie de 720 Wh procurant une autonomie pouvant atteindre 60 km (37 mi)* avec des pneus de 4,8 po. Prêt tous les jours avec une recharge facile et une autonomie toute la journée.



MODES D'ASSISTANCE DE PÉDALAGE

Éco/Tourisme/Sport/Turbo/Boost
Programmable pour une conduite intelligente fluide.



OUTLAND TORNGAT RS

eVPS 26" x 4.8"

FRAMESET

FRAME	Hydroformed Alloy, 26 Fatbike frame, internal cable routing head tube ported, removable down tube battery with security lock
COULEUR	Red and Black
FOURCHE	RST RENEGADE 26" suspension, 120mm travel, lockout, Thru Axle

TRANSMISSION

LEVIERS DE VITESSE	SHIMANO ALIVIO 9-speed Rapidfire Plus
PLATEAUX AVANT	34T with Narrow Wide teeth
CHAÎNE	KMC E9-S
DÉRAILLEUR ARRIÈRE	SHIMANO ALIVIO 9-speed
CASSETTE	SHIMANO ALIVIO 9-speed 11-36T

COMPOSANTS

GUIDON	700mm, 28mm rise, 31.8mm dia.
POIGNÉES	VELO, Rubber palm rest, 132mm
POTENCE	41mm with 3 degree rise, 31.8mm clamp dia.
TIGE DE SELLE	EXA KSP900-1 Dropper Post, 150mm travel (445mm)
SELLE	SELLE ROYAL Viento
LEVIERS DE FREINS	TEKTRO HDE350 with power cut off switch
FREINS	TEKTRO HDE350 Hydraulic Disc
DISQUES	180mm

ROUES

PNEUS	MAXXIS Minion M346(F) M347(R) 26"x4.8"
JANTES	26"x95mm Fat bike rim

TECHNOLOGIE ÉLECTRIQUE

BLUETOOTH	NEW iGO Mobile App (Android and iOS). Customizable profile and performance settings with full diagnostic monitoring and alerts.
CONSOLE	2" HD High Brightness IPS Color LCD Display, Ergonomically Designed Buttons, IP65 Waterproof, Password Protected Power On Option, USB Charging Port, Light Auto On/Off Option (Ambient Light Detector), Interface Color Coded Display Reference (for Quick Glance Safety), Main Power/PAS Control/Ride, Stats and Settings Toggle, PAS Level/Battery/Power/Clock, Speedometer/Max Speed/Avg Speed, Trip Distance, Battery Voltage/Capacity Percentage/Range/Accumulated Charging Cycles, Motor Power Output Average/Maximum, Ride Analysis Statistics, Diagnostic and Warning Information, Walk Assist
MOTEUR	iGO DRIVE RS 500W mid motor, 48V
COUPLE	up to 130Nm
BATTERIE	5000mAh SAMSUNG cell, removable with security lock (48V 15Ah 720Wh)
AUTONOMIE	60km (37mi) *
ASSISTANCE ÉLECTRIQUE	Eco/Tour/Sport/Turbo/Boost color coded per PAS level
MANETTE D'ACCÉLÉRATEUR	On-Demand, Removable
CAPTEUR	Internal Torque, Cadence, Speed
CLASSE	Class2 / Class1 optional / Class3 capable where permitted **

ACCESSOIRES COMPRIS

Front LED light XC-259A (powered by main battery), Water Bottle Bosses on Seat Tube, Kickstand, VP-501 Alloy MTB Pedals - Black, Bell, Tool Kit, Battery Charger

NOTES

POIDS DU VÉLO (sans batterie)	26.9kg (59.3 lbs)	CAPACITÉ MAXIMALE	125kg (275 lbs)
POIDS DE LA BATTERIE	3.5kg (7.7 lbs)		



SAMSUNG

TEKTRO
BRAKE SYSTEMS

SHIMANO


RST
RAPID SUSPENSION TECHNOLOGY

MAXXIS

SR
SELLE ROYAL

HAUTEUR MAXIMUM RECOMMANDÉE
188 cm (6'2")

HAUTEUR MINIMUM RECOMMANDÉE
163 cm (5'3")



DIMENSIONS DU CADRE		48.5cm (19.1")	
A	LONGUEUR DE LA TIGE DE SELLE	485mm	
B	ANGLE DE LA TIGE DE SELLE	73°	
C	LONGUEUR DU TUBE HORIZONTAL EFFECTIF	622mm	
D	ÉLÉVATION	681mm	
E	PORTÉE	440mm	
F	LONGUEUR DE LA TÊTE DE DIRECTION	150mm	
G	ANGLE DE LA TÊTE DE DIRECTION	68.5°	
H	HAUTEUR DU PÉDALIER	324mm	
I	CHUTE DU BOÎTIER DE PÉDALIER	59mm	
J	LONGUEUR DU HAUBAN INFÉRIEUR	494mm	
K	LONGUEUR DES BRAS DE PÉDALES	170mm	
L	EMPATTEMENT	1228mm	
M	HAUTEUR DE SELLE(MIN/MAX)	89.5cm / 104.5cm (35.2" / 41.1")	
N	HAUTEUR DU TUBE HORIZONTAL	78cm (30.7")	