

LED OUTDOOR RANGE
DESIGNER DESIGN PRODUCTS

COMMERCIAL CATALOGUE 20²⁴₂₅




HUAYI
Lighting+Solutions

Dacey

20101


The floor lamp adopts the design of iron bars. Its smooth lines are interwoven through the welding process to form an unusual artwork. Ivory ground glass lamp holder, the material of glass has simple sense more, illuminant passes through glass, can more even, downy. Put on the grass, the soft light illumines the surrounding environment, enjoy the comfort and silence brought by this moment.



GL20101



GL20102



Lamp		A	B	
GL20101	E27 MAX . 23W	527	Φ330	
GL20102	E27 MAX . 23W	321	Φ201	
GL20101M	E27 MAX . 23W	527	Φ201	Contains the plug
GL20102M	E27 MAX . 23W	321	Φ201	Contains the plug







Scone

20103

Scone Is the stigma lamp, designed as a cube shape. Added new iron element, a piece of iron depict the appearance that gives whole, the opalescent lampshade that enclothe inside, beautiful and easy do not keep out again bright effect. Installed in front of your house or on the road, it is like a work of art during the day. At night, the lamp lights up the surrounding environment and keeps you going.





Lamp	A	B	C
GL20103 LED 20W 2000LM E27 MAX . 23W	250	250	250



Glen

20104

Quality refracts light. It is the appearance design of sky lantern and cube. Added new iron element, the pattern that a piece of iron depict gives whole, the milky white lampshade that iron bar wraps inside, beautiful and easy do not keep out again bright effect. At night, under the eaves, you come in and out.



LED 20 W	TEMPERATURE 2700K 6500K
MAX. 2000 LUMENS	IP65

	Lamp	Lumen	A	B	C
GL20104	LED 20W	2000LM	250	250	71


CE CB ETL SAA V BMS BIS
 ISO9001-2015 ISO14000 BSCI



Binda

20105

New quality, heart to create. It is the appearance design of sky lantern and cube. It was surrounded by a disproportionate amount of transparent gray plastic. Contracted do not break drab again. When the LED light is transmitted through the gray transparent plastic, different lighting effects will be rendered. When the night falls, Binda will illuminate the surrounding environment and create the atmosphere.



LED 20 W	TEMPERATURE 2700K - 6500K
MAX. 2000 LUMENS	IP65

Lamp	Lumen	A	B	C	
GL20105	LED 20W	2000LM	300	300	64



CE CB ETL SAA V BMS BIS
 ISO9001-2015 ISO14000 BSCI



Temora

20106/20107

Temora LED wall lamp, there are two sizes of 250mm/400mm height for customers to choose. The avant-garde design concept of this lamp uses thick glass on both sides and uses the characteristics of the glass to produce a uniform and soft lighting effect. The embedded light bar allows people to reach the most comfortable state while walking or watching. This light can be installed in a pedestrian street or a commercial street, and whenever night falls, it will be a beautiful landscape.



LED 20 W	TEMPERATURE 2700K 6500K
MAX. 2000 LUMENS	IP65

Lamp	Lumen	A	B	C
GL20106	LED 20W 2000LM	160	250	60
GL20107	LED 20W 2000LM	160	400	60

CE CB ETL SAA V BMS BIS
 ISO9001-2015 ISO14000 BSCI

Peru


2020 Series



Peru

2020 Series

Glorious life, perfect quality. 2020 series lighting. Break through the conventional, using the plasticity of the wire, through the welding process, splice an unusual lamp cap, light through a strip of wire, scattered in the dark every corner.



Lamp		A	B	C
GL20201	E27 MAX . 23W	600	Φ168	-
GL20202	E27 MAX . 23W	800	Φ168	-
GL20203	E27 MAX . 23W	1000	Φ168	-
GL20204	E27 MAX . 23W	419	-	205
GL20204S	E27 MAX . 23W	419	-	205



Ruthin


2030 Series



Ruthin

2030 Series

Excellent because I am professional. The 2030 series lamps have lawn lamps and wall lamps for customers to choose. Unique design style let a person shine at the moment. Inside is opalescent glass lampshade, outside is welded iron wire, the mutual coordination of glass and iron wire, creation gives different visual sense organ. The IP65's waterproof design, which withstands the test even in bad weather, will guide you in the right direction.



	Lamp	A	B	C
GL20301	E27 MAX . 23W	1000	165	284
GL20302	E27 MAX . 23W	1400	165	284
GL20303	E27 MAX . 23W	301	165	234
GL20303S	E27 MAX . 23W	301	165	234



Moura

2040 Series




CE CB    BIS
ISO9001-2015 ISO14000  BSCI

Moura

2040 Series

Create the perfect art of light and color. Moura, there are lawn lamp and wall lamp for customers to choose, wall lamp has single head and double head, single head can install sensor. E27 lamp holder design, convenient for customers to replace the bulb.






Lamp		A	B	C
GL20401	E27 MAX . 23W	400	150	150
GL20402	E27 MAX . 23W	600	150	150
GL20403	E27 MAX . 23W	800	150	150
GL20404	E27 MAX . 23W	425	105	136
GL20405	E27 MAX . 23W	282	105	135
GL20405S	E27 MAX . 23W	282	105	135



Moura

2040 Series

Create the perfect art of light and color. Moura, there are lawn lamp and wall lamp for customers to choose, wall lamp has single head and double head, single head can install sensor. E27 lamp holder design, convenient for customers to replace the bulb.



Lamp		A	B	C
GL20401-B	E27 MAX . 23W	400	140	140
GL20402-B	E27 MAX . 23W	600	140	140
GL20403-B	E27 MAX . 23W	800	140	140
GL20404-B	E27 MAX . 23W	387	100	125
GL20405-B	E27 MAX . 23W	239	100	125
GL20405S-B	E27 MAX . 23W	239	100	125



Tiara


2050 Series



Tiaro

2050 Series

Tiaro, aluminum and iron bar are combined, one side is iron bar, the other side is lamp shade. During installation, customers can adjust the orientation of the light body according to their preferences. Installed on the roadside or in the park, one side of the clean and transparent, one side of the light through the iron bars, light and shade each other, strewn at random.



Lamp		A	B	C
GL20501-B	E27 MAX . 23W	400	Φ140	-
GL20502-B	E27 MAX . 23W	600	Φ140	-
GL20503-B	E27 MAX . 23W	800	Φ140	-
GL20504-B	E27 MAX . 23W	250	Φ105	141



Nebo


2050 Series



Nebo

2050 Series

Nebo, aluminum and iron bar are combined, one side is iron bar, the other side is lamp shade. During installation, customers can adjust the orientation of the light body according to their preferences. Installed on the roadside or in the park, one side of the clean and transparent, one side of the light through the iron bars, light and shade each other, strewn at random.



	Lamp	A	B	C
GL20501	E27 MAX . 23W	400	Φ140	-
GL20502	E27 MAX . 23W	600	Φ140	-
GL20503	E27 MAX . 23W	800	Φ140	-
GL20504	E27 MAX . 23W	250	Φ105	141





Clunes

2060 Series



Clunes lawn lights, unique appearance design, bold use of hollow design. The whole lamp holder is supported by an iron bar. Down the smooth surface, passers-by will not feel uncomfortable because of the glare, soft light illuminates the whole road.



LED 13 W	TEMPERATURE 2700K - 6500K
MAX. 1200 LUMENS	IP65

Lamp	Lumen	A	B
GL20601	LED 13W 1200LM	300	Φ150
GL20602	LED 13W 1200LM	500	Φ150
GL20603	LED 13W 1200LM	800	Φ150

CE CB ETL SAA V BMS BIS
 ISO9001-2015 ISO14000 BSCI

Drake

2080 Series



Drake, the design appearance of coarse ore. The entire lamp holder design is outlined by the iron bar, and the milky white lampshade is inserted into the iron bar. Customers can install in parks and city streets according to different sizes.

Drake. With a simple design and appearance, the wall lamp has three different shapes for customers to choose from.

LED 13 ^W	TEMPERATURE 2700K 6500K
MAX. 1200 LUMENS	IP65

CE CB ETL SAA V BMS BIS
ISO9001-2015 ISO14000 BSCI

Drake

2080-B Series



20804-B



20805-B



20801-B



20802-B



20803-B

2080-T Series



20804-T



20805-T



20801-T




20802-T



20803-T

	Lamp	A	B	C
GL20801	LED 13W 1200LM E27 MAX . 23W	300	160	160
GL20802	LED 13W 1200LM E27 MAX . 23W	500	160	160
GL20803	LED 13W 1200LM E27 MAX . 23W	800	160	160
GL20804	LED 13W 1200LM E27 MAX . 23W	165	120	120
GL20805	LED 13W 1200LM E27 MAX . 23W	208	152	121



Vacy

2080 Series




Vacy. The overall design style is simple and refreshing. The lampshade adopts a transparent plastic lampshade. Very high light transmittance, can well illuminate the road or wall. The decorative iron bars make the whole lamp body not so monotonous.


LED 13 ^W	TEMPERATURE 2700K 6500K
MAX. 1200 LUMENS	IP65

CE CB ETL SAA V BMS BIS
ISO9001-2015 ISO14000 BSCI

Vacy



2080-B Series



20809-BA



20809-BB



20809-BC



20806-BA

20807-BA

20808-BA

2080-T Series



20809-TA



20809-TB



20809-TC




20806-TA

20807-TA

20808-TA

	Lamp	A	B	C
GL20806	LED 13W 1200LM E27 MAX . 23W	300	160	160
GL20807	LED 13W 1200LM E27 MAX . 23W	500	160	160
GL20808	LED 13W 1200LM E27 MAX . 23W	800	160	160
GL20809	LED 13W 1200LM E27 MAX . 23W	165	120	120



Niles

2090 Series




CE CB (ETL) SAA VDE BIS
ISO9001-2015 ISO14000 BSCI

Niles

2090 Series

Niles, lamp holder USES glass material, glass has very good permeability, clean and beautiful, has the simple sense. The bulb reflected a gorgeous light through the glass. The bottom of the bulb is structurally designed to be waterproof and light up the environment even in inclement weather.



Lamp		A	B	C
GL20901	E27 MAX . 23W	400	Φ135	-
GL20902	E27 MAX . 23W	600	Φ135	-
GL20903	E27 MAX . 23W	800	Φ135	-
GL20904	E27 MAX . 23W	391	181	121
GL20904S	E27 MAX . 23W	391	181	121



Patton


2011 Series



Patton

2011 Series

Patton, lamp holder is made of 4 pieces of transparent glass. High light transmittance can give off unique smell very well. Customers can install different bulbs according to their preferences. The wall lamp also has the induction lamp design, facilitates our life.



	Lamp	A	B	C
GL20111	E27 MAX . 23W	400	150	150
GL20112	E27 MAX . 23W	600	150	150
GL20113	E27 MAX . 23W	800	150	150
GL20114	E27 MAX . 23W	265	105	155
GL20114S	E27 MAX . 23W	265	105	168



Aydin


2012 Series



Aydin

2012 Series

Aydin, bold use of transparent glass material. High light transmittance, let the light source shine through the glass from the front and back sides, the glass side is white paint, can play a good reflection effect, make the light more uniform, soft. Aluminum profile through the design, presents a different size of the process seam, strewn at random.



Lamp	Lumen	A	B	C
GL20121	LED 20W 2000LM	400	90	265
GL20122	LED 20W 2000LM	600	90	265
GL20123	LED 20W 2000LM	800	90	265
GL20124	LED 20W 2000LM	166	61	400
GL20124S	LED 20W 2000LM	207	61	400
GL20125	LED 20W 2000LM	166	61	600
GL20125S	LED 20W 2000LM	207	61	600

TEMPERATURE
2700K
6500K

IP65

CE CB ETL SAA V BMS BIS
ISO9001-2015 ISO14000 BSCI

Pooler



2013 Series



Pooler

2013 Series

Pooler LED lights. The middle adopts large glass material. The glass can be polished to make the light source reflect from both sides through the glass ground surface. The ground surface can make the light source more delicate and soft.



	Lamp	Lumen	A	B	C
GL20131	LED 20W	2000LM	300	80	175
GL20132	LED 20W	2000LM	500	80	175
GL20133	LED 20W	2000LM	800	80	175
GL20134	LED 20W	2000LM	250	88	167

LED
13 W

TEMPERATURE
2700K
6500K

MAX.
1200
LUMENS

IP65

CE CB    **BIS**
 ISO9001-2015 ISO14000  BSCI

Hofors

2014 Series



Hofors



2014 Series

Hofors is a linear outdoor lamp with 3 different sizes for customers to choose.

The lamp surface is made up of geometric lines, which are scattered.

The way of emitting light toward the wall, there is no strong light source, so that people can feel the beautiful night better.

LED 13^W	TEMPERATURE 2700K 6500K
MAX. 1200 LUMENS	IP65



	Lamp	Lumen	A	B	C
GL20141	LED 13W	1200LM	600	37	95
GL20142	LED 20W	2000LM	1000	37	95
GL20143	LED 26W	3000LM	1200	37	95



Uren


16101 Solar

There are Uren models of lighting lamps, one size is one size, the other size is for customers to choose. The bold hollow design and the rough rough lines outline a different aesthetic sense. The cube design has a milky white lampshade and a staircase shape wrapping the edges. Create a unique taste for you.


- 3×2200mAh Lithium battery
- Charge: 6-8H(sunshine)
- Worktime:100% of light 3H, 25% of light 7H, timing 10H
- 4.5 watt solar panel



- Can be charged in rainy days
- Can work for more than 8 hours in rainy days
- Lithium batteries can be replaced if required
- No strobe, no eye damage, 0 electricity charges
- Easy to install, no wiring



	Lamp	Lumen	A	B
GL16101 Solar	LED 2.5W	250LM	250	265
	Operating Voltage DC 9V			





Grove

19310 Solar


Polgar have smooth lines and simple design, use lucency PC diffuser let us feel simple but comfortable. In outside scene, if you have a power, could lighting directly use the socket. Suit for Camping , outside party and etc. Polgar have two method : one is LED 20W, another is E27 with bulb , all are waterproof. The perfect combination of black walnut and die casting aluminum meet user demand for mood lighting.

Polgar use OSRAM LED and CE driver, output watts 20W, also have E27 pattern, could change bulb as you like. About materials we use polished finish die-casting aluminum, and PC diffuser. We use anti-corrosion, anti-UV powder to printing different color, black, dark gray and silver gray for you choose.

- 3×2200mAh Lithium battery
- Charge: 6-8H(sunshine)
- Worktime:100% of light 3H, 25% of light 7H, timing 10H
- 4.5 watt solar panel



- Can be charged in rainy days
- Can work for more than 8 hours in rainy days
- Lithium batteries can be replaced if required
- No strobe, no eye damage, 0 electricity charges
- Easy to install, no wiring



LED 2.5W	TEMPERATURE 2700K 6500K
MAX. 250 LUMENS	IP65

	Lamp	Lumen	A	B
GL19310 Solar	LED 2.5W	250LM	250	265
	Operating Voltage DC 9V			

CE CB ETL SAA V BMS BIS
 ISO9001-2015 ISO14000 BSCI

Manor

19304



Earlier days, there only light. How light reach to our brain suddenly.

Actually, lighting could awakening the senses. When walking on the road,I feeling breeze ran across my face, hearing the subtle flow of sound in the air, also feeling light become to shadow. Hence, light of aware not only lighting, also included followed shadow.

Life will more dramatic coordinate lighting and shadow. Combination of light and shadow,original life have special

idiosyncrasy.Building promote level ,seems i am on the magical land of the island of Paris. Simple thing and ordinary life become miraculous are lighting aware.

Manor use OSRAM LED and CE driver, output watts 12W. About materials we adopt polished finish die-casting aluminum and circle tempered glass. We use anti-corrosion, anti-UV powder to printing different color,black, dark gray and silver gray for you choose.

CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI



Manor

1910/1920 Series

GL19101



GL19102





GL19103



TEMPERATURE
2700K
6500K

IP65



	Lamp	Lumen	A	B	C
GL19101	LED 13W	1000LM	98	108	125
GL19102	LED 13W	1000LM	98	114	314
GL19103	LED 13W	1000LM	131	152	600
GL19201	LED 20W	1800LM	122	131	158
GL19202	LED 20W	1800LM	122	138	486
GL19203	LED 20W	1800LM	131	174	600
GL19204	GU10 Max.20W	-	122	131	158
GL19205	GU10 Max.20W	-	122	138	486
GL19206	GU10 Max.20W	-	131	174	600



CE CB ETL SAA VDE BIS
ISO9001-2015 ISO14000 BSCI



Shiner

19301

Shiner adopts simple Nordic design style. This lamp is divided into the die casting aluminium of spray model and the lampshade of milky white two parts, die casting hale line, collocation is fruity plastic lampshade bring out the best in each other. When night falls and the soft light shines down, everything is so comfortable and peaceful.



Lamp	Lumen	A	B	C
GL19301	LED 13W	1200LM	230	82 81



Thirsk

19302/19303



CE CB    BIS
ISO9001-2015 ISO14000  BSCI

Thirsk

19302/19303


Heartful efforts achieve brilliance. The Light Thirsk is inspired from an ancient long-shaped lantern with partially stepped-shape. It can create a contrastingly special atmosphere by illuminating through lens. Lights can be emitted from single or both sides depending on customers choices. Fixing the light to walls presents a sense of decency and modesty. The dimly yellow light provides customers with beautiful enjoyment as well as a cozy home in a peaceful night.




GL19302



GL19303



	Lamp	Lumen	A	B	C
GL19302	LED 7W	600LM	120	61	157
GL19303	LED 13W	1200LM	120	61	240



CE CB ETL SAA V BMS BIS
 ISO9001-2015 ISO14000 BSCI

York

19304



York

19304

York use OSRAM LED and CE driver, output watts 13W and 11W. About materials we adopt polished finish die-casting aluminum, PC diffuser and tempered glass. We use anti-corrosion, anti-UV powder to printing different color, black, dark gray and silver gray for you choose.


York have smooth line, design simple and easy. It have two different lighting shadow. You could rotate ceselli to change outface looking, from up to down. That could meet the needs of different customers for environmental lighting.



GL19304-A



GL19304-B



	Lamp	Lumen	A	B	C
GL19304-A	LED 13W	1200LM	172	52	141
GL19304-B	LED 11W	1100LM	172	52	141



LED 13 W	TEMPERATURE 2700K - 6500K
MAX. 1200 LUMENS	IP65

CE CB ETL SAA V BMS BIS
 ISO9001-2015 ISO14000 BSCI

Goole

19305

Perfection is insistence on details. The Light Goole is s-shaped. The upper half of the light is a white lampshade and the lower part is made from die-cast aluminum. The smooth line and stylish design of the light create a perfect appearance. Fixing the light to exterior walls, chatting with the light on in a peaceful night and bathing in the moonlight can bring more happiness to your life.



	Lamp	Lumen	A	B	C
GL19305	LED 7W	650LM	75	49	270




CE CB ETL SAA V BMS BIS
ISO9001-2015 ISO14000 BSCI



Otley

19306

Art creates life. This series includes Light Otley and Light Alvin. They are both shaped in pyramid and have strong lines. Their emitted light converges on the bottom of the shell and projects to walls. Two different light effects can form into one cylindrical light or brighten up a large area, which brings you a distinctive life experience.



	Lamp	Lumen	A	B	C
GL19306	LED 3.5W	270LM	171	75	57



CE CB ETL SAA V BMS BIS
 ISO9001-2015 ISO14000 BSCI



Alvin

19307

Art creates life. This series includes Light Otley and Light Alvin. They are both shaped in pyramid and have strong lines. Their emitted light converges on the bottom of the shell and projects to walls. Two different light effects can form into one cylindrical light or brighten up a large area, which brings you a distinctive life experience.



	Lamp	Lumen	A	B	C
GL19307	LED 6W	600LM	240	75	57




Bourne

19308



Voltone presents to user with the contracted design, combine beauty with utility. That could install on covered bridges, pavilions, corridors and etc. Voltone with two size , diameter of 250mm and 320mm. Small size 20 W, big size 30W. When you install in high place, also have high brightness.

Bourne use High voltage linear IC OSRAM LED, output watts 20W and 30W. It have two size , small and big. About materials we use polished finish die-casting aluminum, and PC diffuser. We use anti-corrosion, anti-UV powder to printing different color, black, dark gray and silver gray for you choose.



LED 30 W	TEMPERATURE 2700K 6500K
MAX. 3000 LUMENS	IP65

	Lamp	Lumen	A	B
GL19308	LED 20W	2000LM	60	Φ250
GL19309	LED 30W	3000LM	60	Φ320

ISO9001-2015 ISO14000 BSCI

Grove

19310/19311



Grove

19310/19311/19312/19313


Polgar have smooth lines and simple design, use lucency PC diffuser let us feel simple but comfortable. In outside scene, if you have a power, could lighting directly use the socket. Suit for Camping, outside party and etc. Polgar have two method :one is LED 20W, another is E27 with bulb, all are waterproof. The perfect combination of black walnut and die casting aluminum meet user demand for mood lighting.

Grove use OSRAM LED and CE driver, output watts 20W, also have E27 pattern, could change bulb as you like. About materials we use polished finish die-casting aluminum, and PC diffuser. We use anti-corrosion, anti-UV powder to printing different color, black, dark gray and silver gray for you choose.

GL19310




GL19311



GL19312



GL19313



Lamp	Lumen	A	B
GL19310	LED 20W 1800LM	322	Φ300
GL19311	LED 20W 1800LM	400	Φ300
GL19312	LED 20W 1800LM	322	Φ300
GL19313	LED 20W 1800LM	400	Φ300

Grove

19314/19315/19316



Grove


19314/19315/19316

Polgar have smooth lines and simple design, use lucency PC diffuser let us feel simple but comfortable. In outside scene, if you have a power, could lighting directly use the socket. Suit for Camping, outside party and etc. Polgar have two method :one is LED 20W, another is E27 with bulb, all are waterproof. The perfect combination of black walnut and die casting aluminum meet user demand for mood lighting.

Grove use OSRAM LED and CE driver, output watts 20W, also have E27 pattern, could change bulb as you like. About materials we use polished finish die-casting aluminum, and PC diffuser. We use anti-corrosion, anti-UV powder to printing different color, black, dark gray and silver gray for you choose.

3X2200mAh lithium battery
 Charge: 5-6H
 Charging Voltage: DC 5-12V 2A
 Work time: 100% of light 6H,
 50% of light 12H

GL19315



GL19314



LED 13W	TEMPERATURE 2700K - 6500K
MAX. 1800 LUMENS	IP65

GL19316



E27 23W	IP54
-------------------	-------------

	Lamp	Lumen	A	B
GL19314	LED 13W	1300LM	256	Φ175
GL19315	LED 4W	300LM	256	Φ175
GL19316	E27 MAX.23W	-	256	Φ175

ISO9001-2015 ISO14000

Grove

19317/19318




Grove

19317/19318


Polgar have smooth lines and simple design, use lucency PC diffuser let us feel simple but comfortable. In outside scene, if you have a power, could lighting directly use the socket. Suit for Camping, outside party and etc. Polgar have two method :one is LED 20W, another is E27 with bulb, all are waterproof. The perfect combination of black walnut and die casting aluminum meet user demand for mood lighting.

Grove use OSRAM LED and CE driver, output watts 20W, also have E27 pattern, could change bulb as you like. About materials we use polished finish die-casting aluminum, and PC diffuser. We use anti-corrosion, anti-UV powder to printing different color, black, dark gray and silver gray for you choose.

GL19317



GL19318



	Lamp	Lumen	A	B
GL19317	LED 13W	250LM	256	Φ175
GL19318	E27 MAX.23W	-	256	Φ175

ISO9001-2015 ISO14000 BSCI



Alvin

19319/19320


Alvin column head lamp with a height of 300mm. Use large transparent plastic lampshade to increase light transmittance. There are two types of this light: LED and E27, customers can choose according to their preferences or environment.



E27
23^w IP54

LED
13^w TEMPERATURE
2700K
6500K

MAX.
1200
LUMENS IP65



	Lamp	A	B	C
GL19319	E27 Max. 23W	300	175	175
GL19320	LED 13W	300	175	175

CE CB (ETL) SAA VDE BIS
ISO9001-2015 ISO14000 BSCI



Cam
1950 Series



Cam

1950 Series

We build a distinctive life for you with earnest creation. The Light Cam includes wall lamp and lawn lamp. The lampshades are transparent and are colored in gray, which perfectly blended in the materials. The lights are succinct, designed in strong lines and particularly beautiful. The Light 19504S is inductive. Installing it at your front door, the warm light can blend with the path, and bring fun and coziness to your life.



	Lamp	A	B	C
GL19501	E27 Max. 23W	85	85	400
GL19502	E27 Max. 23W	85	85	600
GL19503	E27 Max. 23W	85	85	800
GL19504	E27 Max. 23W	85	135	250
GL19504S	E27 Max. 23W	85	148	275



Wilton

1960 Series




CE CB    BIS
ISO9001-2015 ISO14000  BSCI

Wilton

1960 Series

Assemble the light of quality, glorify the splendid world. Wilton series of lights, wall lights and lawn lights for customers to choose, lawn lights also have different heights, customers can choose according to the lighting environment and preferences. This lamp USES large transparent plastic lampshade, the design feeling is distinctive. Using energy-saving light bulbs as the light source, in this era of energy conservation and emission reduction, this is a trend, but also a fashion.



	Lamp	A	B	C
GL19601	E27 Max. 23W	600	Φ175	175
GL19602	E27 Max. 23W	800	Φ175	175
GL19603	E27 Max. 23W	1000	Φ175	175
GL19604	E27 Max. 23W	400	Φ175	204
GL19604S	E27 Max. 23W	400	Φ175	204



Wilton

1960 Series




CE CB    BIS
ISO9001-2015 ISO14000  BSCI

Wilton

1960 Series

Unique extraordinary, create extraordinary. Series of lights. The use of large transparent plastic lampshade, high through lampshade can better play a bright. The light comes out from the top of the lamp with a built-in silver reflector reflecting off the reflector. Like a lighted torch, it lights up the world and transmits civilization.



	Lamp	Lumen	A	B	C
GL19605	LED 13W	1200LM	600	Φ175	175
GL19606	LED 13W	1200LM	800	Φ175	175
GL19607	LED 13W	1200LM	1000	Φ175	175
GL19608	LED 13W	1200LM	400	Φ175	204
GL19608S	LED 13W	1200LM	400	Φ175	204

LED 13 W	TEMPERATURE 2700K - 6500K
MAX. 1200 LUMENS	IP65

CE CB ETL SAA V BMS BIS
 ISO9001-2015 ISO14000 BSCI


Romsey

1970 Series

Romsey

1970 Series

Create grade, lead the quality. Romsey lighting, unique new Chinese style design style. On either side of the road, like small lanterns, light up the dark road. This lamp USES IP65 waterproof design, can effectively achieve waterproof effect.



	Lamp	Lumen	A	B	C
GL19701	LED 13W	1200LM	1000	175	276
GL19702	LED 13W	1200LM	1400	175	276
GL19703	LED 13W	1200LM	330	175	234
GL197035	LED 13W	1200LM	330	175	234

LED
13W

TEMPERATURE
2700K
-
6500K

MAX.
1200
LUMENS

IP65

CE CB ETL SAA V BMS BIS
 ISO9001-2015 ISO14000 BSCI

Romsey


1980 Series



Romsey

1980 Series

Create grade, lead the quality. Romsey series lighting, unique new Chinese style design style. On either side of the road, like small lanterns, light up the dark road. This lamp USES IP65 waterproof design, can effectively achieve waterproof effect.




Lamp		A	B	C
GL19801	E27 Max. 23W	800	175	276
GL19802	E27 Max. 23W	1000	175	276
GL19803	E27 Max. 23W	1400	175	276
GL19804	E27 Max. 23W	330	175	234
GL19804S	E27 Max. 23W	330	175	234

ISO9001-2015 ISO14000 BSCI

Romsey

19805

19805 is a garden light. The upper light-emitting surface is reflected by the frosted aluminum part, which is simple and beautiful. It can be installed in pedestrian streets and parks. The night falls, illuminating your way forward.



LED 13 W	TEMPERATURE 2700K 6500K
MAX. 1200 LUMENS	IP65

	Lamp	Lumen	A	B	C
GL19805	LED 30W	1850LM	1000	175	276

CE CB ETL SAA VDE BIS
 ISO9001-2015 ISO14000 BSCI

Steep

1990 Series







Steep

1990 Series

We build a distinctive life for you with earnest creation. The Light Steep includes wall lamp and lawn lamp. The lampshades are transparent and are colored in gray, which perfectly blends in the materials. The lights are succinct, designed in strong lines and particularly beautiful. The Light 19504S is inductive. Installing it at your front door, the warm light can blend with the path, and bring fun and coziness to your life.

LED 7_W	TEMPERATURE 2700K 6500K
MAX. 650 LUMENS	IP65



	Lamp	Lumen	A	B	C
GL19901	LED 7W	650LM	600	90	140
GL19902	LED 7W	650LM	800	90	140
GL19903	LED 7W	650LM	1000	90	140
GL19904	LED 7W	650LM	200	105	100
GL19904S	LED 7W	650LM	200	105	100



Bodmin

1810 Series

Earlier days, there only light. How light reach to our brain suddenly.

Actually, lighting could awakening the senses. When walking on the road, I feeling breeze ran across my face, hearing the subtle flow of sound in the air, also feeling light become to shadow. Hence, light of aware not only lighting, also included followed shadow.

Life will more dramatic coordinate lighting and shadow. Combination of light and shadow, original life have special idiosyncrasy. Building promote level, seems i am on the magical land of the island of Paris. Simple thing and ordinary life become miraculous are lighting aware.



	Lamp	A	B	C
GL18101	GU10 Max. 20W	89	114	179
GL18102	GU10 Max. 20W	89	294	179


CE CB ETL SAA V BMS BIS
 ISO9001-2015 ISO14000 BSCI

Helston

18201



Light brings hope. The Light Helston shaped in cylinder is both connotative and stylish, concisely modern and well-designed. Fixing the light to exterior walls in the darkness is uniquely stylish and brings light to customers,



	Lamp	A	B	C
GL18201	GU10 Max. 35W	134	187	132



CE CB ETL SAA V BMS BIS
 ISO9001-2015 ISO14000 BSCI



Kenwyn

18202

After dusk, true colors remain. Kenwyn lamps have two different expressions for customers to choose. The simple Nordic style is inspired by the shape of the diamond. The milky white lampshade makes the light uniform and soft, the temperature is quiet, and the aesthetics of light adds space to the temperature. One lamp will make your interior shine, one lamp will make your life more comfortable, and one lamp will make you a more full-featured home.



Lamp	Lumen	A	B	C	
GL18202	LED 12W	1200LM	240	129	56






Conroe

18203

After dusk, true colors remain. Conroe lamps have two different expressions for customers to choose. The simple Nordic style is inspired by the shape of the diamond. The milky white lampshade makes the light uniform and soft, the temperature is quiet, and the aesthetics of light adds space to the temperature. One lamp will make your interior shine, one lamp will make your life more comfortable, and one lamp will make you a more full-featured home.



LED 12 W	TEMPERATURE 2700K 6500K
MAX. 1200 LUMENS	IP65

	Lamp	Lumen	A	B	C
GL18203	LED 12W	1200LM	240	129	58

CE CB ETL SAA V BMS BIS
 ISO9001-2015 ISO14000 BSCI

Torbay

18204


Unique and extraordinary. The Torbay lamp is composed of two parts. The lamp body is made of high-quality die-cast aluminum. The wick is enveloped in a transparent lampshade. It is bright and transparent. There is also a series of induction lamps. Life is extraordinary. At the moment of light induction, light and shadow rush to you without reservation, let everything be with the light.



GL18204



GL18204S



	Lamp	Lumen	A	B	C
GL18204	LED 13W	1200LM	141	157	184
GL18204S	LED 13.5W	1200LM	141	157	184

LED
13W

TEMPERATURE
2700K
6500K

MAX.
1200
LUMENS


IP65

CE CB ETL SAA V BMS BIS
 ISO9001-2015 ISO14000 BSCI

Chard

18205



Make the world brighter. Chard lamp, ultra-thin luminous surface, white lampshade, built-in LED chip, die-cast aluminum baking paint bracket. Go simple, create a light life with simplicity, and light up the colorful world; the light of darkness easily creates a warm feeling. We use brand-new light source technology. The light is soft and not dazzling, which reduces the harm of light pollution to eyesight. We insist on designing good lamps just to protect your health.



GL18205



GL18205S



	Lamp	Lumen	A	B	C
GL18205	LED 13W	1200LM	155	182	160
GL18205S	LED 7W	650LM	155	182	171



ISO9001-2015

ISO14000

BSCI





Yeovil

18207



Demanding to achieve good quality, attention to detail is just to create a good lamp. Yeovil lamps use elegant curve expressions. The rear die-cast aluminum lamp holder is folded to the front of the lamp, which is simple yet individual, and reshapes the geometric charm of the lamp. The soft and warm light enhances the quality of your life and awakens your romantic feelings. This is a lamp full of visual experience, graceful light and shadow, to satisfy your taste and feelings.







Lamp	Lumen	A	B	C	
GL18207	LED 13W	1200LM	265	139	90



Wells

18208

Soft luster, bright and radiant. The Wells lamp has a three-dimensional geometric design with smooth and natural curves. The lights pour out from the upper and lower parts to create a three-dimensional light effect. This lamp is aesthetically crafted and technically sophisticated. It can not only control classics, but also match with simplicity. It does not pick the installation position. No matter where it is installed, it can bring you a better life experience and make your life full of ritual. The beam of light is not only to light up the space, but also to warm your home.



Lamp	Lumen	A	B	C	
GL18208	LED 11W	1000LM	210	46	210



CE CB ETL SAA V BMS BIS
ISO9001-2015 ISO14000 BSCI

Burton

18209

Burton use OSRAM LED and CE driver, output watts 11W. About materials we use polished finish die-casting aluminum and tempered glass. It could change lighting shadow from wide to narrow. We use anti-corrosion, anti-UV powder to printing different color, black, dark gray and silver gray for you choose.

Burton use the aluminum alloy material, design simple and easy, streamlined appearance, was inspired by simple geometric shapes and organic form, simple and romantic, stereo sense is metallic ability to adapt to the modern household soft outfit style, up and down two beams of light design, reflect urban style restoring ancient ways and customs, as night falls, warm color lighting foil a villa garden better meet user demand for mood lighting



Lamp	Lumen	A	B	C	
GL18209	LED 11W	1000LM	80	40	260




Cotau

1830 Series

Votaw

1830 Series

Light up green lighting with your heart. Votaw lamps are divided into wall lamps and lawn lamps. The lamp head is made of aluminum die-casting and inlaid on milky white plastic, the lines are simple and smooth, and the lower lamp post is made of aluminum profile, which is naturally delicate and prevents corrosion. 360-degree wide-angle lighting, comfortable and non-irritating light feeling, high brightness makes each corner transparent and clear, dedicated to creating a comfortable and healthy family life for you.



	Lamp	A	B	C
GL18301	E27 Max. 23W	90	90	300
GL18302	E27 Max. 23W	90	90	500
GL18303	E27 Max. 23W	90	90	800
GL18304	E27 Max. 23W	141	90	180



Biglis


1840 Series



Biglis

1840 Series

Quality reflects light. Biglis lamps are divided into wall lamps and lawn lamps, and lawn lamps have different heights for customers to choose. Biglis is a long column-shaped lamp body, round lamp surface, the light from top to bottom, not only for lighting, but also your yard decoration. The wall lamp, the lampshade is facing inward, and the wall reflects, the light is bright and soft, creating a warm and interesting home environment for you.



	Lamp	Lumen	A	B	C
GL18401	LED 13W	1200LM	195	140	300
GL18402	LED 13W	1200LM	195	140	500
GL18403	LED 13W	1200LM	195	140	800
GL18404	LED 13W	1200LM	165	140	150

LED
13^W

TEMPERATURE
2700K
—
6500K

MAX.
1200
LUMENS


IP65

CE CB    **BIS**
 ISO9001-2015 ISO14000  BSCI

Sway

17101

Creative lighting comes from natural light. Sway lamp, ultra-thin rectangular appearance, light on both sides, wide field of view up and down, enhance lighting intensity, expand lighting range, sensor at the bottom, artistic design, bright light when people come. The unique modern beauty and stylish personality make the home atmosphere no longer plain.



LED 13 W	TEMPERATURE 2700K — 6500K
MAX. 1200 LUMENS	IP65

	Lamp	Lumen	A	B	C
GL17101	LED 13W	1200LM	232	135	70
GL17101S	LED 13.5W	1200LM	232	135	73


CE CB **BIS**
 ISO9001-2015 ISO14000 BSCI



Wick

17102

Build your brand with personality. The Wick lamp has a die-cast aluminum frame on the upper part and a lamp face on the lower part. It uses a modern and simple style, giving a pure comfort. The layer protects the lamps, just for normal use in bad weather. Every detail is carefully created to make your building more vivid and warm.



LED 10 W	TEMPERATURE 2700K 6500K
MAX. 850 LUMENS	IP65




Lamp	Lumen	A	B	C	
GL17102	LED 10W	850LM	125	137	50

CE CB ETL SAA V BMS BIS
 ISO9001-2015 ISO14000 BSCI

Dayton

17103

Glow the era and illuminate the future. Dayton lamps, rectangular frame, minimalist design, provide strong support for the entire lamp frame, using module cutting technology, to achieve soft design of the corner lines, light and shadow are scattered around in an orderly manner, very beautiful. And this lamp expands the lighting range, makes the light project in all directions, uses flicker-free power, the light is more natural, and your family is comfortable and at ease.



Lamp	Lumen	A	B	C	
GL17103	LED 13W	1200LM	227	97	65


CE CB ETL SAA V BMS BIS
 ISO9001-2015 ISO14000 BSCI



Deal

17104

Deal, ivory lamp shade and die casting aluminum color splice, angular, simple and generous. Frosted lamp body, fashionable atmosphere, anti-corrosion and rust-proof, milky white lamp shade, perfect integration with outdoor light, strong light transmittance, uniform luminescence. Equipped with sensors to provide light when the crowd is in close contact and automatically extinguishes when the crowd is far away, energy saving and environmental protection make your life more comfortable.



LED 13 ^W	TEMPERATURE 2700K — 6500K
MAX. 1200 LUMENS	IP65




	Lamp	Lumen	A	B	C
GL17104	LED 13W	1200LM	256	161	58
GL17104S	LED 13.5W	1200LM	256	161	69

CE CB    **BIS**
 ISO9001-2015 ISO14000  BSCI

Calais

17105

Start at the level of appearance and stick to the details. Calais style lamp, give smooth surface to design for curved surface, lamplight spreads to outside, the circular arc chimney with delicate circumferential space sends out downy lamplight, bring warmth for the person that evening passes. Under the sensor, is a both appearance level and can illuminate the environment, but also energy conservation and environmental protection, committed to creating more possibilities for your life.





Lamp	Lumen	A	B	C	
GL17105	LED 13W	1200LM	285	110	106
GL17105S	LED 13.5W	1200LM	285	110	106

CE CB ETL SAA V BMS BIS
 ISO9001-2015 ISO14000 BSCI

Broek

17106/17107

Inspiration comes from life. Broek lamps are available in two different sizes for customers to choose from. Appearance is contracted, have contemporary style extremely, install on the wall slightly tilt, the light slant shoots to the surroundings, need not worry about the harm that strong light brings to the eye, the depth blends into each scene in the life. In the dark night, a touch of light, optics and aesthetics of the soft in the night sky to form a shock of visual charm, light up your delicate life.



LED 13 W	TEMPERATURE 2700K 6500K
MAX. 1200 LUMENS	IP65


	Lamp	Lumen	A	B	C
GL17106	LED 7W	600LM	180	114	65
GL17107	LED 13W	1200LM	250	123	74

CE CB ETL SAA V BMS BIS
 ISO9001-2015 ISO14000 BSCI

Goes

17201

Goes lamp, round appearance design, simple, beautiful and generous, white wick texture uniform, all show luster, irradiation light uniform soft, reduce strong light stimulation at night. From the beginning of the design, each of the materials are able to withstand the test of quality and safety, always for your safety escort.



LED 13 W	TEMPERATURE 2700K 6500K
MAX. 1200 LUMENS	IP65

	Lamp	Lumen	A	B	C
GL17201	LED 13W	1200LM	265	107	76
GL17209	LED 7W	600LM	185	88	63



CE CB **BIS**
 ISO9001-2015 ISO14000



Creole

17202

Your taste, from inside and hair, by the light and sense. Creole lamp, semi-cylindrical lamp body wrapped cylindrical wick, lines smooth and natural, simple geometric design, fully show the beauty of fashion. This lamp design is simple, strict technology, and the lamp body is half wrapped, so that the wick does not fear the wind and rain, as new. A row of wall lamp strewn at random have send, satisfy your brightness demand already, serve as adornment to promote your family savour more, satisfy a lot of demand at the same time.



Lamp	Lumen	A	B	C	
GL17202	LED 13W	1200LM	270	100	58



Breda

17203






CE CB    BIS
ISO9001-2015 ISO14000  BSCI

Breda

17203

The art of light is created by heart. Breda lamps, geometric cylinder design, the lamp body can be rotated, rotated to the top or below, above or below unilateral light, rotation to the middle, both sides at the same time refraction light. It can be better applied to different environments. It also increases the interaction between customers and products. Added a joy to life.



Lamp	Lumen	A	B	C	
GL17203	LED 13W	1200LM	223	130	105



CE CB ETL SAA V BMS BIS
 ISO9001-2015 ISO14000 BSCI

Assche

17206



Warm your heart and light your home. Assche lamps, flat circular design, the upper part of the semi-elliptic shape of the lamp body, the lower part of the arc shape of the wick, combining natural, warm and soft elements, the light along the oblique direction of the sprinkling on the wall, presenting a different modern style, the classic and modern design, give new meaning to the way of life.



Lamp	Lumen	A	B	C
GL17206	LED 10W	850LM	185	122 170



Glain

17208

Glain

17208



Design everything for the customer. Glain lamp, design is concise and easy, the lamp body waist line with soft beauty, depict the aesthetic feeling that gives different. Install on the wall, lamplight everywhere sprinkles, omni-directional illumination. Induction lamp series, energy saving and environmental protection.



GL17208



GL17208S






Lamp	Lumen	A	B	C	
GL17208	LED 10W	850LM	118	222	66
GL17208S	LED 11W	850LM	118	222	66

CE CB ETL SAA V BMS BIS
 ISO9001-2015 ISO14000 BSCI

Cherbi

17210

Cherbi lamp, bold use geometric design, do not lose feminine in angular design, excelsior detail processing, make the lamps and lanterns more elegant gesture, unique creative style, the unique double light, to maximize your visual perception, except lighting function, more and view and admire a gender, let you have not only light but more advanced life taste.





	Lamp	Lumen	A	B	C
GL17210	LED 11W	1000LM	106	200	62

CE CB ETL SAA V BMS BIS
 ISO9001-2015 ISO14000 BSCI

Tiel

17211

Light up life and discover its beauty. Tiel lamps, the outside contour of the lamp is square rectangle, smooth surface and round. The radian of lamp body and the arc line that gives smooth surface are perfect union, mount on the ceiling, bright and lively atmosphere is vividly portrayed. Installed in the open air, the bright surface highlights the dark night, light up your life.



	Lamp	Lumen	A	B	C
GL17211	LED 20W	2000LM	251	251	55







Cenray

17212

Excellent technology and outstanding quality. Item number Cenray, triangular prism-shaped housing, horizontally installed on the wall, the wick is located on the inclined surface, using the adjusted angle, when night falls, the simple-lined lamp suddenly lights up, the light passes through the lens, on the wall Project a large area, instantly fill the entire environment, elegant appearance, let you meet beauty.





	Lamp	Lumen	A	B	C
GL17212	LED 7W	500LM	82	86	137

CE CB ETL SAA V BMS BIS
 ISO9001-2015 ISO14000 BSCI

Busch

17301/17302

Item number Busch , rectangular parallelepiped design, clear edges and corners, smooth and natural lines, two-way light up and down, long-distance illumination, IP65 waterproof design, no worry under the impact of rain. It is meticulous, its style is unique, and its simplicity is an extraordinary division. Add a different atmosphere to the dark night and boring walls.



	Lamp	Lumen	A	B	C
GL17301	LED 7W	600LM	162	90	96
GL17302	LED 13W	1200LM	200	90	96

CE CB ETL SAA V BMS BIS
 ISO9001-2015 ISO14000 BSCI

Bonn



17303/17304



Bonn

17303/17304

Item number Bonn , rectangular parallelepiped design, clear edges and corners, smooth and natural lines, two-way light up and down, long-distance illumination, IP65 waterproof design, no worry under the impact of rain. It is meticulous, its style is unique, and its simplicity is an extraordinary division. Add a different atmosphere to the dark night and boring walls.



	Lamp	Lumen	A	B	C
GL17303	LED 7W	600LM	162	90	96
GL17304	LED 11W	1200LM	200	90	96

CE CB ETL SAA V BMS BIS
 ISO9001-2015 ISO14000 BSCI


Lupen

1740 Series


Eupen

1740 Series

Classic masterpiece, enjoy forever. Item Number Eupen , there are two types of lawn light and wall light. The light from this head pours out from both sides under the head, leaving only two circular beams of light and shadow, unique lighting environment, different experience.



	Lamp	Lumen	A	B	C
GL17401	LED 11W	1000LM	166	166	300
GL17402	LED 11W	1000LM	166	166	500
GL17403	LED 11W	1000LM	166	166	800
GL17404	LED 11W	1000LM	147	147	210



Kinder

1750 Series





CE CB    BIS
ISO9001-2015 ISO14000  BSCI

Kinder

1750 Series

Only to create unique art products. Item number Kinder. with a forward-looking design, a cylindrical lamp body, an arc-shaped lamp body above, and an entire curved light surface below the lamp body. When night falls and the lights are lit, the moment becomes bright. The theme, the hustle and bustle of everything is still at this moment, the lights illuminate everything around.



	Lamp	Lumen	A	B	C
GL17501	LED 13W	1200LM	121	245	300
GL17502	LED 13W	1200LM	121	245	500
GL17503	LED 13W	1200LM	121	245	800




Stein

1760 Series

Stein

1760 Series

Item Number Stein, has a three-dimensional design, a cuboid body, and a long light-emitting surface. The surrounding aluminum shell extends outward. The light extends outward through the milky plastic lampshade, highlighting the bright beauty of the light. This lamp has lawn lamp and wall lamp for customers to choose from, exquisite craftsmanship, unique design and perfect taste.



LED 13 ^W	TEMPERATURE 2700K - 6500K
MAX. 1200 LUMENS	IP54

Lamp	Lumen	A	B	C
GL17602	LED 13W 1200LM	167	500	111
GL17603	LED 13W 1200LM	167	800	111
GL17604	LED 9W 850LM	127	280	102

CE CB ETL SAA V BMS BIS
 ISO9001-2015 ISO14000 BSCI

Mayen


1770 Series



Mayen

1770 Series

Mayen series lawn lamp. Unique appearance design. There are different heights for customers to choose. IP54 waterproof. It can effectively prevent the ingress of rainwater, and even illuminate the road on the ground even in bad weather conditions.



	Lamp	Lumen	A	B	C
GL17701	LED 13W	1200LM	230	300	159
GL17702	LED 13W	1200LM	230	500	159
GL17703	LED 13W	1200LM	230	800	159

LED 13 ^W	TEMPERATURE 2700K - 6500K
MAX. 1200 LUMENS	IP54


CE CB ETL SAA V BMS BIS
 ISO9001-2015 ISO14000 BSCI

Uren


16101/16102



There are Uren models of lighting lamps, one size is one size, the other size is for customers to choose. The bold hollow design and the rough rough lines outline a different aesthetic sense. The cube design has a milky white lampshade and a staircase shape wrapping the edges. Create a unique taste for you.



	Lamp	Lumen	A	B
GL16101	LED 20W	2000LM	250	265
	E27 23W			
GL16102	LED 13W	1200LM	150	160
	E27 23W			





CE CB ETL SAA V BMS BIS
 ISO9001-2015 ISO14000 BSCI

Nairn

16103



At night, it's time for my home lighting. Nairn models of lighting, using arc design, dark gray die-cast aluminum and white lampshade creative stitching, light is shining up and down, with elegant and charming geometric lines, quiet and simple colors, the public appreciate the unique charm of Art Nouveau. Its existence is already a beauty, you just need to taste it.





	Lamp	Lumen	A	B	C
GL16103	LED 10W	1200LM	230	60	55

CE CB ETL SAA V BMS BIS
ISO9001-2015 ISO14000 BSCI

Forres

16104

People oriented, careful design. Forres models of lighting, rectangular shell design, direct-cast aluminum body around the lamp body, generous and stable, hollow design in the middle, the light source shines into the incident, everything is so natural. Use creative design, decorate space, decorate life, and open a new life wisdom for you.



LED 13 W	TEMPERATURE 2700K — 6500K
MAX. 1200 LUMENS	IP65

Lamp	Lumen	A	B	C
GL16104	LED 13W	248	115	70



CE CB ETL SAA V BMS BIS
 ISO9001-2015 ISO14000 BSCI

Alness

16105



No best, only better. Alness models of lighting, with ultra-thin design, smooth curved lines, and large light-emitting surface design, extend from one side to the other, giving people unlimited reverie. The shape of this lamp is extremely simple and its temperament breaks the tradition, which will take you to a new realm of light and shadow.





	Lamp	Lumen	A	B	C
GL16105	LED 13W	1200LM	200	130	50



Elain

16106

Elain lighting lamps with a drop-shaped design, a white oval lampshade ring surrounds a week, dark lights are placed in it, and black and white colors alternate, creating a simple and stylish living space for you. Simplicity is not equal to simplicity. It is an extension of the design and ideas after innovation after deliberate thinking. It is not a simple "stacking" and a bland "placement". The waterdrop-like design, warm and soft light, condenses the designer Unique, beautiful and practical.



Lamp	Lumen	A	B	C
GL16106	LED 13W	169	219	55


CE CB ETL SAA V BMS BIS
ISO9001-2015 ISO14000 BSCI

Leven

16107



Light up green lighting with heart. The Leven type of lighting lamp has a minimalist design and a round ultra-thin design. The all-in-one aluminum die casting covers the white light surface. The delicate plastic lampshade adopts a large glossy design to increase the lighting area. The WATERPROOF design of IP65 can be used normally in harsh environment, so that the dark night is not dark.



LED 10 W	TEMPERATURE 2700K 6500K
MAX. 1200 LUMENS	IP65



Lamp	Lumen	A	B	C	
GL16107	LED 10W	1200LM	175	202	40

CE CB ETL SAA V BMS BIS
ISO9001-2015 ISO14000 BSCI

Podoli

16108

People oriented, careful design. Podoli models of lighting, rectangular shell design, direct-cast aluminum body around the lamp body, generous and stable, hollow design in the middle, the light source shines into the incident, everything is so natural. Use creative design, decorate space, decorate life, and open a new life wisdom for you.





	Lamp	Lumen	A	B	C
GL16108	LED 7W	600LM	175	83	64

CE CB ETL SAA V BMS BIS
 ISO9001-2015 ISO14000 BSCI

Horn

16201

Not the same choice, not the same light. Horn floodlights, rectangular design, ultra thin appearance, super white light design, installed on the top ceiling, using 20W power supply, through the ivory lampshade, emitting soft light, pure in warmth and peace. In the dark night, light up the surrounding environment, for you to create a different light.



	Lamp	Lumen	A	B	C
GL16201	LED 20W	2000LM	250	250	50

CE CB ETL SAA V BMS BIS
ISO9001-2015 ISO14000 BSCI

Brno


1640 Series




Brno

1640 Series

Brno lights, designed with lawn lights and wall lights for customers to choose. Rectangular frame design, coarse ore aluminum profile support the whole lamp body, hard line, strong and durable. Adopt top to shine, chimney is placed in die cast piece, conceal light in lamp holder, see smooth shadow, give out light is downy. Through the aluminum support frame, the light depicts two shadows on the ground, adding a luster to the world.



	Lamp	Lumen	A	B
GL16401	LED 13W	1200LM	120	300
GL16402	LED 13W	1200LM	120	500
GL16403	LED 13W	1200LM	120	800
GL16404	LED 13W	1200LM	138	250



Melc

1650 Series




CE CB ETL SAA V_{DECS} BIS
ISO9001-2015 ISO14000 BSCI


Melc

1650 Series

Now, the light condenses love. The Melc lamps are divided into lawn lamps and wall lamps. The design inspiration comes from bright diamonds. The sharp angular lines are like the cutting technology of diamonds.



	Lamp	A	B
GL16501	LED 13W	120	300
	E27 23W		
GL16502	LED 13W	120	500
	E27 23W		
GL16503	LED 13W	120	800
	E27 23W		
GL16504	LED 13W	120	250
	E27 23W		




Houma

1660 Series


Houma

1660 Series

The Houma LED lamp has a cubic design with four small poles distributed around it, and the light source illuminates from the top of the lamp body. The height of the lamp body is different, and the light effect is also different. Customers can choose the lamp body of different height according to the installation environment.



	Lamp	Lumen	A	B
GL16601	LED 13W	1200LM	300	150
GL16602	LED 13W	1200LM	500	150
GL16603	LED 13W	1200LM	800	150
GL16604	LED 13W	1200LM	160	150




Corbie

15101



Corbie floodlights, rectangular design, lamp shade design is a bright spot, the bottom of the design into sharp edges, scattered in the night out of different light and dark light, in the quiet night light colorful color, write a light melody, fresh and do not lose gorgeous, stylish and do not lose elegant, quietly light up the world for you.



LED 10 W	TEMPERATURE 2700K 6500K
MAX. 1100 LUMENS	IP65




	Lamp	Lumen	A	B	C
GL15101	LED 10W	1100LM	240	120	45

CE CB ETL SAA V BMS BIS
ISO9001-2015 ISO14000 BSCI

Bains

15102

Design originates from life, and details contribute to quality. Bains lights, inspired by the moon in the night sky. The minimalist appearance design, ultra-thin light body, extremely narrow light body frame, elliptic smooth surface and smooth curve radian create a different 15102. When the night falls and the darkness covers all around, 15102 is like a bright moon, illuminating the earth and illuminating your way forward.





	Lamp	Lumen	A	B	C
GL15102	LED 13W	1200LM	236	114	68

CE CB ETL SAA V BMS BIS
ISO9001-2015 ISO14000 BSCI

Roye

15103

Roye wall lamp, using the design of ball shape, ring die-cast aluminum wrapped in opalescent plastic lampshade, perfect radian, elegant and smooth lines, super symmetrical glossy design. At night, it is like a pearl hanging in the sky, lighting up the surrounding environment and rendering a quiet atmosphere in the noisy urban environment.






	Lamp	Lumen	A	B	C
GL15103	LED 13W	1200LM	200	200	180

CE CB ETL SAA V BMS BIS
 ISO9001-2015 ISO14000 BSCI

Parmain

15104

Different design, different life. Parmain with a semicircular design and a very simple and round appearance, the light shoots out a ray through a small rectangular space, leaving a straight line of light on the ground. Although this lamp is small and compact, but gather together, can have the effect unexpectedly unexpectedly. Installed in the corridor, steps, on the ground to leave a trail of light and shadow, to the dull life, added endless fun.



	Lamp	Lumen	A	B	C
GL15104	LED 3.5W	160LM	120	120	52




CE CB ETL SAA V BMS BIS
 ISO9001-2015 ISO14000 BSCI

Halle

15105



Wall lamp of Halle, very simple geometric rectangular appearance, ultra-thin lamp body, light hidden under the lamp body, light diffusing from all around. The light envelops the whole body of the lamp. Ornament is on insipid and tasteless metope, increase the breath of life.





	Lamp	Lumen	A	B	C
GL15105	LED 10W	900LM	230	80	33

CE CB ETL SAA V BSC BIS
ISO9001-2015 ISO14000 BSCI

Damme

15106

Damme wall light, inspired by the icon in batman, trapezoidal appearance, arc light body, ultra-narrow border, the upper and lower sides of light, illuminate the surrounding environment. The IP65's waterproof design works better in inclement weather conditions, providing ample light.





Lamp	Lumen	A	B	C
GL15106	LED 9W	810LM	236	68 75

CE CB    **BIS**
 ISO9001-2015 ISO14000  BSCI

Meppen

15107

Design is the presentation of art. Meppen wall lamp breaks through the traditional lamp design. It adopts a hollow design in the middle. The narrow-edge die-cast aluminum surrounds the lampshade. The upper and lower sides emit light. Through the milky white plastic lampshade, the light is soft and not dazzling. Installed in the outdoor yard to light up the dark night.



	Lamp	Lumen	A	B	C
GL15107	LED 13W	1200LM	200	220	70

CE CB ETL SAA V BMS BIS
ISO9001-2015 ISO14000 BSCI

Minette

15108/15110



Minette

15108/15110


Design originates from life, and life changes due to design. Minette is the house number lamp. Simple geometric rectangular appearance, large light-emitting surface design, providing waterproof black English digital stickers for customers to use. Installed in front of the door or on the street, the number is highlighted, and the road is also illuminated. This light also has light sensor and infrared sensor for customers to choose. IP65 waterproof design, can operate normally in bad weather.




GL15109




GL15108



GL15110



	Lamp	Lumen	A	B	C
GL15108	LED 13W	1200LM	160	210	58
GL15109	LED 11W	1040LM	160	210	58
GL15110	LED 11W	1040LM	160	210	58



CE CB ETL SAA V BMS BIS
 ISO9001-2015 ISO14000 BSCI

Eisen



1520 Series




Elsen

1520 Series

Elsen of LED lights, using ultra-thin rectangular design, there are 2 different ways of light, customers can choose different effects according to their preferences, environment and other factors. The lamp head is also designed to be rotatable, and customers can rotate the angle to achieve the light direction.



	Lamp	Lumen	A	B	C	Beam angle
GL15201	LED 9W	800LM	134	56	152	10°/25°
GL15202	LED 9W	800LM	134	56	152	120°
GL15203	LED 9W	800LM	134	64	303	10°/25°
GL15204	LED 9W	800LM	134	64	303	120°





Soest

1530 Series


Soest

1530 Series

Soest of LED lights, using ultra-thin rectangular design, there are 2 different ways of light, customers can choose different effects according to their preferences, environment and other factors. The lamp head is also designed to be rotatable, and customers can rotate the angle to achieve the light direction.



	Lamp	Lumen	A	B	C	Beam angle
GL15301	LED 13W	1300LM	200	56	152	10°/25°
GL15302	LED 13W	1300LM	200	56	152	120°
GL15303	LED 13W	1300LM	200	64	303	10°/25°
GL15304	LED 13W	1300LM	200	64	303	120°




Hagen

1540 Series


Hagen

1540 Series

Hagen lighting has wall lamps and lawn lamps for customers to choose. Lawn lights can choose different height sizes according to customers' preferences. Simple design, long strip shape, clean and neat. Large light emitting surface, double-sided light, illuminate the surrounding environment.



	Lamp	Lumen	A	B	C	Beam angle
GL15401	LED 13W	1300LM	200	56	152	10°/25°
GL15402	LED 13W	1300LM	200	56	152	120°
GL15403	LED 13W	1300LM	200	64	303	10°/25°
GL15404	LED 13W	1300LM	200	64	303	120°



CE CB ETL SAA V BMS BIS
 ISO9001-2015 ISO14000 BSCI


Rheda

1550 Series


Rheda

1550 Series

Design creates people's enjoy in life. Rheda of lights. Divided into two types of wall lights and lawn lights. The lamp head has an oval appearance with a hollow design in the middle. Between the light source and the lamp head, it shines from the top, leaving two front and back lights on the ground, everything is so natural and easy-going. The unique design has become the focus of this moment, highlighting the taste and uniqueness of life



	Lamp	Lumen	A	B	C
GL15501	LED 9W	810LM	200	300	80
GL15502	LED 9W	810LM	200	500	80
GL15503	LED 9W	810LM	200	800	80
GL15504	LED 9W	810LM	200	112	80



Koln


1560 Series




Koln

1560 Series

Koln of lights, simple European design, cylindrical appearance, the head adopts a slip-back shape, and the curved white plastic reflector increases the color of the light and illuminates more areas. Excellent waterproof, can also illuminate the road you travel in the wind and rain at night.



	Lamp	Lumen	A	B
GL15601	LED 9W	810LM	90	300
GL15602	LED 9W	810LM	90	500
GL15603	LED 9W	810LM	90	800
GL15604	LED 9W	810LM	140	272



Anna

1570 Series




CE CB ETL SAA V-ROHS BIS
ISO9001-2015 ISO14000 BSCI


Anna

1570 Series

Be good at taste, steady in heart and beautiful in form. Unna has lawn lamp and wall lamp series. Cylindrical lamp holder, rectangular lamp pole, shape like the Olympic torch, the transmission of information, but also convey a torch never extinguished the spirit. When night falls, the light illuminates the dark road, but also illuminates the road ahead.



	Lamp	Lumen	A	B
GL15701	LED 9W	810LM	100	300
GL15702	LED 9W	810LM	100	500
GL15703	LED 9W	810LM	100	800
GL15704	LED 9W	810LM	100	250





CE CB ETL SAA V BMS BIS
 ISO9001-2015 ISO14000 BSCI

Ocala

14101

Because professional, therefore outstanding. Ocala corner lamp, the appearance of all plastic material. The shape adopts rectangular design, and the smooth surface is composed of small sections. When the light is on, different light and dark colors will be produced. Installed next to the steps, corners, corners, lighting every corner.



	Lamp	Lumen	A	B	C
GL14101	LED 7W	490LM	210	60	32


CE CB ETL SAA V BMS BIS
ISO9001-2015 ISO14000 BSCI

Ocala

14105-14108



Enjoy the quality, cast classic. Ocala series wall lamps are available for customers to choose from. Simple European style, one - piece die-casting aluminum wrapped in ivory lampshade, lamp body downward light, installed on the wall, lamp board through the white lampshade, uniform soft, not dazzling. The lamp is also equipped with a transparent plastic board, which the customer can choose to install on the lamp body. The plastic board becomes a door lamp, which is installed in front of the door and on the street. It also has a different feeling.



Lamp	Lumen	A	B	C
GL14105	LED 7W 550LM	160	100	86
GL14106	LED 13W 1020LM	242	149	129
GL14108	GX53 11W	242	149	129

LED
13W

TEMPERATURE
2700K
—
6500K

MAX.
1020
LUMENS


IP54

CE CB    **BIS**
 ISO9001-2015 ISO14000  BSCI

Windsor

14109-14111

Enjoy the quality, cast classic. Windsor series wall lamps are available for customers to choose from. Simple European style, one - piece die-casting aluminum wrapped in ivory lampshade, lamp body downward light, installed on the wall, lamp board through the white lampshade, uniform soft, not dazzling. The lamp is also equipped with a transparent plastic board, which the customer can choose to install on the lamp body. The plastic board becomes a door lamp, which is installed in front of the door and on the street. It also has a different feeling.



	Lamp	Lumen	A	B	C
GL14109	LED 7W	550LM	160	100	184
GL14110	LED 13W	1020LM	242	149	239
GL14111	GX53 11W		242	149	239

LED
13W

TEMPERATURE
2700K
—
6500K

MAX.
1020
LUMENS


IP54

CE CB    **BIS**
 ISO9001-2015 ISO14000  BSCI


Perry

14203

Assemble the light of quality, guanyao beautiful life. Perry floodlights are designed in simple European style, with one side and two sides for customers to choose. This lamp also has different lighting effects. Customers can choose the lighting method according to their own liking and installation environment. Every night, the moment when the light comes on, it illuminates the cold city and warms your life.



	Lamp	Lumen	A	B
GL14203	LED 3.5W	320LM	106	157
GL14204	LED 7W	640LM	106	238






CE CB ETL SAA VDE BIS
 ISO9001-2015 ISO14000 BSCI

Denis

14205



Assemble the light of quality, guangyao beautiful life. Denis floodlights are designed in simple European style, with one side and two sides for customers to choose. This lamp also has different lighting effects. Customers can choose the lighting method according to their own liking and installation environment. Every night, the moment when the light comes on, it illuminates the cold city and warms your life.



	Lamp	Lumen	A	B
GL14205	LED 3.5W	320LM	106	157
GL14206	LED 7W	640LM	106	238
GL14207	GU10 35W		106	157
GL14208	GU10 2×35W		106	238

LED
7W

TEMPERATURE
2700K
—
6500K

GU10
70W

IP54

MAX.
1200
LUMENS

CE CB ETL SAA VDE BIS
 ISO9001-2015 ISO14000 BSCI

Bath


1430 Series



Bath

1430 Series

Advocate green illumination, freehand brushwork wonderful life. Bath floodlights adopt simple design style, the lamp cap is opalescent plastic lampshade, the lamp is the aluminum profile of small square. The lamp is designed as An E27 ceramic lamp holder. Customers can install the energy-saving bulb themselves. In this limited energy resources, fragile natural environment at present, we should save energy, green lighting to promote scientific use of electricity, the development of circular economy.



	Lamp	A	B
GL14301	E27 18W	70	300
GL14302	E27 18W	70	500
GL14303	E27 18W	70	800
GL14304	E27 18W	106	250




Bath

1430 Series


Benton

1430 Series

with your company, all the way bright. Benton Floodlights with simple design appearance, three sides of the lamp, ivory plastic lampshade and aluminum profile complement each other. This series of lights is also equipped with sensors, customers can choose according to their preferences, the induction lamp series.




	Lamp	Lumen	A	B
GL14305	LED 7W	520LM	70	300
GL14306	LED 7W	520LM	70	500
GL14307	LED 7W	520LM	70	800
GL14308	LED 7W	520LM	106	250




Benton

1430 Series

with your company, all the way bright. Benton Floodlights with simple design appearance, three sides of the lamp, ivory plastic lampshade and aluminum profile complement each other. This series of lights is also equipped with sensors, customers can choose according to their preferences, the induction lamp series.



	Lamp	Lumen	A	B
GL14309	LED 7W	520LM	70	300
GL14310	LED 7W	520LM	70	500
GL14311	LED 7W	520LM	70	800
GL14312	LED 7W	520LM	106	250



Patten


1430 Series




Patten

1430 Series

Advocate green illumination, freehand brushwork wonderful life. Patten floodlights adopt simple design style, the lamp cap is opalescent plastic lampshade, the lamp is the aluminum profile of small square. The lamp is designed as An E27 ceramic lamp holder. Customers can install the energy-saving bulb themselves. In this limited energy resources, fragile natural environment at present, we should save energy, green lighting to promote scientific use of electricity, the development of circular economy.



	Lamp	Lumen	A	B
GL14401	LED 7W	520LM	70	300
GL14402	LED 7W	520LM	70	500
GL14403	LED 7W	520LM	70	800
GL14404	LED 7W	520LM	106	220




Minto

1440 Series

Minto

1440 Series

Minto lighting.Lawn lamp and wall lamp series.The minimalist design, the light body USES the spray aluminum profile. IP54 waterproof design can effectively prevent rain from entering and damaging the lamp body. Ultra high quality, cast eternal classic.



	Lamp	Lumen	A	B
GL14405	LED 7W	520LM	70	300
GL14406	LED 7W	520LM	70	500
GL14407	LED 7W	520LM	70	800
GL14408	LED 7W	520LM	106	220

LED
7W

TEMPERATURE
2700K
6500K

MAX.
520
LUMENS

IP54

CE CB ETL SAA V BMS BIS
 ISO9001-2015 ISO14000 BSCI

Stanley

1460 Series




CE CB    BIS
ISO9001-2015 ISO14000  BSCI


Stanley

1460 Series

Quality illuminates the future, innovation ignites brilliance. Stanley floodlight, unique appearance, advanced design inside, breaking the traditional shackles. Using ultra-thin lamp pole, the whole slightly backward tilt, the top for the smooth surface, as if the eagle is about to spread its wings to soar. And art in one, whether placed outdoors or indoor, is a kind of beautiful enjoyment.



	Lamp	Lumen	A	B	C
GL14601	LED 7W	520LM	126	300	132
GL14602	LED 7W	520LM	126	500	132
GL14603	LED 7W	520LM	126	800	132
GL14604	LED 7W	520LM	160	110	132





CE CB ETL SAA V BMS BIS
 ISO9001-2015 ISO14000 BSCI

Adel

13107

Excellent because I am professional. Adel floodlights, using a minimalist design, mellow appearance, smooth lines. The one-piece die-cast aluminum wraps the whole lamp body, and the light is hidden inside to prevent glare. On both sides, narrow light on the top, wide light on the bottom, different effects of light, show different beauty, lighting gorgeous life.





	Lamp	Lumen	A	B	C
GL13107	LED 11W	730LM	106	175	50

CE CB ETL SAA V BMS BIS
ISO9001-2015 ISO14000 BSCI


Starke

13301

Starke corner lamp, with two different sizes, customers can choose according to the environment. The lamp is installed inside the wall, the surface is in the same plane with the wall, and the glossy surface is installed inside the lamp body. While illuminating the ground, it effectively prevents glare and provides a comfortable feeling.



	Lamp	Lumen	A	B	C
GL13301	LED 7W	540LM	220	123	90
GL13302	LED 3.5W	270LM	148	89	58




CE CB ETL SAA VDE BIS
 ISO9001-2015 ISO14000 BSCI



Orient

13305

Light up the horizon and activate the night. Orient corner lamp, rectangular appearance design, strong lines. It is formed by the intersection of geometric facets. The lamp board is hidden inside the lamp body to effectively place glare. The waterproof design of IP65 can downward and work normally in bad weather.



LED 13 W	TEMPERATURE 2700K 6500K
MAX. 1200 LUMENS	IP65


	Lamp	Lumen	A	B	C
GL13305	LED 13W	1200LM	250	98	90
GL13309	LED 6W	500LM	120	55	70

CE CB ETL SAA V BMS BIS
 ISO9001-2015 ISO14000 BSCI


Calats

13306/13310

New quality, heart to create. Calats Corner lamp rectangular design appearance, the middle of the rectangular glossy, through the frosted lampshade, so that the light out more soft, more uniform. IP65 waterproof design, timely installed in low, humid place, can also work normally.



	Lamp	Lumen	A	B	C
GL13306	LED 6W	1200LM	250	98	90
GL13310	LED 6W	500LM	120	55	70






CE CB ETL SAA V BMS BIS
 ISO9001-2015 ISO14000 BSCI

Marion

13307/13308

Detail makes perfect, innovation illuminates the future. Marion corner lamp, use rectangular design, inlaid wall type design, lamp face design becomes the round radian of opposite top and bottom two sides, when lamplight is played come out at a moment, hit lamp body, resemble a smile, give a person joy, active atmosphere



LED 13W	TEMPERATURE 2700K 6500K
MAX. 1200 LUMENS	IP65



Lamp	Lumen	A	B	C	
GL13307	LED 13W	1200LM	250	98	105
GL13308	LED 6W	500LM	120	55	70

CE CB ETL SAA V BMS BIS
 ISO9001-2015 ISO14000 BSCI


Cutter

1340 Series

Cutler floodlight, brief design, strong lines. There are two options of unilateral luminescence and bilateral luminescence. This lamp also has different lighting effects. Customers can choose different products according to different environmental factors and their preferences. IP54 waterproof design, can be used in severe weather conditions.



	Lamp	Lumen	A	B	C
GL13403	LED 3.5W	320LM	65	170	92
GL13404	LED 7W	640LM	65	200	92




CE CB ETL SAA V BMS BIS
 ISO9001-2015 ISO14000 BSCI


Cutter

1340 Series

Cutler floodlight, brief design, strong lines. There are two options of unilateral luminescence and bilateral luminescence. This lamp also has different lighting effects. Customers can choose different products according to different environmental factors and their preferences. IP54 waterproof design, can be used in severe weather conditions.



	Lamp	Lumen	A	B	C
GL13405	LED 3.5W	320LM	65	170	92
GL13406	LED 7W	640LM	65	200	92




CE CB ETL SAA V BMS BIS
 ISO9001-2015 ISO14000 BSCI



Union

1350 Series

Union floodlights with simple design, the appearance of geometric triangular column. There are two options of unilateral luminescence and bilateral luminescence. This lamp also has different lighting effects. Customers can choose different products according to different environmental factors and their preferences. IP54 waterproof design, can be used in severe weather conditions.



	Lamp	Lumen	A	B
GL13503	LED 3.5W	320LM	106	157
GL13504	LED 7W	640LM	106	238

LED
7 W

TEMPERATURE
2700K
6500K

MAX.
640
LUMENS

IP54


CE CB **BIS**
 ISO9001-2015 ISO14000 BSCI




Clyde

1350 Series

Clyde floodlights with simple design, the appearance of geometric triangular column. There are two options of unilateral luminescence and bilateral luminescence. This lamp also has different lighting effects. Customers can choose different products according to different environmental factors and their preferences. IP54 waterproof design, can be used in severe weather conditions.



	Lamp	Lumen	A	B
GL13505	LED 3.5W	320LM	106	157
GL13506	LED 7W	640LM	106	238
GL13507	GU10 35W		106	157
GL13508	GU10 2×35W		106	238



Conway


1360 Series



Conway

1360 Series

Advocate green lighting. Conway floodlight adopts simple design style, opalescent plastic lampshade, lamp as fruit triangular aluminum profile. The lamp is designed as An E27 ceramic lamp holder. Customers can install the energy-saving bulb themselves. In this limited energy resources, fragile natural environment at present, we should save energy, green lighting to promote scientific use of electricity, the development of circular economy.



Lamp		A	B
GL13601	E27 18W	72	300
GL13602	E27 18W	72	500
GL13603	E27 18W	72	800
GL13604	E27 18W	107	250



Alton


1370 Series




Alton

1370 Series

Floodlight, triangular column exterior design, transparent plastic wrap around the opalescent reflector, LED light from the top down to the reflector, reflected through the transparent lampshade. The aesthetic feeling of minimalism, thought-provoking.



	Lamp	Lumen	A	B
GL13701	LED 7W	520LM	110	300
GL13702	LED 7W	520LM	110	500
GL13703	LED 7W	520LM	110	800
GL13704	LED 7W	520LM	107	200



CE CB ETL SAA V BMS BIS
 ISO9001-2015 ISO14000 BSCI

Salem


1380 Series




Salem

1380 Series

Salem lighting. There are lawn lights and wall lights, lawn lights have different height for customers to choose. The lamp holder adopts the shape of ellipse triangle and emits light downward. IP54 waterproof design, more can stand the test of time, reliable quality.




	Lamp	Lumen	A	B
GL13801	LED 7W	520LM	183	300
GL13802	LED 7W	520LM	183	500
GL13803	LED 7W	520LM	183	800
GL13804	LED 7W	520LM	183	73



Newport

1210 Series

Dedication and quality service. Newport lamps have unique modeling design. The lamp holder adopts hollow ring design to emit light downward. The smooth surface is hidden inside the die casting piece. This lamp comes with a different design for the customer to choose from.



	Lamp	Lumen	A	B
GL12101	LED 7W	520LM	235	300
GL12102	LED 7W	520LM	235	500
GL12103	LED 7W	520LM	235	800
GL12104	LED 7W	520LM	235	250

LED
7W

TEMPERATURE
2700K
6500K

MAX.
520
LUMENS



IP54

CE CB    **BIS**
 ISO9001-2015 ISO14000  BSCI


Auburn

1220 Series

The Auburn of lighting lamps have lawn lamps and wall lamps for customers to choose from. The geometric cuboid design, the two small columns in the middle support the entire lamp head, and the hollow design in the middle, the light shines from the top, neat and clean. This lamp pole has different heights and sizes, and customers can choose products according to their own preferences.



	Lamp	Lumen	A	B
GL12201	LED 9W	900LM	150	300
	GX53 11W		150	300
GL12202	LED 9W	900LM	150	500
	GX53 11W		150	500
GL12203	LED 9W	900LM	150	800
	GX53 11W		150	800



Harlem


1220 Serirs



Harlem

1220 Series

The Harlem of lighting lamps have lawn lamps and wall lamps for customers to choose from. The geometric cuboid design, the two small columns in the middle support the entire lamp head, and the hollow design in the middle, the light shines from the top, neat and clean. This lamp pole has different heights and sizes, and customers can choose products according to their own preferences.



	Lamp	Lumen	A	B	C
GL12204	LED 9W	900LM	150	500	260
	GX53 11W		150	500	260
GL12205	LED 9W	900LM	150	800	560
	GX53 11W		150	800	560
GL12206	LED 9W	900LM	200	250	130
	GX53 11W		200	250	130
GL12207	LED 9W	900LM	150	200	100
	GX53 11W		150	200	100

LED
9W

TEMPERATURE
2700K
—
6500K

MAX.
900
LUMENS


IP54

CE CB ETL SAA V BMS BIS
 ISO9001-2015 ISO14000 BSCI

Canton

1230 Series

Quality starts the brand, and Seiko's achievements are wonderful. Canton LED lights, rectangular design, four sides of the light, the light emitting surface is hidden inside the lamp body, the hidden light emitting surface can effectively place the glare, and provide a comfortable lighting environment for pedestrians passing. The height of the middle aluminum profile is different, and the light effect is different. Customers can choose different shapes according to their own preferences.



	Lamp	Lumen	A	B
GL12301	LED 9W	820LM	120	300
GL12302	LED 9W	820LM	120	500
GL12303	LED 9W	820LM	120	800

LED
9W

TEMPERATURE
2700K
6500K

MAX.
820
LUMENS



IP54

CE CB    **BIS**
 ISO9001-2015 ISO14000  BSCI


Canton

1230 Series

Quality starts the brand, and Seiko's achievements are wonderful. Canton LED lights, rectangular design, four sides of the light, the light emitting surface is hidden inside the lamp body, the hidden light emitting surface can effectively place the glare, and provide a comfortable lighting environment for pedestrians passing. The height of the middle aluminum profile is different, and the light effect is different. Customers can choose different shapes according to their own preferences.




	Lamp	Lumen	A	B	C
GL12304	LED 9W	820LM	120	500	260
GL12305	LED 9W	820LM	120	800	560
GL12306	LED 9W	820LM	170	200	100
GL12307	LED 9W	820LM	120	200	100



Winsted

1240 Series

Advocate green lighting, freehand wonderful life. The Winsted of lamps use a simple design style, milky white plastic lampshade, and the lamp body is a square aluminum profile. This lamp is designed as E27 ceramic lamp cap, customers can install energy saving bulbs by themselves. In this limited energy resource and fragile natural environment, we should save energy, green lighting, promote scientific electricity, and develop a circular economy.



	Lamp	A	B
GL12401	E27 23W	120	300
GL12402	E27 23W	120	500
GL12403	E27 23W	120	800
GL12404	E27 23W	120	250



Kent

1250 Series




CE CB ETL SAA V_{DE} BIS
ISO9001-2015 ISO14000 BSCI

Kent

1250 Series

Quality starts the brand, and Seiko's achievements are wonderful. Kent LED lights, rectangular design, four sides of the light, the light emitting surface is hidden inside the lamp body, the hidden light emitting surface can effectively place the glare, and provide a comfortable lighting environment for pedestrians passing.



	Lamp		Lumen	A	B
GL12501	LED 9W	Two side	770LM	120	300
GL12502	LED 9W	Two side	770LM	120	500
GL12503	LED 9W	Two side	770LM	120	800
GL12504	LED 9W	Two side	770LM	170	250
GL12505	LED 9W	Four side	770LM	120	300
GL12506	LED 9W	Four side	770LM	120	500
GL12507	LED 9W	Four side	770LM	120	800
GL12508	LED 9W	Four side	770LM	170	250

LED
9W

TEMPERATURE
2700K
—
6500K

MAX.
770
LUMENS

IP54


ISO9001-2015 ISO14000 BSCI



Devon

12601/12602

Gather quality light, shining a better life. Devon lighting, simple European design style, there are two sizes of one side and two sides for customers to choose. This lamp also has different light effects. Customers can choose the light output method according to their preference and installation environment. Every night, the flashing lights illuminate the cold city and warm your life.



	Lamp	Lumen	A	B
GL12601	LED 7W	600LM	170	200
GL12602	LED 13W	1200LM	170	250

LED
13^W

TEMPERATURE
2700K
—
6500K

MAX.
1200
LUMENS

IP65


CE CB **BIS**
 ISO9001-2015 ISO14000 BSCI



Devon

12603/12604

Gather quality light, shining a better life. Devon lighting, simple European design style, there are two sizes of one side and two sides for customers to choose. This lamp also has different light effects. Customers can choose the light output method according to their preference and installation environment. Every night, the flashing lights illuminate the cold city and warm your life.



	Lamp	Lumen	A	B
GL12603	LED 7W	600LM	170	200
GL12604	LED 13W	1200LM	170	250

LED
13W

TEMPERATURE
2700K
6500K

MAX.
1200
LUMENS

IP65

CE CB **BIS**
 ISO9001-2015 ISO14000 BSCI

Eaton

1120 Series




CE CB ETL SAA V_{DE} BIS
ISO9001-2015 ISO14000 BSCI


Exton

1120 Series

Exton of lighting lamps, there are lawn lamps and wall lamps for customers to choose from, geometric triangular column design, three small columns in the middle support the entire lamp head, hollow design in the middle, the light shines from the top, clean and neat. This lamp pole has different heights and sizes, and customers can choose products according to their own preferences.



	Lamp	Lumen	A	B
GL11201	LED 9W	820LM	125	300
	GX53 11W		125	300
GL11202	LED 9W	820LM	125	500
	GX53 11W		125	500
GL11203	LED 9W	820LM	125	800
	GX53 11W		125	800



CE CB ETL SAA V BMS BIS
 ISO9001-2015 ISO14000 BSCI

Pender


1120 Series




Pender

1120 Series

Pender of lighting lamps, there are lawn lamps and wall lamps for customers to choose from, geometric triangular column design, three small columns in the middle support the entire lamp head, hollow design in the middle, the light shines from the top, clean and neat. This lamp pole has different heights and sizes, and customers can choose products according to their own preferences.




	Lamp	Lumen	A	B	C
GL11204	LED 9W	820LM	125	500	260
	GX53 11W		125	500	260
GL11205	LED 9W	820LM	125	800	560
	GX53 11W		125	800	560
GL11206	LED 9W	820LM	170	200	100
	GX53 11W		170	200	100
GL11207	LED 69W	820LM	125	200	100
	GX53 11W		125	200	100



Hoadly

1130 Series

Quality starts the brand, and Seiko's achievements are wonderful. The Hoadly of lamps use a concise design style, with a milky white plastic lampshade and a triangular aluminum profile. This lamp is designed as E27 ceramic lamp cap, customers can install energy saving bulbs by themselves. In this limited energy resource and fragile natural environment, we should save energy, green lighting, promote scientific electricity, and develop a circular economy.



	Lamp	A	B
GL11304	E27 23W	125	300
GL11305	E27 23W	125	500
GL11306	E27 23W	125	800
GL11307	E27 23W	170	250



Crewe

1140 Series




CE CB    BIS
ISO9001-2015 ISO14000  BSCI

Crewe

1140 Series

Crewe. The lamp head adopts a unique shape design and a round curve waist design, which will not be so bloated. This lamp has wall lamp and lawn lamp. Customers can choose the required lamps according to the environment. The waterproof design of IP44 can effectively prevent the ingress of rain and damage the lamps. Even in bad weather, it can work well.




	Lamp	A	B
GL11401	E27 23W	175	300
GL11402	E27 23W	175	500
GL11403	E27 23W	175	800
GL11404	E27 23W	175	200



Metter

1140 Series

Metter. The lamp head adopts a unique shape design and a round curve waist design, which will not be so bloated. This lamp has wall lamp and lawn lamp. Customers can choose the required lamps according to the environment. The waterproof design of IP44 can effectively prevent the ingress of rain and damage the lamps. Even in bad weather, it can work well.



	Lamp	A	B
GL11405	E27 23W	175	300
GL11406	E27 23W	175	500
GL11407	E27 23W	175	800
GL11408	E27 23W	175	200



Kinston

1160 Series





CE CB ETL SAA V_{DECS} BIS
ISO9001-2015 ISO14000 BSCI

Kinston

1160 Series

Quality starts the brand, and Seiko's achievements are wonderful. Kinston LED lights. The triangular design has a rounded arc in the middle, and different heights create different atmosphere effects. Three-sided light design. The light emitting surface is hidden at the top of the lamp body. The hidden light emitting surface can effectively place glare and provide a comfortable lighting environment for pedestrians passing by.




	Lamp	Lumen	A	B	C
GL11601	LED 7W	520LM	125	800	560
GL11602	LED 7W	520LM	125	800	360
GL11603	LED 7W	520LM	125	800	160

CE CB ETL SAA V BMS BIS
 ISO9001-2015 ISO14000 BSCI


Kinston

1160 Series

Quality starts the brand, and Seiko's achievements are wonderful. Kinston LED lights. The triangular design has a rounded arc in the middle, and different heights create different atmosphere effects. Three-sided light design. The light emitting surface is hidden at the top of the lamp body. The hidden light emitting surface can effectively place glare and provide a comfortable lighting environment for pedestrians passing by.



	Lamp	Lumen	A	B	C
GL11604	LED 7W	520LM	170	200	100
GL11605	LED 7W	520LM	125	500	400
GL11606	LED 7W	520LM	125	500	260
GL11607	LED 7W	520LM	125	500	160
GL11608	LED 7W	520LM	125	500	160
GL11609	LED 7W	520LM	125	300	130
GL116010	LED 7W	520LM	125	300	160



CE CB ETL SAA VDE BIS
 ISO9001-2015 ISO14000 BSCI

Bren

WW1210

Earlier days, there only light. How light reach to our brain suddenly.

Actually, lighting could awakening the senses. When walking on the road,I feeling breeze ran across my face, hearing the subtle flow of sound in the air, also feeling light become to shadow. Hence, light of aware not only lighting, also included followed shadow.

Life will more dramatic coordinate lighting and shadow. Combination of light and shadow,original life have special idiosyncrasy. Building promote level ,seems i am on the magical land of the island of Paris. Simple thing and ordinary life become miraculous are lighting aware.

Bren use OSRAM LED and CE driver, output watts 12W. About materials we adopt polished finish die-casting aluminum and circle tempered glass. We use anti-corrosion, anti-UV powder to printing different color,black, dark gray and silver gray for you choose.




WW12104



WW12105



WW12106



	Lamp	Lumen	A	B
WW12104	LED 3.5W	190LM	66	100
WW12105	LED 3.5W	300LM	66	100
WW12106	LED 3.5W	300LM	66	100

LED
3.5W

TEMPERATURE
2700K
6500K

MAX.
320
LUMENS

IP65

CE CB ETL SAA VDE BIS
 ISO9001-2015 ISO14000 BSCI

Aurora


WW1210

Earlier days, there only light. How light reach to our brain suddenly.

Actually, lighting could awakening the senses. When walking on the road,I feeling breeze ran across my face, hearing the subtle flow of sound in the air, also feeling light become to shadow. Hence, light of aware not only lighting, also included followed shadow.

Life will more dramatic coordinate lighting and shadow. Combination of light and shadow,original life have special idiosyncrasy. Building promote level ,seems i am on the magical land of the island of Paris. Simple thing and ordinary life become miraculous are lighting aware.

Aurora use OSRAM LED and CE driver, output watts 12W. About materials we adopt polished finish die-casting aluminum and circle tempered glass. We use anti-corrosion, anti-UV powder to printing different color,black, dark gray and silver gray for you choose.



	Lamp	Lumen	A	B	C
WW12107	LED 3.5W	190LM	66	100	278
WW12108	LED 3.5W	300LM	66	100	278
WW12109	LED 3.5W	300LM	66	100	278

LED
3.5W

TEMPERATURE
2700K
6500K

MAX.
320
LUMENS

IP65

Wrens

WW1210

Earlier days, there only light. How light reach to our brain suddenly.

Actually, lighting could awakening the senses. When walking on the road,I feeling breeze ran across my face, hearing the subtle flow of sound in the air, also feeling light become to shadow. Hence, light of aware not only lighting, also included followed shadow.

Life will more dramatic coordinate lighting and shadow. Combination of light and shadow,original life have special idiosyncrasy. Building promote level ,seems i am on the magical land of the island of Paris. Simple thing and ordinary life become miraculous are lighting aware.

Wrens use OSRAM LED and CE driver, output watts 12W. About materials we adopt polished finish die-casting aluminum and circle tempered glass. We use anti-corrosion, anti-UV powder to printing different color,black, dark gray and silver gray for you choose.




WW12110



WW12111



WW12112



	Lamp	Lumen	A	B	C
WW12110	LED 3.5W	190LM	66	100	110
WW12111	LED 3.5W	300LM	66	100	110
WW12112	LED 3.5W	300LM	66	100	110

LED 3.5W	TEMPERATURE 2700K 6500K
MAX. 320 LUMENS	IP65

CE CB ETL SAA VDE BIS
 ISO9001-2015 ISO14000 BSCI

Clio

WW1211

Earlier days, there only light. How light reach to our brain suddenly.

Actually, lighting could awakening the senses. When walking on the road,I feeling breeze ran across my face, hearing the subtle flow of sound in the air, also feeling light become to shadow. Hence, light of aware not only lighting, also included followed shadow.

Life will more dramatic coordinate lighting and shadow. Combination of light and shadow,original life have special idiosyncrasy. Building promote level ,seems i am on the magical land of the island of Paris. Simple thing and ordinary life become miraculous are lighting aware.

Clio use OSRAM LED and CE driver, output watts 12W. About materials we adopt polished finish die-casting aluminum and circle tempered glass. We use anti-corrosion, anti-UV powder to printing different color,black, dark gray and silver gray for you choose.




WW12113



WW12114



WW12115



	Lamp	Lumen	A	B	C
WW12113	LED 7W	500LM	66	100	
WW12114	LED 7W	500LM	66	100	110
WW12115	LED 7W	500LM	66	100	278

LED
7W

TEMPERATURE
2700K
6500K

MAX.
500
LUMENS

IP65

CE CB ETL SAA VDE BIS
 ISO9001-2015 ISO14000 BSCI



Summer



WW1230

Earlier days, there only light. How light reach to our brain suddenly.

Actually, lighting could awakening the senses. When walking on the road,I feeling breeze ran across my face, hearing the subtle flow of sound in the air, also feeling light become to shadow. Hence, light of aware not only lighting, also included followed shadow.

Life will more dramatic coordinate lighting and shadow. Combination of light and shadow,original life have special idiosyncrasy. Building promote level ,seems i am on the magical land of the island of Paris. Simple thing and ordinary life become miraculous are lighting aware.

Muccia use OSRAM LED and CE driver, output watts 12W. About materials we adopt polished finish die-casting aluminum and circle tempered glass. We use anti-corrosion, anti-UV powder to printing different color,black, dark gray and silver gray for you choose.



	Lamp	Lumen	A	B	
	WW12303	LED 7W	600LM	140	60
	WW12304	LED 7W	600LM	140	60

