



MULTIPLE REMOTE CONTROL OPTIONS



DC motor remote control



AC motor remote control



DC motor wall control



AC motor wall control

* We have more remotes to choose from

PURE COPPER MOTOR IS STRONG AND STABLE

Preferably silicon steel + copper wire winding mute bearing hardcore configuration.
so that the wind more stable and smooth.



Energy saving



Low noise
operation



All seals



Safe



10 years warranty
for motor



**HY-3890-WH**

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 66"
Blade: ABS/6 PCS
Light Source: LED PCB 30W/CT Changable
Color: White
RPM: Max 125
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096

**HY-3890-SN-SV**

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 66"
Blade: ABS/6 PCS
Light Source: LED PCB 30W/CT Changable
Color: Sand Nickel+Silver
RPM: Max 125
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096

**HY-3890-5-WH**

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 66"
Blade: ABS/5 PCS
Light Source: LED PCB 30W/CT Changable
Color: White
RPM: Max 140
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096

**HY-3890-BK-WG**

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 66"
Blade: ABS/6 PCS
Light Source: LED PCB 30W/CT Changable
Color: Black+Wood Grain
RPM: Max 125
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096

**HY-3890-5-GD**

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 66"
Blade: ABS/5 PCS
Light Source: LED PCB 30W/CT Changable
Color: Gold
RPM: Max 140
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096

**HY-3891-BK-WG**

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 54"
Blade: ABS/6 PCS
Light Source: LED PCB/30W
Color: Black+Wood Grain
RPM: Max 160
Certification: CB,CE,RoHS,UKCA,ErP,
Australia Certification: SGS/210096



HY-2370-3-SN-WH

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz Size: 64"
Blade: ABS/3 PCS
Light Source: LEDPCB/26W
Color: Sand Nickel+White
RPM: Max 200
Certification: CB,CE,UKCA, RoHS,ErP, Australia Certification: SGS/210096



HY-2370-48-WH

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 48"
Blade: ABS/5 PCS
Light Source: LEDPCB/26W
Color: White
RPM: Max 220
Certification: CB,CE,RoHS,ErP
Australia Certification: SGS/210096



HY-2370-48-SV

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 48"
Blade: ABS/5 PCS
Light Source: LEDPCB/26W
Color: Silver
RPM: Max 220
Certification: CB,CE,RoHS,ErP
Australia Certification: SGS/210096



HY-2370-48-BK

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 48"
Blade: ABS/5 PCS
Light Source: LEDPCB/26W
Color: Black
RPM: Max 220
Certification: CB,CE,RoHS,ErP
Australia Certification: SGS/210096

**HY-2370-BK**

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz Size: 60"
Blade: ABS/5 PCS
Light Source: LED PCB/26W Color: Black
RPM: Max 180
Certification: CB,CE,UKCA, RoHS,ErP,
Australia Certification: SGS/210096

**HY-2370-DWG**

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz Size: 60"
Blade: ABS/5 PCS
Light Source: LED PCB/26W Color: Dark Wood Grain
RPM: Max 180
Certification: CB,CE,UKCA, RoHS,ErP,
Australia Certification: SGS/210096

**HY-2528-LWG**

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz Size: 60"
Blade: ABS/5 PCS
Light Source: LED PCB/26W Color: Light Wood Grain
RPM: Max 180
Certification: CB,CE,UKCA, ErP,
Australia Certification: SGS/210096

**HY-2501-WH**

Motor: DC 35W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/5 PCS
Light Source: LED PCB/76W
Color: White
RPM: Max 185
Certification: CB,CE,UKCA,RoHS,ErP
Australia Certification: SGS/210096

**HY-2501-LWG**

Motor: DC 35W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/5 PCS
Light Source: LED PCB/76W Color: Light Wood Grain
RPM: Max 185
Certification: CB,CE,UKCA, RoHS,ErP
Australia Certification: SGS/210096

**HY-2501-DWG**

Motor: DC 35W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/5 PCS
Light Source: LED PCB/76W
Color: Dark Wood Grain RPM: Max 185
Certification: CB,CE,UKCA,RoHS,ErP
Australia Certification: SGS/210096



HY-2502-BK-GWG

Motor: DC 45W/
Voltage/Frequency: 220~240V/50Hz
Size: 54"
Blade: ABS/5 PCS
Light Source: LED PCB/24W
Color: Black+Grey Wood Grain
RPM: Max 150
Certification: CB,CE,UKCA,RoHS



HY-3001-52-BK

Motor: AC 70W/
Voltage/Frequency: 220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Black
RPM: Max
Certification: CB



HY-3000-BK-DWG

Motor: DC 45W/
Voltage/Frequency: 220~240V/50Hz
Size: 54"
Blade: ABS/5 PCS
Light Source: LED PCB/24W
Color: Black+Dark Wood Grain
RPM: Max 150
Certification: CB



HY-3000-BK-DWG

Motor: DC 45W/
Voltage/Frequency: 220~240V/50Hz
Size: 54"
Blade: ABS/5 PCS
Light Source: LED PCB/24W
Color: Black
RPM: Max 150
Certification: CB



HY-3001-42-BK

Motor: AC 70W/
Voltage/Frequency: 220~240V/50Hz
Size: 42"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Black
RPM: Max
Certification: CB



HY-2503-WH

Motor: DC 38W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: ABS/3 PCS
Light Source: LED PCB/76W
Color: White
RPM: Max 285
Certification: CB,CE,RoHS, UKCA



HY-2503-BU

Motor: DC 38W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: ABS/3 PCS
Light Source: LED PCB/76W
Color: Blue
RPM: Max 285
Certification: CB,CE,RoHS, UKCA



HY-2503-COF

Motor: DC 38W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: ABS/3 PCS
Light Source: LED PCB/76W
Color: Coffee
RPM: Max 285
Certification: CB,CE,RoHS, UKCA



HY-2503-BGD

Motor: DC 38W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: ABS/3 PCS
Light Source: LED PCB/76W
Color: Black With Brush Gold
RPM: Max 285
Certification: CB,CE,RoHS, UKCA



HY-2129-SN-SV

Motor: DC 38W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/18W
Color: Sand Nickel+Silver
RPM: Max 230
Certification:
ETL,CB,CE,UKCA,RoHS,ErP
Australia Certification: SGS/210096



HY-2129-WH

Motor: DC 38W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/18W
Color: White
RPM: Max 230
Certification:
ETL,CB,CE,UKCA,RoHS,ErP
Australia Certification: SGS/210096



HY-2129-BK

Motor: DC 38W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/18W
Color: Black
RPM: Max 230
Certification:
ETL,CB,CE,UKCA,RoHS,ErP
Australia Certification: SGS/210096



HY-2129-WL-BK

Motor: DC 38W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Color: Black
RPM: Max 230
Certification:
ETL,CB,CE,UKCA,RoHS,ErP
Australia Certification: SGS/210096



HY-2129-WL-SN-DWG

Motor: DC 38W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Color: Sand Nickel+Dark Wood Grain
RPM: Max 230
Certification:
ETL,CB,CE,UKCA,RoHS,ErP
Australia Certification: SGS/210096



HY-2129-WL-DWG

Motor: DC 38W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Color: Dark Wood Grain
RPM: Max 230
Certification:
ETL,CB,CE,UKCA,RoHS,ErP
Australia Certification: SGS/210096

HY-1111-SN-SV

Motor: DC 35W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Composite Board/5 PCS
Light Source: LED PCB/24W
Color: Sand Nickel+Silver RPM:
Max 240
Certification: CB,CE,UKCA,RoHS,ErP
Australia Certification: SGS/210096



HY-1111-WH

Motor: DC 35W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Composite Board/5 PCS
Light Source: LED PCB/24W
Color: White
RPM: Max 240
Certification: CB,CE,UKCA,RoHS,ErP
Australia Certification: SGS/210096



HY-1111-WH-LWG

Motor: DC 35W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Composite Board/5 PCS
Light Source: LED PCB/24W
Color: White+Light Wood Grain
RPM: Max 240
Certification: CB,CE,UKCA, RoHS,ErP
Australia Certification: SGS/210096



HY-1111-COF-DWG

Motor: DC 35W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Composite Board/5 PCS
Light Source: LED PCB/24W
Color: Coffee+Dark Wood Grain
RPM: Max 240
Certification: CB,CE,UKCA, RoHS,ErP
Australia Certification: SGS/210096

**HY-2010-WL-BK-MG**

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Solid Wood/3 PCS
Color: Black With Brush Gold+Mahogany
RPM: Max 220
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096

**HY-2010-WL-SN-LWG**

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Solid Wood/3 PCS
Color: Sand Nickel+Light Wood Grain
RPM: Max 220
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096

**HY-2010-WL-SN-LWG**

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Solid Wood/3 PCS
Color: Sand Nickel+Light Wood Grain
RPM: Max 220
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096

**HY-2164-WH-LWG**

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Solid Wood/3 PCS
Light Source: LED PCB/12W
Color: White+Light Wood Grain
RPM: Max 220
Certification: CB,CE,RoHS,UKCA

**HY-2010-SN-MG**

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Solid Wood/3 PCS
Light Source: LED PCB/12W
Color: Sand Nickel+Mahogany
RPM: Max 220
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096

**HY-2010-BK-MG**

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Solid Wood/3 PCS
Light Source: LED PCB/12W
Color: Black With Brush Gold+Mahogany
RPM: Max 220
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096

**HY-2537-BK-MG**

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz, 220~240V/50Hz
Size: 52"
Blade: Solid Wood/3 PCS
Light Source: LED PCB/21W
Color: Black+Wood Grain
RPM: Max 220
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096

**HY-2165-WH-LWG**

Motor: DC 40W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz; 220~240V/50Hz
Size: 48"
Blade: Solid Wood/3 PCS
Light Source: LED PCB/18W
Color: White+Light Wood Grain
RPM: Max 220
Certification: CE,RoHS,UKCA

**HY-1569-WL-SN-WG**

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz; 220~240V/50Hz
Size: 52"
Blade: Solid Wood/3 PCS
Color: Sand Nickel+Wood Grain
RPM: Max 220
Certification: CB,CE,RoHS,UKCA

**HY-2166-BK-DWG**

Motor: DC 40W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz; 220~240V/50Hz
Size: 48"
Blade: Solid Wood/3 PCS
Light Source: LED PCB/17W - 17W-16W
Color: Black With Brush Gold+Dark Wood Grain
RPM: Max 220
Certification: CB,CE,RoHS,UKCA

**HY-2184-LWG**

Motor: DC 40W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz; 220~240V/50Hz
Size: 52"
Blade: Solid Wood/3 PCS
Light Source: LED PCB/24W
Color: Light Wood Grain
RPM: Max 220
Certification: CB,CE,RoHS,UKCA

**HY-2671-SN-LWG**

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz; 220~240V/50Hz
Size: 48"
Blade: Solid Wood/3 PCS
Light Source: LED PCB/18W
Color: Sand Nickel+Light Wood Grain
RPM: Max 200
Certification: CB,CE,RoHS,UKCA



HY-1693-WL-WH

Motor: DC 40W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3PCS
Color: White
RPM: Max 160
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-1693-WH

Motor: DC 40W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LEDPCB/18W
Color: White
RPM: Max 160
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-1693-WL-DWG

Motor: DC 40W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Color: Dark Wood Grain
RPM: Max 160
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-1693-DWG

Motor: DC 40W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LEDPCB/18W
Color: Dark Wood Grain
RPM: Max 160
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096

**HY-2842-WH**

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 64"
Blade: ABS/5 PCS
Light Source: LED PCB/18W
Color: White
RPM: Max 120
Certification: CB,CE,RoHS,UKCA

**HY-2842-SV**

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 64"
Blade: ABS/5 PCS
Light Source: LED PCB/18W
Color: Silver
RPM: Max 120
Certification: CB,CE,RoHS,UKCA

**HY-2053-DWG**

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 64"
Blade: ABS/5 PCS
Light Source: LED PCB/18W
Color: Dark Wood Grain
RPM: Max 120
Certification: CB,CE,RoHS,UKCA

**HY-2053-WH**

Motor: DC 40W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/19W
Color: White
RPM: Max 205
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096

**HY-2053-LWG**

Motor: DC 40W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/19W
Color: Light Wood Grain
RPM: Max 205
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096

**HY-2053-BK**

Motor: DC 40W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/19W
Color: Black
RPM: Max 205
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-2747-COF-WG

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 55"
Blade: ABS/6 PCS
Light Source: LED PCB/31W
Color: Coffee+Wood Grain
RPM: Max 155
Certification: CB,CE,RoHS,UKCA



HY-2741-SN-WG

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 55"
Blade: ABS/6 PCS
Light Source: LED PCB/76W
Color: Sand Nickel+Wood Grain
RPM: Max 155
Certification: CB,CE,RoHS,UKCA



HY-2740-SV

Motor: DC50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 66"
Blade: ABS/6 PCS
Light Source: LED PCB/76W
Color: Silver
RPM: Max 130
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-2740-GD

Motor: DC50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 66"
Blade: ABS/6 PCS
Light Source: LED PCB/76W
Color: Gold
RPM: Max 130
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-2740-COF

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 66"
Blade: ABS/6 PCS
Light Source: LED PCB/76W
Color: Coffee
RPM: Max 130
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-2723-SN-WG

Motor: DC 50W
Voltage/Frequency: 110~240V/50-60Hz
Size: 63"
Blade: Composite Board/8 PCS
Light Source: LED PCB/76W
Color: Sand Nickel+Wood Grain
RPM: Max 170
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-2320-BK

Motor: AC 70W
Voltage/Frequency: 110~130V/60Hz;
220~240V/50Hz
Size: 56"
Blade: ABS/5PCS
Color: Black
RPM: Max 220
Certification: CB



HY-2527-AB

Motor: AC 50W
Voltage/Frequency: 110~130V/60Hz;
220~240V/50Hz
Size: 56"
Blade: Iron/5 PCS
Light Source: LED PCB/32W
Color: Antique Bronze
RPM: Max 130
Certification: CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-2536-GD

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 56"
Blade: ABS/5 PCS
Light Source: LED PCB/70W
Color: Gold
RPM: Max 200
Certification: CE,RoHS,UKCA



HY-2536-PB-BS

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 56"
Blade: ABS/5 PCS
Light Source: LED PCB/70W
Color: Peral Black+Black With Brush Silver
RPM: Max 200
Certification: CE,RoHS,UKCA



HY-2536-BK

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 56"
Blade: ABS/5 PCS
Light Source: LED PCB/70W
Color: Black
RPM: Max 200
Certification: CE,RoHS,UKCA



HY-2392-SN-MC

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 62"
Blade: ABS/8 PCS
Light Source: LED PCB/40W
Color: Sand Nickel+Multi-Color
RPM: Max 110
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-2181-SN-YE

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 62"
Blade: ABS/8 PCS
Light Source: LED PCB/40W
Color: Sand Nickel+Yellow
RPM: Max 110
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-2181-BK

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 62"
Blade: ABS/8 PCS
Light Source: LED PCB/40W
Color: Black
RPM: Max 110
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096

**HY-2756-WH**

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz, 220~240V/50Hz
Size: 55"
Blade: ABS/5 PCS
Light Source: LEDPCB/18W
Color: White
RPM: Max 220
Certification: CB,CE,RoHS,UKCA

**HY-2756-BK**

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz, 220~240V/50Hz
Size: 55"
Blade: ABS/5 PCS
Light Source: LEDPCB/18W
Color: Black
RPM: Max 220
Certification: CB,CE,RoHS,UKCA

**HY-2756-SN-COF**

Motor: DC 35W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz, 220~240V/50Hz
Size: 40"
Blade: ABS/5 PCS
Light Source: LEDPCB/18W
Color: Sand Nickel+Coffee
RPM: Max 220
Certification: CB,CE,RoHS,UKCA

**HY-2751-BK**

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz, 220~240V/50Hz
Size: 55"
Blade: ABS/3 PCS
Light Source: LEDPCB/18W
Color: Black
RPM: Max 250
Certification: CB,CE,RoHS,UKCA

**HY-2750-WL-BK**

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz, 220~240V/50Hz
Size: 55"
Blade: ABS
Color: Black
RPM: Max 250
Certification: CB,CE,RoHS,UKCA



HY-2775-BK

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 55"
Blade: ABS/5 PCS
Light Source: E27*5
Color: Black
RPM: Max 220
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-2185-WH

Motor: DC40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 56"
Blade: ABS/5 PCS
Light Source: LEDPCB/24W
Color: White
RPM: Max 190
Certification: CB,CE,RoHS,UKCA



HY-2185-DWG

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 56"
Blade: ABS/5 PCS
Light Source: LEDPCB/24W
Color: Dark Wood Grain
RPM: Max 190
Certification: CB,CE,RoHS,UKCA



HY-2186-DWG

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 56"
Blade: ABS/5 PCS
Light Source: LEDPCB/30W
Color: Dark Wood Grain
RPM: Max 200
Certification: CB,CE,RoHS,UKCA



HY-2186-WG

Motor: DC40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 56"
Blade: ABS/5 PCS
Light Source: LED PCB/30W
Color: Wood Grain
RPM: Max 200
Certification: CB,CE,RoHS,UKCA



HY-2819-WH

Motor: DC40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 52"
Blade: ABS/5 PCS
Light Source: LED PCB/24W
Color: White
RPM: Max 210
Certification: CE,RoHS,UKCA



HY-2099-AB-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz,
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: LED PCB/24W Color:
Antique Bronze+Wood Grain RPM:
Max 210
Certification: CB,CE,RoHS ,UKCA
Australia Certification: SGS/210096



HY-2119-GD-WG

Motor: DC 40W/AC 75W
Voltage/Frequency: 110~240V/50~60Hz,
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5PCS
Light Source: LED PCB/24W
Color: Gold+Wood Grain
RPM: Max 190
Certification: CB,CE,RoHS,UKCA



HY-1537-WH-LWG

Motor: DC 40W/AC 75W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/5 PCS
Light Source: LED PCB/60W
Color: White+Light Wood Grain
RPM: Max 200
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-1537-WH

Motor: DC 40W/AC 75W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/5 PCS
Light Source: LED PCB/60W
Color: White
RPM: Max 200
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-1537-AB-LWG

Motor: DC 40W/AC 75W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/5 PCS
Light Source: LED PCB/60W
Color: Anti Bronze+Light Wood Grain
RPM: Max 200
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-1537-COF-DWG

Motor: DC 40W/AC 75W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/5 PCS
Light Source: LED PCB/60W
Color: Coffee+Dark Wood Grain
RPM: Max 200
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-2832-GY-WG

Motor: DC 40W/AC 75W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: LED PCB/76W
Color: Grey+Wood Grain
RPM: Max 200
Certification: CB,CE,RoHS ,UKCA
Australia Certification: SGS/210096



HY-2832-WH-WG

Motor: DC 40W/AC 75W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: LED PCB/76W
Color: White+Wood Grain
RPM: Max 200
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-2832-GN-WG

Motor: DC 40W/AC 75W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: LED PCB/76W
Color: Green+Wood Grain
RPM: Max 200
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-2832-BK-WG

Motor: DC 40W/AC 75W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: LED PCB/76W
Color: Black+Wood Grain
RPM: Max 200
Certification: CB,CE,RoHS ,UKCA
Australia Certification: SGS/210096



HY-2545-GY-LWG

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 55"
Blade: ABS/5 PCS
Light Source: LED PCB/76W
Color: Grey+Light Wood Grain
RPM: Max 170
Certification: CE,RoHS,UKCA



HY-2545-WH-LWG

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 55"
Blade: ABS/5 PCS
Light Source: LED PCB/76W
Color: White
RPM: Max 170
Certification: CE,RoHS,UKCA



HY-2545-WH

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 55"
Blade: ABS/5 PCS
Light Source: LED PCB/76W
Color: White
RPM: Max 170
Certification: CE,RoHS,UKCA



HY-2545-XD-WH

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 55"
Blade: ABS/5 PCS
Light Source: LED PCB/76W
Color: White
RPM: Max 170
Certification: CE,RoHS,UKCA



HY-2545-XD-WH-LWG

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 55"
Blade: ABS/5 PCS
Light Source: LED PCB/76W
Color: White+Light Wood Grain
RPM: Max 170
Certification: CE,RoHS,UKCA



HY-2545-XD-GY-LWG

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 55"
Blade: ABS/5 PCS
Light Source: LED PCB/76W
Color: Grey+Light Wood Grain
RPM: Max 170
Certification: CE,RoHS,UKCA



HY-2745-XD-WH

Motor: AC 70W
Voltage/Frequency: 110-130V/60Hz;
220~240V/50Hz
Size: 48"
Blade: Composite Board/5PCS
Light Source: LED PCB/29W;
LED STRIP/12.5W
Color: White
RPM: Max 210
Certification: CB,CE,RoHS,UKCA



HY-2745-XD-COF

Motor: AC 70W
Voltage/Frequency: 110-130V/60Hz;
220~240V/50Hz
Size: 48"
Blade: Composite Board/5PCS
Light Source: LED PCB/29W;
LED STRIP/12.5W
Color: Coffee
RPM: Max 210
Certification: CB,CE,RoHS,UKCA

**HY-2670-SN-LWG**

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz, 220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Sand Nickel+Light Wood Grain
RPM: Max 220
Certification: CE,RoHS,UKCA

**HY-2736-SV**

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz, 220~240V/50Hz
Size: 48"
Blade: ABS/5 PCS
Light Source: LED PCB/24W
Color: Silver
RPM: Max 210
Certification: CB,CE,RoHS,UKCA

**HY-2670-BK-DWG**

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz, 220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Black+Dark Wood Grain
RPM: Max 220
Certification: CE,RoHS,UKCA

**HY-2736-WH**

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz, 220~240V/50Hz
Size: 48"
Blade: ABS/5 PCS
Light Source: LED PCB/24W
Color: White
RPM: Max 210
Certification: CB,CE,RoHS,UKCA

**HY-2529-BK-DWG**

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz, 220~240V/50Hz
Size: 48"
Blade: ABS/5 PCS
Light Source: LED PCB/24W
Color: Black+Dark Wood Grain
RPM: Max 230
Certification: CE,RoHS,UKCA
Australia Certification: SGS/210096

**HY-2507-WH**

Motor: AC 65W
Voltage/Frequency: 110~130V/60Hz;
220~240V/60Hz
Size: 48"
Blade: ABS/5 PCS
Light Source: LED PCB/24W;
LED Strip/13W
Color: White
RPM: Max 210
Certification: CB,CE,RoHS,UKCA



HY-2116-SN-SV

Motor: DC 35W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz
Size: 52"
Blade: Composite Board /3PCS
Light Source: LED PCB/18W
Color: Sand Nickel+Silver
RPM: Max 220
Certification: ETL,CB,CE,RoHS,UKCA



HY-2116-AB-WG

Motor: DC 35W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz
Size: 52"
Blade: Composite Board /3 PCS
Light Source: LED PCB/18W
Color: Antique Bronze+Wood Grain
RPM: Max 220
Certification: ETL,CB,CE,RoHS,UKCA



HY-2052-BN

Motor: DC 32W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LEDPCB/18W
Color: Brown
RPM: Max 210
Certification: CE,UKCA



HY-2089-AB-COF

Motor: DC 32W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/18W
Color: Antique Bronze+Coffee
RPM: Max 210
Certification: CB,CE,RoHS,UKCA



HY-2089-WL-AB-COF

Motor: DC 32W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Color: Antique Bronze+Coffee
RPM: Max 210
Certification: CB,CE,RoHS,UKCA

**HY-1870-BK-WG**

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz; 220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: LED PCB/24W
Color: Black+Wood Grain
RPM: Max 160
Certification: CE,RoHS,UKCA

**HY-1870-AB-WG**

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz; 220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: LED PCB/24W
Color: Antique Bronze+Wood
Grain
RPM: Max 160
Certification: CE,RoHS,UKCA

**HY-2136-SN-WG**

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz; 220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: LED PCB/24W
Color: Sand Nickel+Wood Grain
RPM: Max 200
Certification: CB,CE,RoHS,UKCA

**HY-2351-SN-GY**

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz; 220~240V/50Hz
Size: 42"
Blade: Composite Board/4PCS
Light Source: LED PCB/24W
Color: Sand Nickel+Grey
RPM: Max 180
Certification: CE,RoHS,UKCA

**HY-2183-SN-SV**

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz; 220~240V/50Hz
Size: 52"
Blade: Composite Board/5PCS
Light Source: LED PCB/24W
Color: Sand Nickel+Silver
RPM: Max 170
Certification: CB,CE,RoHS,UKCA

**HY-7504-WH**

Motor: DC 35W /AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz; 220~240V/50Hz
Size: 48"
Blade: Composite Board/4PCS
Color: White
RPM: Max 240
Certification: CB,CE,RoHS,UKCA



HY-2526-WL-COF

Motor: DC 35W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3PCS
Color: Coffee
RPM: Max 240
Certification: CE,RoHS,UKCA
Australia Certification: SGS/210096,CB,CE



HY-2056-WH

Motor: DC 35W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LEDPCB/24W
Color: White
RPM: Max 240
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096

HY-2056-SN-GY

Motor: DC 35W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LEDPCB/24W
Color: Sand Nickel+Grey
RPM: Max 240
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096

HY-2056-PB-BK

Motor: DC 35W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LEDPCB/24W
Color: Pearl Black+Black
RPM: Max 240
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-2050-BK-SV

Motor: DC 30W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: Composite Board/4 PCS
Light Source: LED PCB/24W
Color: Black+Silver
RPM: Max 250
Certification: CB,CE,RoHS,UKCA



HY-1070-CH-SN

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Iron/4 PCS
Light Source: LED PCB/24W
Color: Chrome+Sand Nickel
RPM: Max 280
Certification: CB,CE,RoHS,UKCA

HY-2818-SN

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Iron/5 PCS
Light Source: LED PCB/24W
Color: Sand Nickel
RPM: Max 260
Certification: CB,CE,RoHS,UKCA

**HY-2117-WH**

Motor: DC 35W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: White
RPM: Max 200
Certification: CB,CE,RoHS,UKCA

**HY-2117-GY-WH**

Motor: DC 35W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Grey+White
RPM: Max 200
Certification: CB,CE,RoHS,UKCA

**HY-2117-GY-YE**

Motor: DC 35W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Yellow+White
RPM: Max 200
Certification: CB,CE,RoHS,UKCA

**HY-2117-GN-WH**

Motor: DC 35W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Green+White
RPM: Max 200
Certification: CB,CE,RoHS,UKCA

HY-511-BK-WG

Motor: DC 35W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/3 PCS
Light Source: LED PCB/24W
Color: Black+Wood Grain
RPM: Max 220
Certification: CE,RoHS,UKCA
Australia Certification: SGS/210096

**HY-1112-AB-WG**

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: LED PCB/24W Color:
Antique Bronze+Wood Grain RPM:
Max 200
Certification: CE,RoHS,UKCA

**HY-1049-SN**

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Iron/5 PCS
Light Source: LED PCB/18W
Color: Sand Nickel
RPM: Max 200
Certification: CE,RoHS,UKCA

**HY-1089-AB**

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Iron/5 PCS
Light Source: LED PCB/18W
Color: Antique Bronze
RPM: Max 210
Certification: CE,RoHS,UKCA



HY-2995-AB-RWG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: LED PCB/18W
Color: Antique Bronze+Red wood grain
RPM: Max 200



HY-1053-SN

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Iron
Light Source: E27*3
Color: Sand Nickel
RPM: Max 210



HY-1042-GD

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Iron
Light Source: E27*3
Color: Gold
RPM: Max 210
Certification: CE,RoHS,UKCA



HY-1042-GD-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*3
Color: Gold+Wood Grain
RPM: Max 200
Certification: CE,RoHS,UKCA



HY-2816-AB-COF

Motor: DC 35W
Voltage/Frequency: 110~240V/50~60Hz
Size: 52"
Blade: ABS/3 PCS
Color: Antique Bronze+Coffee
RPM: Max 220
Certification: CB,CE
Australia Certification: SGS/210096



HY-2546-52-BK-WG

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 52"
Blade: Solid Wood/3 PCS
Color: Black+Wood Grain
RPM: Max 210

HY-2546-52-SN-WG

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 52"
Blade: Solid Wood/3 PCS
Color: Sand Nickel+Wood Grain
RPM: Max 210

HY-2546-60-BK

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 60"
Blade: Solid Wood/3 PCS
Color: Black
RPM: Max 210



HY-2118-SV

Motor: DC 35W
Voltage/Frequency: 110~240V/50~60Hz
Size: 52"
Blade: ABS/2 PCS
Light Source: LEDPCB/12W
Color: Silver
RPM: Max 180
Certification: CB,CE,RoHS,UKCA




HY-2118-BK-WH

Motor: DC 35W
Voltage/Frequency: 110~240V/50~60Hz
Size: 52"
Blade: ABS/2 PCS
Light Source: LEDPCB/12W
Color: Black+White
RPM: Max 180
Certification: CB,CE,RoHS,UKCA



HY-2542-BS-WG

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*4
Color: Black With Brush Silver+Wood Grain
RPM: Max 180
Certification: ETL,CE,RoHS,UKCA
Australia Certification: SGS/210096





HY-2543-CH-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*3+E14*3
Color: Chrome+Wood Grain
RPM: Max 190
Certification: CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-2535-PB-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*3
Color: Pearl Black+Wood Grain
RPM: Max 170
Certification: CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-2539-COF-WG

Motor: DC 40W/AC 75W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*3 Max 25W
Color: Coffee+Wood Grain
RPM: Max 190
Certification: CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-2936-ORB-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board /5PCS
Light Source: E27*3
Color: Oil-Rubbed Bronze+Wood Grain
RPM: Max 190
Certification: ETL,CE,RoHS,UKCA



HY-2168-GD-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz,220~240V/50Hz
Size: 48"
Blade: Composite Board/5 PCS
Light Source: E14*6
Color: Gold+Wood Grain
RPM: Max 190
Certification: CE,RoHS,UKCA



HY-205-A-BK-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz,220~240V/50Hz
Size: 52"
Blade: Composite Board/5PCS
Light Source: E27*3
Color: Black+Wood Grain
RPM: Max 200
Certification: CB,CE,RoHS,UKCA



HY-2110-COF-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz,220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*5
Color: Coffee+Wood Grain
RPM: Max 200
Certification: CB,CE,RoHS,UKCA



HY-205-B-BK-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz,220~240V/50Hz
Size: 52"
Blade: Composite Board/5PCS
Light Source: E27*3
Color: Black+Wood Grain
RPM: Max 200
Certification: CB,CE,RoHS,UKCA



HY-8202-AB-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz, 220~240V/50Hz
Size: 52"
Blade: Composite Board/5PCS
Light Source: E27*3
Color: Antique Bronze+Wood Grain
RPM: Max 200
Certification: CB



HY-2833-BK-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz, 220~240V/50Hz
Size: 52"
Blade: Composite Board/5PCS
Light Source: E27*5
Color: Black+Antique Bronze+Wood Grain
RPM: Max 220
Certification: CB,CE



HY-1022-RAB

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz, 220~240V/50Hz
Size: 48"
Blade: Iron/5 PCS
Light Source: E27*3
Color: Red Antique Bronze
RPM: Max 210



HY-2008-AB-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz, 220~240V/50Hz
Size: 52"
Blade: Composite Board/5PCS
Light Source: E27*5
Color: Antique Bronze+Wood Grain
RPM: Max 220
Certification: CB,CE,RoHS,UKCA



HY-2016-BK-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz, 220~240V/50Hz
Size: 48"
Blade: Composite Board/5PCS
Light Source: E27*3+G9*2
Color: Black+Wood Grain
RPM: Max 230
Certification: CE,RoHS,UKCA



HY-2219-GN-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz, 220~240V/50Hz
Size: 48"
Blade: Composite Board/5PCS
Light Source: E27*3+G9*2
Color: Green+Wood Grain
RPM: Max 230
Certification: CE,RoHS,UKCA



HY-2533-RAB-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz, 220~240V/50Hz
Size: 52"
Blade: Composite Board/5PCS
Light Source: E27*6
Color: Red Antique Bronze+Wood Grain
RPM: Max 210
Certification: CE,RoHS,UKCA





HY-1008-A-BK-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5PCS
Light Source: E27*4
Color: Black+Wood Grain
RPM: Max 210
Certification: CE,RoHS,UKCA



HY-1008-B-BK-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5PCS
Light Source: E27*3
Color: Black+Wood Grain
RPM: Max 210
Certification: CE,RoHS,UKCA



HY-1578-BK-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5PCS
Light Source: E27*3
Color: Black+Wood Grain
RPM: Max 220
Certification: CE,RoHS,UKCA



HY-513-AB-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*3
Color: Antique Bronze+Wood Grain
RPM: Max 220



HY-1701-AB-WG

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/5PCS
Light Source: E27*5
Color: Antique Bronze+Wood Grain
RPM: Max 220



HY-2162-SN-WG

Motor: DC 40W/AC 75W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Composite Board/5 PCS
Light Source: E27*5
Color: Sand Nickel+Wood Grain
RPM: Max 220



HY-8129-BK-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5PCS
Light Source: E27*5
Color: Black+Wood Grain
RPM: Max 220



HY-1577-BK-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5PCS
Light Source: E27*5
Color: Black+Wood Grain
RPM: Max 220



HY-1003-RAB-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5PCS
Light Source: E27*5
Color: Red Antique Bronze+Wood Grain
RPM: Max 200



HY-1090-RAB-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5PCS
Light Source: E27*5
Color: Red Antique Bronze+Wood Grain
RPM: Max 220



HY-1078-RGD-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5PCS
Light Source: E27*5
Color: Rose Gold+Wood Grain
RPM: Max 200



HY-1014-RGD-WG

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz; 220~240V/50Hz
Size: 52"
Blade: Composite Board/5PCS
Light Source: E27*3
Color: Rose Gold+Wood Grain
RPM: Max 200



HY-1023-RAB-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz; 220~240V/50Hz
Size: 52"
Blade: Composite Board/5PCS
Light Source: E27*5
Color: Red Antique Bronze+Wood Grain
RPM: Max 200



HY-1079-CH-SN

MMotor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz; 220~240V/50Hz
Size: 52"
Blade: Iron/5 PCS
Light Source: E27*3
Color: Chrome
RPM: Max 210
Certification: CE,RoHS,UKCA



HY-1996-AB

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Iron/5 PCS Light
Source: E27*5
Color: Antique Bronze
RPM: Max 210
Certification:CE,RoHS,UKCA



HY-1005-GD

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Iron/5 PCS
Light Source: E27*5
Color: Gold
RPM: Max 210



HY-1018-BK-MC

Motor: DC 35W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Composite Board/5 PCS
Light Source: E27*3
Color: White+Multi-Color
RPM: Max 210





HY-2062-SN-WG

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Solid Wood/5 PCS
Light Source: E27*3
Color: Antique Bronze+Wood Grain
RPM: Max 230
Certification: CE,RoHS,UKCA



HY-2490-AB-WG

Motor: DC 40W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/5PCS
Light Source: E27*3
Color: Antique Bronze+Wood Grain
RPM: Max 230
Certification: CE,RoHS,UKCA



HY-2055-AB-WG

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Solid Wood/5 PCS
Light Source: E27*3
Color: Antique Bronze+Wood Grain
RPM: Max 230



HY-5501-BK-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/5PCS
Light Source: E27*3
Color: Black
RPM: Max 230
Certification: CE,RoHS,UKCA



HY-670-WL-AB-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz, 220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Color: Antique Bronze+Wood Grain
RPM: Max 200
Certification: CE,RoHS,UKCA



HY-1578-WL-AB-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz, 220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Color: Antique Bronze+Wood Grain
RPM: Max 200
Certification: CE,RoHS,UKCA



HY-670-WL-BK-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz, 220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Color: Black+Wood Grain
RPM: Max 200
Certification: CE,RoHS,UKCA



HY-1578-WL-BK-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz, 220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Color: Black+Wood Grain
RPM: Max 200
Certification: CE,RoHS,UKCA




HY-2809-WL-AB-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz,
110~130V/60Hz,220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Color: Antique Bronze+Wood Grain
RPM: Max 200



HY-2812-WL-AB

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz,
110~130V/60Hz,220~240V/50Hz
Size: 48"
Blade: Iron/5 PCS
Color: Antique Bronze
RPM: Max 230



HY-2939-BK

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz,
110~130V/60Hz,220~240V/50Hz
Size: 48"
Blade: ABS/3PCS
Color: Black
RPM: Max 200
Certification: CE,RoHS,UKCA



HY-2764-BK-WH

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 48"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Black+White
RPM: Max 210
Certification: CE,RoHS,UKCA



HY-2763-COF

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 48"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Coffee
RPM: Max 210



HY-2755-LWG

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 48"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Light Wood Grain
RPM: Max 210
Certification: CE,RoHS,UKCA



HY-2820-BK-WH

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 48"
Blade: ABS/3 PCS
Light Source: LED PCB/19W
Color: Black+White
RPM: Max 220
Certification: CB,CE,RoHS,UKCA



HY-2761-BK-WH

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 48"
Blade: ABS/3 PCS
Color: Black+White
RPM: Max 220
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-2761-WH

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 48"
Blade: ABS/3PCS
Color: White
RPM: Max 220
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-2227-WH-LWG

Motor: DC 35W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: ABS/3 PCS
Light Source: LED PCB/18W
Color: White+Light Wood Grain
RPM: Max 220
Certification: CB,CE,RoHS,UKCA



HY-2508-AB-LWG

Motor: DC 35W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Antique Bronze+Light Wood Grain
RPM: Max 270
Certification: CB,CE,RoHS,UKCA



HY-2679-SN-LWG

Motor: DC 35W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: ABS/3 PCS
Light Source: LED PCB/18W
Color: Sand Nickel+Light Wood Grain
RPM: Max 270
Certification: CB,CE,RoHS,UKCA



HY-2678-52-XD-BK-LWG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Color: Black+Light Wood Grain
RPM: Max 250
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-2678-52-AB-LWG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Color: Antique Bronze+Light Wood Grain
RPM: Max 250
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-2678-46-BK-DWG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 46"
Blade: ABS/3 PCS
Color: Black+Dark Wood Grain
RPM: Max 280
Certification: CB,CE,RoHS ,UKCA
Australia Certification: SGS/210096



HY-2678-52-WH

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Color: White
RPM: Max 250
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-2720-SN-SV

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Sand Nickel+Silver
RPM: Max 190
Certification: ETL,CB,CE,RoHS,UKCA



HY-2009-COF-DWG

Motor: DC 40W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Composite Board/3 PCS
Light Source: LED PCB/24W
Color: Coffee+Dark Wood Grain
RPM: Max 210
Certification: CB,CE,RoHS,UKCA



HY-2942-XD-SN-LWG

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 52"
Blade: Solid wood/3 PCS
Light Source: LED PCB/18W
Color: Sand Nickel+Dark Wood Grain
RPM: Max 230
Certification: CE,RoHS ,UKCA



HY-2942-XD-WH

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 52"
Blade: Solid wood/3 PCS
Light Source: LED PCB/18W
Color: Sand Nickel+Dark Wood Grain
RPM: Max 230
Certification: CE,RoHS ,UKCA



HY-2942-XD-WL-AB-DWG

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 52"
Blade: Solid wood/3 PCS
Color: Antique Bronze+Dark Wood Grain
RPM: Max 230
Certification: CE,RoHS ,UKCA



HY-2942-XD-WL-AB-LWG

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 52"
Blade: Solid wood/3 PCS
Color: Antique Bronze+Light Wood Grain
RPM: Max 230
Certification: CE,RoHS ,UKCA



HY-2678-52-XD2-WL-BK-LWG

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 52"
Blade: ABS/3 PCS
Color: Antique Bronze+Dark Wood Grain
RPM: Max 250
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-2089-52-XD2-WL-BK-LWG

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 52"
Blade: ABS/3 PCS
Color: Antique Bronze+Dark Wood Grain
RPM: Max 250
Certification: CE,RoHS ,UKCA



HY-2757-BU

Motor: DC35W
Voltage/Frequency: 110~240V/50~60Hz
Size: 44"
Blade: PC+PA/3 PCS
Light Source: LEDPCB/24W
Color: Blue
RPM: Max 280
Certification: CB,CE,RoHS,UKCA



HY-2757-WH

Motor: DC35W
Voltage/Frequency: 110~240V/50~60Hz
Size: 44"
Blade: PC+PA/3 PCS
Light Source: LEDPCB/24W
Color: White
RPM: Max 280
Certification: CB,CE,RoHS,UKCA

HY-2757-COF

Motor: DC 35W
Voltage/Frequency: 110~240V/50~60Hz
Size: 44"
Blade: PC+PA/3 PCS
Light Source: LEDPCB/24W
Color: Coffee
RPM: Max 280
Certification: CB,CE,RoHS,UKCA

HY-2757-BK

Motor: DC35W
Voltage/Frequency: 110~240V/50~60Hz
Size: 44"
Blade: PC+PA/3 PCS
Light Source: LEDPCB/24W
Color: Black
RPM: Max 280
Certification: CB,CE,RoHS,UKCA

**HY-602-BK-WG**

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/4 PCS
Light Source: E27*3
Color: Black With Gold Brush+Wood Grain
RPM: Max 180
Certification: CE,RoHS,UKCA

**HY-1513-BK-WG**

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/5PCS
Light Source: LED PCB/18W
Color: Black With Brush Gold+Wood Grain
RPM: Max 210
Certification: CE,RoHS,UKCA

**HY-2843-WH-WG**

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Wood leaf/5 PCS
Color: White+Wood Grain
RPM: Max 150
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096

**HY-2843-BK-WG**

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Wood leaf/5 PCS
Color: Black+Wood Grain
RPM: Max 150
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096

**HY-2179-BK-YE-SV**

Motor: DC 35W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/4PCS
Light Source: LED PCB/18W
Color: Black+Yellow+Silver
RPM: Max 280
Certification: CE,RoHS,UKCA



HY-1092-B-WL-MC

Motor: DC 35W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz; 220~240V/50Hz
Size: 42"
Blade: Composite Board/5PCS
Color: White+Multi-Color
RPM: Max 270
Certification: CE,RoHS,UKCA



HY-1092-A-WH-MC

Motor: DC 35W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz; 220~240V/50Hz
Size: 42"
Blade: Composite Board/5PCS
Light Source: LED PCB/18W
Color: White+Multi-Color
RPM: Max 280
Certification: CE,RoHS,UKCA



HY-1092-B-WH-MC

Motor: DC 35W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz; 220~240V/50Hz
Size: 42"
Blade: Composite Board/5PCS
Light Source: LED PCB/18W
Color: White+Multi-Color
RPM: Max 270
Certification: CE,RoHS,UKCA



HY-2112-WL-SN-WG

Motor: DC 35W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz,220~240V/50Hz
Size: 42"
Blade: Composite Board/4 PCS
Color: Sand Nickel+Wood Grain
RPM: Max 285
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-2112-WL-SN-MG

Motor: DC 35W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz,220~240V/50Hz
Size: 42"
Blade: Composite Board/4 PCS
Light Source: LED PCB/19W-19W-18W
Color: Sand Nickel+Maple Wood Grain
RPM: Max 285
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-2112-SN-WG

Motor: DC 35W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz,220~240V/50Hz
Size: 42"
Blade: Composite Board/4 PCS
Light Source: LED PCB/19W
Color: Sand Nickel+Wood Grain
RPM: Max 285
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-2112-GY-SV

Motor: DC 35W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz,220~240V/50Hz
Size: 42"
Blade: Composite Board/4 PCS
Light Source: LED PCB/19W
Color: Grey+Silver
RPM: Max 285
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-2112-YE-SV

Motor: DC 35W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz,220~240V/50Hz
Size: 42"
Blade: Composite Board/4 PCS
Light Source: LED PCB/19W
Color: Yellow+Silver
RPM: Max 285
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-2380-GN-WH

Motor: DC 25W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz,
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/3 PCS
Light Source: LED PCB/18W
Color: Green+White
RPM: Max 240
Certification: CB,CE,RoHS,UKCA



HY-2380-WH

Motor: DC 25W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/3 PCS
Light Source: LED PCB/18W
Color: White
RPM: Max 240
Certification: CB,CE,RoHS,UKCA



HY-2380-GY-SV

Motor: DC 25W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/3 PCS
Light Source: LED PCB/18W
Color: Grey+Sliver
RPM: Max 240
Certification: CB,CE,RoHS,UKCA



HY-2530-YE-WH

Motor: DC 25W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Yellow+White
RPM: Max 240
Certification: CB,CE,RoHS,UKCA



HY-2530-WH

Motor: DC 25W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: White
RPM: Max 240
Certification: CB,CE,RoHS,UKCA

HY-2530-SN-SV

Motor: DC 25W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Sand Nickel+Silver
RPM: Max 240
Certification: CB,CE,RoHS,UKCA

HY-2530-BU-WH

Motor: DC 25W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Blue+White
RPM: Max 240
Certification: CB,CE,RoHS,UKCA



HY-2069-BK-WG

Motor: DC 20W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz, 220~240V/50Hz
Size: 42"
Blade: Composite Board/4PCS
Light Source: LED PCB/18W
Color: Black With Bursh Gold+Wood Grain
RPM: Max 250
Certification: CB,CE,RoHS,UKCA



HY-1650-BK

Motor: DC 20W/AC 45W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz, 220~240V/50Hz
Size: 36"
Blade: Composite Board/3PCS
Light Source: LED PCB/18W
Color: Black
RPM: Max 350
Certification: CB,CE,RoHS,UKCA



HY-1096-WH-MC

Motor: DC 35W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz, 220~240V/50Hz
Size: 30"
Blade: Composite Board/6PCS
Light Source: LED PCB/30W
Color: White+Multi-Color
RPM: Max 280
Certification: CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-2088-MC

Motor: DC 30W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz; 220~240V/50Hz
Size: 36"
Blade: ABS/5 PCS
Light Source: LED PCB/24W
Color: Multi-Color
RPM: Max 260
Certification: CB,CE,RoHS,UKCA



HY-2066-WH

Motor: DC 30W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz; 220~240V/50Hz
Size: 36"
Blade: ABS/5 PCS
Light Source: LED PCB/24W
Color: White
RPM: Max 260
Certification: CB,CE,RoHS,UKCA

HY-2066-WH-WG

Motor: DC 30W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz; 220~240V/50Hz
Size: 36"
Blade: ABS/5 PCS
Light Source: LED PCB/24W
Color: White+Wood Grain
RPM: Max 260
Certification: CB,CE,RoHS,UKCA



HY-2066-GN-WH
Motor: DC 30W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/5 PCS
Light Source: LED PCB/24W
Color: Green+White
RPM: Max 260
Certification: CB,CE,RoHS,UKCA



HY-2066-BU-WH
Motor: DC 30W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/5 PCS
Light Source: LED PCB/24W
Color: Blue+White
RPM: Max 260
Certification: CB,CE,RoHS,UKCA

HY-2066-PK-WH
Motor: DC 30W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/5 PCS
Light Source: LED PCB/24W
Color: Pink+White
RPM: Max 260
Certification: CB,CE,RoHS,UKCA

**HY-1083-WH**

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: White
RPM: Max 280
Certification: CB,CE,RoHS,UKCA

**HY-1083-PK-WH**

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Pink+White
RPM: Max 280
Certification: CB,CE,RoHS,UKCA

**HY-1083-BU-WH**

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Blue+White
RPM: Max 280
Certification: CB,CE,RoHS,UKCA

**HY-1083-SN-GY**

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Sand Nickel+Grey
RPM: Max 280
Certification: CB,CE,RoHS,UKCA

**HY-1083-BK-MC**

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Black+Multi-Color
RPM: Max 280
Certification: CB,CE,RoHS,UKCA

**HY-1083-WH-MC**

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: White+Multi-Color
RPM: Max 280
Certification: CB,CE,RoHS,UKCA



HY-1083-GN-MC

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Green+Multi-Color
RPM: Max 280
Certification: CB,CE,RoHS,UKCA



HY-1083-GN-WH

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Green+White
RPM: Max 280
Certification: CB,CE,RoHS,UKCA



HY-1083-GN-GY

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Green+Grey
RPM: Max 280
Certification: CB,CE,RoHS,UKCA



HY-2506-COF

Motor: DC 35W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 34"
Blade: ABS
Light Source: LED PCB/24W
Color: Coffee
RPM: Max 260
Certification: CB,CE,RoHS,UKCA



HY-2038-BK

Motor: DC 35W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Black
RPM: Max 270
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-2123-GN

Motor: DC 35W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Green
RPM: Max 270
Certification: CB,CE,RoHS,UKCA



HY-2400-BK

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz,220~240V/50Hz
Size: 42"X48"
Blade: PC/ 4PCS
Light Source: E27*5
Color: Black
RPM: Max 240
Certification:
CB,CE,RoHS,ErP,UKCA
Australia Certification: SGS/210096



HY-2835-SG-BK

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz,
110~130V/60Hz;220~240V/50Hz
Size: 42"X48"
Blade: PC/4PCS
Light Source: LED PCB/36W
Color: S Gold+Black
RPM: Max 240
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-2401-WW

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz,220~240V/50Hz
Size: 42"X48" Blade:
PC/4PCS
Light Source: E27*5
Color: Weather Wood
RPM: Max 240
Certification: CB,CE,RoHS,ErP,UKCA
Australia Certification: SGS/210096



HY-2873-SG

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz,
110~130V/60Hz;220~240V/50Hz
Size: 42"X48"
Blade: PC/4PCS
Light Source: LED PCB/36W
Color: S Gold
RPM: Max 240
Certification: CE,RoHS,UKCA



HY-2874-SG-BK

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4PCS
Light Source: LED PCB/36W
Color: S Gold+Black
RPM: Max 240
Certification: CE,RoHS,UKCA



HY-2878-COF

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4PCS
Light Source: LED PCB/36W
Color: Coffee
RPM: Max 240
Certification: CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-2863-SG

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4PCS
Light Source: LED PCB/36W
Color: S Gold
RPM: Max 240
Certification: CE,RoHS,UKCA



HY-2191-AB

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4PCS
Light Source: LED PCB/36W
Color: Antique Bronze
RPM: Max 240
Certification: CE,RoHS,UKCA



HY-2767-CH

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz,
110~130V/60Hz;220~240V/50Hz
Size: 42"48"
Blade: PC/4PCS
Light Source: LED PCB/46W
Color: Chrome
RPM: Max 240
Certification: CB,CE,RoHS,UKCA



HY-2171-CH

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz,
110~130V/60Hz;220~240V/50Hz
Size: 42"48"
Blade: PC/4PCS
Light Source: LED PCB/36W
Color: Chrome
RPM: Max 240



HY-2171-SG

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz,
110~130V/60Hz;220~240V/50Hz
Size: 42"48"
Blade: PC/4PCS
Light Source: LED PCB/36W
Color: S Gold
RPM: 235



HY-2188-CH

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"X48"
Blade: PC/4PCS
Light Source: LED PCB/36W
Color: Chrome
RPM: Max 240



HY-1639-CH

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"X48"
Blade: PC/4PCS
Light Source: LED PCB/36W
Color: Chrome
RPM: Max 240



HY-1639-SG

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"X48"
Blade: PC/4PCS
Light Source: LED PCB/36W
Color: S Gold
RPM: Max 240



HY-2563-BK

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4PCS
Light Source: LEDPCB/36W
Color: Black
RPM: Max 240



HY-2562-GD

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Gold
RPM: Max 240



HY-2921-SG

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: S Gold
RPM: Max 240
Certification: CE

**HY-2555-WH**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4PCS
Light Source: LEDPCB/36W
Color: White
RPM: Max 240

**HY-2551-WH**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4PCS
Light Source: LEDPCB/36W
Color: White
RPM: Max 240

**HY-2561-WH**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LEDPCB/36W
Color: White
RPM: Max 240

**HY-2920-WH**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LEDPCB/36W
Color: White
RPM: Max 240

**HY-2564-WH**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LEDPCB/36W
Color: White
RPM: Max 240

HY-2410-COF

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz, 220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Coffee
RPM: Max 240
Certification: CB,CE,RoHS,ErP,UKCA



HY-2410-WH

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz, 220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White
RPM: Max 240
Certification: CB,CE,RoHS,ErP,UKCA



HY-2410-SN

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz, 220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Sand Nickel
RPM: Max 240
Certification: CB,CE,RoHS,ErP,UKCA



HY-2410-BK

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz, 220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Black
RPM: Max 240
Certification: CB,CE,RoHS,ErP,UKCA



HY-2450-WH-PK

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48" Blade:
PC/4PCS
Light Source: LED PCB/36WW
Color: White+Pink
RPM: Max 240
Certification: ETL,CB,CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-2450-WH-WG

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48" Blade:
PC/4PCS
Light Source: LED PCB/36WW
Color: White+Wood Grain
RPM: Max 240
Certification: ETL,CB,CE,RoHS,UKCA
Australia Certification: SGS/210096

HY-2450-WH-BU

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4PCS
Light Source: LED PCB/36WW
Color: White+Blue
RPM: Max 240
Certification: ETL,CB,CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-2450-WH

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"X48" Blade:
PC/4PCS
Light Source: LED PCB/36W
Color: White
RPM: Max 240
Certification: ETL,CB,CE,RoHS,UKCA
Australia Certification:SGS/210096



HY-2450-WH-GY

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"X48"
Blade: PC/4PCS
Light Source: LED PCB/36W
Color: White+Grey
RPM: Max 240
Certification: ETL,CB,CE,RoHS,UKCA
Australia Certification:SGS/210096



HY-2450-COF

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"X48" Blade:
PC/4PCS
Light Source: LED PCB/36W
Color: Coffee
RPM: Max 240
Certification: ETL,CB,CE,RoHS,UKCA
Australia Certification:SGS/210096



HY-1816-AB

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"X48"
Blade: PC/4PCS
Light Source: LED PCB/36W
Color: Antique Bronze
RPM: Max 240
Certification: CE,RoHS,UKCA
Australia Certification:SGS/210096



HY-1816-RGD

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"X48"
Blade: PC/4PCS
Light Source: LED PCB/36W
Color: Rose Gold
RPM: Max 240
Certification: CE,RoHS,UKCA
Australia Certification:SGS/210096

**HY-2650-COF**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"X48"
Blade: PC/4PCS
Light Source: LED PCB/36WW
Color: Coffee
RPM: Max 240
Certification: CB,CE,RoHS,UKCA

**HY-1777-SG**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"X48"
Blade: PC/4PCS
Light Source: LED PCB/36WW
Color: S Gold
RPM: Max 240
Certification: CE,RoHS,UKCA

**HY-2661-GD**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"X48"
Blade: PC/4PCS
Light Source: LED PCB/36WW
Color: Gold
RPM: Max 240
Certification: CE,RoHS,UKCA

**HY-1777-SN-SV**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"X48"
Blade: PC/4PCS
Light Source: LED PCB/36WW
Color: Sand Nickel+Silver
RPM: Max 240
Certification: CE,RoHS,UKCA

**HY-2914-GD**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"X48"
Blade: PC/4PCS
Light Source: LED PCB/36W
Color: Gold
RPM: Max 240
Certification: CE,RoHS,UKCA

**HY-1851-SG**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"X48"
Blade: PC/4PCS
Light Source: LED PCB/36W
Color: S Gold
RPM: Max 240
Certification: CE,RoHS,UKCA



HY-2553-WH-COF

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz; 220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White+Coffee
RPM: Max 240



HY-1566-SG

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz; 220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/74W
Color: S Gold
RPM: Max 240
Certification: CB,CE,RoHS,UKCA

HY-2768-SG

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz; 220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: S Gold
RPM: Max 240
Certification: CB

HY-2768-SN

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz; 220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Sand Nickel
Certification: Max 240
RPM: CB



HY-6094-SG

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz; 220~240V/50Hz
Size: 36"
Blade: PC/4 PCS
Light Source: LED PCB/32W
Color: S Gold
RPM: Max 295



HY-6094-AB-SV

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz; 220~240V/50Hz
Size: 36"
Blade: PC/4 PCS
Light Source: LED PCB/32W
Color: Antique Bronze
RPM: Max 295



HY-2868-BK

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz; 220~240V/50Hz
Size: 42"/48"
Blade: PC/4PCS
Light Source: LED PCB/36W
Color: Black
RPM: Max 240
Certification: CB,CE,RoHS,UKCA



HY-2717-BK

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz; 220~240V/50Hz
Size: 42"/48"
Blade: PC/4PCS
Light Source: LED PCB/36W
Color: Black
RPM: Max 240
Certification: CB,CE,RoHS,UKCA



HY-2717-WH

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz; 220~240V/50Hz
Size: 42"/48"
Blade: PC/4PCS
Light Source: LED PCB/36W
Color: White
RPM: Max 240
Certification: CB,CE,RoHS,UKCA

**HY-2930-BK**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: LED PCB/36W
Light Source: PC/4 PCS
Color: Black
RPM: Max 240
Certification: CE,RoHS,UKCA

**HY-2924-WH**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4PCS
Light Source: LED PCB/36W
Color: White+Coffee
RPM: Max 240

**HY-2887-COF**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4PCS
Light Source: LED PCB/36W
Color: Coffee
RPM: Max 240
Certification: RoHS

**HY-2924-COF**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4PCS
Light Source: LED PCB/36W
Color: Coffee
RPM: Max 240

**HY-2844-COF**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4PCS
Light Source: LED PCB/36W
Color: Coffee
RPM: Max 240
Certification: CE,RoHS,UKCA



HY-1524-BT-WH

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4PCS
Light Source: LEDPCB/74W
Color: White
RPM: Max 240
Certification: ETL,CE,RoHS,UKCA
*With Bluetooth



HY-1524-BT-SN-SV

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4PCS
Light Source: LEDPCB/74W
Color: Sand Nickel+Silver
RPM: Max 240
Certification: ETL,CE,RoHS,UKCA
*With Bluetooth



HY-1524-BT-BK

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4PCS
Light Source: LEDPCB/74W
Color: Black
RPM: Max 240
Certification: ETL,CE,RoHS,UKCA
*With Bluetooth



HY-1524-BT-GD

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4PCS
Light Source: LEDPCB/74W
Color: S Gold
RPM: Max 240
Certification: ETL,CE,RoHS,UKCA
*With Bluetooth

**HY-1524-WH**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4PCS
Light Source: LEDPCB/74W
Color: White
RPM: Max 240
Certification: ETL,CE,RoHS,UKCA

**HY-1524-SN-SV**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4PCS
Light Source: LEDPCB/74W
Color: Sand Nickel+Silver
RPM: Max 240
Certification: ETL,CE,RoHS,UKCA

**HY-1524-BK**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4PCS
Light Source: LEDPCB/74W
Color: Black
RPM: Max 240
Certification: ETL,CE,RoHS,UKCA

**HY-1524-GD**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4PCS
Light Source: LEDPCB/74W
Color: S Gold
RPM: Max 240
Certification: ETL,CE,RoHS,UKCA



HY-6524-WH

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White
RPM: Max 295
Certification: CB,CE,RoHS,UKCA



HY-6524-BK

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Black
RPM: Max 295
Certification: CB,CE,RoHS,UKCA



HY-2212-WH-WG

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"X48"
Blade: PC/4PCS
Light Source: LED PCB/76W
Color: White+Wood Grain
RPM: Max 240
Australia Certification: SGS/210096



HY-2235-WH-BK

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz; 220~240V/50Hz
Size: 42"/48"
Blade: PC/4PCS
Light Source: LED PCB/58W
Color: White+Black
RPM: Max 240
Australia Certification: SGS/210096



HY-2132-WH

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz; 220~240V/50Hz
Size: 42"/48"
Blade: PC/4PCS
Light Source: LED PCB/36W
Color: White
RPM: Max 240



HY-2919-WH-COF

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz; 220~240V/50Hz
Size: 42"/48"
Blade: PC/4PCS
Light Source: LED PCB/36W
Color: White+Coffee
RPM: Max 240
Certification: CE,RoHS,UKCA



HY-2114-WH

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz; 220~240V/50Hz
Size: 42"/48"
Blade: PC/4PCS
Light Source: LED PCB/36W
Color: White
RPM: Max 240
Certification: CB,CE,RoHS,UKCA



HY-2896-WH

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz, 220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White
RPM: Max 240



HY-2540-XD-WH

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz, 220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White
RPM: Max 240
Certification: RoHS
Australia Certification: SGS/210096



HY-2540-WH-SV

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz, 220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White+Siver
RPM: Max 240
Certification: RoHS
Australia Certification: SGS/210096

**HY-2935-WH**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"X48"
Blade: PC/4PCS
Light Source: LED PCB/36W
Color: White
RPM: Max 240

**HY-2849-WH**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"X48"
Blade: PC/4PCS
Light Source: LED PCB/36W
Color: White
RPM: Max 240

**HY-2849-WH-BK**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"X48"
Blade: PC/4PCS
Light Source: LED PCB/36W
Color: White+Black
RPM: Max 240

**HY-2556-WH-GD**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"X48"
Blade: PC/4PCS
Light Source: LED PCB/36W
Color: White+Gold
RPM: Max 240

**HY-2566-WH-BK**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"X48"
Blade: PC/4PCS
Light Source: LED PCB/36W
Color: White+Black
RPM: Max 240



HY-2159-SN-SV

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"X48"
Blade: PC/4PCS
Light Source: LEDPCB/72W
Color: Sand Nickel+Silver
RPM: Max 240
Certification: CB,CE,RoHS,UKCA



HY-1540-GD

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"X48"
Blade: PC/4PCS
Light Source: LED PCB/36W
Color: S Gold
RPM: Max 240
Certification: CB,CE,RoHS,UKCA
*With bluetooth



HY-1688-AB

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"X48"
Blade: PC/4PCS
Light Source: LEDPCB/60W
Color: Antique Bronze
RPM: 235
Certification: CE,RoHS,UKCA



HY-1689-AB

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"X48"
Blade: PC/4PCS
Light Source: LEDPCB/60W
Color: Antique Bronze
RPM: Max 240

**HY-2931-WH**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4PCS
Light Source: LEDPCB/36W
Color: White
RPM: Max 240
*With Bluetooth

**HY-2932-WH-GY**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4PCS
Light Source: LED PCB/36W
Color: White+Grey
RPM: Max 240
*With Bluetooth

**HY-2666-WH**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4PCS
Light Source: LEDPCB/36W
Color: White
RPM: Max 240
*With Bluetooth

**HY-2932-BK-COF**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4PCS
Light Source: LED PCB/36W
Color: Black+Coffee
RPM: Max 240
*With Bluetooth

**HY-2668-WH**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4PCS
Light Source: LEDPCB/36W
Color: White
RPM: Max 240
*With Bluetooth

**HY-2758-SG**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4PCS
Light Source: LED PCB/36W
Color: S Gold
RPM: Max 240
Certification: CB,CE,RoHS
*With Bluetooth



HY-2795-PK

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4PCS
Light Source: LEDPCB/36W
Color: Pink
RPM: Max 240



HY-6933-WH-PK

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: PC/4PCS
Light Source: LEDPCB/36W
Color: White+Pink
RPM: Max 240



HY-2794-BU

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4PCS
Light Source: LEDPCB/36W
Color: Blue
RPM: Max 240



HY-6934-WH-BU

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: PC/4PCS
Light Source: LEDPCB/36W
Color: White+Blue
RPM: Max 240



HY-6450-WH-WG

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz, 220~240V/50Hz
Size: 36"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White+Wood Grain
RPM: Max 295
Certification: CB,CE,RoHS,UKCA



HY-6450-COF

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz, 220~240V/50Hz
Size: 36"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Coffee
RPM: Max 295
Certification: CB,CE,RoHS,UKCA



HY-6450-WH

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz, 220~240V/50Hz
Size: 36"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White
RPM: Max 295
Certification: CB,CE,RoHS,UKCA



HY-6450-WH-GY

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz, 220~240V/50Hz
Size: 36"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White+Grey
RPM: Max 295
Certification: CB,CE,RoHS,UKCA



HY-6650-COF

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Coffee
RPM: Max 295



HY-6548-BK

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Black
RPM: Max 295



HY-2769-SG

Motor: DC 50W/AC 80W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: PC/4 PCS
Light Source: LED PCB/60W
Color: S Gold
RPM: Max 190



HY-2512-BK-GD

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"X48"
Blade: PC/4PCS
Light Source: LED PCB/30W
Color: Black+Gold
RPM: Max 240
Certification: CB,CE,RoHS,UKCA



HY-2514-BK-GD

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"X48"
Blade: PC/4PCS
Light Source: LED PCB/68W
Color: Black+Gold
RPM: Max 240
Certification: CB,CE,RoHS,UKCA



HY-2517-BK

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"X48"
Blade: PC/4PCS
Light Source: E27*10
Color: Black
RPM: Max 240
Certification: CB,CE,RoHS,UKCA



HY-2513-BK-GD

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"X48"
Blade: PC/4PCS
Light Source: G9*8
Color: Black+Gold
RPM: Max 240
Certification: CB,CE,RoHS,UKCA



HY-2521-BK-GD

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz,
110~130V/60Hz,220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: G9*8
Color: Black+Gold
RPM: Max 240
Certification: CE,RoHS,UKCA



HY-2911-BK-GD

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz,
110~130V/60Hz,220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/40W
Color: Black+Gold
RPM: Max 240



HY-2910-BK-GD

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz,
110~130V/60Hz,220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/48W
Color: Black+Gold
RPM: Max 240



HY-2519-BK-GD

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4PCS
Light Source: LED PCB/36W
Color: Black+Gold
RPM: Max 240
Certification: CB,CE,RoHS,UKCA



HY-2910-WH-GD

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4PCS
Light Source: LED PCB/48W
Color: White+Gold
RPM: Max 240



HY-2928-WH-GD

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4PCS
Light Source: LED PCB+E14*6/144W
Color: White+Gold
RPM: Max 240



HY-2915-WH

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/52W
Color: White
RPM: Max 240
Certification: CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-2937-WH-GY

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/72W
Color: White+Grey
RPM: Max 240



HY-2915-COF

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/52W
Color: Coffee
RPM: Max 240
Certification: CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-2558-BK-GD

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/72W
Color: Black+Gold
RPM: Max 240



HY-1016-AB-TR

Motor: AC 45W
Voltage/Frequency: 110~130V/60Hz;
220~240V/50Hz
Size: 42"
Blade: PC/8 PCS
Light Source: LED PCB/48W
Color: Antique Bronze+Transparent
RPM: Max 235
Certification: CE,RoHS,UKCA

HY-1016-AB-PK

Motor: AC 45W
Voltage/Frequency: 110~130V/60Hz;
220~240V/50Hz
Size: 42"
Blade: PC/8 PCS
Light Source: LED PCB/48W
Color: Antique Bronze+Pink
RPM: Max 235
Certification: CE,RoHS,UKCA



HY-1088-SN-TR

Motor: AC 45W
Voltage/Frequency: 110~130V/60Hz;
220~240V/50Hz
Size: 42"
Blade: PC/8 PCS
Light Source: LED PCB/48W
Color: Sand Nickel+Transparent
RPM: Max 235
Certification: CE,RoHS,UKCA



HY-1016-SN-TR

Motor: AC 45W
Voltage/Frequency: 110~130V/60Hz;
220~240V/50Hz
Size: 42"
Blade: PC/8 PCS
Light Source: LED PCB/48W
Color: Sand Nickel+Transparent
RPM: Max 235
Certification: CE,RoHS,UKCA



HY-2718-PK

Motor: DC 30W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"
Blade: ABS
Light Source: LED PCB/19W
Color: Pink
RPM: Max 320
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-2718-WH

Motor: DC 30W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"
Blade: ABS
Light Source: LED PCB/19W
Color: White
RPM: Max 320
Certification: CB,CE,RoHS,UKCA
Australia Certification:SGS/210096



HY-2718-GD

Motor: DC 30W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"
Blade: ABS
Light Source: LED PCB/19W
Color: Gold
RPM: Max 320
Certification: CB,CE,RoHS,UKCA
Australia Certification:SGS/210096



BL-2718-SV



BL-2718-COF



BL-2718-BU



HY-7009-COF-GD

Motor: DC 22W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"
Blade: ABS/3 PCS
Light Source: LED PCB/30W
Color: Coffee+Gold
RPM: Max 460
Certification: CB,CE,RoHS,UKCA



HY-7021-SG-GY

Motor: DC 22W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody: 800*400mm)
Blade: ABS/3 PCS
Light Source: LED PCB/40W
Color: Gold+Grey
RPM: Max 460



HY-7014-COF-GD

Motor: DC 22W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"
Blade: ABS/3 PCS
Light Source: LED PCB/30W
Color: Coffee+Gold
RPM: Max 460



HY-7008-COF-GD

Motor: DC 22W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"
Blade: ABS/3 PCS
Light Source: LED PCB/30W
Color: Coffee+Gold
RPM: Max 460
Certification: CB,CE,RoHS,UKCA



HY-7006-WH

Motor: DC 22W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"
Blade: ABS/3 PCS
Light Source: E14*6
Color: White
RPM: Max 460
Certification: CB,CE,RoHS,UKCA



HY-7011-BK-GD

Motor: DC 22W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"
Blade: ABS/3 PCS
Light Source: E27*6
Color: Black+Gold
RPM: Max 460
Certification: CB,CE,RoHS,UKCA



HY-7023-GD

Motor: DC 22W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"
Blade: ABS/3 PCS
Light Source: E14*6
Color: Gold
RPM: Max 460



HY-7012-WH-CH

Motor: DC 22W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"
Blade: ABS/3 PCS
Light Source: LED PCB/30W
Color: White+Chrome
RPM: Max 460
Certification: CB,CE,RoHS,UKCA



HY-7013-BK-GD

Motor: DC 22W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"
Blade: ABS/3 PCS
Light Source: LED PCB/30W
Color: Black+Gold
RPM: Max 460
Certification: CB,CE,RoHS,UKCA



HY-19215-RGD

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody: 660*500mm)
Blade: PC/3 PCS
Light Source: LED STRIP/82W
Color: Rose Gold
RPM: Max 380
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-19215-GDE

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody: 660*500mm)
Blade: PC/3 PCS
Light Source: LED STRIP/82W
Color: Gold(Electric Plated)
RPM: Max 380
Certification: CB,CE,RoHS ,UKCA
Australia Certification: SGS/210096



HY-19215-WH

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody: 660*500mm)
Blade: PC/3 PCS
Light Source: LED STRIP/82W
Color: White
RPM: Max 380
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-19215-SN

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody: 660*500mm)
Blade: PC/3 PCS
Light Source: LED STRIP/82W
Color: Sand Nickel
RPM: Max 380
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-19215-COF

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody: 660*500mm)
Blade: PC/3 PCS
Light Source: LED STRIP/82W
Color: Coffee
RPM: Max 380
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-19012-GD

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody: 660*500mm)
Blade: PC/3 PCS
Light Source: LED STRIP/68W
Color: Gold
RPM: Max 380
Certification: CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-19012-COF

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody: 660*500mm)
Blade: PC/3 PCS
Light Source: LED STRIP/68W
Color: Coffee
RPM: Max 380
Certification: CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-19010-BK

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody: 630*500mm)
Blade: PC/3 PCS
Light Source: LED STRIP/87W
Color: Black
RPM: Max 380
Certification: CE,RoHS,UKCA



HY-19022-SN

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody: 610*400mm)
Blade: PC/3 PCS
Light Source: LED/54W
Color: Sand Nickel+Transparent
RPM: Max 380
Certification: CE,RoHS,UKCA



HY-19013-BK

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"
Blade: PC/3 PCS
Light Source: LED STRIP/58W
Color: Black
RPM: Max 380
Certification: ETL,CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-19013-COF

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"
Blade: PC/3 PCS
Light Source: LED STRIP/58W
Color: Coffee
RPM: Max 380
Certification: ETL,CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-19220-WH

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 660*500mm)
Blade: PC/3 PCS
Light Source: LED STRIP/82W
Color: White
RPM: Max 380
Certification: CB,CE,RoHS,UKCA



HY-19221-COF

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 660*500mm)
Blade: PC/3 PCS
Light Source: LED STRIP/82W
Color: Coffee
RPM: Max 380
Certification: CB,CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-19222-SV

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 660*500mm)
Blade: PC/3 PCS
Light Source: LED STRIP/58W
Color: Silver
RPM: Max 380
Certification: CE,RoHS,UKCA



HY-19001-GD

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody: 630*450mm) Blade:
PC/3 PCS
Light Source: LED STRIP/85W
Color: Gold
RPM: Max 380
Certification: ETL,CB,CE,RoHS,UKCA
Australia Certification:SGS/210096



HY-19001-WH

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody: 630*450mm) Blade:
PC/3 PCS
Light Source: LED STRIP/85W
Color: White
RPM: Max 380
Certification: ETL,CB,CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-19001-SN

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody: 630*450mm) Blade:
PC/3 PCS
Light Source: LED STRIP/85W
Color: Sand Nickel
RPM: Max 380
Certification: ETL,CB,CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-19001-COF

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody: 630*450mm) Blade:
PC/3 PCS
Light Source: LED STRIP/85W
Color: Coffee
RPM: Max 380
Certification: ETL,CB,CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-19009-3-COF

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 680*500mm)
Blade: PC/3 PCS
Light Source: LED PCB/58W
Color: Coffee
RPM: Max 380
Certification: CB,CE,RoHS,UKCA
Australia Certification:SGS/210096



HY-19229-WH

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"
Blade: PC/3 PCS
Light Source: E14x6
Color: White
RPM: Max 380



HY-19009-5-COF

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 760*500mm)
Blade: PC/3 PCS
Light Source: LED PCB/82W
Color: Coffee
RPM: Max 380
Certification: CE,RoHS,UKCA
Australia Certification:SGS/210096



HY-19226-COF

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"
Blade: PC/3 PCS
Light Source: E14x6
Color: Coffee
RPM: Max 380



HY-19030-A-WH

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 630*500mm)
Blade: PC/3 PCS
Light Source: LED/62W
Color: White+Transparent
RPM: Max 380
Certification: CE,RoHS,UKCA



HY-19030-B-WH

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 630*500mm)
Blade: PC/3 PCS
Light Source: LED/62W
Color: White+Transparent
RPM: Max 380
Certification: CE,RoHS,UKCA



HY-19032-BK

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 730*450mm)
Blade: PC/3 PCS
Light Source: LED/54+18W
Color: Gold+Transparent
RPM: Max 380
Certification: CE,RoHS,UKCA



HY-19032-GD

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 730*450mm)
Blade: PC/3 PCS
Light Source: LED/54+18W
Color: Gold+Transparent
RPM: Max 380
Certification: CE,RoHS,UKCA



HY-19005-BK

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody: 800*550mm)
Blade: PC/3 PCS
Light Source: G9*16
Color: Black
RPM: Max 380
Certification: CB,CE,RoHS,UKCA



HY-19018-SG-BU

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 710*450mm)
Blade: PC/3 PCS
Light Source: LED PCB/65W
Color: S Gold+Blue
RPM: Max 380



HY-19020-COF-GD

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 680*450mm)
Blade: PC/3 PCS
Light Source: LED STRIP/65W
Color: Coffee+Gold
RPM: Max 380
Certification: CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-19021-COF-GD

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 680*450mm)
Blade: PC/3 PCS
Light Source: LED STRIP/87W
Color: Coffee+Gold
RPM: Max 380
Certification: CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-19021-COF

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 680*450mm)
Blade: PC/3 PCS
Light Source: LED STRIP/87W
Color: Coffee
RPM: Max 380
Certification: CE,RoHS,UKCA
Australia Certification: SGS/210096



HY-19025-BK-GD

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 650*630mm)
Blade: PC/3 PCS
Light Source: LED STRIP/65W
Color: Black+Gold
RPM: Max 380



HY-19029-6-BK-GD

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 750*600mm)
Blade: PC/3 PCS
Light Source: LED STRIP/60W
Color: Black+Gold
RPM: Max 380



HY-19027-BK-GD

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 650*600mm)
Blade: PC/3 PCS
Light Source: LED STRIP/55W
Color: Black+Gold
RPM: Max 380



HY-19029-8-BK-GD

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 750*600mm)
Blade: PC/3 PCS
Light Source: LED STRIP/80W
Color: Black+Gold
RPM: Max 380



HY-19026-BK-GD

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 710*600mm)
Blade: PC/3 PCS
Light Source: LED STRIP/85W
Color: Black+Gold
RPM: Max 380



HY-19028-BK-GD

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 670*600mm)
Blade: PC/3 PCS
Light Source: LED STRIP/60W
Color: Black+Gold
RPM: Max 380



HY-19036A-GD

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 630*450mm)
Blade: PC/3 PCS
Light Source: LED STRIP/72W
Color: Gold(painted)
RPM: Max 380



HY-19036A-COF

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 630*450mm)
Blade: PC/3 PCS
Light Source: LED STRIP/72W
Color: Coffee
RPM: Max 380



HY-19036A-BK

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 630*450mm)
Blade: PC/3 PCS
Light Source: LED STRIP/72W
Color: Black
RPM: Max 380



HY-19038A-GD

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 630*450mm)
Blade: PC/3 PCS
Light Source: LED STRIP/72W
Color: Gold(painted)
RPM: Max 380



HY-19038A-COF

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 630*450mm)
Blade: PC/3 PCS
Light Source: LED STRIP/72W
Color: Coffee
RPM: Max 380



HY-19038A-BK

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 630*450mm)
Blade: PC/3 PCS
Light Source: LED STRIP/72W
Color: Black
RPM: Max 380



HY-W9018-BK-WH

Motor: DC 16W
Voltage/Frequency: 220~240V/50Hz
Blade: PC / 3 pcs
Color: Black+White
Others: 360° rotate



HY-W9012-BK-GD

Motor: DC 16W
Voltage/Frequency: 220~240V/50Hz
Blade: PC / 3 pcs
Color: Black+Gold



HY-W9012-GD

Motor: DC 16W
Voltage/Frequency: 220~240V/50Hz
Blade: PC / 3 pcs
Color: Gold



HY-W9028-BK-WH

Motor: DC 16W
Voltage/Frequency: 220~240V/50Hz
Blade: PC / 8 pcs
Color: Black+White
Others: 360° rotate





HY-19037A-BK

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 630*450mm)
Blade: PC/3 PCS
Light Source: LED STRIP/54W
Color: Black
RPM: Max 380



HY-19037A-GD

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 630*450mm) Blade:
PC/3 PCS
Light Source: LED STRIP/54W
Color: Gold(painted)
RPM: Max 380



HY-W9010-WH

Motor: DC 16W
Voltage/Frequency: 220~240V/50Hz
Blade: PC / 8 pcs
Color: White
Others: 360° rotate



HY-W9010-COF

Motor: DC 16W
Voltage/Frequency: 220~240V/50Hz
Blade: PC / 8 pcs
Color: Coffee
Others: 360° rotate



HY-W9010-BK

Motor: DC 16W
Voltage/Frequency: 220~240V/50Hz
Blade: PC / 8 pcs
Color: Black
Others: 360° rotate



HY-W9015-WH

Motor: DC 16W
Voltage/Frequency: 220~240V/50Hz
Blade: PC / 8 pcs
Color: White
Others: 360° rotate



HY-W9010-GD

Motor: DC 16W
Voltage/Frequency: 220~240V/50Hz
Blade: PC / 8 pcs
Color: Gold
Others: 360° rotate



HY-W9005-WH-BK

Motor: DC 16W
Voltage/Frequency: 220~240V/50Hz
Blade: PC / 5 pcs
Color: Black+White



HY-W9001-BN

Motor: DC 16W
Voltage/Frequency: 220~240V/50Hz
Blade: PC / 5 pcs
Color: Brown



HY-W9006-WH

Motor: DC 16W
Voltage/Frequency: 220~240V/50Hz
Blade: PC / 5 pcs
Color: White



HY-W9008-GD

Motor: DC 16W
Voltage/Frequency: 220~240V/50Hz
Blade: PC / 5 pcs
Color: Gold



HY-W9007-WH

Motor: DC 16W
Voltage/Frequency: 220~240V/50Hz
Blade: PC / 5 pcs
Color: White



HY-W9005-WH-BK

Motor: DC 16W
Voltage/Frequency: 220~240V/50Hz
Blade: PC / 5 pcs
Color: Black+White



HY-W9001-BN

Motor: DC 16W
Voltage/Frequency: 220~240V/50Hz
Blade: PC / 5 pcs
Color: Brown



HY-W9006-WH

Motor: DC 16W
Voltage/Frequency: 220~240V/50Hz
Blade: PC / 5 pcs
Color: White



HY-W9008-GD

Motor: DC 16W
Voltage/Frequency: 220~240V/50Hz
Blade: PC / 5 pcs
Color: Gold



HY-W9007-WH

Motor: DC 16W
Voltage/Frequency: 220~240V/50Hz
Blade: PC / 5 pcs
Color: White



HY-W100-WH

Voltage/Frequency: 220~240V/50Hz
Motor: 25W
Power: 36W
Dimension: D153xH12mm
Material: Iron+Acrylic+PC



HY-W100-GR

Voltage/Frequency: 220~240V/50Hz
Motor: 25W
Power: 36W
Dimension: D153xH12mm
Material: Iron+Acrylic+PC



HY-W100-BK

Voltage/Frequency: 220~240V/50Hz
Motor: 25W
Power: 36W
Dimension: D153xH12mm
Material: Iron+Acrylic+PC



HY-W100-BL

Voltage/Frequency: 220~240V/50Hz
Motor: 25W
Power: 36W
Dimension: D153xH12mm
Material: Iron+Acrylic+PC