

Prepared for:
PURE SPECTRUM CBD

27905 MEADOW DRIVE
EVERGREEN, CO USA 80439

Black Label Tincture

Batch ID or Lot Number: 230102	Test: Potency	Reported: 25Jan2023	USDA License: N/A
Matrix: Solution	Test ID: T000232695	Started: 23Jan2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 20Jan2023	Status: N/A

Cannabinoids

	LOD (mg/mL)	LOQ (mg/mL)	Result (mg/mL)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.505	1.712	ND	ND	Density = 0.96g/mL
Cannabichromenic Acid (CBCA)	0.462	1.566	ND	ND	
Cannabidiol (CBD)	1.568	5.325	90.060	93.80	
Cannabidiolic Acid (CBDA)	1.608	5.461	ND	ND	
Cannabidivarin (CBDV)	0.371	1.259	<LOQ	<LOQ	
Cannabidivarinic Acid (CBDVA)	0.671	2.278	ND	ND	
Cannabigerol (CBG)	0.287	0.972	ND	ND	
Cannabigerolic Acid (CBGA)	1.199	4.063	ND	ND	
Cannabinol (CBN)	0.374	1.268	ND	ND	
Cannabinolic Acid (CBNA)	0.818	2.772	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	1.428	4.840	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	1.297	4.396	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	1.149	3.895	ND	ND	
Tetrahydrocannabivarin (THCV)	0.261	0.884	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	1.014	3.435	ND	ND	
Total Cannabinoids			90.060	93.80	
Total Potential THC			ND	ND	
Total Potential CBD			90.060	93.80	

Final Approval


Samantha Smith
25Jan2023
12:48:00 PM MST

PREPARED BY / DATE


Karen Winternheimer
25Jan2023
12:52:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/2bf8afb7-0732-45be-9f84-cc1e2d51ef11>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cell #4329.02
2bf8afb7073245be9f84cc1e2d51ef11.1