

Prepared for:
PURE SPECTRUM CBD
30403 Kings Valley Dr., Suite 111
Conifer, CO USA 80433


High Strength Tincture


Batch ID or Lot Number: 2312271	Test: Potency	Reported: 08Jan2024	USDA License: N/A
Matrix: Concentrate	Test ID: T000266953	Started: 08Jan2024	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 08Jan2024	Status: N/A

Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.006	0.015	ND	ND	
Cannabichromenic Acid (CBCA)	0.005	0.014	ND	ND	
Cannabidiol (CBD)	0.016	0.043	4.840	48.40	
Cannabidiolic Acid (CBDA)	0.016	0.044	ND	ND	
Cannabidivarin (CBDV)	0.004	0.010	0.080	0.80	
Cannabidivarinic Acid (CBDVA)	0.007	0.018	ND	ND	
Cannabigerol (CBG)	0.003	0.009	0.210	2.10	
Cannabigerolic Acid (CBGA)	0.013	0.037	ND	ND	
Cannabinol (CBN)	0.004	0.011	<LOQ	<LOQ	
Cannabinolic Acid (CBNA)	0.009	0.025	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.016	0.044	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.014	0.040	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.013	0.035	ND	ND	
Tetrahydrocannabivarin (THCV)	0.003	0.008	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.011	0.031	ND	ND	
Total Cannabinoids			5.130	51.30	
Total Potential THC			ND	ND	
Total Potential CBD			4.840	48.40	

Final Approval


Sam Smith
08Jan2024
12:57:00 PM MST
PREPARED BY / DATE


Karen Winternheimer
08Jan2024
01:01:00 PM MST
APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/0680502d-77a3-4210-b174-77e08d13f898>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02
0680502d77a34210b17477e08d13f898.1