


Prepared for:
PURE SPECTRUM CBD27905 MEADOW DRIVE
EVERGREEN, CO USA 80439**Regular Strength Tincture**

Batch ID or Lot Number: 230405-1	Test: Potency	Reported: 28Apr2023	USDA License: N/A
Matrix: Unit	Test ID: T000242300	Started: 27Apr2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 26Apr2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	1.636	4.992	ND	ND	# of Servings = 1, Sample Weight=28.5g
Cannabichromenic Acid (CBCA)	1.496	4.566	ND	ND	
Cannabidiol (CBD)	4.981	13.534	514.050	18.00	
Cannabidiolic Acid (CBDA)	5.109	13.881	ND	ND	
Cannabidivarin (CBDV)	1.178	3.201	<LOQ	<LOQ	
Cannabidivarinic Acid (CBDVA)	2.131	5.791	ND	ND	
Cannabigerol (CBG)	0.929	2.834	<LOQ	<LOQ	
Cannabigerolic Acid (CBGA)	3.882	11.848	ND	ND	
Cannabinol (CBN)	1.212	3.697	ND	ND	
Cannabinolic Acid (CBNA)	2.649	8.083	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	4.625	14.115	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	4.200	12.819	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	3.722	11.358	ND	ND	
Tetrahydrocannabivarin (THCV)	0.845	2.578	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	3.283	10.018	ND	ND	
Total Cannabinoids			514.050	18.00	
Total Potential THC			ND	ND	
Total Potential CBD			514.050	18.00	

Final ApprovalSam Smith
28Apr2023
08:55:00 AM MDT

PREPARED BY / DATE

Karen Winternheimer
28Apr2023
08:58:00 AM MDT

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/8ff48665-b338-43f8-9da8-f42f176e93c2>**Definitions**

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.

Cert #4329.02
8ff48665b33843f89da8f42f176e93c2.1