

# MATERIAL SAFETY DATA SHEET

TITANIUM DIOXIDE Mineral Pigment

## SECTION 1: Identification of the substance/mixture & of the company/undertaking

### 1.1. Product Identifier

Code: OM-WH-041  
Product Name: TITANIUM DIOXIDE  
IC Color: PW6.77891  
CAS: 13463-67-7  
Formula: TiO<sub>2</sub>

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Preparation: Colouring Substance/ Pigment | Artists and Restoration Material

### 1.3. Details of the Supplier of the Safety Data Sheet

Company: Color Rare Ltd 105-1725 Atmec Gatineau, QC J8R 0E7  
Tel/Fax: 1-613-701-5022  
Email: [info@terrachrom.com](mailto:info@terrachrom.com)

### 1.4. Emergency Telephone No.:

Canada Contact your local Provincial Poison Centre or  
911 <http://www.capcc.ca/> Ontario: 1-800-268-9017  
Quebec: 1-800-463-5060

USA American Association of Poison Control Centers 1-800-222-1222  
<http://www.aapcc.org/>

**CHEMTREC (24HR Emergency Telephone), call:**  
1-800-424-9300  
**International CHEMTREC, call:** 1-703-527-3887  
**For non-emergency assistance, call:** 1-281-441-4400

## SECTION 2: Hazards Identification

### 2.1. Classification of the substance or mixture

This product does not require classification and labelling as hazardous according to CLP/GHS.

Material Safety data sheet  
Product: **Titanium Dioxide**

Revision No. 3  
Dated: 2023 11 20

Classification according to EC Regulation No. 67/548 or No. 1999/45:

**Potential Acute Health Effects:** Slightly hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, of inhalation.

**Potential Chronic Health Effects:**

CARCINOGENIC EFFECTS: A4 (Not classifiable for human or animal.) by ACGIH, 3 (Not classifiable for human.) by IARC. MUTAGENIC EFFECTS: Mutagenic for mammalian somatic cells. TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: Not available. The substance may be toxic to lungs, upper respiratory tract. Repeated or prolonged exposure to the substance can produce target organs damage.

**Section 2.2: Labelling Elements**

This product does not require classification and labelling as hazardous according to CLP/GHS.

### **SECTION 3: Composition/Information on Ingredients**

Name: Titanium Dioxide

Chemical Characterization: PW6.77891

CAS No: 13463-67-7

% by Weight: 100

Made in USA

Toxicological Data on Ingredients: Titanium dioxide LD50: Not available. LC50: Not available.

### **SECTION 4: First-Aid Measures**

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation occurs.

**Skin Contact:** Wash with soap and water. Cover the irritated skin with an emollient. Get medical attention if irritation develops.

**Serious Skin Contact:** Not available.

**Inhalation:**

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**Serious Inhalation:** Not available.

**Ingestion:**

Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If large quantities of this material are swallowed, call a physician immediately. Loosen tight clothing such as a collar, tie, belt or waistband.

**Serious Ingestion:** Not available.

## SECTION 5: Fire-Fighting Measures

**5.1. Flammability of the Product:** Non-flammable.

**5.2. Auto-Ignition Temperature:** Not applicable.

**5.3. Flash Points:** Not applicable.

**5.4. Flammable Limits:** Not applicable.

**5.5. Products of Combustion:** Not available.

**5.6. Fire Hazards in Presence of Various Substances:** of metals

**5.7. Explosion Hazards in Presence of Various Substances:**

Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.

**5.8. Fire Fighting Media and Instructions:** Not applicable.

**5.9. Special Remarks on Fire Hazards:**

Not combustible. A violent or incandescent reaction with metals (aluminum, calcium, magnesium, potassium, sodium, zinc, and lithium) may occur at high temperatures.

**5.10. Special Remarks on Explosion Hazards:** Not available.

## SECTION 6: Accidental Release Measures

### 6.1. Methods and material for containment and cleaning up

#### **Small Spill:**

Use appropriate tools to put the spilled solid in a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional authority requirements.

#### **Large Spill:**

Use a shovel to put the material into a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.

## SECTION 7: Handling and Storage

### 7.1. Precautions for safe handling

Do not breathe dust. Wear suitable protective clothing. If you feel unwell, seek medical attention and show the label when possible. Keep away from incompatibles such as acids.

Material Safety data sheet  
Product: **Titanium Dioxide**

Revision No. 3  
Dated: 2023 11 20

## 7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Keep container in a cool, well-ventilated area.

## SECTION 8: Exposure Controls/Personal Protection

### 8.1. Engineering Controls:

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

**8.2 Personal Protection:** Safety glasses. Lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.

### 8.3 Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Dust respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

### 8.4 Exposure Limits:

TWA: 15 (mg/m<sup>3</sup>) from OSHA (PEL) [United States] Inhalation Total. TWA: 10 (mg/m<sup>3</sup>) from ACGIH (TLV) [United States] Inhalation Total. TWA: 4 [United Kingdom (UK)] Inhalation Respirable. TWA: 10 [United Kingdom (UK)] Inhalation Total. Consult local authorities for acceptable exposure limits.

## SECTION 9: Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

**Physical state and appearance:** Solid. (Powdered solid).

**Odor:** Odorless.

**Taste:** Tasteless.

**Molecular Weight:** 79.9g/mole

**Color:** White.

**pH (1% soln/water):** Not applicable.

**Boiling Point:** 2750°C (4982°F)

**Melting Point:** 1855°C (3371°F)

**Critical Temperature:** Not available.

**Specific Gravity:** 4.26 (Water = 1)

**Vapor Pressure:** Not applicable.

**Vapor Density:** Not available.

**Volatility:** Not available.

**Odor Threshold:** Not available.

**Water/Oil Dist. Coeff.:** Not available.

**Ionicity (in Water):** Not available.

Material Safety data sheet  
Product: **Titanium Dioxide**

Revision No. 3  
Dated: 2023 11 20

**Dispersion Properties:** Not available.

**Solubility:** Insoluble in cold water, hydrochloric acid, nitric acid, diluted sulfuric acid, organic solvents. Soluble in hot concentrated sulfuric acid, hydrofluoric acid, alkali.

## **SECTION 10: Stability and Reactivity**

**10.1. Stability:** The product is stable.

**10.2. Instability Temperature:** Not available.

**10.3. Conditions of Instability:** Incompatible materials

**10.4. Incompatibility with various substances:** Reactive with acids. Slightly reactive to reactive with metals.

**10.5. Corrosivity:** Non-corrosive in presence of glass.

**10.6. Special Remarks on Reactivity:** Reaction of titanium dioxide and lithium occurs around 200 C with a flash of light; the temperature can reach 900 degrees C. A violent or incandescent reaction with metals (aluminum, calcium, magnesium, potassium, sodium, zinc, and lithium) may occur at high temperatures.

**10.7. Special Remarks on Corrosivity:** Not available.

**10.8. Polymerization:** Will not occur.

## **SECTION 11: Toxicological Information**

**11.1. Routes of Entry:** Inhalation. Ingestion.

**11.2 Toxicity to Animals:** LD50: Not available. LC50: Not available.

**11.3 Chronic Effects on Humans:** CARCINOGENIC EFFECTS: A4 (Not classifiable for human or animal.) by ACGIH, 3 (Not classifiable for human.) by IARC. MUTAGENIC EFFECTS: Mutagenic for mammalian somatic cells. May cause damage to the following organs: lungs, upper respiratory tract.

**11.4 Other Toxic Effects on Humans:** Slightly hazardous in case of skin contact (irritant), of ingestion, of inhalation.

**11.5 Special Remarks on Toxicity to Animals:** Not available.

**11.6 Special Remarks on Chronic Effects on Humans:** Possible carcinogen (tumorgen) based on animal data. No human data found at this time and IARC so far has found inadequate evidence for carcinogenicity in humans.

**11.7 Special Remarks on other Toxic Effects on Humans:** Acute Potential Health Effects: Skin: Skin exposure to titanium dioxide is virtually harmless. It is reported to be a mild irritant and may

Material Safety data sheet  
Product: **Titanium Dioxide**

Revision No. 3  
Dated: 2023 11 20

cause mechanical irritation (irritation from frictional action). It is believed not to be absorbed through intact skin. Eyes: Dust may cause mechanical irritation (irritation from frictional action), Ingestion: May cause gastrointestinal (digestive) tract irritation with nausea, vomiting and diarrhea. It is not absorbed following ingestion. No hazard is expected in normal industrial use. Inhalation: Nuisance dust. May be harmful if inhaled. Causes respiratory tract irritation. May affect respiration and blood. Chronic Potential Health Effects: Heavy occupational dust exposures may cause chronic rhinitis, chronic bronchitis, impaired pulmonary function, resemblance of silicosis without any fibrosis, functional change in trachea or bronchi, chronic pulmonary edema.

## **SECTION 12: Ecological Information**

**12.1. Ecotoxicity:** Not available.

**12.2. BOD5 and COD:** Not available.

**12.3. Products of Biodegradation:** Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

**12.4. Toxicity of the Products of Biodegradation:** The product itself and its products of degradation are not toxic.

**12.5. Special Remarks on the Products of Biodegradation:** Not available.

## **SECTION 13: Disposal Considerations**

**Waste Disposal:** Waste must be disposed of in accordance with federal, state and local environmental control regulations.

## **SECTION 14: Transport Information**

**14.1. DOT Classification:** Not a DOT controlled material (United States).

**14.2. Identification:** Not applicable.

**14.3. Special Provisions for Transport:** Not applicable.

## **SECTION 15: Regulatory Information**

### **15.1. Federal and State Regulations:**

Illinois toxic substances disclosure to employee act: Titanium dioxide Rhode Island RTK hazardous substances: Titanium dioxide Pennsylvania RTK: Titanium dioxide Minnesota: Titanium dioxide Massachusetts RTK: Titanium dioxide New Jersey: Titanium dioxide TSCA 8(b) inventory: Titanium dioxide

### **15.2. Other Regulations:**

OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200). EINECS: This product is on the European Inventory of Existing Commercial Chemical Substances.

Material Safety data sheet  
Product: **Titanium Dioxide**

Revision No. 3  
Dated: 2023 11 20

### **15.3. Other Classifications:**

**WHMIS (Canada):** Not controlled under WHMIS (Canada).

**DSCL (EEC):**

Not available S24/25- Avoid contact with skin and eyes.

**DSCL (EEC):**

Not available S24/25- Avoid contact with skin and eyes.

**HMIS (U.S.A.): Health Hazard: 1**

**Fire Hazard: 0**

**Reactivity: 0**

**Personal Protection: E**

**National Fire Protection Association (U.S.A.): Health: 1**

**Flammability: 0**

**Reactivity: 0**

**Specific hazard:**

**15.4. Protective Equipment:** Gloves. Lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent. Safety glasses.

## **SECTION 16: Other Information**

The information contained in this document is based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property. The use of this product is the responsibility of the user; therefore, users must, comply with the current health and safety laws and regulations. The producer is not liable for improper use of the product.