



We believe that an ebike offers everyone the chance to travel more easily, more freely, and more sustainably. By offering a range of ebikes that prioritizes high-quality engineering, accessible design and reliably powerful performance, we strive to unlock the potential of every rider and every journey.



WE ARE NCM

Since NCM was founded in Hanover, Germany in 2014, we've been making ebikes that empower you with the range and reliability that you need to get to wherever you need to go.

Named after nickel, cobalt and mangan, the elements that together create an ebike battery, NCM ebikes offer nothing less than a whole new way to travel, inspired by Germany's passionate cycling culture, commitment to sustainability and demand for products that are built to last.









GO FURTHER

Our ebikes are engineered from the ground up, with a focus on providing a ride that is strong, stable, and seamless. Equipped with our own Das-Kit drive and battery systems, NCM ebikes offer unparalleled distance per charge, giving you the freedom to go further.

Get ready to ride into a future of commuting, exercising, and traveling that is more convenient, more eco-friendly, and more thrilling than ever before.



Powered By Das-Kit

With 15 years of experience and innovation in the ebike industry, Das-Kit batteries are engineered to power ebikes of all styles and sizes.

Empowered by continuous research and development, Das-Kit drive systems patented battery structures, smart BMS, and display consoles are powerful, compact and energy efficient. Combining exceptional performance with friendly and intuitive interfaces, our integrated one-cable system controllers and quick release connectors allow for effortlessly easy maintenance.



COMPACT BATTERIES, EPIC JOURNEYS

A unique, patented cell structure design offers batteries that pack the highest distance per charge on the market.

PEAK PERFORMANCE

Patented controller design with one-cable integration provides perfect thermal distribution, super-charging your drive systems performance and stability.

HIGH TORQUE MOTORS

A combination of rear motors and torque sensors adds up a drive system that can seamlessly adapt to any situation. On or off-road, flat or uphill, the Das-Kit torque sensor and motor provide the perfect amount of pedal assist.

36V 350W



X2 Motor

Rated Voltage 36V
Rated Power 350W
Peak Power 600W
Torque Rating 50Nm
Weight 5.5lbs

-- 48V 500W



X15 Motor

Rated Voltage48VRated Power500WPeak Power900WTorque Rating60NmWeight7.0lbs

48V 750W



X16 Motor

Rated Voltage48VRated Power750WPeak Power1100WTorque Rating70NmWeight7.9lbs

8








T-SERIES

Our **T Series e-trekking bikes** are built for versatility, as at home on city streets as they are cruising through the countryside.

P11 - P16






M-SERIES

Our M Series e-mountain bikes are engineered for sturdiness and longevity when tackling the tougher terrain that off-road riders crave.

P17 - P22





C-SERIES

Our **C Series e-city bikes** are your reliable partner for commutes, light excursions and each and every ride around town.

P23 - P26





CRU-SERIES

Our **Cru-Series e-cruiser bikes** make biking around town a breeze, built for casual rides around your neighborhood, along bicycle paths, and at the beach.

P27 - P28











CRUISE IN COMFORT

i7 BATTERY TAG

Fitted with a location tag within the battery, feel safe knowing your battery is just a convenient check away. Battery Tag is a super easy way to keep track of your battery wherever you are with the new GPS and Bluetooth location tracking feature.

FULLY EQUIPPED

Stay stocked up and spotless with pre-equipped pannier rack and mud guards.













Up to 120 miles with pas, 40 miles with throttle



48V 19AH, 912WH



1100W



TORQUE PEDAL ASSIST

NCM T7s

Our top-of-the-line step-through e-trekking bike, the NCM T7s is kitted out with the finest drive system and brake technology, including a torque sensor, to offer a sturdy, seamless ride that always delivers maximum range and performance.

Fitted with a location tag within the battery, feel safe knowing your battery is just a convenient check away. Battery Tag is a super easy way to keep track of your battery wherever you are with the new GPS and Bluetooth location tracking feature.

BIKE COMPONENTS

| rame | Alu. 6061, 26"*15 inches |
|-----------------|-------------------------------------|
| | Alu. 6061, 26"*17 inches |
| Suspension Fork | Suntour, NEX-HLO 26, |
| | with hydraulic lock system |
| Brake | F/R: Das-Kit Hydraulic Disc Brakes, |
| DK- | 100, F: 180mm rotor R: 180mm rotor |
| reewheel | 8 Speed, 11-32T, Silver |
| īire | Arisun, H-5213E, 26*2.15, Black |
| Saddle | Selle Royal, Lookin- Black |
| Stem | Promax, MA-579 |
| Crank | Das-Kit, 52T |
| Shifter | Shimano, Altus, |
| | R: SL-M315-8R, 8 Speed |
| Rear Derailleur | Shimano, Acera, RD-M360 |
| Chain | KMC, Z8.3RB, Silver |

ELECTRIC COMPONENTS

| Motor | Das-Kit, X16 | , Rear Drive Motor, |
|-------------|------------------|----------------------|
| | | 48V 750W, 28MPH |
| Controller | Е | as-Kit, T7, 48V 22A |
| Display | Das-Kit | , C8 US3, with USB, |
| | up to 28MPI | H with pedal assist, |
| | 20 | MPH with throttle |
| Throttle | | Das-Kit, T7 |
| Sensor | Das-Kit, Torqu | ue Sensor, DTS-386 |
| Battery | Das-Kit, i7-4819 | , 48V 19AH, 912WH |
| Charger | Das- | Kit, DK483, 48V 3A |
| Front Light | | LED, 48V, 70Lux |
| Rear Light | | LED, 48V |
| WEIGHT | | |
| Net Weight | t (with battery) | 64.2 lbs |
| Battery We | iaht | 10.6 lbs |
| battery we | . 3 | |

Powered By Das-Kit







48V 16AH, 768WH





CADENCE PEDAL ASSIST

NCM T5s*

Balancing accessibility with superior specifications, the NCM T5s is a step-through e-trekking bike for riders that are eager to tackle longer routes alongside their daily rides and want an ebike with the range and the integrity to help them do it.

BIKE COMPONENTS

| Frame | Alu. 6061, 26"*17 inch |
|-----------------|----------------------------|
| | Alu. 6061, 27.5"*19 inch |
| Suspension Fork | Suntour, NEX-H |
| Brake | Hydraulic Disc Brak |
| Freewheel | 8 Speed, 11-3 |
| Tire | Schwalbe, Marathon, Big B |
| Saddle | Selle Royal, FREEWAY, Brow |
| Stem | Promax, MA-5 |
| Crank | Das-Kit, CT48A, 4 |
| Shifter | Shimano, Alt |
| | R: SL-M315-8R, 8 Spe |
| Rear Derailleur | Shimano, Acera, RD-M3 |
| Chain | KMC, Z |

*NCM Milano Plus Model

ELECTRIC COMPONENTS

| Motor | Das-Kit, X15, R | ear Drive Motor |
|-------------|----------------------|-------------------|
| | 48 | V 500W, 25MPH |
| Controller | Das-Ki | t, CT-i5, 48V 18A |
| Display | | Das-Kit, C7 US3 |
| | up to 25MPH w | ith pedal assist |
| | 20MI | PH with throttle |
| Throttle | | Das-Kit, Te |
| Sensor | Das-Kit, Caden | ice Sensor, P14L |
| Battery | Das-Kit, i5-4816, 48 | 3V 16AH, 768WH |
| Charger | Das-Kit | , DC483, 48V 3A |
| Front Light | : Ker | ndo, 48V, 30 Lux |
| Rear Light | | LED, AAA*2 |
| WEIGHT | | |
| Net Weight | t (with battery) | 59.0 lbs |
| | | |

| Net Weight (with battery) | 59.0 lbs |
|---------------------------|-----------|
| Battery Weight | 9.1 lbs |
| Max Load (driver+bike) | 308.0 lbs |

Powered By Das-Kit







Up to 50 miles with pas, **4** | | | | ▶ 25 miles with throttle



48V 12AH, 576WH



500W 900W



CADENCE PEDAL ASSIST

NCM T3s

An exceptional entry point into the world of e-trekking bikes, the NCM T3s offers the chance to experience the smoothest city and countryside rides on an accessible step-through ebike engineered with high-quality components.

BIKE COMPONENTS


| Frame | Alu. 6061, 26"*17 inches |
|-----------------|--------------------------|
| | Alu. 6061, 28"*18 inches |
| Suspension Fork | Suntour, NEX |
| Brake | Disc Brakes |
| Freewheel | 7 Speed, 14-28T |
| Tire | Arisun, H-5213E |
| Saddle | Selle Royal, FREEWAY |
| Stem | Promax, MA-579 |
| Crank | Das-Kit, CT48A, 48T |
| Shifter | Shimano, Altus, |
| | R: SL-M315-7R, 7 Speed |
| Rear Derailleur | Shimano, Altus RD-M310 |
| Chain | KMC, Z51 |

ELECTRIC COMPONENTS

| Motor | Das-Kit, X15, Rear Drive Motor, |
|-------------|-----------------------------------|
| | 48V 500W, 20MPH |
| Controller | Das-Kit, CT-i6, 48V 18A |
| Display | Das-Kit, L7 US2, |
| | up to 20MPH with pedal assist, |
| | 20MPH with throttle |
| Throttle | Das-Kit, T6 |
| Sensor | Das-Kit, Cadence Sensor, P14L |
| Battery | Das-Kit, i6-4812, 48V 12AH, 576WH |
| Charger | Das-Kit, DC482, 48V 2A |
| Front Light | LED, 48V, 40Lux |
| Rear Light | LED, AAA*2 |
| WEIGHT | |

| Net Weight (with battery) | 59.0 lbs |
|---------------------------|-----------|
| Battery Weight | 7.5 lbs |
| Max Load (driver+bike) | 308.0 lbs |





RIDE INTO ADVENTURE



i7 BATTERY TAG

Fitted with a location tag within the battery, feel safe knowing your battery is just a convenient check away. Battery Tag is a super easy way to keep track of your battery wherever you are with the new GPS and Bluetooth location tracking feature.







28MPH TOP SPEED



Up to 120 miles with pas, 4 | | | | 40 miles with throttle



48V 19AH, 912WH



1100W



TORQUE PEDAL ASSIST

NCM M7

The NCM M7 e-mountain bike is master of its domain, perfected with the highest quality parts to offer maximum range and maximum resilience in the face of any trail, equipped with a torque sensor for a seamless ride no matter the terrain.

Fitted with a location tag within the battery, feel safe knowing your battery is just a convenient check away. Battery Tag is a super easy way to keep track of your battery wherever you are with the new GPS and Bluetooth location tracking feature.

BIKE COMPONENTS

| BIRL COM ON | LITTO |
|-----------------|-----------------------------------|
| Frame | Alu. 6061, 27.5"*19 inche |
| | Alu. 6061, 29"*20.5 inche |
| Suspension For | k Suntour, XCM-HL |
| | with hydraulic lock syster |
| Brake | F/R: Das-Kit Hydraulic Disc Brake |
| DK- | 100, F: 180mm rotor R: 180mm roto |
| Freewheel | 8 Speed, 11-32T, Silve |
| Tire | Schwalbe, Smart Sam, Blac |
| Saddle | Selle Royal, Lookin-A200UR, Blac |
| Stem | Promax, Alu. MA-4 |
| Crank | Das-Kit, 52 |
| Shifter | Shimano, Altu |
| | R: SL-M315-8R, 8 Spee |
| Rear Derailleur | Shimano, Acera, RD-M36 |
| Chain | KMC, Z8.3RB, Silve |
| | |

ELECTRIC COMPONENTS

| Motor | Das-Kit, X16, I | Rear Drive Motor |
|-------------|-------------------|--------------------|
| | 4 | 8V 750W, 28MPH |
| Controller | Da | s-Kit, T7, 48V 22A |
| Display | Das-Kit, C | C8 US3, with USB |
| | up to 28MPH | with pedal assist |
| | 20N | IPH with throttle |
| Throttle | | Das-Kit, T |
| Sensor | Das-Kit, Torque | Sensor, DTS-386 |
| Battery | Das-Kit, i7-4819, | 48V 19AH, 912WH |
| Charger | Das-K | it, DK483, 48V 3A |
| Front Light | t | LED, 48V, 70Lux |
| WEIGHT | | |
| Net Weigh | t (with battery) | 60.2 lbs |
| Battery We | eight | 10.6 lbs |
| N 4 1 / | driver+bike) | 275.6 lbs |

Powered By Das-Kit



NCM M5*

An e-mountain bike equipped with high-end brake and drive systems, the NCM M5 is for adventurous riders who want to hit the trails comfortable in the knowledge that their ebike can handle whatever they throw at it.

BIKE COMPONENTS

| Frame | Alu. 6061, 26"*17 inches | Motor | Das |
|------------------|----------------------------------|------------|------------|
| | Alu. 6061, 27.5"*19 inches | | |
| | Alu. 6061, 29"*20.5 inches | Controller | |
| Suspension For | k Suntour, XCM-HLO | Display | |
| Brake | Hydraulic Disc Brakes | | up t |
| Freewheel | 8 Speed, 11-32T | | |
| Tire | Schwalbe, Black Jack / Smart Sam | Throttle | |
| Saddle | Selle Royal, LOOKIN | Sensor | Das |
| Stem | Promax, Alu. MA-471 | Battery | Das-Kit, |
| Crank | Das-Kit, CM48, 48T/38T/28T | Charger | |
| Shifter Left | Shimano, Altus, | | |
| | F: SL-M315-L, 3 Speed | | |
| Shifter Right | Shimano, Altus, | WEIGHT | |
| | R: SL-M315-8R, 8 Speed | Net Weigl | nt (with b |
| Front Derailleur | Shimano, Altus, FD-M310 | Battery W | eight/ |
| Rear Derailleur | Shimano, Acera, RD-M360 | Max Load | (driver+b |
| Chain | KMC, Z51 | Powered | By Da |
| *NCM Moscow Plus | s Model | Towered | o, Da |

ELECTRIC COMPONENTS

| Motor | Das-Kit, X15, Rear Drive Motor, | | |
|------------------------------|-----------------------------------|-------------------|--|
| | 48V | 500W, 25MPH | |
| Controller | Das-Kit | , CT-i5, 48V 18A | |
| Display | Ε | Das-Kit, C7 US3, | |
| | up to 25MPH wi | ith pedal assist, | |
| | 20MP | H with throttle | |
| Throttle | | Das-Kit, T6 | |
| Sensor | Das-Kit, Cadence Sensor, P14L | | |
| Battery | Das-Kit, i5-4816, 48V 16AH, 768WH | | |
| Charger | Das-Kit, DC483, 48V 3A | | |
| WEIGHT | | | |
| Net Weight (with battery) 57 | | 57.0 lbs | |
| Battery Weight 9.1 lb | | 9.1 lbs | |
| | | | |

as-Kit









500W 900W
RATED PEAK



PEDAL ASSIST

NCM M3

26" / 27.5" / 29"

An entry-level e-mountain bike that doesn't compromise on high-quality components, the NCM M3 is built to maintain its cool no matter what mountain trail it faces, balancing range and performance with accessibility and ease of use.

BIKE COMPONENTS

Colors 🔘

| Frame | Alu. 6061, 26"*18 inches |
|------------------|----------------------------|
| | Alu. 6061, 27.5"*19 inches |
| | Alu. 6061, 29"*20.5 inches |
| Suspension Fork | Suntour, XCT |
| Brake | Disc Brakes |
| Freewheel | 7 Speed, 14-28T |
| Tire | Arisun Mount Cronos |
| Saddle | VELO, VL-3410 |
| Stem | Promax, Alu. MA-471 |
| Crank | Das-Kit, CM48, 48T/38T/28T |
| Shifter Left | Shimano, Altus, |
| | F: SL-M315-L, 3 Speed |
| Shifter Right | Shimano, Altus, |
| | R: SL-M315-7R, 7 Speed |
| Front Derailleur | Shimano, Altus, FD-M313 |
| Rear Derailleur | Shimano, Altus, RD-M310 |
| Chain | KMC, Z51 |
| | |

ELECTRIC COMPONENTS

| Motor | Das-Kit, X15, Rear Drive Motor |
|-------------|-----------------------------------|
| | 48V 500W, 20MPH |
| Controller | Das-Kit, CT-i6, 48V 18A |
| Display | Das-Kit, L7 US2 |
| | up to 20MPH with pedal assist |
| | 20MPH with throttle |
| Throttle | Das-Kit, T6 |
| Sensor | Das-Kit, Cadence Sensor, P14L |
| Battery | Das-Kit, i6-4812, 48V 12AH, 576WH |
| Charger | Das-Kit, DC482, 48V 2A |
| Front Light | t LED, 48V, 40Lux |

WEIGHT

| Net Weight (with battery) | 57.0 lbs |
|---------------------------|-----------|
| Battery Weight | 7.5 lbs |
| Max Load (driver+bike) | 275.0 lbs |


















TORQUE PEDAL ASSIST





Fully equipped for exceptional performance and maximum range, the NCM C7 e-city bike, equipped with a torque sensor, transforms your cycling experience into something more convenient and more captivating, offering more distance, more power, and more versatility.

BIKE COMPONENTS

| Frame | Alu. 6061, |
|-----------------|---------------------------------|
| | M: 20.5 inches , L: 22.8 inches |
| Suspension Fork | ZF, 5058-01 |
| Brake | Hydraulic disc brake |
| Freewheel | 8 Speed, 11-32T |
| Tire | CST, C-1953 |
| Saddle | Selle Royal, A236URN |
| Stem | HP-HD75-8 |
| Crank | Das-Kit, 42T |
| Shifter | LT-8 Speed |
| Rear Derailleur | LT-8 Speed |
| Chain | KMC, Z51 |

ELECTRIC COMPONENTS

| Motor | Das-Kit, X2, Rear Drive Motor, |
|-------------|---------------------------------|
| | 36V 350W, 20MPH |
| Controller | Das-Kit, T6, 36V 15A |
| Display | Das-Kit, E2 US1 |
| | up to 20MPH with pedal assist |
| Sensor | Das-Kit, Torque Sensor, DTS-373 |
| Battery | Das-Kit, i6-3614 |
| | 36V 14AH, 504WH |
| Charger | Das-Kit, DC363, 36V 3A |
| Front Light | LED, 36V, 40Lux |
| Rear Light | LED, 3V, 2*CR2032 |
| | |

WEIGHT

| Net Weight (with battery) | 49.0 lbs |
|---------------------------|-----------|
| Battery Weight | 6.0 lbs |
| Max Load (driver+bike) | 275.0 lbs |

Powered By Das-Kit











36V 12AH, 432WH BATTERY





TORQUE PEDAL ASSIST

NCM C5

Built for those that want to electrify their commute and experience a more convenient way to get around, the NCM C5 e-city bike makes your daily rides around town smoother, simpler and more fun than ever, fitted with a torque sensor for a seamless pedal feel and superior range.

BIKE COMPONENTS

| Frame | Alu. 6061, |
|-----------------|-------------------------------|
| | M: 20 inches, L: 22 inches |
| Suspension Fork | ZF, 5058-02 |
| Brake | Dual pivot caliper Brakes |
| Freewheel | 16T, Single Speed |
| Tire | CST, C1808 |
| Saddle | Selle Royal, Prestige-1307URN |
| Stem | HP-HD75-8 |
| Crank | Das-Kit, 46T |
| Chain | KMC, Z51 |
| | |

ELECTRIC COMPONENTS

| | ,, |
|-------------|---------------------------------|
| | 36V 350W, 20MPH |
| Controller | Das-Kit, T6, 36V 15A |
| Display | Das-Kit, E2 US1, |
| | up to 20MPH with pedal assist |
| Sensor | Das-Kit, Torque Sensor, DTS-373 |
| Battery | Das-Kit, i6-3612, |
| | 36V 12AH, 432WH |
| Charger | Das-Kit, DC363, 36V 3A |
| Front Light | LED, 36V, 40Lux |
| Rear Light | LED, 3V, 2*CR2032 |

Das-Kit, X2, Rear Drive Motor,


WEIGHT

| Net Weight (with battery) | 40.0 lb |
|---------------------------|----------|
| Battery Weight | 5.8 lb |
| Max Load (driver+bike) | 275.0 lb |

 Λ







ELECTRIC COMPONENTS

Designed for gliding through city streets and effortlessly handling light trail journeys, the NCM Cru7 e-cruiser bike lets you sit back and relax safe in the knowledge that your ebike has you covered,

powered along with exceptional design and components crafted for maximum range.

Alu. 6061, 26"*19 inches

F/R: Das-Kit Hydraulic Disc Brakes, DK-100, F: 180mm rotor R: 180mm rotor 8 Speed, 11-32T

Selle Royal, Justek: 6534

Shimano, Tourney, 8 Speed

Shimano, Acera, RD-M360

RST, NEON-TNL-26, with hydraulic lock system

CST, C1779

UEN, Brown

Das-Kit, 52T

Promax, MQ 579

KMC, Z8.3RB, Silver

| Motor | Das-Kit, X16, Rear Drive Motor, |
|------------|-----------------------------------|
| | 48V 750W, 28MPH |
| Controller | Das-Kit, T7, 48V 22A |
| Display | Das-Kit, C8 US3, with USB |
| | up to 28MPH with pedal assist, |
| | 20MPH with throttle |
| Throttle | Das-Kit, T7 |
| Sensor | Das-Kit, Torque Sensor, DTS-386 |
| Battery | Das-Kit, i7-4819, 48V 19AH, 912WH |
| Charger | Das-Kit, DK483, 48V 3A |
| Front Ligh | t LED, 48V |
| Rear Light | LED, AAA*2 |

BIKE COMPONENTS

Frame Suspension Fork

Brake

Freewheel Tire

Saddle

Stem

Crank

Shifter

Chain

Rear Derailleur

28MPH TOP SPEED



Up to 120 miles with pas, 40 miles with throttle



Net Weight (with battery)

Max Load (driver+bike)

48V 19AH, 912WH BATTERY

66.0 lbs

10.6 lbs

308.0 lbs



WEIGHT

Battery Weight


1100W PEAK




TORQUE PEDAL ASSIST




SIZE GUIDE




| T-SERIES | NCM T7s | | NCM T5s (Milano Plus) | | NCM T3s | | |
|---------------------------------|-------------|-------------|-----------------------|-------------|-------------|-----------|------|
| I-SERIES | 26"-S | 26" | 26" | 27.5" | 26" | 28" | |
| Standover/step-through height A | 26.2 | 28.0 | 25 | 25.2 | 28.7 | 29.5 | |
| Wheelbase B | 42.0 | 42.3 | 42.7 | 43 | 42.3 | 43.2 | |
| Frame Size C | 15.0 | 17.0 | 17.0 | 19.0 | 17.0 | 18.0 | inch |
| Min/Max Seat Height D | 31.6 - 37.1 | 34.0 - 39.3 | 34.3 - 39.2 | 36.2 - 42.9 | 33.5 - 40.6 | 36 - 42.5 | |
| Reach E | 15.5 | 15.9 | 16.3 | 16.2 | 15.9 | 15.6 | |
| Overall Length F | 68.3 | 68.7 | 68.7 | 70.6 | 68.3 | 71.4 | |



| C-SERIES | C | :5 | C7 | | |
|---------------------------------|-------------|-------------|-----------|-----------|------|
| C-SERIES | М | L | М | L | |
| Standover/step-through height A | 30.7 | 31.5 | 31.5 | 32.9 | |
| Wheelbase B | 41.1 | 41.5 | 41.8 | 42.6 | |
| Frame Size C | 20.0 | 22.0 | 20.5 | 22.8 | inch |
| Min/Max Seat Height D | 34.6 - 42.5 | 35.8 - 44.1 | 35 - 42.5 | 37 - 44.5 | |
| Reach E | 15.8 | 16.1 | 15.9 | 16.9 | |
| Overall Length F | 68.7 | 69.1 | 69.6 | 70.4 | |



| M-SERIES | | NСМ M7 | NCM M5 (Moscow Plus) | | NCM M3 | | | |
|-------------------------------|---|-------------|----------------------|-----------|-----------|-------------|-------------|------|
| | | 27.5" | 27.5" | 29" | 26" | 27.5" | 29" | |
| Standover/step-through height | Α | 32.3 | 30.7 | 32 | 31.1 | 32.3 | 34.3 | |
| Wheelbase | В | 43.5 | 43.4 | 43.7 | 43.7 | 44.9 | 45.7 | inch |
| Frame Size | С | 19.0 | 19.0 | 20.5 | 18.0 | 19.0 | 20.5 | |
| Min/Max Seat Height | D | 34.3 - 41.3 | 34.4 - 42.1 | 36 - 43.9 | 32.7 - 40 | 33.8 - 41.7 | 36.2 - 43.7 | |
| Reach | E | 15.7 | 16.4 | 16.1 | 17 | 16.6 | 16.1 | |
| Overall Length | F | 71.4 | 71.4 | 73.2 | 70 | 72.9 | 75.2 | |



| CRU-SERIES | CRU7 26" | | |
|-------------------------------|-------------|-------------|------|
| Standover/step-through height | Α | 32.9 | |
| Wheelbase | В | 48.3 | |
| Frame Size | С | 19.0 | inch |
| Min/Max Seat Height | D | 33.9 - 38.2 | |
| Reach | Е | 11.1 | |
| Overall Length | F | 74.6 | |

70



















| | | | NCM C7 | NCM C5 | NCM M7 | *NCM Moscow Plus Model | NCM M3 | NCM T7s | *NCM Milano Plus Model | NCM T3s | Cru7 |
|----------|------------------|------------------------------|--|--|---|--|--|--|--|--|---|
| | | -[])- Motor | Das-Kit, X2 | <<< | Das-Kit, X16 | Das-Kit, X15 | <<< | Das-Kit, X16 | Das-Kit, X15 | <<< | Das-Kit, X16 |
| | | √] Motor output | 36V 350W | <<< | 48V 750W | 48V 500W | <<< | 48V 750W | 48V 500W | <<< | 48V 750W |
| Ш | | Controller | T6, 36V15A | <<< | T7, 48V 22A | CT-i5, 48V 18A | CT-i6, 48V 18A | T7, 48V 22A | CT-i5, 48V 18A | CT-i6, 48V18A | T7, 48V 22A |
| | | S Display | Das-Kit, E2 | <<< | Das-Kit, C8, with USB | Das-Kit, C7 | Das-Kit, L7 | Das-Kit, C8, with USB | Das-Kit, C7 | Das-Kit, L7 | Das-Kit, C8, with USB |
| OVE TAX | ELECTRICAL | Battery | 36V 14AH, 504WH | 36V 12AH, 432WH | 48V 19AH, 912WH | 48V 16AH, 768WH | 48V 12AH, 576WH | 48V 19AH, 912WH | 48V 16AH, 768WH | 48V 12AH, 576WH | 48V 19AH, 912WH |
| | PARTS | Charger | 36V 3A | <<< | 48V 3A | 48V 3A | 48V 2A | 48V 3A | 48V 3A | 48V 2A | 48V 3A |
| | | Nm Max torque | 50Nm | <<< | 70Nm | 60Nm | <<< | 70Nm | 60Nm | *** | 70Nm |
| | | Range (Up to) | 60 miles | 50 miles | 120 miles with pas, 40 miles with throttle | 70 miles with pas, 35 miles with throttle | 50 miles with pas, 25 miles with throttle | 120 miles with pas, 40 miles with throttle | 70 miles with pas, 35 miles with throttle | 50 miles with pas, 25 miles with throttle | 120 miles with pas, 40 miles with throttle |
| | | 7 Top assist speed | 20MPH | <<< | 28MPH | 25MPH | 20MPH | 28MPH | 25MPH | 20MPH | 28MPH |
| | | Pedal assistance | Torque Sensor | <<< | Torque Sensor | Cadence Sensor | <<< | Torque Sensor | Cadence Sensor | *** | Torque Sensor |
| | | ☑ Frame | Alu. 6061, M: 20.5 inches, L: 22.8 inches | Alu. 6061, M: 20 inches, L: 22 inches | Alu. 6061, 27.5**19 inches / 29***20.5 inches | Alu. 6061, 26"*17 inches / 27.5"*19 inches / 29"*20.5 inches | Alu. 6061, 26**18 inches/ 27.5**19 inches/29**20.5 inches | Alu. 6061, 26"*15 inches/ 26"*17 inches | Alu. 6061, 26"*17 inches / 27.5"*19 inches | Alu. 6061, 26"*17 inches / 28"*18 inches | Alu. 6061, 26"*19 inches |
| Λ | | Fork | ZF, 5058-01, 700C", rigid fork, PM | ZF, 5058-02, 700C", rigid fork, PM | Suntour, XCM-HLO-27.5/29, with hydraulic lock system | Suntour, XCM-HLO-26/27.5/29, with hydraulic lock system | Suntour, XCT-26/27.5/29 | Suntour, NEX-HLO 26, with hydraulic lock system | Suntour, NEX-HLO 26/28, with hydraulic lock system | Suntour, NEX-26/28 | RST, NEON-TNL-26, with hydraulic lock system |
| | | Brakes | F/R: Hydraulic Disc Brakes | F/R: Dual pivot caliper Brakes | F/R: Hydraulic Disc Brakes | F/R: Hydraulic Disc Brakes | F/R: Disc Brakes | F/R: Hydraulic Disc Brakes | F/R: Hydraulic Disc Brakes | F/R: Disc Brakes | F/R: Hydraulic Disc Brakes |
| | | Saddle Saddle | Selle Royal A236URN | Selle Royal, Prestige-1307URN, Black | Selle Royal, Lookin-A200UR, Black | <<< | VELO, VL-3410, with "NCM" logo, Black | Selle Royal, Lookin- Black | Selle Royal, FREEWAY, Brown | <<< | Selle Royal, Justek:6534 UEN, Brown |
| ш | BICYCLE PARTS | Tire | CST, C-1953, 700*38c, Black | CST, C1808, 700*30c, Black | Schwalbe, Smart Sam, 27.5"*2.35/29"*2.35, Black | Schwalbe, Black Jack, 26"*2.1 Smart Sam, 27.5"*2.35/29"*2.35, Black | Arisun Mount Cronos, 26*2.30/27.5*2.35/29*2.35, Black | Arisun, H5213E, 26*2.15 | Schwalbe, Marathon, 26"*2.0 Big Ben, 27.5"*2.0, Black | Arisun, H-5213E | CST, C1779, 26*2.15 Brown |
| 1 | | Derailleur | R: LT-8 Speed, Black | / | R: Shimano, Acera, RD-M360 | F: Shimano, Altus, FD-M310, R: Shimano, Acera, RD-M360 | F: Shimano, Altus, FD-M313, R: Shimano, Altus, RD-M310 | R: Shimano, Acera, RD-M360 | <<< | R: Shimano, Altus, RD-M310 | R: Shimano, Acera, RD-M360 |
| 7 | | & Crank | Das-Kit, 42T, Black | Das-Kit, 46T, Black | Das-Kit, 52T, Black | Das-Kit, CM48, 48T/38T/28T, Black | Das-Kit, CM48, 48T/38T/28T, Black | Das-Kit, 52T, Black | Das-Kit, CT48A, 48T, Black | Das-Kit, CT48A, 48T, Black | Das-Kit, 52T, Black |
| | | → Fenders | Front & Rear | / | 1 | / | 1 | Front & Rear | <<< | <<< | <<< |
| | | Rear Rack | Yes | / | / | / | 1 | Yes | <<< | <<< | <<< |
| | | Net weight (with battery) | 49.0 lbs | 40.0 lbs | 60.2 lbs | 57.0 lbs | <<< | 64.2 lbs | 59.0 lbs | <<< | 66.0 lbs |
| | WEIGHT | Battery weight | 6.0 lbs | 5.8 lbs | 10.6 lbs | 9.1 lbs | 7.5 lbs | 10.6 lbs | 9.1 lbs | 7.5 lbs | 10.6 lbs |
| | | Max Load (driver+bike) | 275.0 lbs | <<< | 275.6 lbs | <<< | <<< | 308.6 lbs | <<< | <<< | 308.0 lbs |
| | | | | | | | | | | | |



WE RIDE TOGETHER

Find us on social media to join a fun, friendly community of emobility enthusiasts. Share snaps of the scenery on your latest ride, learn how to get the most out of your new ebike, and be the first to learn all the latest news from NCM.



@ncmbikes



@ncmbike



www.ncmbikes.co

CANADA

USA

GERMANY

SPAIN

III A

AUSTRALIA

OUR OFFICES

NORTH AMERICA

USA

·l +1 (8: Mail info@ ddress 1400

+1 (833) 663-0566 info@ncmbikes.com 1400 NW 49th St, Seattle, WA 98107

CANADA

Tel E-Mail Address +1 (604) 917-0756 info.ca@ncmbikes.com 3030 St. John's Street, Port Moody, BC V3H 2C5

EUROPE

GERMANY

Tel +49 (511) 999 957 0 E-Mail info.de@ncmbikes.com Address Eckenerstr.3 D-30179

Hanover

SPAIN

Tel +34 (644) 643 835 E-Mail info.es@ncmbikes Address Passatge del mar o

info.es@ncmbikes.com s Passatge del mar d'alboran 8. Local, 08918 Badalona

APAC

AUSTRALIA

Tel +61 (03) 9069 5443
E-Mail info.au@ncmbikes.com
Address 3/45 Leakes Road, Laverton

North, VIC | 3026

 $\overline{3}$

