



# ULTRA<sup>®</sup> QUICKSHOT<sup>™</sup>

Graco's Next Generation  
Small Job Sprayer



PROVEN QUALITY. LEADING TECHNOLOGY.

**BREAKTHROUGH TECHNOLOGY, DESIGNED TO DELIVER HIGHER QUALITY RESULTS *FASTER!***

**ULTIMATE HANDS-FREE PORTABILITY AND *PERFORMANCE!***



# Ultra QuickShot™

PATENT PENDING

## REVOLUTIONISE THE WAY YOU COMPLETE ALL SMALL JOBS

The next generation small application airless sprayer—designed to deliver higher quality results faster and easier with water-based, solvent and flammable architectural coatings.



**BREAKTHROUGH ELECTRIC POWERED AIRLESS GUN**

**ON DEMAND PRESSURE & FLOW CONTROL AT THE GUN**

**ULTIMATE HANDS-FREE PORTABILITY**

**Quick – SET UP**

**Quick – APPLICATION SPEED**

**Quick – REFILLS / COLOR CHANGE**

**Quick – CLEAN UP**



**1L POUR-N-GO CUP**  
 • Easy fill design — refill on your hip!  
 • Spray small amounts FAST

PATENT PENDING

**ULTIMATE HANDS-FREE PORTABILITY WITH BELT AND HOLSTER ATTACHMENT**



**POWER TO TAKE ON EVERY SMALL JOB WITH (2) DEWALT® 18V LITHIUM-ION BATTERIES**

• Spray up to one gallon on each battery

**ELECTRICALLY CONNECTED GUN TO SPRAYER, RESPONDS INSTANTLY TO PRODUCE THE BEST FINISH**

PATENT PENDING



**RAC X™ FF LP® SWITCHTIPS DELIVER THE PERFECT AIRLESS FINISH**

PATENTED

**INSTANT RESPONSE ELECTRIC POWERED GUN VIRTUALLY ELIMINATES SPITS**

• Reduce fatigue with industry's lightest trigger pull

**SMALLEST, LIGHTEST AIRLESS GUN EVER BUILT**

**ON-DEMAND PRECISION FLOW-CONTROL SYSTEM**

• Quickly adjust material flow for extreme airless spray control  
 • Easily dial-in to your desired pressure from 100-2000 psi

PATENT PENDING

**1.8m FLEXIBLE HOSE FOR FULL REACH & EASY HOSE MANAGEMENT**

• Easily prime, change colors, and clean in seconds  
 —Gun and hose hold only 28g of coating

**QUICKSHOT PROCONNECT™ AIRLESS PISTON PUMP**

• Durable long-life triple piston pump

PATENT PENDING

**INCLUDES EVERYTHING YOU NEED TO START YOUR JOB**



- QuickShot Belt & Holster
- RAC X™ FF LP® 514 & 210 Reversible SwitchTips™
- 60 & 100 Mesh Inlet Filters
- 2 - DEWALT 18V Compact Lithium-Ion Batteries
- DEWALT 18V Lithium-Ion Battery Charger
- Durable Tool Bag



**SCAN to learn more**



MODEL	PART NUMBER
Ultra QuickShot Airless Sprayer	20B479

# BREAKTHROUGH SMALL JOB SOLUTION



## SPRAY ANY JOB UP TO 11 LITERS



*"This is the sprayer I grab for every small job because everything with this unit is fast—it saves me time and money!"*

Mark Sundblad  
Owner  
Final Touch LLC



DOORS



ACCENT WALLS



FENCES / FURNITURE



DECKS / RAILINGS



CABINETS / BUILT-INS



TRIM / MOLDING



GARAGE DOORS



OUT BUILDINGS



		ULTRA QUICKSHOT
<b>SPECIFICATIONS</b>	Part Number	20B479
	Material Compatibility	Water based, Solvent and Flammable Architectural Coatings
	On-Gun Pressure & Flow Control	Yes
	Pressure Adjustment	100-2,000 psi (34-138 bar)
	Tip Support	Low Pressure Switch Tips .008-.016
	Tip(s) Included	RAC X FF LP 514 and RAC X FF LP 210
	Power/Battery*	(2) DEWALT 18V MAX* COMPACT 2.0 ah Lithium-Ion Batteries and (1) Charger
	Filter Mesh Included	60 & 100 Mesh
	Fully Repairable	Yes
	ProConnect	Yes
	Storage Bag	Yes
	Manual	18H016

ACCESSORIES	
Part Number	Description
18H073	60 Mesh Filter (3-Pack)
18H074	100 Mesh Filter (3-Pack)
18F891	QuickShot Belt
18F977	QuickShot Holster
17M883	Storage Case
18H080	Lid Storage Plug (3-Pack)
18H079	Cup & Lid Assembly
246215	Tip Guard

BATTERIES AND CHARGER	
Part Number	Description
17P558	DEWALT 18V MAX Lithium-Ion Battery
17P561	DEWALT 18V MAX Lithium-Ion Charger

REPAIR PARTS	
Part Number	Description
18H072	QuickShot Piston Pump Replacement System
18H059	QuickShot Replacement Spray Gun
19F639	QuickShot Replacement Hose

### RAC X LOW PRESSURE SWITCHTIPS (FFLPXXX)



		(Green Handle) Orifice Size - Inches						
<b>Fan Width</b>		in	(mm)	.008	.010	.012	.014	.016
	2-4	(51-102)	108	110	112			
	4-6	(102-152)	208	210	212	214		
	6-8	(152-203)	308	310	312	314		
	8-10	(203-254)	408	410	412	414		
	10-12	(254-305)		510	512	514	516	
	12-14	(305-356)						616

For more information visit [graco.com/contractor](http://graco.com/contractor)

