

**1. Product and Company Identification**

**Product Code:** LFGRPCLRSAPC  
**Product Name:** Rebel Savage All Purpose Cleaner  
**Trade Name:** Renegade Products  
**Company Name:** Maverick Abrasives  
4340 E. Miraloma Ave  
Anaheim, CA 92807  
**Web site address:** www.renegadeproductsusa.com  
**Email address:** cs@renegadeproductsusa.com  
**Emergency Contact:** INFOTRAC (800)535-5053  
**Information:** Contract #914-39  
**Part Number:** LFGRPCLRSAPC55G, LFGRPSAPC5G, LFGRPMRSAPC1GAL, LFGRPCLRSAPC24

**2. Hazards Identification**

**Acute Toxicity: Oral, Category 4**  
**Aquatic Toxicity (Chronic), Category 4**  
**Acute Toxicity: Inhalation, Category 4**  
**Acute Toxicity: Skin, Category 4**  
**Skin Corrosion/Irritation, Category 2**  
**Serious Eye Damage/Eye Irritation, Category 2A**  
**Specific Target Organ Toxicity (single exposure), Category 3**



**GHS Signal Word:** **Warning**

**GHS Hazard Phrases:** H302 - Harmful if swallowed.  
H312 - Harmful in contact with skin.  
H315 - Causes skin irritation.  
H319 - Causes serious eye irritation.  
H332 - Harmful if inhaled.  
H335 - May cause respiratory irritation.  
H413 - May cause long lasting harmful effects to aquatic life.

**GHS Precautionary Phrases:** P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.  
P264 - Wash hands thoroughly after handling.  
P270 - Do not eat, drink or smoke when using this product.  
P271 - Use only outdoors or in a well-ventilated area.  
P273 - Avoid release to the environment.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.

**GHS Response Phrases:** P301+312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.  
P302+352 - IF ON SKIN: Wash with plenty of soap and water.  
P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P312 - Call a POISON CENTER or doctor/physician if you feel unwell.  
P321 - Specific treatment see ... on this label.  
P330 - Rinse mouth.  
P332+313 - If skin irritation occurs, get medical advice/attention.

<b>GHS Storage and Disposal Phrases:</b>	P337+313 - If eye irritation persists, get medical advice/attention. P362 - Take off contaminated clothing and wash before re-use. P363 - Wash contaminated clothing before reuse. P405 - Store locked up. P501 - Dispose of contents/container to in accordance with all applicable local, state, and federal regulations.
<b>Potential Health Effects (Acute and Chronic):</b>	Hazards not otherwise classified (HNOC) or not covered by GHS. Hazards not otherwise classified (HNOC) or not covered by GHS -none.
<b>Inhalation:</b>	Causes chemical burns to the respiratory tract. May be harmful if inhaled.
<b>Skin Contact:</b>	May be harmful if absorbed through the skin. Causes severe eye burns.
<b>Eye Contact:</b>	Causes severe eye burns.
<b>Ingestion:</b>	Harmful if swallowed. Causes severe digestive tract burns.

### 3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration	
85536-14-7	Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.	3.0 -5.0 %	
111-76-2	Glycol ether EB	1.0 -2.5 %	
10213-79-3	Sodium meta silicate	< 1.0 %	
10101-89-0	Sodium phosphate, Tribasic dodecahydrate	~ 0.1 %	

### 4. First Aid Measures

<b>Emergency and First Aid Procedures:</b>	Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.
<b>In Case of Inhalation:</b>	Get medical aid immediately. Remove from exposure and move to fresh air immediately. If breathing is difficult, give oxygen. Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathed in, move person into fresh air. Consult a physician.
<b>In Case of Skin Contact:</b>	Get medical aid immediately. Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash off with soap and plenty of water. Consult a physician. Take off contaminated clothing and shoes immediately.
<b>In Case of Eye Contact:</b>	Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid immediately. Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.
<b>In Case of Ingestion:</b>	Get medical aid immediately. Call a poison control center. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.
<b>Signs and Symptoms Of Exposure:</b>	The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
<b>Indication of any immediate medical attention and special treatment needed:</b>	No data available.
<b>Note to Physician:</b>	Treat symptomatically and supportively.

### 5. Fire Fighting Measures

**Flash Pt:** 67.00 C (152.6 F) Method Used: Estimate

**Explosive Limits:** LEL: No data. UEL: No data.

**Autoignition Pt:** 230.00 C (446.0 F)

**Suitable Extinguishing Media:** Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Fire Fighting Instructions:** As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Wear self contained breathing apparatus for fire fighting if necessary.  
 Further information:

**Flammable Properties and Hazards:** Sodium oxides.

**Hazardous Combustion Products:** No data available.

### 6. Accidental Release Measures

**Protective Precautions, Protective Equipment and Emergency Procedures:** Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. For personal protection see section 8. Evacuate personnel to safe areas.

**Environmental Precautions:** Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

**Steps To Be Taken In Case Material Is Released Or Spilled:** Use proper personal protective equipment as indicated in Section 8.  
 Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Wear a self contained breathing apparatus and appropriate personal protection. (See Exposure Controls, Personal Protection section). Provide ventilation. Do not let this chemical enter the environment. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal. Pick up and arrange disposal without creating dust.

### 7. Handling and Storage

**Precautions To Be Taken in Handling:** Do not get in eyes, on skin, or on clothing. Do not ingest or inhale. Use only in a chemical fume hood. Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed.

**Precautions To Be Taken in Storing:** Store in a cool, dry place. Store in a tightly closed container. Keep container tightly closed in a dry and well-ventilated place.  
 Storage class 510): Combustible liquids Non Combustible.

**Other Precautions:** Apart from the uses mentioned in section 1.2 no other specific uses are stipulated. Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

### 8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
85536-14-7	Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.	No data.	No data.	No data.
111-76-2	Glycol ether EB	PEL: 50 ppm	TLV: 20 ppm	No data.
10213-79-3	Sodium meta silicate	No data.	No data.	No data.

10101-89-0	Sodium phosphate, Tribasic dodecahydrate	No data.	No data.	No data.
------------	--	----------	----------	----------

CAS #	Chemical Name	Jurisdiction	Recommended Exposure Limits	Notations
111-76-2	Glycol ether EB	California, USA PELs	TWA: 97 mg/m <sup>3</sup> (20 ppm)	
		NIOSH	TWA: 5 ppm	

**Personal Protective Equipment Symbols:**

**Respiratory Equipment (Specify Type):** If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

**Eye Protection:** Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Face shield and safety glasses.

**Protective Gloves:** Wear appropriate protective gloves to prevent skin exposure. Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Full contact.  
 Material: Nitrile rubber, Minimum layer thickness: 0.4 mm, Break through time: 480 min. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

**Other Protective Clothing:** Wear appropriate protective clothing to prevent skin exposure. Complete suit protecting against chemicals.

**Engineering Controls (Ventilation etc.):** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use only under a chemical fume hood. Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

**Environmental Exposure Controls:** Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### 9. Physical and Chemical Properties

**Physical States:** [ ] Gas [ X ] Liquid [ ] Solid

**Appearance and Odor:** Clear.  
citrus-like odor.

**pH:** 7

**Melting Point:** -75.00 C (-103.0 F)

**Boiling Point:** 169.00 C (336.2 F) - 172.50 C (342.5 F)

**Flash Pt:** 67.00 C (152.6 F) Method Used: Estimate

**Evaporation Rate:** No data.

**Flammability (solid, gas):** No data available.

**Explosive Limits:** LEL: No data. UEL: No data.

**Vapor Pressure (vs. Air or mm Hg):** No data.

**Vapor Density (vs. Air = 1):** No data.

**Specific Gravity (Water = 1):** ~ 1.004  
**Density:** ~ 0.902 G/CM3  
**Solubility in Water:** 100%  
**Octanol/Water Partition Coefficient:** No data.  
**Percent Volatile:** < 3.0 % by weight.  
**Autoignition Pt:** 230.00 C (446.0 F)  
**Decomposition Temperature:** No data.  
**Viscosity:** No data.

## 10. Stability and Reactivity

**Reactivity:** No data available.  
**Stability:** Unstable [ ] Stable [ X ]  
**Conditions To Avoid - Instability:** Incompatible materials, Heat, flames and sparks. No data available.  
**Incompatibility - Materials To Avoid:** Strong oxidizing agents.  
**Hazardous Decomposition or Byproducts:** Carbon monoxide, oxides of sulfur, No data available. In the event of fire: see section 5.  
**Possibility of Hazardous Reactions:** Will occur [ ] Will not occur [ X ]  
**Conditions To Avoid - Hazardous Reactions:** No data available.

## 11. Toxicological Information

**Toxicological Information:** Epidemiology: No information found.  
Teratogenicity: No information available. Reproductive Effects: Neurotoxicity: Acute toxicity.  
  
Germ cell mutagenicity: Hamster ovary.  
Result: negative. (OECD Test Guideline 474) Mouse. male.  
Reproductive toxicity. Overexposure may cause reproductive disorder(s) based on tests with laboratory animals.  
Aspiration hazard: No data available.

**Irritation or Corrosion:** Skin corrosion/irritation.  
Result: Tumorigenic:Tumors at site or application. No skin irritation -4 h. Eyes: Rabbit. No data available. Serious eye damage/eye irritation: no data available.

**Sensitization:** Maximisation Test. Species: Guinea pig. Result: Tumorigenic:Tumors at site or application. Does not cause skin sensitisation. No data available.

**Chronic Toxicological Effects:** Specific target organ toxicity -single exposure (Globally Harmonized System) No data available.  
Specific target organ toxicity -repeated exposure: no data available. Specific target organ toxicity -single exposure: May cause respiratory irritation.

**Carcinogenicity/Other Information:** CAS# 85536-14-7: Not listed by ACGIH, IARC, NTP, or CA Prop 65. IARC: Group 3: Not classifiable as to its carcinogenicity to humans .  
NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.  
OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**Carcinogenicity:** ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.  
 NTP? No      IARC Monographs? No      OSHA Regulated? No

### 12. Ecological Information

**General Ecological Information:** Environmental: Aquatic: Water temperature affects biodegradation. The rate of sodium-C12 linear alkylbenzene sulfonic acids biodegradation in Chesapeake Bay water was max at 25-30 deg C and decreased at lower incubation temperatures. Sodium-C12 linear alkylbenzene sulfonic acids. Terrestrial: The adsorption of sodium-C12 linear alkylbenzene sulfonic acids is affected by the type of soil. The affinity of the soil for surfactants competes with microbial attack, slowing biodegradation.  
 Physical: No information found.  
 (OECD Test Guideline 201)) No data available.

**Results of PBT and vPvB assessment:** PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

**Persistence and Degradability:** Biodegradability: aerobic -Exposure time 28. Result: 90.4 % Readily biodegradable. No data available.

**Bioaccumulative Potential:** No data available.

**Mobility in Soil:** No data available.

**Other adverse effects:** No data available.

### 13. Disposal Considerations

**Waste Disposal Method:** Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.  
 RCRA P-Series: None listed.  
 RCRA U-Series: None listed. Product:  
 Contact a licensed professional waste disposal service to dispose of this material. This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company.  
 Contaminated packaging:

### 14. Transport Information

**LAND TRANSPORT (US DOT):**  
 DOT Proper Shipping Name: NOT REGULATED PER 49 CFR 173.150.  
 DOT Hazard Class:  
 UN/NA Number:

**LAND TRANSPORT (Canadian TDG):**  
 TDG Shipping Name: ALKYL SULFONIC ACIDS, LIQUID.

### 15. Regulatory Information

**EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists**

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
85536-14-7	Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.	No	No	No
111-76-2	Glycol ether EB	No	No	Yes-Cat. N230
10213-79-3	Sodium meta silicate	No	No	No
10101-89-0	Sodium phosphate, Tribasic dodecahydrate	No	Yes 5000 LB	No

**This material meets the EPA 'Hazard Categories' defined for SARA Title III Sections 311/312 as indicated:**

<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Explosive	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Acute toxicity (any route of exposure)
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Flammable (gases, aerosols, liquid, or solid)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Skin Corrosion or Irritation
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Oxidizer (liquid, solid or gas)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Serious eye damage or eye irritation
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Self-reactive	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Respiratory or Skin Sensitization
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Pyrophoric (liquid or solid)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Germ cell mutagenicity
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Pyrophoric gas	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Carcinogenicity
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Self-heating	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Reproductive toxicity
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Organic peroxide	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Specific target organ toxicity (single or repeated exposure)
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Corrosive to metal	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Aspiration Hazard
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Gas under pressure (compressed gas)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Simple Asphyxiant
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No In contact with water emits flammable gas	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No (Health) Hazard Not Otherwise Classified (HNOC)
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Combustible Dust	
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No (Physical) Hazard Not Otherwise Classified (HNOC)	

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
85536-14-7	Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No
111-76-2	Glycol ether EB	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: TAC: Cat. IIa, Title 8
10213-79-3	Sodium meta silicate	CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No; CA TAC, Title 8: No
10101-89-0	Sodium phosphate, Tribasic dodecahydrate	CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No; CA TAC, Title 8: Title 8

### 16. Other Information

**Revision Date:** 05/24/2019

**Hazard Rating System:**

HEALTH		1
FLAMMABILITY		0
PHYSICAL		0
PPE		B

**HMIS:**

**Additional Information About** No data available.

**This Product:**

**Company Policy or**

**Disclaimer:**

The information contained herein is based on data considered to be accurate. However, the information is provided without any warranty, expressed or implied, regarding its correctness. The conditions of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with handling, storage, use or disposal of this product. The information contained herein is based on data considered to be accurate. However, the information is provided without any warranty, expressed or implied, regarding its correctness. The conditions of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with handling, storage, use or disposal of this product.