




Sample Name: **Trop Cherries**

Date Approved: 11/25/2022

Potency Report

Cannabinoid	% Weight	mg/g
D-9 THC	0.09%	0.90
D-9 THCA	24.45%	244.50
EXO-THC	ND	ND
CBD	ND	ND
CBDA	NR	NR
CBN	ND	ND
CBNA	ND	ND
D-8 THC	ND	ND
D-10 THC	ND	ND
CBG	0.25%	2.50
CBGA	1.21%	12.10
CBC	ND	ND
CBCA	0.23%	2.30
THCV	ND	ND
THCVA	0.12%	1.20
CBDV	ND	ND
CBDVA	ND	ND
Total	26.35%	263.50
Max THC	21.53%	215.30
Max CBD	N/A	N/A



ND = Non-Detect | NR = Non-Reportable Value | Potency testing is performed by Liquid Chromatography

Max THC and CBD values are calculated using the following equations: \mathbf{Max} THC = [D-8] THC]+[D-9] THC]+[D-10] THC]+[EXO-THC]+[D-9] THCA] \times 0.877) | \mathbf{Max} $CBD = [CBD] + ([CBD-A] \times 0.877)$

Laboratory Notes:

Lab Information: Nordic Analytical Laboratories 3960 Grape Street, Denver, CO 80207 www.nordicanalytic.com

SOP Reference: Nordic SOP 005-001 (sample prep), Nordic SOP 005-002 (analysis), Nordic SOP 005-005 (moisture content-where applicable)

> Herry Mikolayor Aleksey Nikolayev, PhD, Lab Director

Disclaimer of Liability: Nordic Analytical Laboratories, LLC specifically disclaims liability for incidental or consequential damages and assumes no responsibility or liability for any loss or damage suffered by any person as a result of receiving manijuana testing services or results. To the fullest extent permitted by law, in no circumstances shall Nordic Analytical Laboratories, LLC be liable to any person or company for any loss or damage (including licensing investigations, product receils, criminal charges, or other lost profits) arising directly in indirectly from receiving manijuana testing service or results. This report and all information herein shall be a received and all information herein shall be a received and all information of the reproduced, except in its entirety, without the expressed consent of Nordic Analytical Laboratories. This report is for informational purposes only and should not be used to diagnose, treat or prevent any medical related symptoms. Due to many factors outside of Nordic Analytical Laboratories' control, results may vary. Results are only for the samples supplied to Nordic Analytical Laboratories and results herein have not been approved or endorsed by the FDA.