

MATERIAL SAFETY DATA SHEET

According to 1907/2006/EC, Article 31

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: Love Potion Primer

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Eyelash Adhesive Primer

1.3. Details of the supplier of the safety data sheet

Company name: Lash Affair by J.Paris®
2850 S 36th St
Suite A11
Phoenix, AZ 85034
Email: info@lashaffair.com

1.4. Emergency telephone number

Emergency Tel: 1-800-608-2420

Section 2: Hazards identification



2.1. Classification of the substance or mixture

Classification under CLP: Eye Irrit. 2: H319
Most important adverse effects: Causes serious eye irritation.

2.2. Label elements

Hazard statements: Eye Irrit. 2 - H319; STOT SE 3 - H336

Signal words: Irritant

Hazard pictograms:  

Precautionary statements: H336: May cause drowsiness or dizziness.
P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P260: Do not breathe vapours.
P280: Wear protective gloves.
P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P370: In case of fire: Use alcohol resistant foam or dry powder for extinction.
P501D: Empty containers may contain residual product and vapours. Do not cut or weld on or near empty containers. Disposal should only be by means of a licensed waste disposal contractor
Supplementary Precautionary statements
P264: Wash skin thoroughly after handling.
P303+361+353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position

MATERIAL SAFETY DATA SHEET

According to 1907/2006/EC, Article 31

comfortable for breathing.
P403+233+235: Store in a well-ventilated place, in original container. Keep container tightly closed, Keep cool.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.1 Mixtures

Hazardous ingredients: 2-PROPANOL

EINECS	CAS	PBT / WEL	CLP Classification	Percent
200-661-7	67-63-0		Eye Irrit. 2 - H319 STOT SE 3 - H336	>30%

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove contaminated clothing and shoes. Wash skin thoroughly with soap and running water. Take especial care to clean folds, crevices, creases and groin. Get medical attention if irritation persists or develops. Launder clothing and clean shoes thoroughly before reuse.

Eye contact: Check for contact lenses which must be removed from the eyes before rinsing. Promptly rinse eyes with plenty of clean water while lifting the eyelids. Continue to rinse for at least 15 minutes. Continue until the eyes are free of all traces of contamination. Get medical attention if any discomfort or irritation persists. If swallowed do NOT induce vomiting.

Ingestion: Never give anything by mouth to an unconscious person. Rinse mouth thoroughly and seek medical attention if discomfort persists. Keep patient under observation. If unconscious place patient on their side in the recovery position and ensure they are breathing. Clean nose and mouth with water.

Inhalation: Artificial respiration may be administered by suitably qualified first-aiders. Get medical attention if symptoms persist.

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Use carbon dioxide, dry powder, foam or water fog, mist or spray. Do not use high

MATERIAL SAFETY DATA SHEET

According to 1907/2006/EC, Article 31

pressure water jet as this may spread burning material.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Unusual Fire & Explosion Hazards Fire causes formation of toxic gases. Specific hazards. Heating may generate vapours which may form explosive vapour/air mixtures.

5.3. Advice for fire-fighters

Advice for fire-fighters: Protective equipment for fire-fighters. Wear self-contained breathing apparatus and full protective clothing. Keep all unnecessary people away. Fire water run-off must not be allowed to contaminate ground or enter drains, sewers or water courses. Provide bunding against fire water run-off.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Ventilate to dispel any residual vapour. Clean-up personnel should use respiratory protection, gloves, goggles and protective clothing and footwear (see section 8).

6.2. Environmental precautions

Environmental precautions: Do not allow spilt material to enter drains or water courses. Cover all drains and sewers. Avoid spreading spilled material. Contain spillages with sand, earth or suitable inert absorbent material. Prevent further spillage if safe to do so. In the event of contamination of watercourses or sewers advise the Environment Agency, fire brigade and police.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb in vermiculite, sand, diatomaceous earth or other inert absorbent material. Place into clearly labelled container for recovery or disposal (see section 13). Rinse site with copious amounts of water, which should not be allowed into drains, sewers or water courses.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Eye wash facilities and emergency shower must be available when handling this product. Use only in well ventilated areas. Avoid spilling, skin and eye contact. Do not breathe vapour or fumes. Use suitable protective clothing (see section 8). Wash thoroughly after handling.

MATERIAL SAFETY DATA SHEET

According to 1907/2006/EC, Article 31

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Keep away from all possible sources of ignition. Store in tightly closed containers in segregated, cool, dry, ventilated storage.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Name	STD	TWA - 8 Hrs	STEL - 15 Min	Notes
2-PROPANOL	WEL	400 ppm; 999mg/m ³	500 ppm; 1250mg/m ³	

8.2. Exposure controls

Engineering measures: Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.

Respiratory protection: If ventilation is insufficient suitable respiratory protection must be provided. Seek advice and recommendations of the manufacturer or supplier of equipment

Hand protection: Wear suitable protective gloves conforming to EN 374. Seek recommendations from manufacturer or supplier. After using gloves the hands should be washed and dried thoroughly and a suitable moisturiser applied.

Eye protection: Contact lenses should not be worn when working with this chemical! Wear approved safety goggles. Other Protection. Use engineering controls to reduce air contamination to permissible exposure level. Provide eyewash station and safety shower. Minimise all forms of skin contact. Overalls and footwear with oil and chemical resistant soles should be worn. Launder overalls and undergarments regularly.

Skin protection: Wash promptly if skin becomes contaminated. Promptly remove non-impervious clothing that becomes contaminated. When using do not eat, drink or smoke.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid
Colour: Colourless
Odour: Slightly Alcoholic
boiling range: 82-83°C
Melting point: 90 °C
Solubility in water: Completely miscible with water
Also soluble in: Most organic solvents.
Viscosity: 3-10mPas @ 20 °C
Kinematic viscosity: No data available.
Flammability limits %: lower: No data available.
Flash point: No data available.
Auto flammability: No data available.

MATERIAL SAFETY DATA SHEET

According to 1907/2006/EC, Article 31

Relative density: 0.91g/cm³
VOC g/l: Not applicable.
Melting point/range: Not applicable.
Vapour pressure: Not applicable.
pH: Not applicable

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous Polymerisation Will not polymerise.

10.4. Conditions to avoid

Conditions to avoid: Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients: 2-PROPANOL

ORL	MUS	LD50	13000	mg/kg
-----	-----	------	-------	-------

Skin contact: Repeated exposure may cause skin dryness or cracking. Absorption of organic solvents through the skin can cause the same effects as inhalation.

Eye contact: Irritating to eyes.

MATERIAL SAFETY DATA SHEET

According to 1907/2006/EC, Article 31

Ingestion: Gastrointestinal symptoms, including upset stomach.
Inhalation: In high concentrations, vapours are narcotic and may cause headache, fatigue, dizziness and nausea.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.2. Persistence and degradability

Persistence and degradability:

12.3. Bioaccumulative potential

Bioaccumulative potential: Bioaccumulative potential Will not bio-accumulate. Partition coefficient

12.4. Mobility in soil

Mobility:

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects:

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Empty containers may contain residual product and flammable vapours. Keep away from sparks, heat and sources of ignition. Labels should not be removed. Product is hazardous waste. Do not allow into drains, sewers or water courses. Disposal must be by means of a licensed waste contractor.

Section 14: Transport information

14.1. UN number

UN No. (ADR/RID/ADN) 1219

14.2 UN proper shipping name

MATERIAL SAFETY DATA SHEET

According to 1907/2006/EC, Article 31

Proper Shipping Name Primer (ISOPROPYL ALCOHOL 30% , AQUA 30%, Co-Polymer 40%)

14.3 Transport hazard class(es)

ADR/RID/ADN Class 3
ADR/RID/ADN Class Class 3: Flammable liquids.
ADR Label No. 3
IMDG Class 3
ICAO Class/Division 3

14.4 Packing group

ADR/RID/ADN Packing group II
IMDG Packing group II
ICAO Packing group II

14.5 Environmental hazards

Environmentally Hazardous Substance/Marine pollutant

14.6 Special precautions for user

EMS F-E, S-D
Emergency Action Code 2YE
Hazard No. (ADR) 33
Tunnel Restriction Code (D/E)

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 SI No 716. (CHIP4). Control of Substances Hazardous to Health Regulations (as amended). (COSHH). Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2007. (CDG 2009) Environmental Protection (Duty of Care) Regulations.
Guidance Notes
Workplace Exposure Limits EH40.
Introduction to Local Exhaust Ventilation HS(G)37. CHIP for everyone HSG(108).
EU Legislation. EC Regulation 1272/2008 (as amended): CLP (Classification, labelling and packaging of substances and mixtures).

15.2. Chemical Safety Assessment

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

MATERIAL SAFETY DATA SHEET

According to 1907/2006/EC, Article 31

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.
* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H319: Causes serious eye irritation.
H336: May cause drowsiness or dizziness.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.