according to 29 CFR 1910.1200(g)

RefectoCil black

Revision date: 04.08.2017

Product code: FA0010

Page 1 of 9

1. Identification

Product identifier

RefectoCil black

Recommended use of the chemical and restrictions on use

Use of the substance/mixture

Cosmetics

Uses advised against

Any non-intended use.

Details of the supplier of the safety data sheet

Company name:	GW Cosmetics GmbH	
Street:	Achauerstrasse 49a	
Place:	A-2333 Leopoldsdorf	
Telephone:	+43 / 2235 / 47 940-0	Telefax: +43 / 2235 / 47 940-39
Responsible Department:	office@gwcosmetics.at	
Emergency phone number:	+43 / 2235 / 47 940-0 (09:00-16:00 CET)	

Further Information

This product is subject to the cosmetic regulation. This sheet was prepared on a voluntary basis.

2. Hazard(s) identification

Classification of the chemical

29 CFR Part 1910.1200

Hazard categories: Acute toxicity: Acute Tox. 4 Respiratory or skin sensitization: Skin Sens. 1 Hazard Statements: Harmful if swallowed May cause an allergic skin reaction Environmental hazards: H412, Harmful to aquatic organisms.

Label elements

29 CFR Part 1910.1200

Signal word:

Pictograms:



Warning

Hazard statements

Harmful if swallowed May cause an allergic skin reaction

Precautionary statements

If medical advice is needed, have product container or label at hand. Keep out of reach of children. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. If on skin: Wash with plenty of water.

Page 2 of 9

Safety Data Sheet

according to 29 CFR 1910.1200(g)

RefectoCil black Product code: FA0010

Revision date: 04.08.2017

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Dispose of contents/container to local/regional/national/international regulations.

Additional advice on labelling

GHS Symbols and Phrases are shown here only for information. This product is a consumer product and labelling is regulated by the cosmetic regulation. Labelling according to 1910.1200 is not required.

Hazards not otherwise classified

No information available.

3. Composition/information on ingredients

<u>Mixtures</u>

Hazardous components

CAS No	Components	Quantity
95-70-5	2,5-toluenediamine	< 7 %
591-27-5	3-aminophenol	= < 2 %

4. First-aid measures

Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

After contact with skin

Gently wash with plenty of soap and water. In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse cautiously with water for several minutes. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

Most important symptoms and effects, both acute and delayed

No information available.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam. Atomized water.

Unsuitable extinguishing media

High power water jet.

Specific hazards arising from the chemical

Can be released in case of fire: Carbon monoxide, Carbon dioxide (CO2). Nitrogen oxides (NOx).

Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus.

according to 29 CFR 1910.1200(g)

RefectoCil black

Revision date: 04.08.2017

Product code: FA0010

Page 3 of 9

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Co-ordinate fire-fighting measures to the fire surroundings.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

Environmental precautions

Discharge into the environment must be avoided.

Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

7. Handling and storage

Precautions for safe handling

Advice on safe handling

Wear suitable protective clothing. (See section 8.)

Advice on protection against fire and explosion

Usual measures for fire prevention.

Further information on handling

General protection and hygiene measures: refer to chapter 8

Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Advice on storage compatibility

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff.

Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Recommended storage temperature: 20°C Protect against: Light. UV-radiation/sunlight. heat. moisture.

8. Exposure controls/personal protection

Control parameters

Additional advice on limit values

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Exposure controls

Appropriate engineering controls

No special measures are necessary.

Protective and hygiene measures

Always close containers tightly after the removal of product. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work.

according to 29 CFR 1910.1200(g)

RefectoCil black

Revision date: 04.08.2017

Product code: FA0010

Page 4 of 9

Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible). Standards: EN 166 or 29 CFR 1910.133

Hand protection

Wear suitable gloves.
Suitable material:
FKM (fluororubber). - Thickness of glove material: 0,4 mm
Breakthrough time >= 8 h
Butyl rubber. - Thickness of glove material: 0,5 mm
Breakthrough time >= 8 h
CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm
Breakthrough time >= 8 h
NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm
Breakthrough time >= 8 h
PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm
Breakthrough time >= 8 h
PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm
Breakthrough time >= 8 h
Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Suitable protective clothing: Lab apron.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

insufficient ventilation

exceeding exposure limit values

Suitable respiratory protective equipment: half-mask with filter EN 149 or 29 CFR 1910.134 .

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Environmental exposure controls

No special precautionary measures are necessary.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state: Color: Odor: pH-Value:	liquid not determined characteristic	7,5-10,0
•		7,0-10,0
Changes in the physical state		
Melting point/freezing point:		not determined
Initial boiling point and boiling range:		not determined
Sublimation point:		not determined
Softening point:		not determined
Pour point:		not determined
Flash point:		not determined
Sustaining combustion:		Not sustaining combustion
Explosive properties none		
Lower explosion limits:		not determined
Upper explosion limits:		not determined

according to 29 CFR 1910.1200(g)

evision date: 04.08.2017	Product code: FA0010	Page 5
Ignition temperature:	not determined	
Auto-ignition temperature		
Gas:	not determined	
Decomposition temperature:	not determined	
Oxidizing properties none		
Vapor pressure:	not determined	
Density:	not determined	
Water solubility:	not determined	
Solubility in other solvents not determined		
Partition coefficient:	not determined	
Viscosity / dynamic:	not determined	
Viscosity / kinematic:	not determined	
Flow time:	not determined	
Vapor density:	not determined	
Evaporation rate:	not determined	
Solvent separation test:	not determined	
Solvent content:	not determined	
her information		
Solid content:	not determined	

10. Stability and reactivity

Reactivity

No information available.

Chemical stability

Stability:

Stable

The product is chemically stable under recommended conditions of storage, use and temperature.

Possibility of hazardous reactions

Hazardous reactions:

Will not occur

No information available.

<u>Conditions to avoid</u> Protect against: UV-radiation/sunlight. heat.

Incompatible materials

Materials to avoid: Oxidizing agents, strong. Reducing agents, strong.

Hazardous decomposition products

Can be released in case of fire: Carbon monoxide, Carbon dioxide (CO2). Nitrogen oxides (NOx).

11. Toxicological information

Information on toxicological effects

Route(s) of Entry

Ingestion: Harmful if swallowed. Inhalation: May be harmful if inhaled. Skin contact: May cause irritation. May cause sensitisation by skin contact. Eye contact: May cause irritation.

according to 29 CFR 1910.1200(g)

RefectoCil black

Revision date: 04.08.2017

Product code: FA0010

Page 6 of 9

Toxicocinetics, metabolism and distribution

No data available.

Acute toxicity Harmful if swallowed

ATEmix calculated

ATE (oral) 1456,9 mg/kg

CAS No	Components					
	Exposure route	Dose		Species	Source	Method
95-70-5	2,5-toluenediamine	2,5-toluenediamine				
	oral	LD50 mg/kg	102	Rat	REACH Dossier	OECD Guideline 401
	dermal	ATE mg/kg	1100			
	inhalative vapour	ATE	11 mg/l			
	inhalative aerosol	ATE	1,5 mg/l			
591-27-5	3-aminophenol					
	oral	LD50 00 mg/kg	>500-<20	Rat	ECHA Dossier	OECD 420
	inhalative vapour	ATE	11 mg/l			
	inhalative (4 h) aerosol	LC50 mg/l	1,162	Rat	ECHA Dossier	

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitizing effects

May cause an allergic skin reaction (2,5-toluenediamine)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

2,5-toluenediamine:

READ ACROSS: 2-methyl-p-phenylenediamine sulphate (CAS No. 615-50-9):

In vivo mutagenicity/genotoxicity: Method: OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test); Result: negative.; Method: OECD Guideline 486 (Unscheduled DNA Synthesis (UDS) Test with Mammalian Liver Cells in vivo); Result: negative. Method: single cell gel/comet assay in rodents for detection of DNA damage; Result: negative.; Mouse); positive. (Rat); Reproductive toxicity: Exposure time: 21d. Species: Rat.; Method: OECD Guideline 416; Result: NOAEL = >45 mg/kg(bw)/day; Developmental toxicity/teratogenicity: Exposure time: 18d. Species: Mouse; Method: OECD Guideline 416; Result: NOAEL = 16 mg/kg(bw)/day; Literature information: ECHA Dossier

3-aminophenol (CAS No. 591-27-5):

In vitro mutagenicity/genotoxicity: Method: OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test); Result: positive. / negative.; Method: bacterial reversion assay, the WP2 Mutoxitest; Result: negative.; Method: OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test); Result: negative.; Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay); Result: negative.; Developmental toxicity/teratogenicity: Exposure time: 20d. Species: Rat.; Method: OECD Guideline 414; Result: NOEL = 100 mg/kg(bw)/day. Literature information: ECHA Dossier

Specific target organ toxicity (STOT) - single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - repeated exposure

according to 29 CFR 1910.1200(g)

RefectoCil black Product code: FA0010

Revision date: 04.08.2017

Page 7 of 9

Based on available data, the classification criteria are not met. 2,5-toluenediamine: READ ACROSS: 2-methyl-p-phenylenediamine sulphate (CAS No. 615-50-9): Subchronic oral toxicity: Exposure time: 12 weeks. Species: Rat.; Method: OECD Guideline 408; Result: LOAEL = 10 mg/kg/day. Literature information: ECHA Dossier; 3-aminophenol (CAS No. 591-27-5): Subchronic oral toxicity: Exposure time: 90d. Species: Rat.; Method: no data. Result: NOEL = 20

mg/kg(bw)/day. Chronic dermal toxicity: Exposure time: 24 month. Species: Rat.; Method: no data. Result:

LOEL = 500 mg/kg. Literature information: ECHA Dossier

Carcinogenicity (OSHA):

- No ingredient of this mixture is listed.
- Carcinogenicity (IARC): 2,5-Diaminotoluene (CAS 95-70-5) is listed in group 3.
- Carcinogenicity (NTP): No ingredient of this mixture is listed.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available.

12. Ecological information

Ecotoxicity

The product has not been tested.

Persistence and degradability

The product has not been tested.

Bioaccumulative potential

No indication of bioaccumulation potential.

Mobility in soil

No data available.

Other adverse effects

No data available.

Further information

Do not allow to enter into surface water or drains.

13. Disposal considerations

Waste treatment methods

Advice on disposal

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

14. Transport information

US DOT 49 CFR 172.101	
Proper shipping name:	Not a hazardous material with respect to these transport regulations. &&
	Not controlled under DOT
Marine transport (IMDG)	
<u>UN number:</u>	No dangerous good in sense of this transport regulation.
UN proper shipping name:	No dangerous good in sense of this transport regulation.
Transport hazard class(es):	No dangerous good in sense of this transport regulation.
Packing group:	No dangerous good in sense of this transport regulation.

according to 29 CFR 1910.1200(g)

RefectoCil black				
Revision date: 04.08.2017	Product code: FA0010	Page 8 of 9		
Air transport (ICAO-TI/IATA-DGR)				
<u>UN number:</u>	No dangerous good in sense of this transport regulation.			
UN proper shipping name:	No dangerous good in sense of this transport regulation.			
Transport hazard class(es):	No dangerous good in sense of this transport regulation.			
Packing group:	No dangerous good in sense of this transport regulation.			
Environmental hazards				
ENVIRONMENTALLY HAZARDOUS:	no			
<u>Special precautions for user</u> refer to chapter 6-8 <u>Transport in bulk according to Annex II of</u>	MARPOL 73/78 and the IBC Code			
not relevant				
15. Regulatory information				
U.S. Regulations				
National Inventory TSCA 3-aminophenol listed under TSCA 12				
	SCA 12(b) listed in the TSCA inventory			
National regulatory information				
SARA Section 311/312 Hazards:				

2,5-toluenediamine (95-70-5): Immediate (acute) health hazard 3-aminophenol (591-27-5): Immediate (acute) health hazard

State Regulations

Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)

This product contains no chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

16. Other information

Hazardous Materials Information Label ((HMIS)
Health:	2
Flammability:	1
Physical Hazard:	1
Personal Protection:	В
NFPA Hazard Ratings	
Health:	1
Flammability:	1
Reactivity:	0
Unique Hazard:	-
Changes	
Revision date:	04.08.2017
Revision No:	1,0
Rev. 1.0; Initial release: 04.08.2017	



Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route CAS Chemical Abstracts Service DNEL: Derived No Effect Level IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER IMDG: International Maritime Code for Dangerous Goods

according to 29 CFR 1910.1200(g)

	RefectoCil black	
evision date: 04.08.2017	Product code: FA0010	Page 9 of 9
fer (Regulations Concerning the International Tra SARA: Superfund Amendments and Reauthoriza SVHC: substance of very high concern TRGS Technische Regeln für Gefahrstoffe TSCA: Toxic Substances Control Act VOC: Volatile Organic Compounds VwVwS: Verwaltungsvorschrift wassergefährdene WGK: Wassergefährdungsklasse	nal Civil Aviation Organization" (ICAO) ion and Labelling of Chemicals Hazardous Substances, Germany) tration ration port des marchandises dangereuses par chemin de nsport of Dangerous Goods by Rail) tion Act	
Other data Classification according 29 CFR Part 1910.1200: Health hazards: Calculation method. Environmental hazards: Calculation method. Physical hazards: On basis of test data. and / or o		

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

Rev