

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/30/2019

Reviewed on 01/30/2019

### 1 Identification

- **Product Identifier**
- **Trade Name: Vanish PFB Ultra**
- **Relevant identified uses of the substance or mixture and uses advised against:**  
No further relevant information available.
- **Product Description:** Gel
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**  
PFB Vanish, Inc.  
82 Mitchell Blvd.  
San Rafael CA 94903  
Phone: (877) 225-0233
- **Emergency telephone number:**  
INFOTRAC: 1-800-535-5053-DOMESTIC AND 1-352-323-3500-INTERNATIONAL EMERGENCY NUMBER.

### 2 Hazard(s) Identification

- **Classification of the substance or mixture:**



Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- **Additional information:** This product ships under the Limited Quantity exemption.

- **Label elements:**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms:**



GHS02 GHS07

- **Signal word:** Danger

- **Hazard-determining components of labeling:**

Trade Secret

- **Hazard statements:**

H225 Highly flammable liquid and vapor.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

- **Precautionary statements:**

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P240 Ground/bond container and receiving equipment.

### Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/30/2019

Reviewed on 01/30/2019

**Trade Name: Vanish PFB Ultra**

- P241 Use explosion-proof electrical/ventilating/lighting/equipment.
- P242 Use only non-sparking tools.
- P243 Take precautionary measures against static discharge.
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
- P264 Wash thoroughly after handling.
- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P302+P352 If on skin: Wash with plenty of water.
- P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P312 Call a poison center/doctor if you feel unwell.
- P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P332+P313 If skin irritation occurs: Get medical advice/attention.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P403+P235 Store in a well-ventilated place. Keep cool.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Unknown acute toxicity:**


This value refers to knowledge of known, established toxicological or ecotoxicological values. 2 % of the mixture consists of component(s) of unknown toxicity.

· **Classification system:** NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme

· **NFPA ratings (scale 0 - 4)**



· **HMIS-ratings (scale 0 - 4)**



· **Hazard(s) not otherwise classified (HNOC):** This product is unfit for internal use. Do not take internally.

### 3 Composition/Information on Ingredients

· **Non-hazardous components:**

|              |       |
|--------------|-------|
| Trade Secret | 5-15% |
|--------------|-------|

· **Chemical characterization: Mixtures**

· **Description:** Mixture of substances listed below with non-hazardous additions.

· **Dangerous Components:**

|   |        |
|---|--------|
| Trade Secret  | 15-35% |
| ⚠ Flam. Liq. 2, H225; ⚠ Eye Irrit. 2A, H319; STOT SE 3, H336                    |        |
| Trade Secret  | 5-15%  |
| ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335 |        |

(Contd. on page 3)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/30/2019

Reviewed on 01/30/2019

**Trade Name: Vanish PFB Ultra**

|  |       |
|--|-------|
| Trade Secret   | 2-12% |
| Trade Secret   | 2-12% |
| Flam. Liq. 4, H227; Eye Irrit. 2B, H320; Aquatic Chronic 4, H413               |       |
| Trade Secret   | ≤2.5% |
| Trade Secret   | ≤2.5% |
| Combustible Dust   |       |
| Trade Secret   | ≤2.5% |
| ☠ Eye Dam. 1, H318; ☠ Acute Tox. 4, H302; Skin Irrit. 2, H315; STOT SE 3, H335 |       |
| Trade Secret   | ≤2.5% |
| ☠ Skin Corr. 1A, H314; Eye Dam. 1, H318; ☠ Acute Tox. 4, H302                  |       |
| Trade Secret   | ≤2.5% |
| Eye Irrit. 2B, H320  |       |

**Additional information:**

Trade secret made in accordance with paragraph (i) of §1910.1200 of 29 CFR 1910.1200, the OSHA Hazard Communication Standard and U.S. Code of Federal Regulations.

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

**4 First-Aid Measures**

**Description of first aid measures**

**General information:**

Symptoms of poisoning may occur after exposure to dust, fumes or particulates; seek medical attention if feeling unwell.

**After inhalation:**

Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

**After skin contact:**

Immediately wash with water and soap and rinse thoroughly. If skin irritation occurs, consult a doctor.

**After eye contact:**

Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.

**After swallowing:** Do not induce vomiting. Keep individual warm and quite. Immediately get medical advice.

**Information for doctor**

**Most important symptoms and effects, both acute and delayed:** No further relevant information available.

**Indication of any immediate medical attention and special treatment needed:**

No further relevant information available.

**5 Fire-Fighting Measures**

**Extinguishing media**

**Suitable extinguishing agents:** CO2, sand, extinguishing powder. Do not use water.

**For safety reasons unsuitable extinguishing agents:** Water with full jet

**Special hazards arising from the substance or mixture:** No further relevant information available.

**Advice for firefighters**

**Special protective equipment for firefighters:**

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

(Contd. on page 4)

### Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/30/2019

Reviewed on 01/30/2019

**Trade Name: Vanish PFB Ultra**

**6 Accidental Release Measures**

- **Personal precautions, protective equipment and emergency procedures:**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/surface or ground water.
- **Methods and material for containment and cleaning up:**  
Ensure adequate ventilation.  
Do not flush with water or aqueous cleansing agents  
Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).  
Dispose of the collected material according to regulations.
- **Reference to other sections:**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

|                 |                         |
|-----------------|-------------------------|
| · <b>PAC-1:</b> |                         |
| Trade Secret    | 30 mg/m <sup>3</sup>    |
| Trade Secret    | 45 mg/m <sup>3</sup>    |
| Trade Secret    | 120 mg/m <sup>3</sup>   |
| Trade Secret    | 150 mg/m <sup>3</sup>   |
| Trade Secret    | 25 mg/m <sup>3</sup>    |
| · <b>PAC-2:</b> |                         |
| Trade Secret    | 1,300 mg/m <sup>3</sup> |
| Trade Secret    | 180 mg/m <sup>3</sup>   |
| Trade Secret    | 1,300 mg/m <sup>3</sup> |
| Trade Secret    | 1,700 mg/m <sup>3</sup> |
| Trade Secret    | 280 mg/m <sup>3</sup>   |
| · <b>PAC-3:</b> |                         |
| Trade Secret    | 7,900 mg/m <sup>3</sup> |
| Trade Secret    | 1,100 mg/m <sup>3</sup> |
| Trade Secret    | 4,500 mg/m <sup>3</sup> |
| Trade Secret    | 9,900 mg/m <sup>3</sup> |
| Trade Secret    | 390 mg/m <sup>3</sup>   |

**7 Handling and Storage**

- **Handling**
- **Precautions for safe handling:**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:**  
Keep ignition sources away - Do not smoke.  
Protect from heat.  
Protect against electrostatic charges.

(Contd. on page 5)

### Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/30/2019

Reviewed on 01/30/2019

**Trade Name: Vanish PFB Ultra**

- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:**  
Store indoors at constant temperature, preferably around 15°C. Keep away from heat and direct sunlight.
- **Information about storage in one common storage facility:** Store away from oxidizing agents.
- **Further information about storage conditions:**  
Keep receptacle tightly sealed.  
Store in cool, dry conditions in well sealed receptacles.  
Protect from heat and direct sunlight.
- **Specific end use(s):** No further relevant information available.

**8 Exposure Controls/Personal Protection**

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters:**
- **Components with occupational exposure limits:**  
The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.  
At this time, the other constituents have no known exposure limits.

|                     |   |
|---------------------|---|
| <b>Trade Secret</b> |   |
| REL                 | Long-term value: 5 mg/m³  |
| TLV                 | Long-term value: 5 mg/m³  |
| <b>Trade Secret</b> |   |
| PEL                 | Long-term value: 15* 5** mg/m³<br>mist; *total dust **respirable fraction |
| TLV                 | TLV withdrawn-insufficient data human occup. exp.                         |

- **Ingredients with biological limit values:**

|                     |  |
|---------------------|--|
| <b>Trade Secret</b> |  |
| BEI                 | 40 mg/L<br>urine<br>end of shift at end of workweek<br>Acetone (background, nonspecific) |

- **Additional information:** The lists that were valid during the creation of this SDS were used as basis.
- **Exposure controls:** If excessive exposure is anticipated the following protection measure should be taken:
- **Personal protective equipment**
- **General protective and hygienic measures:**  
The usual precautionary measures for handling chemicals should be followed.  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing and wash before reuse.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.
- **Breathing equipment:**  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air.
- **Protection of hands:**



Protective gloves

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/30/2019

Reviewed on 01/30/2019

### Trade Name: Vanish PFB Ultra

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Select glove material based on penetration times, rates of diffusion and degradation.

· **Material of gloves:**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material:**

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

· **Eye protection:**



Tightly sealed goggles

· **Body protection:**



Protective work clothing

## 9 Physical and Chemical Properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

**Form:** Gel

**Color:** Clear, colorless

· **Odour:** Characteristic

· **Odor threshold:** Not determined.

· **pH-value:** Not applicable.

· **Change in condition**

**Melting point/Melting range:** Not determined.

**Boiling point/Boiling range:** ≥83 °C (≥181.4 °F)

· **Flash point:** ≥12 °C (≥53.6 °F)

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:** ≥371 °C (≥699.8 °F)

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not self-igniting.

· **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

· **Explosion limits:**

**Lower:** ≥2 Vol %

**Upper:** ≤12.6 Vol %

(Contd. on page 7)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/30/2019

Reviewed on 01/30/2019

**Trade Name: Vanish PFB Ultra**

- **Vapor pressure @ 30 °C (86 °F):** ≤76 hPa (≤57 mm Hg)
- **Density:**
  - Relative density:** Not determined.
  - Vapor density:** Not determined.
  - Evaporation rate:** Not determined.
- **Solubility in / Miscibility with:**
  - Water:** Not miscible or difficult to mix.
- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
  - Dynamic:** Not determined.
  - Kinematic:** Not determined.
- **Solvent content:**
  - Organic solvents:** 25.0 %
  - Water:** 2.5 %
  - VOC content:** 22.50 %
  - Solids content:** 9.5 %
- **Other information:** No further relevant information available.

**10 Stability and Reactivity**

- **Reactivity:**
  - No further relevant information available.
  - The product is stable under normal conditions
  - No further relevant information available.
- **Chemical stability:** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:**
  - No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:**
  - Heat, flame and ignition sources.
  - Strong oxidizing materials. Do not freeze. Overheating.
- **Incompatible materials:**
  - Strong oxidizing agents.
  - Extreme heat
- **Hazardous decomposition products:** No dangerous decomposition products known.

**11 Toxicological Information**

- **Information on toxicological effects:**
- **Acute toxicity:**
- **LD/LC50 values that are relevant for classification:** No data available.
- **Primary irritant effect:**
- **On the skin:** Irritant to skin and mucous membranes.
- **On the eye:** Irritating effect.
- **Additional toxicological information:**
  - The product shows the following dangers according to internally approved calculation methods for preparations:
  - Irritant

(Contd. on page 8)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/30/2019

Reviewed on 01/30/2019

**Trade Name: Vanish PFB Ultra**

- **Carcinogenic categories:**
- **IARC (International Agency for Research on Cancer):**  
 Group 1 - Carcinogenic to humans  
 Group 2A - Probably carcinogenic to humans  
 Group 2B - Possibly carcinogenic to humans  
 Group 3 - Not classifiable as to its carcinogenicity to humans  
 Group 4 - Probably not carcinogenic to humans

|  |   |
|--|---|
| Trade Secret   | 3 |
| · <b>NTP (National Toxicology Program):</b><br>None of the ingredients are listed.                         |   |
| · <b>OSHA-Ca (Occupational Safety &amp; Health Administration):</b><br>None of the ingredients are listed. |   |

**12 Ecological Information**

- **Toxicity:**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability:** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects:** No further relevant information available.

**13 Disposal Considerations**

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Observe all federal, state and local environmental regulations when disposing of this material.
- **Uncleaned packaging**
- **Recommendation:** Disposal must be made according to official regulations.

**14 Transport Information**

- **UN-Number:** UN1993
- **DOT, ADR/ADN, IMDG, IATA**
- **UN proper shipping name:** Flammable liquids, n.o.s. solution
- **DOT** UN1993 FLAMMABLE LIQUID, N.O.S. solution
- **ADR/ADN** FLAMMABLE LIQUID, N.O.S. solution, MARINE POLLUTANT
- **IMDG** FLAMMABLE LIQUID, N.O.S. solution
- **IATA** FLAMMABLE LIQUID, N.O.S. solution

(Contd. on page 9)



### Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/30/2019

Reviewed on 01/30/2019

**Trade Name: Vanish PFB Ultra**

· **Transport hazard class(es):**

· **DOT, IMDG**



Limited Quantity

· **Class:** 3 Flammable liquids  
 · **Label:** 3

· **ADR/ADN**



Limited Quantity

· **Class:** 3 (F1) Flammable liquids  
 · **Label:** 3

· **IATA**



Limited Quantity

· **Class:** 3 Flammable liquids  
 · **Label:** 3  
 · **Packing group:**  
 · **DOT, ADR/ADN, IMDG, IATA:** III  
 · **Environmental hazards:** Not applicable.  
 · **Special precautions for user:** Warning: Flammable liquids  
 · **Danger code (Kemler):** 33  
 · **EMS Number:** F-E,S-E  
 · **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** Not applicable.

· **Transport/Additional information:**

· **DOT**  
 · **Quantity limitations:** On passenger aircraft/rail: 60 L  
 On cargo aircraft only: 220 L  
 ID8000 Consumer Commodity Class 9

### Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/30/2019

Reviewed on 01/30/2019

**Trade Name: Vanish PFB Ultra**

- **Remarks:** Special marking with the symbol (fish and tree).

---

- **ADR/ADN**
- **Excepted quantities (EQ):** Code: E1  
Maximum net quantity per inner packaging: 30 ml  
Maximum net quantity per outer packaging: 1000 ml  
ID8000 Consumer Commodity Class 9

---

- **IMDG**
- **Limited quantities (LQ):** 5L
- **Excepted quantities (EQ):** Code: E1  
Maximum net quantity per inner packaging: 30 ml  
Maximum net quantity per outer packaging: 1000 ml

---

- **IATA**
- **UN "Model Regulation":** ID8000 Consumer Commodity Class 9  
UN 1993 FLAMMABLE LIQUID, N.O.S. SOLUTION, 3, III

**\* 15 Regulatory Information**

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**
- **SARA (Superfund Amendments and Reauthorization):**

|  |                                     |
|--|-------------------------------------|
| <ul style="list-style-type: none"> <li>· <b>Section 355 (extremely hazardous substances):</b></li> </ul> | None of the ingredients are listed. |
|--|-------------------------------------|

|  |              |
|--|--------------|
| <ul style="list-style-type: none"> <li>· <b>Section 313 (Specific toxic chemical listings):</b></li> </ul> | Trade Secret |
|--|--------------|

|   |              |
|---|--------------|
| <ul style="list-style-type: none"> <li>· <b>TSCA (Toxic Substances Control Act):</b></li> </ul> | Trade Secret |
|   | Trade Secret |
|   | Trade Secret |
|   | Trade Secret |
|   | Trade Secret |
|   | Trade Secret |
|   | Trade Secret |
|   | Trade Secret |
|   | Trade Secret |
|   | Trade Secret |

|   |              |
|---|--------------|
| <ul style="list-style-type: none"> <li>· <b>TSCA new (21st Century Act): (Substances not listed)</b></li> </ul> | Trade Secret |
|   | Trade Secret |
|   | Trade Secret |

- **California Proposition 65:**

|   |                                     |
|---|-------------------------------------|
| <ul style="list-style-type: none"> <li>· <b>Chemicals known to cause cancer:</b></li> </ul> | None of the ingredients are listed. |
|---|-------------------------------------|

|  |              |
|--|--------------|
| <ul style="list-style-type: none"> <li>· <b>Chemicals known to cause reproductive toxicity for females:</b></li> </ul> | Trade Secret |
|--|--------------|

|  |                                     |
|--|-------------------------------------|
| <ul style="list-style-type: none"> <li>· <b>Chemicals known to cause reproductive toxicity for males:</b></li> </ul> | None of the ingredients are listed. |
|--|-------------------------------------|

### Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/30/2019

Reviewed on 01/30/2019

**Trade Name: Vanish PFB Ultra**

|  |    |
|--|----|
| · <b>Chemicals known to cause developmental toxicity:</b>                  |    |
| Trade Secret   |    |
| · <b>New Jersey Right-to-Know List:</b>                                    |    |
| Trade Secret   |    |
| Trade Secret   |    |
| Trade Secret   |    |
| · <b>New Jersey Special Hazardous Substance List:</b>                      |    |
| Trade Secret   | F3 |
| · <b>Pennsylvania Right-to-Know List:</b>                                  |    |
| Trade Secret   |    |
| Trade Secret   |    |
| Trade Secret   |    |
| Trade Secret   |    |
| · <b>Pennsylvania Special Hazardous Substance List:</b>                    |    |
| Trade Secret   | E  |
| · <b>Carcinogenic categories:</b>  |    |
| · <b>EPA (Environmental Protection Agency):</b>                            |    |
| None of the ingredients are listed.  |    |
| · <b>TLV (Threshold Limit Value established by ACGIH):</b>                 |    |
| Trade Secret   | A4 |
| · <b>NIOSH-Ca (National Institute for Occupational Safety and Health):</b> |    |
| None of the ingredients are listed.  |    |

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms:**



GHS02 GHS07

· **Signal word:** Danger

· **Hazard-determining components of labeling:**

Trade Secret

· **Hazard statements:**

H225 Highly flammable liquid and vapor.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· **Precautionary statements:**

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/30/2019

Reviewed on 01/30/2019

### Trade Name: Vanish PFB Ultra

|                |  |
|----------------|--|
| P264           | Wash thoroughly after handling.  |
| P271           | Use only outdoors or in a well-ventilated area.  |
| P280           | Wear protective gloves/protective clothing/eye protection/face protection.   |
| P302+P352      | If on skin: Wash with plenty of water.   |
| P303+P361+P353 | If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.                              |
| P304+P340      | IF INHALED: Remove person to fresh air and keep comfortable for breathing.   |
| P305+P351+P338 | If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P312           | Call a poison center/doctor if you feel unwell.  |
| P321           | Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).   |
| P362+P364      | Take off contaminated clothing and wash it before reuse.   |
| P332+P313      | If skin irritation occurs: Get medical advice/attention.   |
| P337+P313      | If eye irritation persists: Get medical advice/attention.  |
| P370+P378      | In case of fire: Use for extinction: CO2, powder or water spray.   |
| P403+P233      | Store in a well-ventilated place. Keep container tightly closed.   |
| P403+P235      | Store in a well-ventilated place. Keep cool.   |
| P405           | Store locked up.   |
| P501           | Dispose of contents/container in accordance with local/regional/national/international regulations.                              |

· **National regulations:**

None of the ingredients are listed.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· **Date of preparation / last revision:** 01/30/2019 / 10

· **Abbreviations and acronyms:**

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road  
 ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
 IMDG: International Maritime Code for Dangerous Goods  
 DOT: US Department of Transportation  
 IATA: International Air Transport Association  
 ACGIH: American Conference of Governmental Industrial Hygienists  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 NFPA: National Fire Protection Association (USA)  
 HMIS: Hazardous Materials Identification System (USA)  
 VOC: Volatile Organic Compounds (USA, EU)  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 PBT: Persistent, Bioaccumulative and Toxic  
 vPvB: very Persistent and very Bioaccumulative  
 NIOSH: National Institute for Occupational Safety and Health  
 OSHA: Occupational Safety & Health Administration  
 TLV: Threshold Limit Value  
 PEL: Permissible Exposure Limit  
 REL: Recommended Exposure Limit  
 BEI: Biological Exposure Limit  
 Flam. Liq. 2: Flammable liquids – Category 2  
 Flam. Liq. 4: Flammable liquids – Category 4  
 Acute Tox. 4: Acute toxicity – Category 4  
 Skin Corr. 1A: Skin corrosion/irritation – Category 1A

(Contd. on page 13)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/30/2019

Reviewed on 01/30/2019

**Trade Name: Vanish PFB Ultra**

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4

· \* **Data compared to the previous version altered.**

SDS created by MSDS Authoring Services [www.msdsauthoring.com](http://www.msdsauthoring.com) +1-877-204-9106