# SAFETY DATA SHEET ST Tropez Gradual Tan Mousse

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

SECTION 1: Identification of the	ne substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	ST Tropez Gradual Tan Mousse
Internal identification	DN150951/A7580
1.2. Relevant identified uses o	f the substance or mixture and uses advised against
1.3. Details of the supplier of the	<u>-</u>
Supplier	REABROOK PRIVATE LABEL RAWDON ROAD MOIRA SWADLINCOTE DERBYSHIRE DE12 6DA +44 (0) 1283 222266 +44 (0) 1283 550963 enquiries@reabrook.co.uk
1.4. Emergency telephone nur	nber
Emergency telephone	+44 (0) 777 8505 330 (24 hrs)
SECTION 2: Hazards identifica	ation
2.1. Classification of the subst	ance or mixture
Classification	
Physical hazards	Aerosol 1 - H222, H229
Health hazards	Not Classified
Environmental hazards	Not Classified
Classification (67/548/EEC or 1999/45/EC)	F+;R12.
2.2. Label elements	
Pictogram	
Signal word	Danger
Hazard statements	H222 Extremely flammable aerosol. H229 Pressurised container: may burst if heated
Precautionary statements	<ul> <li>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P211 Do not spray on an open flame or other ignition source.</li> <li>P251 Do not pierce or burn, even after use.</li> <li>P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.</li> <li>P102 Keep out of reach of children.</li> <li>P501 Dispose of contents/container in accordance with local regulations.</li> </ul>
2.3. Other hazards	

# 2.3. Other hazards

This substance is not classified as PBT or vPvB according to current EU criteria.

3.2. Mixtures			
HYDROCARBON PROPELL		E	5-10%
CAS number: 68476-85-7	EC number: 270-704-2		5-10%
CAS humber: 06470-65-7	EC Humber: 270-704-2		
Classification		on (67/548/EEC or 1999/45/EC)	
Flam. Gas 1 - H220	F+;R12.		
Press. Gas, Liquefied - H280			
GLYCERINE			1-5%
CAS number: 56-81-5	EC number: 200-289-5	REACH registration number: 01-	
		2119471987-18-XXXX	
Classification	Classificatio	on (67/548/EEC or 1999/45/EC)	
Not Classified	-	, , , , , , , , , , , , , , , , , , ,	
1,4-DIOXACYCLOHEXADE			<1%
CAS number: 54982-83-1	EC number: 259-423-6		
M factor (Acute) = 10			
Classification			
Aquatic Acute 1 - H400			
Aquatic Chronic 3 - H412			
The Full Text for all R-Phrase	s and Hazard Statements are Displayed in Se	ction 16.	
The Full Text for all R-Phrase SECTION 4: First aid measure		ction 16.	
SECTION 4: First aid measure	es	ction 16.	
	es		
SECTION 4: First aid measure 4.1. Description of first aid me	es easures Remove person to fresh air and keep comfo		,
SECTION 4: First aid measure 4.1. Description of first aid measure Inhalation	es pasures Remove person to fresh air and keep comfo Rinse mouth thoroughly with water. Do not	ortable for breathing.	,
SECTION 4: First aid measure 4.1. Description of first aid me Inhalation Ingestion	es pasures Remove person to fresh air and keep comfor Rinse mouth thoroughly with water. Do not discomfort continues.	ortable for breathing. induce vomiting. Get medical attention if any	,
SECTION 4: First aid measure 4.1. Description of first aid me Inhalation Ingestion Skin contact Eye contact	es pasures Remove person to fresh air and keep comfor Rinse mouth thoroughly with water. Do not discomfort continues. Rinse with water.	ortable for breathing. induce vomiting. Get medical attention if any	,
SECTION 4: First aid measure 4.1. Description of first aid me Inhalation Ingestion Skin contact Eye contact	es pasures Remove person to fresh air and keep comfor Rinse mouth thoroughly with water. Do not discomfort continues. Rinse with water. Rinse with water. Get medical attention if an	ortable for breathing. induce vomiting. Get medical attention if any ny discomfort continues.	,
SECTION 4: First aid measure 4.1. Description of first aid me Inhalation Ingestion Skin contact Eye contact 4.2. Most important symptoms	Remove person to fresh air and keep comfor Rinse mouth thoroughly with water. Do not discomfort continues. Rinse with water. Rinse with water. Get medical attention if an s and effects, both acute and delayed	ortable for breathing. induce vomiting. Get medical attention if any ny discomfort continues.	,
SECTION 4: First aid measure 4.1. Description of first aid measure Inhalation Ingestion Skin contact Eye contact 4.2. Most important symptoms Inhalation	es pasures Remove person to fresh air and keep comfor Rinse mouth thoroughly with water. Do not discomfort continues. Rinse with water. Rinse with water. Rinse with water. Get medical attention if an s and effects, both acute and delayed Vapours may cause drowsiness and dizzine	ortable for breathing. induce vomiting. Get medical attention if any ny discomfort continues.	,
SECTION 4: First aid measure 4.1. Description of first aid measure Inhalation Ingestion Skin contact Eye contact 4.2. Most important symptoms Inhalation Ingestion	es pasures Remove person to fresh air and keep comfor Rinse mouth thoroughly with water. Do not discomfort continues. Rinse with water. Rinse with water. Get medical attention if an s and effects, both acute and delayed Vapours may cause drowsiness and dizzine May cause discomfort if swallowed.	ortable for breathing. induce vomiting. Get medical attention if any ny discomfort continues.	,
SECTION 4: First aid measure 4.1. Description of first aid measure Inhalation Ingestion Skin contact Eye contact 4.2. Most important symptoms Inhalation Ingestion Skin contact Eye contact Eye contact	es pasures Remove person to fresh air and keep comfor Rinse mouth thoroughly with water. Do not discomfort continues. Rinse with water. Rinse with water. Get medical attention if an s and effects, both acute and delayed Vapours may cause drowsiness and dizzine May cause discomfort if swallowed. The product is considered to be a low haza	ortable for breathing. induce vomiting. Get medical attention if any ny discomfort continues. ess.	,

# 5.1. Extinguishing media

Suitable extinguishing media Extinguish with foam, carbon dioxide or dry powder.

5.2. Special hazards arising from the substance or mixture	
Specific hazards	Extremely flammable aerosol. Pressurised container: may burst if heated
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Carbon monoxide (CO). Carbon dioxide (CO2).
5.3. Advice for firefighters	
Protective actions during firefighting	Use water to keep fire exposed containers cool and disperse vapours.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation.

#### 6.2. Environmental precautions

**Environmental precautions** Do not discharge into drains or watercourses or onto the ground.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning upProvide adequate ventilation. Eliminate all sources of ignition. No smoking, sparks, flames or<br/>other sources of ignition near spillage. Absorb spillage with inert, damp, non-combustible<br/>material. Flush contaminated area with plenty of water.

#### 6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8.

# SECTION 7: Handling and storage 7.1. Precautions for safe handling

Usage precautions	Do not handle until all safety precautions have been read and understood. Keep away from
	heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid contact
	with eyes. Do not breathe vapour/spray. Use only outdoors or in a well-ventilated area.
	Provide adequate ventilation. Do not expose to temperatures exceeding 50°C/122°F.
	Eliminate all sources of ignition. Do not pierce or burn, even after use. Keep out of the reach
	of children. Do not eat, drink or smoke when using this product. To avoid risks to human
	health and the environment, comply with the instructions for use.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage precautionsKeep away from heat, sparks and open flame. Do not expose to temperatures exceeding<br/>50°C/122°F. Keep locked up and out of the reach of children. Store in a well-ventilated place.

# Storage class Miscellaneous hazardous material storage.

7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

# SECTION 8: Exposure Controls/personal protection

# 8.1. Control parameters

# Occupational exposure limits

# HYDROCARBON PROPELLANT

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1750 mg/m<sup>3</sup> Short-term exposure limit (15-minute): WEL 1250 ppm 2180 mg/m<sup>3</sup>

# GLYCERINE

Long-term exposure limit (8-hour TWA): WEL 10 mg/m<sup>3</sup> WEL = Workplace Exposure Limit

# GLYCERINE (CAS: 56-81-5)

DNEL	Workers - Inhalation; Long term local effects: 56 mg/m <sup>3</sup> General population - Inhalation; Long term local effects: 33 mg/m <sup>3</sup> General population - Oral; Long term systemic effects: 229 mg/kg/day - Fresh water; 0.885 mg/l - Marine water; 0.0885 mg/l - Intermittent release; 8.85 mg/l - STP; 1000 mg/l - Sediment (Freshwater); 3.3 mg/kg - Sediment (Marinewater); 0.33 mg/kg
	- Soil; 0.141 mg/kg
	2-PHENOXYETHANOL (CAS: 122-99-6)
DNEL	Workers - Inhalation; Long term systemic effects: 8.07 mg/m <sup>3</sup> Workers - Inhalation; Long term local effects: 8.07 mg/m <sup>3</sup> Workers - Dermal; Long term systemic effects: 34.72 mg/kg/day Consumer - Inhalation; Long term systemic effects: 2.5 mg/m <sup>3</sup> Consumer - Inhalation; Long term local effects: 2.5 mg/m <sup>3</sup> Consumer - Dermal; Long term systemic effects: 20.83 mg/m <sup>3</sup> Consumer - Oral; Long term systemic effects: 17.43 mg/kg/day Consumer - Oral; Short term systemic effects: 17.43 mg/kg/day
PNEC	<ul> <li>Fresh water; 0.943 mg/l</li> <li>Marine water; 0.094 mg/l</li> <li>Intermittent release; 3.44 mg/l</li> <li>STP; 24.8 mg/l</li> <li>Sediment (Freshwater); 7.2366 mg/kg</li> <li>Marine water; 0.7237 mg/kg</li> <li>Soil; 1.26 mg/kg</li> </ul> CETYL STEARYL ALCOHOL (CAS: 67762-27-0)
DNEL	Industry - Dermal; Short term systemic effects: 125 mg/kg/day Industry - Inhalation; Short term systemic effects: 220 mg/m <sup>3</sup> Industry - Dermal; Long term systemic effects: 125 mg/m <sup>3</sup> Industry - Inhalation; Long term systemic effects: 220 mg/m <sup>3</sup> Consumer - Dermal; Short term systemic effects: 75 mg/kg/day Consumer - Inhalation; Short term systemic effects: 65 mg/m <sup>3</sup> Consumer - Oral; Short term systemic effects: 75 mg/kg/day Consumer - Dermal; Long term systemic effects: 75 mg/kg/day Consumer - Inhalation; Long term systemic effects: 65 mg/m <sup>3</sup>

PNEC	Consumer - ; Long term 75 mg/kg - Fresh water; 0.00156 mg/l - Marine water; 0.000156 mg/l - STP; 0.000011 mg/l - Sediment (Freshwater); 16 mg/kg - Sediment (Marinewater); 1.6 mg/kg - Soil; 13 mg/kg
8.2. Exposure controls	
Hygiene measures	Wash hands thoroughly after handling.
SECTION 9: Physical and Ch	emical Properties
9.1. Information on basic phys	sical and chemical properties
Appearance	Aerosol.
Colour	White.
Odour	Perfume.
9.2. Other information	
SECTION 10: Stability and re	activity
10.1. Reactivity	
Reactivity	There are no known reactivity hazards associated with this product.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures and when used as recommended.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	Not determined.
10.4. Conditions to avoid	
Conditions to avoid	Avoid heat, flames and other sources of ignition.
10.5. Incompatible materials	
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
10.6. Hazardous decompositi	on products
Hazardous decomposition products	Thermal decomposition or combustion products may include the following substances: Carbon dioxide (CO2). Carbon monoxide (CO).
SECTION 11: Toxicological ir	formation
11.1. Information on toxicolog	ical effects
Inhalation	Vapours may cause drowsiness and dizziness.
Inhalation Ingestion	Vapours may cause drowsiness and dizziness. May cause discomfort if swallowed.

14.5. Environmental hazards

# ST Tropez Gradual Tan Mousse

12.1. Toxicity 12.2. Persistence and degrada	hility
	The product is expected to be biodegradable.
12.3. Bioaccumulative potentia	
Bioaccumulative potential	The product is not bioaccumulating.
-	The product is not bloaddurnaliding.
<u>12.4. Mobility in soil</u> 12.5. Results of PBT and vPvB	assessment
Results of PBT and vPvB assessment	This substance is not classified as PBT or vPvB according to current EU criteria.
12.6. Other adverse effects	
Other adverse effects	Not determined.
SECTION 13: Disposal conside	erations
13.1. Waste treatment method	S
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
SECTION 14: Transport inform	nation
14.1. UN number	
UN No. (ADR/RID)	1950
UN No. (IMDG)	1950
UN No. (ICAO)	1950
14.2. UN proper shipping name	
Proper shipping name (ADR/RID)	AEROSOLS
Proper shipping name (IMDG)	AEROSOLS
Proper shipping name (ICAO)	AEROSOLS
Proper shipping name (ADN)	
14.3. Transport hazard class(e	s)
ADR/RID class	2.1
IMDG class	2.1
ICAO class/division	2.1
Transport labels	
14.4. Packing group	
ADR/RID packing group	5F

Environmentally hazardous substance/marine pollutant No.

(D)

### 14.6. Special precautions for user

**Tunnel restriction code** 

## 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
Guidance	Workplace Exposure Limits EH40.

# Workplace Exposure Limits EH40.

#### 15.2. Chemical safety assessment

SECTION 16: Other information	
Revision date	18/02/2016
Revision	1.0
SDS number	25777
Risk phrases in full	R12 Extremely flammable.
Hazard statements in full	H220 Extremely flammable gas. H222 Extremely flammable aerosol. H229 Pressurised container: may burst if heated H280 Contains gas under pressure; may explode if heated. H400 Very toxic to aquatic life. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.