

Mercator Dealer Catalogue

 **MERCATOR**
CREATE • INSPIRE • INNOVATE



Wherever you are, we are.

At Mercator, we want to put the power in your hands. Using our online tools, you can get the information you need whenever you need it and from wherever you are. We are at your side 24/7, offering you inspirational, relevant and helpful digital resources that can be easily accessed from your computer, phone or tablet.

Check out these tools on our website.

 mercator.com.au



Welcome to the 2022 Dealer Catalogue

Mercator is proud to release the 2022 Dealer Catalogue, filled with new and exciting products that showcase the latest designs and technology around the world.



At Mercator, we are committed to providing customers with high quality, innovative products across the decorative and trade markets. Our team continues to create, inspire and innovate through focusing on developing an extensive range of products that serve the needs of consumers and electricians alike, with new trends and inspired styles as well as the latest electrician-friendly innovations. Our determination to exceed the needs of our customers ensures that we set the benchmark in design, innovation and quality.

Mercator constantly strives to deliver superior service to our customers by offering products of the highest quality alongside merchandising solutions and exceptional customer service support. Our friendly and knowledgeable customer service team is committed to providing customers with technical advice and support across our ever expanding product offering.

The team at Mercator hope this catalogue will be a source of inspiration, and we thank you for your trust and support as our loyal customer. We are excited to provide you with the support you need to grow your business and achieve success.

MERCATOR ikuü

CREATE • INSPIRE • INNOVATE




mercator.com.au

ikuu.com.au



*3 year warranty unless marked otherwise on product packaging.



Visit Our Website or Call

Achieve your home automation goals with the Mercator Ikuü system.

[ikuu.com.au](https://www.ikuu.com.au)

View a range of guides, inspirational and instructional blog posts, videos and FAQs.

Call our customer care team to access a broad range of support:

1300 552 255

- Product advisors
- Pairing and app set-up guidance
- Voice control experts
- In-home commissioning service
- Automation coaches
- On-hand licensed electricians
- Electrical engineers
- Networking specialists
- Technical advisors

Design Trends

Mercator offer collections to suit every taste. New looks this season include inspired naturals, urban collection and modern classics.

inspired naturals

beautiful subdued colour palette highlighted with a mix of natural and man-made materials



key finishes



MERCATOR
handmade bamboo



MERCATOR
ribbed textures



MERCATOR
natural timber

urban collection

streamlined minimalistic shapes paired with industrial metals and dark tones




bold forms



timber detail




timeless design




antique brass detail

key finishes




MERCATOR
matte black




MERCATOR
clear glass

modern classics

classic designs are renewed with modern shapes and timeless materials




key finishes



MERCATOR
pleated
fabric



MERCATOR
brushed
brass



MERCATOR
smoke glass



Discover our range of versatile and modern decorative fans




The latest lighting designs to inspire your living space



Sales Order Hotlines

 1300 552 255

 1300 552 256

General & Accounts Enquiries

VIC Head Office

VIC Showroom


Mercator Pty Ltd
Caribbean Park
36 Lakeview Drive
Scoresby VIC 3179


 03 9302 6200

 03 9302 6262

NSW & ACT Office


Mercator Pty Ltd
Unit 24
56 O'Riordan Street
Alexandria NSW 2015


 1300 552 255

 1300 552 256

Queensland

Mercator Pty Ltd
Aushomes Building
Level 2 Reception
55-66 Perrin Drive
Underwood QLD 4119

 1300 552 255

 1300 552 256

WWW.MERCATOR.COM.AU



General Information

All hard wired electrical products must be installed by a qualified electrician.

Measurements

All measurements within this manual are in millimeters and are designed to be used as a guide only. Measurements may vary slightly to those within this manual and may be modified for design or enhancement purposes. Mercator reserves the right to cancel or change all products without any prior notice. EXT indicates the extension from the wall or ceiling to the outer edge of the product.

Images

Minor design changes or alterations may result in slight variations between the product shown in this catalogue and the final product.

CONTENTS

Mercator Ikuü	20
Pendants	54
Decorative Table & Floor Lamps	98
Task Table & Floor Lamps	130
Night Lights	142
DIY	146
Ceiling Fixtures	158
Interior Wall Lights	168
Outdoor	180
Track Lights & Accessories	210
Spotlights	216
Strip Lights	224
Downlights	228
Battens	246
Floodlights	258
Commercial	272
Sensors	280
Globes	286
Ceiling Fans & Accessories	314
Portable Fans & Wall Fans	378
Exhaust Fans & Bathroom Heaters	386
Heaters	406
Electrical Accessories	412
Warranty & Technical Information	422

The breakdown in lighting



Lumens v Watts

Lumens is the measurement of the total light output emitted by a fixture or globe. The higher the lumen rating, the brighter the light. The lower the lumen rating, the duller the light.

Watts is the measurement of the amount of power consumed by the light fitting in order to function. When it comes to traditional incandescent globes the general rule is that the higher the wattage, the brighter the light. However, the use of LED or energy efficient globes allows you to use light fixtures that reduce your power consumption without a reduction in light output.

As globes & light fittings are produced in varying levels of watts/lumen ratios, it is best when buying a product to not only ensure it is within the wattage recommended by the supplier, but also pay close attention to the lumen performance to ensure you are using a globe that performs appropriately.

Low Lumen Output



High Lumen Output



Colour Rendering Index

Colour Rendering Index (CRI) is the rating given to a light source's ability to reveal the true colour of an object to the human eye in comparison to a natural light source. The CRI of a product is reflected as a rating between 0 – 100. The higher the rating, the better the colour rendering ability of the globe. Light sources that rate between 85 and 90 are considered to have good colour rendering ability. Globes above 90 CRI have excellent colour rendering ability.

CRI 80



CRI 70



CRI 60



Colour Temperature

Colour Temperature is the means of determining the light appearance provided by a light globe or fixture. It is usually measured in degrees Kelvin (K). Typical colour temperatures used within the Australian market are as follows:

Warm white – 2000K to 3000K

Neutral white – 3100K to under 4500K

Cool white – 4600K to 5900K

Daylight – 6000K plus

Globes with warmer colour temperatures are usually suitable for living rooms, kitchens and bedrooms. Globes with neutral, cool or daylight colour temperatures are suitable for garages, basements, studies and bathrooms.

3000K, WARM WHITE



4000K, NEUTRAL WHITE



5000K, COOL WHITE



6000K, DAYLIGHT WHITE



Reference

Globe Recommendation and Selection Guide

With a large variety of globes on the market, it can be difficult to find what you really need. To make this easier, we have included a table of recommended globes and wattages for each product to help simplify your selection.

Energy saving lamps, such as CFL, LED or energy saving halogen are sold in wattages much like regular incandescent globes, but they will use less power whilst producing the same or greater light output.

The Mercator manual details the globe type, base and maximum wattage recommended.

Remember: DO NOT exceed the recommended wattage for each product outlined in this manual, as our warranty may not apply if overheating occurs.


The maximum wattage specified is as per Australian Electrical Safety Standard.

The use of globes other than those specifically listed for each product is not recommended.

Summary of the globe types and equivalent wattages:



4W	6W	18W	25W
6W	9W	28W	40W
10W	12W	42W	60W
13W	15W	53W	75W
18W	20W	70W	100W



Bulb Base

There are also a number of Base Types available. The following is a summary of the most commonly used base types in this manual.



Type: **E27**
 Desc: Edison Screw
 Type: Incandescent/Compact
 Fluorescent Lamp/LED



Type: **B22**
 Desc: Bayonet Cap
 Type: Incandescent/Compact
 Fluorescent Lamp/LED



Type: **E14**
 Desc: Small Edison Screw
 Type: Incandescent/Compact
 Fluorescent Lamp/LED



Type: **B15**
 Desc: Small Bayonet Cap
 Type: Incandescent/Compact
 Fluorescent Lamp/LED



Type: **GU10**
 Desc: Twisted Dichroic
 Type: Halogen/LED



Type: **R7s**
 Desc: Double Ended
 Type: Halogen



Type: **T5 Fluorescent**
 Desc: Circular
 Type: Fluorescent

REFERENCE

Globe Included Icons



Circular
Fluoro



R63
Globe



R80
Globe



Heat
Lamp



Heat Lamp
Linear

Icons




DIY (Do It Yourself)

This product can be installed without a qualified electrician, reducing the cost and time of installation.



LED

This product features energy efficient LED lamps or integrated LED.



Insulation Contact Rating*

Please see page 422 for explanation of icons.



Motion Sensor

This product contains a motion sensor, allowing the light to automatically switch on when the sensor detects movement. Note: some motion sensor products cannot be used with CFLs.



Changeable Colour Temperature

This product feature allows you to change the colour temperature of light by the click of an internal switch.



Dimmable

This product contains a dimmable driver offering the ability to adjust the intensity of light to suit the desired mood of any room.



Commercial Grade

This product features a 5 year warranty and is suitable for use in commercial applications.



Touch Lamp

This product contains a touch feature, allowing you to turn the product on and off with the touch of your hand.



IK Rating*

This product has an IK rating providing a degree of protection against impact.



UV Resistant

This product contains UV stabilising properties to protect from the long-term UV degradation effects from ultraviolet radiation.



IP Rating*

This product has an IP rating providing a degree of protection against the intrusion of solid objects, dust & water.



Alternating Current

Traditional style motor featuring high airflow. Higher energy consumption when compared to a DC motor.



Eco-Motor

Low energy consumption, super high airflow with whisper quiet operation.



Low Voltage

This product incorporates low voltage technology, giving a brighter light output.



With Light Model

This model is available with light or can be adapted to add a separate light kit.



Double Insulated

This product is Double Insulated.



USB Charging Port

USB port in base.



Bluetooth

Connect to speaker via Bluetooth.



Without-Light Model

This model does not feature a light.



RGB

This product feature allows you to select from the full colour spectrum.



Wireless Charging

This product contains a wireless charging feature.

WiFi



Wi-Fi is a widely available method of wireless communication used in some of our Mercator Ikuū products. There are no additional costs surrounding hubs/bridges/gateways.



Zigbee

Zigbee is a reliable and low latency method of wireless communication used in some of our Mercator Ikuū products. Mercator is a member of the Zigbee alliance.

How to keep a bathroom well ventilated

3 important factors determine how well an exhaust fan removes steam produced by showers/baths:

1 Extraction Rate

Selecting the right extraction rate of an exhaust fan involves 3 simple steps:

Calculate the room size.

Example: Volume of a 2.5m x 2.0m x 2.4m room = 12m³

For reasonably good ventilation an exhaust fan must be capable of replacing the air in a room about 15 times per hour (15 ACH). However a prolonged hot shower on a cold day may warrant more frequent air changes per hour to help get rid of excessive moisture in the air. If required choose a larger ACH value (>20).

Example: Required ACH = 15 x 12 = 180m³/h

Choose an exhaust fan with a higher extraction rate than the required ACH.

Example: Required extraction rate (>180m³/h) = 200m³/h

2 Adequate Cross Ventilation



Getting a decent exhaust fan with a sufficient air extraction rate alone does not guarantee that a room will be well ventilated.

A little planning before the fan installation is carried out goes a long way. To ensure that steam is effectively removed from your bathroom, the exhaust fan should be located, as far as practicable, opposite air intake openings so that cross breeze can traverse through the room.

3 Replenishment Of Exhaust Air

Discharged air must be adequately replenished by fresh air from the outside.

Typical sources of air intake are grilles, windows and the openings under doors. If a room has insufficient avenues for air intake, an exhaust fan can become noticeably noisier and cease to extract air effectively. Prolonged use of an exhaust fan inside an airtight bathroom may shorten the useful life of the motor.






There has never been a better time
to automate your home.

Affordable, Luxurious and Convenient

Anova Smart DC Ceiling Fan



Designed for Australian Electrical contractors.
See how easy it is to install Mercator Ikuü

Edith & Ava
Pendants

Mercator Ikuü is simple to install, quick to set up and easy to use. The intuitively designed app and broad range of affordable luxury products provide a convenient way to create an entirely personalised system that works the way you want.

To view the entire Mercator Ikuü range, visit www.ikuu.com.au



Touch



Use the app



Voice Command

A Complete Range of Products, All in a Single App

Mercator Ikuü provides a complete range of products all in a single app. This allows for enhanced flexibility and control over how your products interact with each other.



Voice control gives you even more flexibility in how you use your products. Mercator Ikuü is compatible with both Google Assistant and Amazon Alexa.


The app is available for iOS and android devices.

Mercator Ikuü has a product for every room. To see the full range visit www.ikuu.com.au



Access all your Mercator Ikuü devices from anywhere using WiFi or mobile data.





Download the Mercator Ikuü app from either the Google Play or Apple App Stores. Scan the QR code to download the app.

Hands Full? Try Voice Control

Voice control gives you the flexibility of controlling your products without having to use a mobile device or physical switch.

Access a wide range of features including adjusting the brightness of your lights, turning devices on or off or activating scenes.

“turn on the
kitchen lights”






Peace of Mind

Worried that you left something on when you left the house? With Mercator Ikuü, you can check your appliances from anywhere and turn them off remotely if needed.

Smart IR universal remotes can control any IR device such as AC units and TVs.

Power points can turn non-smart products such as heaters on or off.

- Save the environment, and your wallet
- Track your energy costs with power monitoring
- View your live energy use
- Compare the energy usage of previous months



Double Power Point with USB



Motion Sensor



Temperature Sensor



Light Switch



Universal IR Remote





Downlight

Easy Retrofit

With Mercator Ikuü, you can easily upgrade to a smart home system without replacing existing non-smart products.

Mercator Ikuü switches, power points and the smart universal remote can transform existing non-smart products, such as lights, TVs and air conditioners, into smart products controlled via the app or voice.



Single adaptor



Dimmer Light Switch



Hampton Pendants

Clare Ceiling Fan



Fan Switch



Double Power Point



Universal IR Remote



Light Globe

A Light Switch, but More...

Motion, contact and temperature sensors ensure your products respond to your daily routine, automatically.




Scheduling and count-down timers ensure you can have your product turning on and off, precisely when you need it.



Light switches also available in black

32



Control your bathroom heater via a Mercator Ikuu smart wall switch.



Domino 3-in-1 Bathroom Heater



Light Switch

Environmental Sensor

Contact Sensor

Motion Sensor



Strip Light



Light Switch




Inline Switch



Single Power Point

Smart Security Solutions

Enjoy perfectly illuminated outdoor lighting with Mercator Ikuü's automation sunrise and sunset options.



Outdoor Power Point



Inline Switch [cavity install]



Video Door Chime

Receive alerts when motion is detected outside your home, for peace of mind while you're away or when you're calling it a night.



Motion Sensor



90mm Downlight



Outdoor Single Adaptor

Wiring Accessories



Zigbee is a reliable and low latency method of wireless communication. It features mesh technology for greater range making it easier to configure a whole-of-home solution.

Many Mercator Ikuü Zigbee products are Zigbee 3.0 compliant. With 2 different hub options, Zigbee can cater to both residential and commercial settings. By using a hub, it is much easier to pair and control large numbers of products.



WiFi is a widely available method of wireless communication.

There are no additional costs surrounding hubs/bridges/gateways.



SGW002


Home Hub can connect to up to 50 Mercator Ikuü Zigbee products.



SGW003

Pro Hub can connect to up to 200 Mercator Ikuü Zigbee products.

SINGLE SWITCH



Product Code	Protocol	Rating	Neutral	Colour Options	Minimum Load Required
SSW01G	Zigbee	2A	Not required	White	Y
SSW01G-WIFI	WiFi	10A	Required	White	N
SSW01GMBK	Zigbee	2A	Not required	Black	Y

DOUBLE SWITCH



Product Code.	Protocol	Rating	Neutral	Colour Options	Minimum Load Required
SSW02G	Zigbee	2A	Not required	White	Y
SSW02G-WIFI	WiFi	10A	Required	White	N
SSW02GMBK	Zigbee	2A	Not required	Black	Y

TRIPLE SWITCH



Product Code.	Protocol	Rating	Neutral	Colour Options	Minimum Load Required
SSW03G	Zigbee	2A	Not required	White	Y
SSW03G-WIFI	WiFi	10A	Required	White	N
SSW03GMBK	Zigbee	2A	Not required	Black	Y

QUAD SWITCH



Product Code.	Protocol	Rating	Neutral	Colour Options	Minimum Load Required
SSW04G	Zigbee	2A	Not required	White	Y
SSW04-WIFI	WiFi	10A	Required	White	N
SSW04GMBK	Zigbee	2A	Not required	Black	Y

DIMMER SWITCH



Product Code.	Protocol	Rating	Neutral	Colour Options	Minimum Load Required
SSWD01G	Zigbee	250W	Not required	White	Y
SSWD01G-WIFI	WiFi	250W	Required	White	N
SSWD01GMBK	Zigbee	250W	Not required	Black	Y

FAN CONTROLLER



Product Code.	Protocol	Rating	Neutral	Colour Options
SSWF01G	Zigbee	150W	Required	White
SSWF01G-WIFI	WiFi	150W	Required	White

SINGLE POWER POINT



Product Code.	Protocol	Rating	Neutral	Colour Options	Power Monitoring
SPP01G	Zigbee	10A	Required	White	Yes
SPP01-WIFI	WiFi	10A	Required	White	Yes

DOUBLE POWER POINT



Product Code.	Protocol	Rating	Neutral	Colour Options	Power Monitoring
SPP02G	Zigbee	10A	Required	White	Yes
SPP02G-WIFI	WiFi	10A	Required	White	Yes
SPP02GMBK	Zigbee	10A	Required	Black	Yes

DOUBLE POWER POINT with USB



Product Code.	Protocol	Rating	Neutral	Colour Options	Power Monitoring
SPPUSB02G	Zigbee	10A	Required	White	Yes
SPPUSB02G-WIFI	WiFi	10A	Required	White	Yes
SPPUSB02GMBK	Zigbee	10A	Required	Black	Yes

QUAD POWER POINT



Product Code.	Protocol	Rating	Neutral	Colour Options	Power Monitoring
SPP04G	Zigbee	10A	Required	White	Yes
SPP04G-WIFI	WiFi	10A	Required	White	Yes

OUTDOOR POWER POINT IP54



Product Code.	Protocol	Rating	Neutral	Colour Options	Power Monitoring
SPP02GIP	Zigbee	10A	Required	White	Yes
SPP02GIP-WIFI	WiFi	10A	Required	White	Yes

INLINE SWITCH



Product Code.	Protocol	Rating	Neutral	Colour Options	With Dimmer
SISW01	Zigbee	10A	Required	White	No
SISW01-WIFI	WiFi	10A	Required	White	No
SISWD01	Zigbee	250W	Required	White	Yes
SISWD01-WIFI	WiFi	250W	Required	White	Yes

PLUG BASE



Product Code.	Protocol	Rating	Neutral	Colour Options	Power Monitoring
SPBS01G	Zigbee	10A	Required	White	No
SPBS01G-WIFI	WiFi	10A	Required	White	No

SWITCH



Product Code.	Protocol	Rating	Neutral	Colour Options	With Dimmer	Power Monitoring
SSWM	Zigbee	400W	Not Required	White	No	No
SSWM-WIFI	WiFi	400W	Not Required	White	No	No
SSWM-DIMZ	Zigbee	250W	Not Required	White	Yes	No
SSWM-DIM	WiFi	250W	Required	White	Yes	No

RE-WIREABLE PLUG



Product Code.	Protocol	Rating	Neutral	Colour Options	Power Monitoring
SPLUGR01	WiFi	10A	Required	White	No

GILBERT Security Camera

SSC336

- 1080p with night mode
- Two-way audio. Stream 24/7
- 100° viewing angle
- Optional recording via SD card [not included]



MARION Security Camera

SSC009

- 1080p pan and tilt with night mode
- Two-way audio. Stream 24/7
- 100° viewing angle
- Optional recording via SD card [included]



VIDEO DOORBELL

SDC8G

- 1080p with night mode
- Two-way audio. Stream 24/7
120° viewing angle
- Optional recording via SD card [16GB included]
- 12V DC Adaptor



MOTION SENSOR Battery

SMA02P

- Detects and tracks motion
- Battery based for versatile installation locations
- Offers historical tracking



ENVIRONMENTAL SENSOR Battery

SMA03P

- Detects and tracks temperature and humidity
- Battery based for versatile installation locations
- Offers historical tracking



CONTACT SENSOR Battery

SMA04P

- Detects and tracks contact
- Ideal for doors, cupboards and windows
- Battery based for versatile installation locations
- Offers historical tracking

● White



MOTION SENSOR

SXSEN002PIR

- Detects and tracks motion
- 12m detection range
- 360° detection angle.
- IP20

● White



MOTION SENSOR IP65

SXSEN003PIR

- Detects and tracks motion
- 12m detection range
- 180° detection angle.
- IP65

● White



ANOVA DC Ceiling Fan

FC1140BKWIFI / FC1140WHWIFI

- 1320mm
- Energy saving DC motor
- Adjust fan modes and direction

● Black

● White



ANOVA DC Ceiling Fan with Light



FC1148BKWIFI / FC1148WHWIFI

- 1320mm
- Energy saving DC motor
- Adjust fan modes and direction

- Black
- White

warm white to daylight



MINOTA DC Ceiling Fan

FC620133GBC / FC620133GBK/ FC620133GWH

- 1320mm
- Energy saving DC motor
- Adjust fan modes and direction

- Black
- White
- Brushed Chrome



MINOTA DC Ceiling Fan with Light



FC628133GBC / FC628133GBK/ FC628133GWH

- 1320mm
- Energy saving DC motor
- Adjust fan modes and direction

- Black
- White
- Brushed Chrome

warm white to daylight



CASA DC Ceiling Fan

FC790133GWW

- 1320mm
- Energy saving DC motor.
- Adjust fan modes and direction

● White



CASA DC Ceiling Fan with Light

FC798133GWW

warm white to daylight

● White



UNIVERSAL CEILING FAN REMOTE KIT

FRM86G

- Compatible with AC ceiling fans.
- Adjust fan speed
- Turn fan light on or off
- Countdown timers
- Includes receiver

● White



NIKOLA Ceiling Light

SMCL01

- CCT
- Dimmable
- 345mm diameter
- 22W
- 1700 lumens
- IP44 water resistant

● White

warm white to daylight



IKON Ceiling Light



SMCL01-ZB

- CCT
- Dimmable
- 330mm diameter
- 24W
- 300 lumens
- IP64 water resistant
- IK08 impact rating

● White



warm white to daylight



WALTER Downlights



SMD4106W / SMD4106W-ZB / SMD4109W / SMD4109W-ZB

- Dimmable
- CCT
- 70mm and 92mm cut-outs
- Wattage and lumens vary between models

● White



warm white to daylight



WALTER Downlights



SMD4106W-RGB / SMD4106W-RGB-ZB / SMD4109W-RGB / SMD4109W-RGB-ZB

- Dimmable
- CCT
- 70mm and 92mm cut-outs
- Wattage and lumens vary between models

● White



warm white to daylight



16 million colours




STRIP LIGHTS



SMLD233 / SMLD233-ZB / SMLD533 / SMLD533-ZB

- Dimmable
- CCT
- RGB
- Comes in 2m and 5m lengths
- 200 lumens per metre

● White



DONOVAN 36W Panel Light



SMD9300

- 36W
- 3600 lumens
- 1200mm x 300mm

● White



FORD 40W Batten Light



SMI7040 / SMI7040-WIFI

- CCT and dimmable
- 40W
- 4400 lumens.
- 1200mm

● White



RIDLEY Floodlight



SMFL20W / SMFL20W-ZB

- Dimmable
- 15W
- 1650 lumens

● Black



CANDLE GLOBE



S9B15LED12 / S9B15LED12-ZB / S9E14LED12 / S9E14LED12-ZB

- Dimmable
- B15 and E14
- 4W
- 380 lumens

● White



FANCY ROUND GLOBE



S9B15LED13 / S9B15LED13-ZB / S9E14LED13 / S9E14LED13-ZB

- Dimmable.
- B15 and E14.
- 4W
- 380 lumens

● White



CLASSIC GLOBE



S9B22LED9W-4K / S9B22LED9W-4K-ZB / S9E27LED9W-4K / S9E27LED9W-4K-ZB

- Dimmable
- E27 and B22
- 9W
- 950 lumens

● White



CLASSIC GLOBE



S9B22LED9W / S9E27LED9W / S9B22LED9W-ZB / S9E27LED9W-ZB

- Dimmable
- CCT
- E27 and B22
- 9.5W
- 806 lumens

● White



warm white to daylight



CLASSIC GLOBE



S9B22LED9W-RGB / S9B22LED9W-RGB-Z / S9E27LED9W-RGB / S9E27LED9W-RGB-Z

- Dimmable
- CCT
- RGB
- E27 and B22
- 9.5W
- 806 lumens

● White



warm white to daylight



16 million colours



PAR38 GLOBE

S9E27LEDP38 / S9E27LEDP38-ZB

- Dimmable
- CCT
- 15W
- 1350 lumens

● Black



warm white to daylight



GU10 GLOBE

S9GU10LED5 / S9GU10LED5-ZB

- Dimmable
- CCT
- 6W
- 420 lumens

● White



warm white to daylight



GU10 GLOBE

S9GU10LED5-RGB / S9GU10LED5-RGB-Z

- Dimmable
- CCT
- RGB
- 6W
- 420 lumens

● White



warm white to daylight

16 million colours



SINGLE ADAPTOR

SPLUG02

- Includes power meter
- Master on/off switch
- 50Hz, 10A max

● White



OUTDOOR SINGLE ADAPTOR

SPLUG03

- Includes power meter
- Master on/off switch
- 3 function scene switch
- IP44
- 50hz, 10A max

● White



UNIVERSAL IR REMOTE

SBIR01

- Can be used to control any IR device such as an air-con or TV
- In-built temperature and humidity sensor
- Each universal IR remote can control multiple IR devices as long as they are within line of sight of the IR remote



POWERBOARD

SPB04U

- Control each socket individually
- Master on/off switch
- 4.2A max USB output [combined]
- 10A 2400W max total load





Pendants


Style any home with our exquisite pendant collection, featuring on-trend designs in a range of looks to suit any living space.





SEFINA Pendant Range

MPLS533

- Bamboo and rattan pendant
- Natural bamboo and rattan shade
- Matt white metalware
- 200cm braided white fabric cord

● Natural



			
E27 6W	E27 9W	E27 28W	E27 40W







SAWYER Pendant Lamp Range

MPLS013

- Rattan pendant
- Rattan shade and painted metalware
- 200cm braided fabric cord

- Natural
- Black



			
E27 6W	E27 9W	E27 28W	E27 40W



* Matching floor lamps available

OASIS Pendant Range

MP3731S / MP3731L

- Plywood circular shade
- Brushed chrome highlights
- 150cm clear cord


● Natural



MP3731S



MP3731L



SM	E27 6W	E27 9W	E27 28W	E27 40W
LG	E27 6W	E27 9W	E27 28W	E27 40W
XL	E27 6W	E27 9W	E27 28W	E27 40W

PEETA Pendant Range


MG4231S / MG4231L

- Natural timber shade
- Brushed chrome metalware
- 120cm black fabric cord



● Natural



MG4231S



MG4231L



SM	E27 10W	E27 12W	E27 42W	E27 60W
LG	E27 10W	E27 12W	E27 42W	E27 60W

TIA Pendant Range

MPLS504


- Small and large pendant
- Natural rattan woven shade with fabric trim
- Clear PVC backing
- 150cm fabric cord
- Black trim with black metalware and cord
- Natural trim with white metalware and cord

- Black
- Natural





MPLS504-S

— 120 —



MPLS504-L

— 120 —



SM	E27 10W	E27 12W	E27 42W	E27 60W
LG	E27 10W	E27 12W	E27 42W	E27 60W





MACKENZIE Pendant Range

MPLS516

- Ribbed glass pendant
- Matt white ribbed glass shade
- FSC wood shade top
- Matt white metalware
- 200cm braided white fabric cord

● White



			
E27 6W	E27 9W	E27 28W	E27 40W

WHAT IS FSC?

The Forest Stewardship Council® (FSC®) is a global, market-based eco-label that promotes responsible management of the world's forests through standard setting and certification of both timber and non-timber forest products. FSC's forest management standards are developed by way of consensus to ensure environmentally appropriate, socially beneficial and economically viable forest management practices.




MOBY Pendant Range

MG4031S / MG4031L

- Concrete & timber shade
- Chrome canopy
- 120cm black fabric cord

● Concrete



SM	E27 4W	E27 6W	E27 18W	E27 25W
LG	E27 6W	E27 9W	E27 28W	E27 40W


*Matching table lamp available.

DANSKA 1Lt Pendant

MG6331

- Concrete shade with timber
- 120cm black fabric cord

● Concrete




E27 4W	E27 6W	E27 18W	E27 25W

MORRISEY Pendant Range

MG6031S / MG6031L

- Ceramic patterned shade
- Oak timber accent and canopy
- 120cm white fabric cord

● White



SM	E27 6W	E27 9W	E27 28W	E27 40W
LG	E27 10W	E27 12W	E27 42W	E27 60W







MILFORD Pendant Range

MPLS509

- Double layer wire mesh shade
- 100cm fabric cord

● White



			
E27 6W	E27 9W	E27 28W	E27 40W





PICTON Pendant Range

MPLS508

- Three tier wire mesh shade
- 100cm fabric cord

● White





			
E27 6W	E27 9W	E27 28W	E27 40W

KIRBY 1Lt Pendant

MG2831S

- Matt white metal shade
- Faux tan leather straps with natural timber buttons
- Glass uplight inside shade
- 120cmm white fabric cord

● White








MELBA Pendant Range

MP7131

- Matt black metalware or brushed brass
- Clear glass pendant
- 200cm cord

- Black
- Brushed Brass



			
E27 4W	E27 6W	E27 18W	E27 25W








EDEN Pendant Range

MPLS510

- Cylindrical glass shade
- Chrome metalware
- 200cm clear PVC cord

- Amber
- Smoke



			
E27 4W	E27 6W	E27 18W	E27 25W





FALLON Pendant Range

MPLS519

- Industrial glass pendant
- Clear glass shade
- Plated metalware
- 200cm braided black fabric cord

- Antique Brass
- Brushed Chrome



DARBY Pendant Range

MPLS514

- Small and large glass pendant
- Antique brass metalware
- 200cm black fabric cord

- Clear
- Smoke



SM	E27 4W	E27 6W	E27 18W	E27 25W
LG	E27 4W	E27 6W	E27 18W	E27 25W



BELMONT Pendant Range

MG2331

- Black chrome metalware
- Bevelled glass shade
- 120cm black fabric cord

- Clear
- Cognac
- Smoke



E27 4W	E27 6W	E27 18W	E27 25W




TOLEDO Pendant Range

MP1631

- Chrome metalware
- Clear glass shade
- 150cm clear cord suspension

● Chrome



*Special Note: Opening hole in clear glass
25cm – 90mm
30cm – 104mm


E27 10W	E27 12W	E27 42W	E27 60W

MADRID Pendant Range

MG1631S / MG1631M

- Brushed brass metalware
- Clear glass shade
- 150cm black fabric cord

● Brushed Brass



*Special Note: Opening hole in clear glass
25cm – 90mm
30cm – 108mm
40cm – 135mm


SM/MD	E27 4W	E27 6W	E27 18W	E27 25W
LG	E27 6W	E27 9W	E27 28W	E27 40W

HAMPTON Pendant Range

MG8731S / MG8733L

- Matt black metalware
- Clear glass shade
- 150cm black cord & chain suspension

● Matt Black



1L	E27 6W	E27 9W	E27 28W	E27 40W
3L	E27 6W	E27 9W	E27 28W	E27 40W


AMAR Pendant Range



MPLS001BLK-S/ MPLS001BLK-L

- Small and large LED pendant
- Dimmable and colour temperature changing
- Matt black shade
- Switch on shade
- 150cm wire cord

● Black




Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable
MPLS001BLK-S	25W	2700-6500K	25W LED	1500lm	Yes
MPLS001BLK-L	30W	2700-6500K	30W LED	1900lm	Yes

CULLEN Pendant Range

MPLS503/MPLS503M

- 2Lt and 4Lt LED pendant
- Opal glass shades
- Matt black metalware
- 139cm adjustable telescopic rod

● Black




Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable
MPLS503	1x8W&4W	3200K	8W&4W LED	800lm	No
MPLS503-M	2x8W&2x4W	3200K	8W&4W LED	1500lm	No

FINLEY 1Lt Pendant

MPLS027

- Matt black double layer rattan shade
- Matt black metalware
- 200cm black fabric cord

● Black



*Matching floor lamp available.





CALICO 1Lt Pendant

A49731

- Matt white shade with light plywood and brushed chrome
- Matt black shade with dark plywood and brushed brass
- 120cm fabric cord

- Black
- White



*Matching floor lamp available.



ARMSTRONG LED Pendant



ML7437 / ML7450

- Matt black metalware
- White silicone diffuser
- Leading & trailing edge dimmable
- 3 wire suspension

● Black



Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable
ML7437	35W	3000K	35W LED	1300lm	Yes
ML7450	45W	3000K	45W LED	1600lm	Yes



FITZGERALD LED Pendant



ML7224

- Matt black or matt white metal shade
- Timber veneer
- 200cm matching black or clear cord & wire suspension
- Compatible with leading & trailing edge dimmers

- Black
- White



Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable
ML7224	24W	3000K	24W LED	2150lm	Yes

ADENA Pendant Range

MPLS515

- Matt painted wire shade
- Matt painted metalware
- 200cm black or white chain suspension with black or white PVC cord

- Black
- White




E27 6W	E27 9W	E27 28W	E27 40W

LOIS Pendant Range

MG4931

- Painted matt metalware with timber shade top
- Fabric cord
- Timber canopy

- Black
- White




E27 4W	E27 6W	E27 18W	E27 25W

NOEL Pendant Range

MP4931

- Painted matt metalware with natural timber top
- Fabric cord and canopy

- Black
- White



SM	E27 4W	E27 6W	E27 18W	E27 25W
LG	E27 6W	E27 9W	E27 28W	E27 40W

FELTON Pendant Range

MPLS511

- Small and large metal shade pendant
- Painted sand finish metal shade
- 200cm fabric cord

- Matt Black
- Matt White



SM	E27 4W	E27 6W	E27 18W	E27 25W
LG	E27 6W	E27 9W	E27 28W	E27 40W



MARLEY 1Lt Pendant

MP0931WHT

- Painted metal shade & canopy
- Wooden shade top
- 150cm white fabric cord

- White



E27 10W	E27 12W	E27 42W	E27 60W



EDITH Pendant Range

MPL506

- Round metal frame pendant
- Opal glass ball frame 18cmD
- 200cm black fabric cord

- Brushed Brass
- Black





E14 4W	BE14 6W	E14 18W	E14 25W

CORDET 1Lt Pendant

MP1131

- Chrome metalware
- Clear glass shade
- Round and square canopy included
- Transformer not included
- Globes included

- Chrome








AVA Pendant Range

MPL505BLK / MPL505BRS

- Oval metal frame pendant
- Opal glass ball shade
- Opal glass ball frame 18cmD
- 200cm black fabric cord

- Brushed Brass
- Black



			
E14 4W	BE14 6W	E14 18W	E14 25W








CANTERBURY Pendant Range

CE2131 / CE2133 / CE2134

- Matt black metalware
- Clear glass rods
- Black metal chain with clear PVC cord

● Matt Black




				
1L	E27 6W	E27 9W	E27 28W	E27 40W
3L	E27 4W	E27 6W	E27 18W	E27 25W
4L	E27 4W	E27 6W	E27 18W	E27 25W





OLYMPIA Pendant Range

CE4121 / CE4123 / CE4124

- Matt black metalware
- Clear crystal panels
- 120cm black cord & matt black metal chain

● Black



				
1L	E27 6W	E27 9W	E27 28W	E27 40W
3L	E27 4W	E27 6W	E27 18W	E27 25W
4L	E27 4W	E27 6W	E27 18W	E27 25W



YORK Pendant Range


MG7033BLK / MG7035BLK

- 3Lt, 5Lt & 6Lt pendant
- Matt black frame & metalware
- Candelabra lamp holder with swivel rod
- 200cm black PVC cord & chain


● Black







MG7033BLK



MG7035BLK




				
3L	E14 6W	E14 9W	E14 28W	E14 40W
5L	E14 6W	E14 9W	E14 28W	E14 40W
6L	E14 6W	E14 9W	E14 28W	E14 40W

LIVERPOOL Pendant Range

MG6123 / MG6124 / MG6125

- Sand black metalware
- Clear glass panels
- Swivel joint on canopy for single rod models
- 23cm + 23cm + 13cm rods included
- 75cm extra cord supplied

● Black



3L	E27 4W	E27 6W	E27 18W	E27 25W
4L	E27 4W	E27 6W	E27 18W	E27 25W
5L	E27 4W	E27 6W	E27 18W	E27 25W

MANCHESTER Pendant Range

MG6221S / MG6221L / MG6223

- Matt black metalware
- Clear glass panels
- Swivel joint on canopy for single rod models
- 110cm cord
- 23cm + 23cm + 13cm rods included

● Black



1L	E27 10W	E27 12W	E27 42W	E27 60W
3L	E27 10W	E27 12W	E27 42W	E27 60W

*Matching DIY model available.

SUTTON Pendant Range

MPLS512S / MPLS512L

- Small and large sphere pendant
- Bronze iron strip shade
- Bronze metalware
- 200cm black fabric cord

● Bronze

MPLS512S

- 120 -



MPLS512L

- 120 -



SM	E27 6W	E27 9W	E27 28W	E27 40W
LG	E27 6W	E27 9W	E27 28W	E27 40W

SUTTON Pendant Range

MPLS513

- Dome pendant
- Bronze iron strip shade
- Bronze metalware
- 200cm black fabric cord

● Bronze




E27 6W	E27 9W	E27 28W	E27 40W

VANESSA Pendant Range

MP8021

- Aged brass metalware
- Cream linen shade
- 120cm white fabric cord
- 3Lt model with wire suspension

● Aged Brass



1L	E27 10W	E27 12W	E27 42W	E27 60W
3L	E27 6W	E27 9W	E27 28W	E27 40W





TERRENCE Pendant Range

MPLS502

- Metal shade pendant with stirrup shade top
- 200cm fabric cord
- Matt black with black cord
- Matt white with white cord
- Brushed brass with black cord

- Matt Black
- Brushed Brass
- Matt White



			
E27 10W	E27 12W	E27 42W	E27 60W

VERONA Pendant Range

A43431 / A43433

- Matt black with textured inner shade
- 100cm chain & black cord suspension (1lt)
- 83cm - 127cm telescopic arm suspension (3lt)

● Black




1L	E27 10W	E27 12W	E27 42W	E27 60W
3L	E27 10W	E27 12W	E27 42W	E27 60W

RAFAEL 3Lt Pendant

MG9233

- Aged nickel metalware with aged brass highlights
- Painted gold inner shade
- Gold PVC cord
- 120cm aged nickel chain

● Aged Nickel





E27 6W	E27 9W	E27 28W	E27 40W

KRISTOV Pendant Range

MG4131S / MG4131L

- Chrome metalware
- Electroplated smoke glass shade
- Concrete lamp holder cover
- 120cm black fabric cord

● Smoke




SM	E14 6W	E14 9W	E14 28W	E14 40W
LG	E27 10W	E27 12W	E27 42W	E27 60W

LAYA Pendant Range

MG6531S / MG6531L

- Brushed chrome canopy
- Natural timber lamp holder
- Clear glass shade
- 100cm clear PVC cord

● Timber





SM	E14 4W	E14 6W	E14 18W	E14 25W
LG	E27 4W	E27 6W	E27 18W	E27 25W

SOHO Pendant Range

MG9431S / MG9431L

- Pewter metalware
- Clear glass shade
- 120cm black fabric cord

● Pewter



SM	E27 4W	E27 6W	E27 18W	E27 25W
LG	E27 4W	E27 6W	E27 18W	E27 25W

*Also available in DIY model



CORBY Pendant Range

MG9531

- Hand painted grey metal
- 120cm black fabric cord

● Pewter



LG	E27 10W	E27 12W	E27 42W	E27 60W

INDUSTRY 1Lt Pendant

MP9031

- Antique silver metal
- 100cm black fabric cord

● Antique Silver



E27 10W	E27 12W	E27 42W	E27 60W





GLADIATOR 1Lt Pendant

MP9131

- Painted charcoal finish
- 100cm black cord
- 85cm chain suspension

● Charcoal





FIONA 7Lt Pendant

MP6937

- Matt black metalware
- 120cm black cord
- Globes sold separately

● Matt Black



TONIC Pendant Range


MG9031S / MG9031L





- Matt black metal with antique copper rim
- Antique copper chain and canopy
- 120cm black cord

● Black

MG9031S

MG9031L



				
SM	E27 6W	E27 9W	E27 28W	E27 40W
LG	E27 6W	E27 9W	E27 28W	E27 40W




PRISMA Pendant Range

MP4421 /

- Matt black metalware
- Brushed brass lamp holders
- 120cm black cord & chain suspension
- Swivel joint on lamp holder rod

● Matt Black with Brushed Brass



1L	E27 6W	E27 9W	E27 28W	E27 40W
3L	E27 4W	E27 6W	E27 18W	E27 25W








ZAPPA 6Lt Pendant

MG7136

- Matt black metalware
- Copper lamp holders
- Adjustable black cords up to 130cm

● Black/Copper



			
E27 10W	E27 12W	E27 42W	E27 60W





Decorative Table & Floor Lamps

Complete the look of any living space
and delight your senses with our decorative
collection of table and floor lamps.

PARO Decorative Lamp



A38011

- Table switch: 3 stage touch
- Metal base
- Opal glass shade
- Black cord

● Brushed Chrome



-	-	E27 42W	E27 60W

*Not recommended for use with CFL or LED globes

CUBE Decorative Lamp



A44011T

- Table switch: on/off touch
- Metal base
- Opal glass shade
- Black cord

● Brushed Chrome



E27 10W	E27 12W	E27 42W	E27 60W

HARLOW Decorative Lamp



A71211

- Table switch: on/off touch
- Velvet fabric shade with white PVC backing
- Brushed brass base
- Clear PVC cord

● Grey
● Pink




E27 4W	E27 6W	E27 18W	E27 25W

EDDIE Decorative Lamp

A33511

- Table switch: cordline
- Natural timber base
- White mesh shade
- White cord

● White




E27 6W	E27 9W	E27 28W	E27 40W

BRADY Decorative Lamp

A35211

- Table switch: on/off touch
- Natural timber base
- Chrome metalware
- Cotton shade
- Clear cord

● White



E14 6W	E14 9W	E14 28W	E14 40W

THALIA Decorative Lamp

A45111

- Table switch: 3 stage touch
- Chrome metal laser cut lamp
- Glitter PVC diffuser
- Clear cord

● Chrome



-	-	E14 28W	E14 40W

*Not recommended for use with CFL or LED globes

BAHAMA Decorative Lamp

A37411

- Table switch: cordline
- Tropical palm print fabric shade
- Brushed brass base
- Black fabric cord

● Brushed Brass



E27 4W	E27 6W	E27 18W	E27 25W





FREYA Decorative Lamp

MTBL023BLK / MTBL023WHT

- Table switch: cordline
- Linen with laser cut patterned shade
- Matching black or white fabric cord
- Painted metal base
- Fabric cord

- Black
- White




			
E27 6W	E27 9W	E27 28W	E27 40W





HUDSON Decorative Lamp

MTBL025WHT / MTBL025PNK

- Table switch: cordline
- Ribbed concrete base
- Matching white or black fabric cord

- White
- Dusk Pink



			
-	E27 10W	-	-

*Globe not included

*Recommend for use with LED globe only


WINNIE Decorative Lamp

MTBL001-S / MTBL001-L


- Table switch: cordline
- White porcelain perforated shade
- White PVC cord

● White

MTBL001-S



MTBL001-L



E14 4W	E14 6W	E14 18W	E14 25W

AVERY Decorative Lamp

MTBL002

- Table switch: cordline
- White porcelain lantern fluted shade with natural rope handle
- Brushed chrome accents
- White PVC cord

● White



E27 4W	E27 6W	E27 18W	E27 25W

ELLIE Decorative Lamp

MTBL003

- Table switch: cordline
- White porcelain lantern shade with brass wire handle.
- white PVC cord

● White



E27 4W	E27 6W	E27 18W	E27 25W





ANNIE Decorative Lamp

MTBL011

- Table switch: cordline
- White marble lamp base with satin brass accent
- Black fabric cord

● Marble / Brass



			
E27 10W	E27 12W	E27 42W	E27 60W

*Globe not included





NORA Decorative Lamp

MTBL022WHT / MTBL022BLK

- Table switch: push bar
- Marble table lamp
- White or black fabric shade
- Chrome metalware with white marble base
- White fabric cord

● White
● Black



			
B22 6W	B22 9W	B22 28W	B22 40W





CHELSEA Table Lamp Range

MTBL029WHT

- Glowing base table lamp 1 x B22 and 1 x E27
- B22 upward lamp holder (shade) and E27 downward lamp holder (base)
- White linen shade
- Brushed chrome metalware
- Matt frost white glass base
- Braided white fabric cord with white cordline switch

● White



			
E27 4W	E27 6W	E27 18W	E27 25W
B22 10W	B22 12W	B22 42W	B22 60W



ALBION Table Lamp Range

MTBL031

- Crystal table lamp
- Pleated faux silk shade
- Clear crystal base with chrome metalware
- Clear PVC cord with clear cordline switch

- White
- Grey



E27 6W	E27 9W	E27 28W	E27 40W

LILIANA Decorative Lamp

A82311

- Table switch: cordline
- Oval black fabric shade with gold backing
- Painted gold leaf resin base
- Black fabric cord

- Gold



B22 10W	B22 12W	B22 42W	B22 60W





ELLIOT Decorative Lamp

A46111

- Table switch: cordline
- Matt metalware
- Brass trimmings
- Matching navy or white fabric cord

● Navy



			
E27 4W	E27 6W	E27 18W	E27 25W





NATALIA Decorative Lamp

A57811

- Table switch: push bar
- Brushed chrome highlights
- Natural linen fabric shade
- Cream ceramic base with teal print
- Black fabric cord

● Cream




			
B22 6W	B22 9W	B22 28W	B22 40W

JORDANA Decorative Lamp

MTBL021BLU / MTBL021GRY

- Table switch: push bar
- White linen shade
- Textured ceramic base
- Chrome metalware
- White fabric cord

- Blue
- Grey



B22 10W	B22 12W	B22 42W	B22 60W

BELGRAVE Decorative Lamp

MTBL019BLK / MTBL019GRY

- Table switch: on/off touch
- Linen shade
- Painted metal and satin nickel touch base
- Black fabric cord

- Charcoal
- Grey



E27 6W	E27 9W	E27 28W	E27 40W




MOBY Decorative Lamp

MG4061

- Table switch: cordline
- Concrete base with natural timber
- Linen shade
- Black fabric cord

● Concrete




*Matching pendant available

PAXTON Decorative Lamp

A29211

- Table switch: push bar
- Matt black concrete base
- Grey textured fabric shade
- Black nickel highlights

● Black







LOTTIE Decorative Lamp

A40211

- Table switch: push bar
- White terrazzo and natural timber base
- Aged brass highlights
- White fabric shade
- White fabric cord

● Terrazzo



			
B22 6W	B22 9W	B22 28W	B22 40W



MARIE Decorative Lamp

A57411

- Table switch: push bar
- Duck egg ceramic base with brushed brass
- Cream ceramic base with antique brass
- Faux silk shade
- Clear PVC cord

- Cream
- Duck Egg



B22 6W	B22 9W	B22 28W	B22 40W

FARROW Decorative Lamp

A57211

- Table switch: push bar
- Teal ceramic base
- White linen shade
- Chrome metalware
- Clear cord

- Teal



B22 10W	B22 12W	B22 42W	B22 60W





SONYA Decorative Lamp

A36011

- Table switch: push bar
- Aged brass metal & clear glass base
- White linen shade
- Clear cord

● Brass



			
B22 10W	B22 12W	B22 42W	B22 60W





MERCER Decorative Lamp

MTBL009WHT

- Table switch: cordline
- Linen fabric shade
- Brushed brass metal base and neck
- Black fabric cord

● White



			
E27 4W	E27 6W	E27 18W	E27 25W

SELENA Decorative Lamp

MTBL004CLR

- Table switch: push bar
- Velvet fabric shade
- Dimpled glass base
- PVC cord

● Clear/Navy



B22 10W	B22 12W	B22 42W	B22 60W

CAMPBELL Decorative Lamp

A28711S / A28711

- Table switch: on/off touch
- Chrome metal base
- Cotton shade
- Clear cord

● Black
● White



SM	B22 6W	B22 9W	B22 28W	B22 40W
LG	B22 10W	B22 12W	B22 42W	B22 60W



MOLLY Decorative Lamp



A48611

- Table switch: 3 stage touch
- Metal base
- Cream softback shade
- Black cord

- Antique Brass
- Brushed Chrome



-	-	E14 28W	E14 40W

*Not recommended for use with CFL or LED globes

OWEN Decorative Lamp



A48211

- Table switch: 3 stage touch
- Pleated faux silk shade
- Metal base with K9 crystal
- Clear cord

- Brushed Chrome



-	-	B22 28W	B22 40W

*Not recommended for use with CFL or LED globes

BONITA Decorative Lamp



A28412

- Table switch: on/off touch
- 2Lt touch lamp
- Brushed chrome with chrome highlights or antique brass with brushed brass highlights
- Frosted glass shade
- Black cord

- Brushed Chrome
- Antique Brass



2L	E14 4W	E14 6W	E14 18W	E14 25W

HILDA Decorative Lamp



MTBL018AB

- Table switch: 3 stage touch
- White fabric shade
- Brushed metal touch base
- Clear PVC cord

- Antique Brass





E27 6W	E27 9W	E27 28W	E27 40W

BILLIE Table and Floor Lamp Range

MTBL006 / MFL006

- Table switch: cordline
- Floor switch: foot switch
- Grey linen pattern cut-out shade
- Natural FSC rubber wood base
- White fabric cord

● Grey/Natural



TL	E27 6W	E27 9W	E27 28W	E27 40W
FL	E27 6W	E27 9W	E27 28W	E27 40W

CLINTON Table and Floor Lamp Range

A82211 / A82222

- Table switch: cordline
- Floor switch: foot switch
- Dark grey metalware
- Brushed brass and dark timber highlights
- Dark grey fabric cord

● Dark Grey



E27 4W	E27 6W	E27 18W	E27 25W





ADDISON Table and Floor Lamp Range

A29111 / A29121

- Table switch: cordline
- Floor switch: foot switch
- Matt jade or matt white painted metal shade
- Brushed brass metalware
- White marble base
- Clear PVC cord

- Jade/Brass
- White/Brass





TL	E27 4W	E27 6W	E27 18W	E27 25W
FL	E27 4W	E27 6W	E27 18W	E27 25W

AINSLEY Table and Floor Lamp Range

MTBL012 / MFL012

- Table switch: cordline
- Floor switch: foot switch
- Matt black metal shade
- Satin brass metalware and white marble base
- Black fabric cord

- Black/Brass




TL	E27 4W	E27 6W	E27 18W	E27 25W
FL	E27 4W	E27 6W	E27 18W	E27 25W

BURNLEY Table and Floor Lamp Range

MTBL024 / MFL024

- Table switch: cordline
- Floor switch: foot switch
- Matt black mesh shade
- Matt black and antique brass adjustable pole with antique brass screw
- Black fabric cord

● Matt Black/Brass



TL	E27 10W	E27 12W	E27 42W	E27 60W
FL	E27 10W	E27 12W	E27 42W	E27 60W




LONSDALE Table and Floor Lamp Range

MTBL007 / MFL007

- Table switch: cordline
- Floor switch: foot switch
- Adjustable brushed brass shade
- Black metalware
- Floorlamp with adjustable pole
- Black PVC cord

● Black/Brass



TL	E27 4W	E27 6W	E27 18W	E27 25W
FL	E27 4W	E27 6W	E27 18W	E27 25W



ARIZONA Table and Floor Lamp Range

A38511 / A38522

- Table switch: cordline
- Floor switch: foot switch
- Sand black finish
- Brushed brass highlights
- Black mesh shades
- Adjustable shades
- Black cord

● Black





TL	E27 4W	E27 6W	E27 18W	E27 25W
2L FL	E27 4W	E27 6W	E27 18W	E27 25W

BENJAMIN Table and Floor Lamp Range

A87111 / A87121

- Table switch: toggle on shade
- Floor switch: toggle on shade
- Matt black metalware
- Antique copper highlights
- Adjustable shade
- Black fabric cord

● Black/Copper



TL	E27 4W	E27 6W	E27 18W	E27 25W
FL	E27 6W	E27 9W	E27 28W	E27 40W

BALMORAL Table and Floor Lamp Range

A87411 / A87421

- Table switch: cordline
- Floor switch: foot switch
- White glass shade
- Matt black metalware
- Aged brass highlights

● Matt Black



TL	E27 4W	E27 6W	E27 18W	E27 25W
FL	E27 4W	E27 6W	E27 18W	E27 25W

MARILYN Table and Floor Lamp Range

MG3961 / MG3981

- Table switch: cordline
- Floor switch: foot switch
- White frosted glass shade
- Aged metalware
- Black fabric cord

● Aged Brass



TL	E27 4W	E27 6W	E27 18W	E27 25W
FL	E27 4W	E27 6W	E27 18W	E27 25W



* Matching pendant also available

ESTER Table and Floor Lamp Range

MTBL017 / MFL017

- Table switch: cordline
- Floor switch: foot switch
- Grey faux silk shade
- Chrome metal base with clear glass accents
- Clear PVC cord

● Chrome





TL	E27 6W	E27 9W	E27 28W	E27 40W
FL	E27 10W	E27 12W	E27 42W	E27 60W

MARINA Table and Floor Lamp Range

31316-47 / 32316-47

- Table switch: cordline
- Floor switch: foot switch
- Adjustable ribbed glass shade
- Adjustable antique brass pole
- Black PVC cord

● Antique Brass




TL	E27 10W	E27 12W	E27 42W	E27 60W
FL	E27 10W	E27 12W	E27 42W	E27 60W

CALICO Decorative Lamp

A49721

- Floor switch: foot switch
- Matt stone & light plywood with brushed chrome
- Matt black & dark plywood with brushed brass
- Matching grey or black fabric cord



- White
- Stone
- Black



*Matching pendant available

E27 6W	E27 9W	E27 28W	E27 40W

ALFRED Decorative Lamp

A86321

- Floor switch: foot switch
- Matt black & dark walnut timber with brushed brass
- Matt white & natural timber with brushed chrome
- Matching black or cream fabric cord



- Black
- White




E27 6W	E27 9W	E27 28W	E27 40W

SAWYER Decorative Lamp





MFL013BLK / MFL013NAT

- Floor switch: foot switch
- Rattan basket shade
- Matt painted metalware
- Matching white or black fabric cord

- Black
- White/Natural



*Matching pendant available



			
E27 6W	E27 9W	E27 28W	E27 40W

FINLEY Decorative Lamp

MFL027

- Floor switch: foot switch
- Matt black double layer rattan shade
- Matt black metalware
- Black fabric cord

● Black



E27 6W	E27 9W	E27 28W	E27 40W


*Matching pendant available





PRINCE Decorative Lamp

A34121

- Floor switch: foot switch
- Dark wood with antique brass highlights
- Natural linen with brown fleck KD shade
- Black fabric cord

● Dark Wood



			
B22 12W	B22 14W	B22 42W	B22 60W





LUTON Decorative Lamp

MFL026

- Floor switch: foot switch
- Black tripod base with brushed brass detail
- White linen shade
- Black fabric cord

● Black/Brass



			
E27 6W	E27 9W	E27 28W	E27 40W




BUCKLEY Mother and Child Floor Lamp



A42722

- Floor switch: dual dimmer switches on pole
- Brushed chrome or black base
- Acrylic diffusers
- Black cord

- Black
- Brushed Chrome





Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable
A42722 (Mother Lamp)	18W	3200K	18W LED	1620lm	Yes
A42722 (Child Lamp)	5W	3200K	5W LED	450lm	Yes

GEORGIA Mother and Child Floor Lamp

A42922

- Floor switch: dual cordline switch
- Brushed chrome metal lamp
- Frosted glass diffusers
- Black PVC cord

- Brushed Chrome




Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable
A42922 (Mother Lamp)	16W	3000K	16W LED	1050lm	No
A42922 (Child Lamp)	4W	3000K	5W LED	330lm	No

LOGAN Uplighter

A46321

- Floor switch: foot switch
- Brushed chrome or antique brass base
- Alabaster glass shade
- Black cord

- Antique Brass
- Brushed Chrome




EMILIA Mother and Child Floor Lamp

A42822

- Floor switch: touch dimming switch
- White frosted glass diffusers
- Black PVC cord

- Black
- Brass
- Brushed Chrome



Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable
A42822 (Mother Lamp)	18W	3000K	18W LED	1620lm	Yes
A42822 (Child Lamp)	5W	3000K	5W LED	450lm	Yes



Task Table & Floor Lamps

The ultimate synergy of function and style,
these task lamps have all the features needed
to create the perfect working space.


LEVI Wireless Charging Speaker Lamp



MTL002

- Switch: 3-stage touch
- Wireless charging on base (5W)
- Bluetooth compatible speaker
- Matt white metal shade with acrylic diffuser
- Matt white plastic base with wood look wrapped top
- Touch dimmable on shade

● White



Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable
MTL002	4W	3500K	4W LED	165lm	Yes



TIMOTHY Wireless Charging Task Lamp



A21611

- Switch: on/off touch
- Colour changing technology
- Wireless charging
- Continuous touch dimmer switch
- Smart timer shutdown - 40 min
- Black or white PVC cord

- Black
- White



Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable
A21611	6W	2700K-6500K	6W LED	480lm	Yes

Note: this product is not suitable for charging high powered products such as tablets

EUGENE LED Task or Clamp Lamp



A96611

- Switch: on/off touch
- Touch dimmable
- Colour changing touch control
- Black plastic body with silver highlights
- Adjustable head and arm
- Lamp converts to clamp lamp with attachment included

- Black



Converts to clamp lamp

Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable
A96611	8W	2800K/4200K/6000K	8W LED	450lm	Yes


BRYCE LED Task and Clamp Lamp Range



A21311 / A21341

- Switch: 3 stage touch
- Rubber finish
- Adjustable
- Task Lamp: touch switch on base
- Clamp lamp: touch switch on shade

- Black
- White
- Grey



Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable
A21311	6W	4000K	6WLED	440lm	Yes
A21341	6W	4000K	6WLED	500lm	Yes


JET LED Task Lamp



A96111

- Switch: 3 stage touch
- Gloss white body
- Touch switch on base

- White



Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable
A96111	9W	3000K	9W LED	600lm	Yes


RUPERT Task Lamp Range



MTL020

- 7W LED task lamp
- Matt plastic shade and chrome details
- Adjustable in two places
- Touch switches on base with colour temperature changing and stepless dimming functions
- Blue LED on/off indicator light on base

- Black
- White



Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable
MTL020	7W	2800K-6500K	7W LED	480lm	Yes



DYLAN LED Task and Floor Lamp Range



(floor only)

A19411 / A19421

- Table switch: on/off touch switch
- Floor switch: continuous touch dimmer
- Metal lamp body
- Acrylic diffuser
- Adjustable goose neck
- Black cord

- Antique Brass
- Black
- Brushed Chrome
- White




Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable
A19411	4.5W	4000K	4.5W LED	300lm	No
A19421	6W	4000K	6W LED	350lm	Yes

CELESTE LED Task and Floor Lamp Range

A21811 / A21821

- Table switch: Toggle switch on shade
- Floor switch: Toggle switch on shade
- Black PVC cord
- Metal toggle switch on shade
- Adjustable goose neck
- Dusted jade with brushed chrome highlights
- Moody blue with brushed chrome highlights
- Matt black with brushed chrome highlights

- Jade
- Blue
- Black



Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable
A21811	5W	4000K	5W LED	400lm	No
A21821	5W	4000K	5W LED	400lm	No

BEN Floor Lamp

32310

- Switch: cordline
- Metal shade & base
- Adjustable gooseneck

- Black
- Brushed Chrome
- White





E27 8 W	E27 9W	E27 28W	E27 40W

BLAIR Task Lamp

MTL006

● Black/Gold/Marble

- Switch: cordline
- Matt black metal shade
- Adjustable gold metal arm
- White marble base
- Black fabric cord




TL	E14 4W	E14 6W	E14 18W	E14 25W
FL	E27 4W	E27 6W	E27 18W	E27 25W

COLTON Task and Floor Lamp Range

MTL011 / MTFLO11

● Black

- Table Switch: cordline
- Floor Switch: foot switch
- Black metal adjustable shade
- Adjustable black metal arm with brushed brass metalware
- Black fabric cord



E27 4W	E27 6W	E27 18W	E27 25W





LUCY Task Lamp

A38111

- Table switch: cordline
- Metal lamp in a range of finishes
- Pink with brushed brass & black fabric cord
- White with brushed brass & white fabric cord
- Navy with antique brass & black fabric cord
- Black with brushed chrome & black fabric cord

- Black
- Navy
- Pink
- White



			
E27 4W	E27 6W	E27 18W	E27 25W







SARA Task Lamp

A13011

- Switch: cordline
- Metal shade & base
- Adjustable shade
- Adjustable chrome gooseneck

- Black
- Blue
- Brushed Chrome
- Yellow
- Mint
- Red
- White
- Navy

			
E27 8W	E27 9W	E27 28W	E27 25W







SARA Clamp Lamp

A13041

- Switch: cordline
- Metal shade & clamp
- Adjustable shade
- Adjustable chrome gooseneck

- Black
- Brushed Chrome
- White
- Grey
- Brushed Chrome
- Yellow

			
E27 8W	E27 9W	E27 28W	E27 25W







SARA USB Task Lamp

A13011USB

- Switch: switch on base
- Adjustable chrome goose neck
- USB charging port in base – Output: 5V DC, 1A

- Black
- Blush
- Brushed Chrome
- Navy
- White

			
E27 4W	E27 9W	E27 28W	E27 25W




Note: this product is not suitable for charging high powered products such as tablets

SARA Floor Lamp

A13021

- Switch: cordline
- Metal shade & base
- Adjustable shade
- Adjustable chrome gooseneck

- Black
- Blue
- Blush
- Brushed Chrome
- Yellow
- Mint
- Navy
- Red
- White



E27 8W	E27 9W	E27 28W	E27 25W




SARA 2Lt Floor Lamp

A13022

- Switch: toggle switch on pole
- Metal shade & base
- Adjustable shades

- Black
- Brushed Chrome
- White



2L	E27 4W	E27 9W	E27 28W	E27 25W





Night Lights

Providing ambient lighting at night, Night Lights are perfect additions to a bedroom. RGB and warm white colours provide ambient lighting and entertainment for kids.

AMAYA Penguin night light

MNL001

- Soft silicone feel
- 4 colour changing LEDs (warm white and RGB)
- Tap to change colour mode
- Rechargeable lithium battery
- USB cable included
- Indoor use only



Model No.	Lamp Type	Rechargeable	USB Cable
MNL001	Warm White and RGB LED	Yes	Yes

BARNEY Polar Bear night light

MNL002

- Soft silicone feel
- 4 colour changing LEDs (warm white and RGB)
- Tap to change colour mode
- Rechargeable lithium battery
- USB cable included
- Indoor use only



NIGHT LIGHTS

Model No.	Lamp Type	Rechargeable	USB Cable
MNL002	Warm White and RGB LED	Yes	Yes



DIY

Our range of do-it-yourself lights can be installed in just a few easy steps, without the need for an electrician. Great solutions for quick and affordable upgrades.

DIY





WEBSTER DIY Range

MDIY001

- Matt painted metal shade
- One-piece design

- Black
- White



			
DIY 6W	DIY 9W	DIY 28W	DIY 40W





WINSLOW DIY Range

MDIY002

- Matt painted metal shade
- One-piece design

- Black
- White



			
DIY 10W	DIY 12W	DIY 42W	DIY 60W





NEWBURY DIY Flex & Plug

MDIY004

- Natural seagrass shade
- 300cm white fabric cord with white cordline switch
- Flex and plug fitting

● Natural Seagrass



			
E27 4W	E27 6W	E27 18W	E27 25W




THOMPSON DIY Range

MDIY003

- Metal canopy and lampholder cover
- Glass shade

- Clear with Brushed Brass
- Smoke with Matt Black




BLASKO DIY Range

MM5471

- Metal batten cover
- Clear glass shade

- Black
- White







ANNA DIY Range

MA1071

- Metal batten cover
- Matt frosted glass shade

- Pewter
- Black



			
DIY 4W	DIY 6W	DIY 18W	DIY 25W





JAKE DIY Range

MA4671

- Matt black, brushed chrome or antique brass metalware
- White frosted glass shade

- Antique Brass
- Black
- Brushed Chrome



			
DIY 4W	DIY 6W	DIY 18W	DIY 25W





GWEN DIY Range

MA9371

- Black metalware with antique brass screws
- Chrome with chrome screws
- Black with clear glass shade
- Smoke with chrome shade

- Clear with Black
- Smoke with Chrome



			
DIY 10W	DIY 12W	DIY 42W	DIY 60W







TRENT DIY Shade

MA14

- Metal batten cover
- Alabaster glass

- Brushed Chrome



			
DIY 10W	DIY 12W	DIY 42W	DIY 60W







TREND DIY Range

MA15

- Metal batten cover
- Alabaster glass

- Antique Brass
- Brushed Chrome



			
DIY 10W	DIY 12W	DIY 42W	DIY 60W








SUZY DIY Shade

MD1671BC

- Opal glass
- Brushed chrome metalware

● Brushed Chrome



			
DIY 10W	DIY 12W	DIY 42W	DIY 60W





DUNA DIY Shade

MD1571BC

- Opal glass
- Brushed chrome metalware

● Brushed Chrome



			
DIY 10W	DIY 12W	DIY 42W	DIY 60W

BIBA DIY Range

MA94

- Metal batten cover

- Brushed Chrome
- Matt Black
- White



DIY 10W	DIY 12W	DIY 42W	DIY 60W

*Globe sold separately

OPAL BALL DIY Range

MA1806 / MA1808

- Metal batten cover
- Shiny white glass

- Satin Nickel
- Polished Brass
- White



DIY 10W	DIY 12W	DIY 42W	DIY 60W





MURANO DIY Range

MA906C

- Black metalware
- Clear glass shade

● Black/Clear




			
DIY 4W	DIY 6W	DIY 18W	DIY 25W





MURANO DIY Range

MA906 / MA908

- Satin nickel metalware
- Alabaster glass shade

● Satin Nickel



			
DIY 10W	DIY 12W	DIY 42W	DIY 60W


DIY





PRIMROSE DIY Shade

CE9571-C

- Brushed chrome metalware
- Clear acrylic beads in pink or clear

● Clear



			
DIY 10W	DIY 12W	DIY 42W	DIY 60W

GYPSY DIY Flex and Plug

MA97BLK





- Fabric covered cord
- Black lampholder and plug
- A black canopy is supplied in the box, if used must be attached to the cord by a qualified electrician.

● Black



Total length 3m



			
E27 10W	E27 12W	E27 42W	E27 60W

PENTA DIY Shade

MA7871BC

- Brushed chrome metalware
- Frost white glass

● Brushed Chrome

EXT 160



300

DIY 10W	DIY 12W	DIY 42W	DIY 60W

*Also available in hardwired ceiling models



STAR DIY Shade

MA4571

- Brushed chrome metalware
- Alabaster glass shade

● Brushed Chrome



140

300

DIY 13W	DIY 15W	DIY 53W	DIY 75W



ASTRO DIY Range

MA2771 / MA2772

- Metal pan with brushed chrome clips
- Alabaster glass diffuser

● Brushed Chrome



300/400

1L	E27 13W	E27 15W	E27 53W	E27 75W	
2L	E27 10W	E27 12W	E27 42W	E27 60W	

*Also available in hardwired ceiling models





Ceiling Fixtures

Sleek, modern and easy to install,
our range of ceiling fixtures
complement any décor.

LOVATO Ceiling Fixture with Changeable Colour Temperature



MA49 SERIES

- Diamant acrylic housing
- Opal acrylic with twilight effect diffuser
- Switch between 3000K, 4000K and 5000K colour temperature with an internal switch
- Features step dimming via wall switch
- Aluminium pan

● White



WALL SWITCH STEP DIMMING

Adjust the light output by switching the light on and off


1. Switch on first time: 100% max light output
2. Switch off and on (within 3 sec): 50% light output
3. Switch off and on (within 3 sec): 20% light output

MA4918
ext 60



290

MA4930
ext 60



390

Model No	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable	Beam Angle	CRI
MA4918	18W	3000K/4000K/5000K	18W LED	1440lm**	Yes*	120°	80
MA4930	30W	3000K/4000K/5000K	30W LED	2200lm**	Yes*	120°	80

*Not compatible with leading and trailing edge or TRIAC dimmers
 ** Please note: Lumens will vary slightly depending on kelvin temperature chosen

CLARENCE Ceiling Fixture

MC1015 / MC1016

- Individually hanging glass elements
- Polished chrome base
- Requires 5W max G9 LED bulb - not included

● Polished Chrome

MC1015



MC1016
ext 180



MC1015	4 x 5W G9 LED
MC1016	6 x 5W G9 LED

PENTA Ceiling Fixture

MA7851/MA7852


- Metal pan
- Frost white glass

● Brushed Chrome

MA7851/MA7852
ext 90



300/400



1L	E27 10W	E27 12W	E27 42W	E27 60W
2L	E27 10W	E27 12W	E27 42W	E27 60W

Also available in DIY model

ASTRO Ceiling Fixture

MA2751/MA2752


- Metal pan
- Alabaster glass diffuser

- Antique Brass (MA2751 only)
- Chrome (MA2751 only)
- Satin Nickel

MA2751/MA2752



300/400



1L	E27 10W	E27 12W	E27 42W	E27 60W
2L	E27 10W	E27 12W	E27 42W	E27 60W

Also available in DIY model



AERO Ceiling Fixture/Downlight



MA5818 SERIES

- White plastic body with PMMA diffuser
- Install as surface mounted or recessed
- Adjustable to fit cut-out size 65mm – 205mm, perfect replacement for existing downlights
- Cord & plug included

● White



Model No	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable	Beam Angle	CRI
MA5818/4	18W	4000K	18W LED	1400lm	No	120°	80
MA5818/5	18W	5000K	18W LED	1400lm	No	120°	80

FRANKLIN Ceiling Fixture



MA24 SERIES

- White pan with opal PMMA diffuser
- 5000K colour temperature only

● White



Model No	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable	Beam Angle	CRI
MA2418/5	18W	5000K	18W LED	1350lm	No	120°	80
MA2424/5	24W	5000K	24W LED	1800lm	No	120°	80

FRANKLIN Ceiling Fixture with Changeable Colour Temperature




MA24 SERIES

- White pan with opal PMMA diffuser
- Switch between 3000K, 4000K & 5000K colour temperatures


● White




MA2418CCT
ext 66



MA2424CCT
ext 66



MA2436CCT
ext 66



CHOOSE FROM 3 LIGHT SETTINGS

With a flick of a switch located at the back of the product you can choose the desired light setting in each room of your house.

Choose between:

WW - 3000K	NW - 4000K	DW - 5000K
Warm White	Neutral White	Daylight White
Living Room Bedroom	Hallway Kitchen	Laundry Bathroom

Model No	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable	Beam Angle	CRI
MA2418CCT	18W	3000K/4000K/5000K	18W LED	1260lm	No	120°	80
MA2424CCT	24W	3000K/4000K/5000K	24W LED	1680lm	No	120°	80
MA2436CCT	36W	3000K/4000K/5000K	36W LED	2100lm	No	120°	80

DAWSON Ceiling Fixture



MA47 SERIES

- PC housing with opal PC diffuser
- Fast installation spring loaded bracket
- Leading & trailing edge dimmable

● White



MA4724
ext 48



MA4736
ext 48



Model No	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable	CRI
MA4724/4	24W	4000K	24W LED	2100lm	Yes	80
MA4724/6	24W	6000K	24W LED	2300lm	Yes	80
MA4736/4	36W	4000K	36W LED	3200lm	Yes	80
MA4736/6	36W	6000K	36W LED	3300lm	Yes	80

JAZZ Ceiling Fixture



MA39 SERIES

- Metal pan
- Opal acrylic diffuser
- Leading and trailing edge dimmable

● White



MA3928
ext 55



300

Model No	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable	CRI
MA3928/3	28W	3000K	28W LED	1900lm	Yes	80
MA3928/4	28W	4000K	28W LED	2000lm	Yes	80
MA3928/6	28W	6000K	28W LED	2100lm	Yes	80

SWELL Ceiling Light - with or without sensor



MI8320 SERIES

- Available with or without sensor
- UV stabilised body and diffuser
- 304 stainless steel screws
- Large knockout for looping
- Electrician friendly design for easy installation
- Temperature rating -20°/+80°
- Available with or without microwave sensor
- Double insulated
- 5 year warranty - suitable for commercial use

● Grey



ext 64



280

MICROWAVE SENSOR FEATURES

Detection angle: 360°
Timing setting: 10secs - 30min
Light setting: 2-2000 lux
Distance setting: 1-10m (radius)

Model No	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MI8320	20W	5000K	20W LED	No	1500lm	No
MI8320SEN	20W	5000K	20W LED	No	1500lm	No

ANDRE Ceiling Fixture with Changeable Colour Temperature




MA68 SERIES

- White PC housing & opal PC diffuser
- Leading and trailing edge dimmable
- Double insulated
- Switch between 3000K, 4000K and 5000K colour temperatures

● White




MA6815
ext 40



MA6825
ext 48



MA6835
ext 51



CHOOSE FROM 3 LIGHT SETTINGS

With a flick of a switch located at the back of the product you can choose the desired light setting in each room of your house.

Choose between:

WW - 3000K	NW - 4000K	DW - 5000K
Warm White	Neutral White	Daylight White
Living Room Bedroom	Hallway Kitchen	Laundry Bathroom

Model No	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable	CRI
MA6815/CCT	15W	3000K/4000K/5000K	15W LED	1250/1400/1350lm	Yes	80
MA6825/CCT	25W	3000K/4000K/5000K	25W LED	2100/2350/2250lm	Yes	80
MA6835/CCT	35W	3000K/4000K/5000K	35W LED	3000/3180/3150lm	Yes	80

TRACY Ceiling Fixture



MC1021 / MC1221

- Frosted PMMA diffuser
- Leading and trailing edge dimmable
- IP44 rating suitable for use in bathrooms

● Brushed Chrome



Model No	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable	CRI
MC1021	14W	4000K	14W LED	1050lm	Yes	80
MC1221	24W	4000K	24W LED	1800lm	Yes	80

IKON Ceiling Fixture



MC1003 / MC1004

- White PC housing & opal PC diffuser
- Leading and trailing edge dimmable
- Double insulated
- Switch between 3000K, 4000K and 6000K colour temperatures
- IK08 impact resistant
- IP64 weather resistant rating

● White



Model No	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable	CRI
MC1003	24W	3000K/4000K/6000K	24W LED	2400lm	Yes	80
MC1004	36W	3000K/4000K/6000K	36W LED	3600lm	Yes	80


HAVEN Ceiling Fixture



MC1008

- Slimline design
- White PC housing & opal PC diffuser
- Switch between 3000K, 4000K and 6000K colour temperatures
- Back lit base

● White



Model No	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable	CRI
MC1008	24W	3000K/4000K/6000K	24W LED	1800lm	No	80

ODEN Ceiling Fixture



MA6000

- Adjustable bracket for hole mount or surface mount
- Security cable for installation
- Switch between 3000K, 4000K and 6500K colour temperatures

● White



Model No	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable	CRI
MA6000	24W	3000K/4000K/6500K	24W LED	1900lm	Yes	80



Interior Wall Lights

Create a warm and inviting home
with our range of wall and step lights.





WILSHIRE Wall Lamp Range

MWL009

- Linen shade wall lamp
- Tapered white linen shade
- Plated metalware

- Black
- Brushed Brass



			
E27 4W	E27 6W	E27 18W	E27 25W



BRODIE Wall Light

MW7211

• Matt black with brushed brass

● Matt Black



E27 4W	E27 6W	E27 18W	E27 25W

LEONA Wall Light

MW5611

- Antique bronze or black metalware
- Position with globe up or down
- Globe sold separately

● Antique Bronze

● Black



E27 6W	E27 9W	E27 28W	E27 40W





WAVERLEY Wall Light

MWL003

- Clear glass shade
- Metal backplate and lamp holder cover

- Matt Black
- Antique Brass




			
E27 4W	E27 6W	E27 18W	E27 25W





SYLVIA Wall Light

MWL004

- Clear glass shade
- Metal lamp holder cover and arm

- Matt Black
- Brushed Brass



			
E27 4W	E27 6W	E27 18W	E27 25W





LANA Wall Light

MWL001

- Opal glass shade
- Plated metal back plate

- Satin Nickel
- Brushed Brass



			
E14 4W	BE14 6W	E14 18W	E14 25W





AUTUMN Wall Light

MC8211

- Matt black metalware
- Sand blasted glass shade with clear rim

● Matt Black



			
E27 4W	E27 6W	E27 18W	E27 25W


*Matching pendant range available





MAXIM Wall Light

MA7111

- Metal pan
- Opal glass diffuser

● Brushed Chrome



			
E27 10W	E27 12W	E27 42W	E27 60W

MASON Wall Light



MW4811CH

- Metal housing
- Glass diffuser

● Chrome



EXT 100



WESLEY LED Wall Light

A80651

- Matt plastic body with adjustable shade
- 3-Stage touch switch (on shade)
- USB charging port
- Black PVC DIY cord & plug

● Graphite/Silver
● Black



ExT 510



Model No.	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
A80651BLK	5W	4000K	5W LED	No	350lm	Yes
A80651GT	5W	4000K	5W LED	No	350lm	Yes

*Lamp comes with wall bracket for DIY installation.

OSBOURNE LED Wall Light

IP20 LED

MWL008

- Matt painted die-cast aluminum adjustable shade
- Frosted backlit glass diffuser
- Switch control on back-plate

- White
- Black



Model No.	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MWL008BLK	3W & 6W	3000K	3W & 6W LED	No	510lm	No
MWL008WHT	3W & 6W	3000K	3W & 6W LED	No	660lm	No


CALVIN LED Wall Light

IP54 LED

MWL005

- Die-cast aluminum body with glass diffuser
- 360° adjustable beam angle
- Suitable for wall or ceiling installation
- IP54
- Ideal for indoor and outdoor application

- White
- Black



INTERIOR WALL LIGHTS

Model No.	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MWL005WHT-3	7W	3000K	7W LED	No	160lm	No
MWL005WHT-4	7W	4000K	7W LED	No	210lm	No
MWL005BLK-3	7W	3000K	7W LED	No	100lm	No
MWL005BLK-4	7W	4000K	7W LED	No	95lm	No

COLBY LED Round Step Light



MWL006

- Matt painted die-cast aluminum round shade
- Frosted glass diffuser

- White
- Black



Model No.	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MWL006BLK	3W	3000K	3W LED	No	55lm	No
MWL006WHT	3W	3000K	3W LED	No	55lm	No


CYRUS LED Square Step Light



MWL007

- Matt painted die-cast aluminum square shade
- Frosted glass diffuser

- White
- Black



Model No.	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MWL007BLK	3W	3000K	3W LED	No	55lm	No
MWL007WHT	3W	3000K	3W LED	No	55lm	No

TYRA LED Vanity Light


IP44

LED

MW4016

- Aluminium body
- Acrylic diffuser
- Ideal for bathrooms

● Chrome



Model No.	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MW4016	16W	4000K	16W LED	No	1500lm	No



Outdoor

Enhance the outdoor living experience with our outdoor lighting range that links elegant style with superior functionality.

EVORA LED Up/Down Wall Light


IP65 LED

MXD1010

Also Suitable for Indoor Use

- Adjustable beam angles from 15° to 120°
- Die-cast aluminium
- Through wiring design with 2 rear cable entries
- Ta: 45°C

● Black



Model No.	Wattage	Colour Temp	Replaceable	Lumens	Dimmable
MXD1010	10W	3000K	No	750lm	No

EVORA LED Up/Down Wall Light


IP65 LED

MXD1011

Also Suitable for Indoor Use

- Adjustable beam angles from 15° to 120°
- Die-cast aluminium
- Through wiring design with 2 rear cable entries
- Ta: 45°C

● Black



Model No.	Wattage	Colour Temp	Replaceable	Lumens	Dimmable
MXD1011	18W	3000K	No	1350lm	No

ELISE LED Up/Down Wall Light


IP54 LED

MXD1020

Also Suitable for Indoor Use

- Die-cast aluminium
- Through wiring design with 2 rear cable entries
- Ta: 45°C

● Black



Model No.	Wattage	Colour Temp	Replaceable	Lumens	Dimmable
MXD1020	10W	3000K	No	500lm	No

ELISE LED Up/Down Wall Light


IP54 LED

MXD1021

Also Suitable for Indoor Use

- Die-cast aluminium
- Through wiring design with 2 rear cable entries
- Ta: 45°C

● Black



Model No.	Wattage	Colour Temp	Replaceable	Lumens	Dimmable
MXD1021	18W	3000K	No	900lm	No

EMMA LED wall light

IP65 LED

MXW1060

Also Suitable for Indoor Use

- Install in groups to create various shapes
- Die-cast aluminium
- Through wiring design with 2 rear cable entries
- IF design award 2020

● Black



Model No.	Wattage	Colour Temp	Replaceable	Lumens	Dimmable
MXW1060	10W	3000K	No	500lm	No

NICO II LED Up/Down Wall Light


IP54 LED

MXD1050 SERIES

Also Suitable for Indoor Use

- Die-cast aluminium
- Adjustable beam angle

● White
● Black



Model No.	Wattage	Colour Temp	Replaceable	Lumens	Dimmable
MXD1050BLK	7W	3000K	No	400lm	No
MXD1050WHT	7W	3000K	No	400lm	No

ECLIPSE LED Swivel Wall Light


IP44 LED

MW2305 SERIES

Also Suitable for Indoor Use

- Die-cast aluminium
- Adjustable swivel shade

- Black
- White



Model No.	Wattage	Colour Temp	Replaceable	Lumens	Dimmable
MW2305BLK	5W	3000K	No	190lm	No
MW2305WHT	5W	3000K	No	190lm	No

JESSICA LED Up/Down Wall Light


IP54 LED

MW2902 SERIES

Also Suitable for Indoor Use

- Die-cast aluminium

- Black
- White



Model No.	Wattage	Colour Temp	Replaceable	Lumens	Dimmable
MW2902BLK	10W	3000K	No	650lm	No
MW2902WHT	10W	3000K	No	650lm	No

WELLS LED Up/Down Wall Light




MX95 SERIES

Also Suitable for Indoor Use

- Die-cast aluminium
- Opal PC diffuser
- CCT selectable

- Black
- White



MX9506
ext 77



MX9512
ext 97



Model No.	Wattage	Colour Temp	Replaceable	Lumens	Dimmable
MX9506BLK-CCT	8W	3000/4000/5700K	No	250lm	No
MX9506WHT-CCT	8W	3000/4000/5700K	No	250lm	No
MX9512BLK-CCT	12W	3000/4000/5700K	No	400lm	No
MX9512WHT-CCT	12W	3000/4000/5700K	No	400lm	No

BOND II LED Wall Light



MW1040/MXW1050 SERIES

Also Suitable for Indoor Use

- Die-cast aluminium
- Frosted diffuser
- Indoor or outdoor application

- Black
- White



MXW1040



MXW1050



Model No.	Wattage	Colour Temp	Replaceable	Lumens	Dimmable
MXW1040BLK	6W	3000/4000/5000K	No	350lm	No
MXW1040WHT	6W	3000/4000/5000K	No	350lm	No
MXW1050BLK	9W	3000/4000/5000K	No	600lm	No
MXW1050WHT	9W	3000/4000/5000K	No	600lm	No

MARSHALL LED Wall Light


IP65 LED

MBL001 / MBL002

- Die-cast aluminium
- Glass diffuser

- Black
- White

Also Suitable for Indoor Use



Model No.	Wattage	Colour Temp	Replaceable	Lumens	Dimmable
MBL001BLK	9W	4000K	No	450lm	No
MBL001WHT	9W	4000K	No	450lm	No
MBL002BLK	18W	4000K	No	800lm	No
MBL002WHT	18W	4000K	No	800lm	No


MARVIN II LED Up/Down Wall Light

IP44 LED

MXD1035 SERIES

- Die-cast aluminium
- Glass diffuser
- Available with PIR sensor
- LED GU10 included

- Black



Model No.	Wattage	Colour Temp	Replaceable	Lumens	Dimmable
MXD1035	12W	4000K	Yes	800lm	No
MXD1035-SEN	12W	4000K	Yes	800lm	No


PICCOLO II LED Round Spotlight



MXD1040 / MXD1041

- UV resistant matt black plastic body
- Corrosion resistant
- Suitable for use in coastal areas
- LED GU10 included

● Black



Model No.	Wattage	Colour Temp	Replaceable	Lumens	Dimmable
MXD1040	6W	4000K	Yes	400lm per head	No
MXD1041	12W	4000K	Yes	400lm per head	No

PICCOLO II LED Square Spotlight



MXD1042 / MXD1043

- UV resistant matt black plastic body
- Corrosion resistant
- Suitable for use in coastal areas
- LED GU10 included

● Black



Model No.	Wattage	Colour Temp	Replaceable	Lumens	Dimmable
MXD1042	6W	4000K	Yes	400lm per head	No
MXD1043	12W	4000K	Yes	400lm per head	No

ELIZA II LED Wall Light

IP65 LED

MXD1031 / MXD1033

- 304 Stainless steel housing
- Adjustable 1lt
- Glass diffuser
- LED GU10 included

- Black
- Stainless Steel



Model No.	Wattage	Colour Temp	Replaceable	Lumens	Dimmable
MXW1031	8W	4000K	Yes	600lm per head	No
MXD1033	8W	4000K	Yes	600lm per head	No

ELIZA II LED Wall Light

IP65 LED

MXD1030 / MXD1032

- 304 Stainless steel housing
- Up/down wall light
- Glass diffuser
- LED GU10 included

- Black
- Stainless Steel



Model No.	Wattage	Colour Temp	Replaceable	Lumens	Dimmable
MXW1030	16W	4000K	Yes	600lm per head	No
MXW1032	16W	4000K	Yes	600lm per head	No


ETHAN LED Up/Down Wall Light

IP54 LED

MX6712BLK

- Die-cast aluminium

● Black



Model No.	Wattage	Colour Temp	Replaceable	Lumens	Dimmable
MX6712BLK	10W	3000K	No	440lm	No

SABINA LED Up/Down Wall Light

IP54 LED

MX6512BLK

Also Suitable for Indoor Use

- Die-cast aluminium
- Opal PC diffuser

● Black



Model No.	Wattage	Colour Temp	Replaceable	Lumens	Dimmable
MX6512BLK	10W	4000K	No	850lm	No

BRENTON LED Up/Down Wall Light

IP54 LED

MXD4406S-BLK

- Die-cast aluminium
- Glass diffusers

● Black



Model No.	Wattage	Colour Temp	Replaceable	Lumens	Dimmable
MXD4406S-BLK	12W	4000K	No	850lm	No

SASHA II LED Up/Down Wall Light

IP65 LED

MXD1060 SERIES

Also Suitable for Indoor Use

- Die-cast aluminium
- PC optical lens
- Suitable for Indoor or outdoor installation

● Black
● White



Model No.	Wattage	Colour Temp	Replaceable	Lumens	Dimmable
MXD1060BLK	10W	3000/4000/5700K	No	900lm	No
MXD1060WHT	10W	3000/4000/5700K	No	900lm	No

OUTDOOR


CAYMAN LED Wall Light



MXD6512

- Die-cast aluminium
- UV stabilised PC diffuser

- Black
- White



Model No.	Wattage	Colour Temp	Replaceable	Lumens	Dimmable
MXD6512BLK	12W	3000K	No	700lm	No
MXD6512WHT	12W	3000K	No	700lm	No

DIEGO LED Adjustable Wall Lamp

IP54 LED

MXD6107BLK

- Die-cast aluminium body
- Glass diffuser
- 304 stainless steel screws
- Adjustable shade

● Black



Model No.	Wattage	Colour Temp	Replaceable	Lumens	Dimmable
MXD6107BLK	7W	4000K	No	270lm	No

OUTDOOR

RYE LED Step Light


IP54 LED

Also Suitable for Indoor Use

MW1811


- Die-cast aluminum
- LED recessed step light
- Available in round or square shapes

- White
- Black



MW1811R
ext 55

MW1811S
ext 55



Model No.	Wattage	Colour Temp	Replaceable	Lumens	Dimmable
MW1811RBLK	1.2W	3000K	No	80lm	No
MW1811RWHT	1.2W	3000K	No	80lm	No
MW1811SBLK	1.2W	3000K	No	80lm	No
MW1811SWHT	1.2W	3000K	No	80lm	No


BLAKE CCT LED Bunker



MX5911CCT

- PC body and diffuser
- 4 cover options included – black & white, plain & grill designs
- Double insulated
- Switch between 3000K, 4000K & 5000K colour temperatures
- Horizontal or vertical installation
- UV stabilised

☾ Black & White



Model No.	Wattage	Colour Temp	Replaceable	Lumens	Dimmable
MX5911CCT	12W	3000/4000/5000K	No	1050lm	No

FLETCHER LED Bunker



MX1210 SERIES

- Round shape
- PC body and diffuser
- Available with or without PIR sensor
- Matt black and matt white cover options included in each box
- 120° beam angle

- White
- Black



Model No.	Wattage	Colour Temp	Replaceable	Lumens	Dimmable
MX1210R (Round)	10W	4000K	No	800lm	No
MX1210R/SEN (Round)	10W	4000K	No	800lm	No


FLETCHER LED Bunker



MX1210 SERIES

- Oval shape
- PC body and diffuser
- Available with or without PIR sensor
- Matt black and matt white cover options included in each box
- 120° beam angle

- White
- Black



Model No.	Wattage	Colour Temp	Replaceable	Lumens	Dimmable
MX1210O (Oval)	10W	4000K	No	800lm	No
MX1210O/SEN (Oval)	10W	4000K	No	800lm	No

ELAINE Wall Light





IP44

MXW1012

- Powder coated steel housing
- Glass shade with metal diamond style cage
- Globe not included

● Black



			
E27 6W	E27 9W	E27 28W	E27 60W

EVA Wall Light





IP44

MXW1013

- Powder coated steel housing
- Glass ball shade with metal cage
- Globe not included

● Black



			
E27 6W	E27 9W	E27 28W	E27 60W

EMILIA Wall Light

IP54

MXW1011

- Die-cast aluminium housing
- PC diffuser
- Globe not included

● Black



E27 6W	E27 9W	E27 28W	E27 40W

EVE Wall Light

IP44

MX1611

- Steel body with opal shallow glass
- Rust-proof brass screws on shade

● Graphite



E27 6W	E27 9W	E27 28W	E27 40W

OUTDOOR

ERIKA Wall Light





IP43

MXW1021

- Die-cast aluminium housing
- Matt black lantern with clear glass shade
- Globe not included

● Black



			
E27 6W	E27 9W	E27 28W	E27 60W

ELEANOR Wall Light

IP44

MXW1020

- Die-cast aluminium
- Clear glass shade

● Black



E27 6W	E27 9W	E27 28W	E27 60W

ELAN Wall Light

IP43

MXW1010

- Die-cast aluminium body
- Frosted glass shade

● Black



E27 6W	E27 9W	E27 28W	E27 60W

OUTDOOR

MAINE Wall Light

IP44

MX88011S





- Cast aluminium housing
- Matt black lantern with clear glass shade
- Globe not included

● Black



ext 200



			
E27 6W	E27 9W	E27 28W	E27 40W

MANCHESTER Outdoor DIY Shade





DIY

MG6271

- Matt black metalware
- Clear glass

● Black



			
DIY 4W	DIY 6W	DIY 18W	DIY 25W

*Matching pendant available

DAKOTA Outdoor Wall Light





IP44

MX4911BLK

- Cast aluminium
- Clear glass

● Black



			
E27 18W	E27 20W	E27 70W	E27 100W

DAKOTA DIY Shade





DIY

MX4971BLK

- Cast aluminium
- Clear glass

● Black



			
E27 13W	E27 15W	E27 53W	E27 75W

OUTDOOR

TILBURY Outdoor Coach Light





IP43

MX4011

- Cast aluminium
- Clear glass

- Beige
- Black
- White



			
E27 10W	E27 12W	E27 42W	E27 60W

TILBURY Outdoor Coach Light with Sensor



IP44

MX4011/SEN

- Cast aluminium
- Clear glass
- Motion sensor

- Beige
- Black
- White



E27 10W	E27 12W	E27 42W	E27 60W

TILBURY DIY Shade

DIY

MX4071BLK

- Cast aluminium
- Clear glass

- Black



DIY 10W	DIY 12W	DIY 42W	DIY 60W

OUTDOOR

PAGODA Post Top Light





IP44

MXB1BLK

- Cast aluminium
- Glass diffuser

- Black
- Green



			
E27 10W	E27 12W	E27 42W	E27 60W

YARRA Outdoor Post Top Light





IP43

MX7391BLK

- Cast aluminium
- Clear glass

- Black



			
E27 13W	E27 15W	E27 53W	E27 75W

YARRA Outdoor Lamp Post





IP43

MX7391PBLK

- Cast aluminium
- Clear glass

● Black



			
E27 18W	E27 20W	E27 70W	E27 100W

OUTDOOR



Track Lights & Accessories

A versatile and sleek lighting collection featuring excellent performance and a range of styles.

TRAX LED Track Light



A89391

- Matt black or matt white with black baffle
 - 15% - 100% trailing edge dimmable
 - Suitable for 3 wire single circuit track
 - 35° beam angle
- Black



Model No.	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable	Height (mm)	Width (mm)
A89391/3	15W	3000K	15W LED	No	1000lm	Yes	182	152

HANS LED Track Light



A89491

- Matt black or matt white
- 15% - 100% leading & trailing edge dimmable
- Suitable for 3 wire single circuit track
- Telescopic lens for adjustable beam angle: 15° - 60°

- Black
- White



Adjustable beam angle
15° - 60°



Model No.	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable	Height (mm)	Width (mm)
A89491/3	12W	3000K	12W LED	No	960lm	Yes	182	132
A89491/4	12W	4000K	12W LED	No	960lm	Yes	182	132

COWLEY GU10 LED Track Light

LED

A95092

- Black or white
- Suitable for single circuit track
- Globes included

- Black
- White



Model No.	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable	Height (mm)	Width (mm)
A95092	9W	4000K	9W GU10 LED*	Yes	520lm	No	155	105

*Globes included

TRACK ACCESSORIES

- Black
- White



GO92091
I Shape Joiner



GO9209SI
I Shape Joiner small



GO9209L
L-Shape Joiner



GO92093
1m Single Circuit Track



GO92093/2
2m Single Circuit Track



Spotlights

Function meets elegance in this range of spotlights suitable for any home.

SPOTLIGHTS

TRAVIS LED Spotlight Range

LED

A10031BLK / A10333BLK / A10034BLK

- Metal spotlight
- Matt black finish
- 5W LED GU10 globes included - replaceable
- Beam angle 36°
- Adjustable light head

● Black



Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable	Projection(mm)	Length(mm)	Backplate(mm)
A10031BLK	5W	3000K	5W GU10 LED*	350lm per head	No	125mm	90mm	90x25
A10333BLK	15W	3000K	5W GU10 LED*	350lm per head	No	125mm	500mm	90x25
A10034BLK	20W	3000K	5W GU10 LED*	350lm per head	No	125mm	640mm	90x25

THORPE LED Spotlight Range



A10031WHT / A10333WHT / A10034WHT

- Metal spotlight
- Matt white finish
- 5W LED GU10 globes included - replaceable
- Beam angle 36°
- Adjustable light head

● White



SPOTLIGHTS

Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable	Projection(mm)	Length(mm)	Backplate(mm)
A10031WHT	5W	3000K	5W GU10 LED*	350lm per head	No	125mm	90mm	90x25
A10333WHT	15W	3000K	5W GU10 LED*	350lm per head	No	125mm	500mm	90x25
A10034WHT	20W	3000K	5W GU10 LED*	350lm per head	No	125mm	640mm	90x25

EMILY LED Spotlight Range



A10931BLK / A10933BLK / A10933RBLK

- Metal spotlight with mesh shade
- Matt black finish
- 4W LED E14 globes included - replaceable
- Beam angle 360°
- Adjustable light head

● Black



Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable	Projection(mm)	Length(mm)	Backplate(mm)
A10931BLK	4W	2700K	4W LED E14 ES	300lm per head	No	150mm	90mm	90x25
A10933BLK	12W	2700K	4W LED E14 ES	300lm per head	No	180mm	500mm	90x25
A10933RBLK	12W	2700K	4W LED E14 ES	300lm per head	No	180mm	300mm	90x25





TIFFANY Spotlight Range

A186 SERIES

- Matt black metalware
- Brushed brass highlights
- Globes sold separately (pictured with Mercator 9E27LEDSP95DC globe)

● Black



			
E27 6W	E27 10W	E27 18W	E27 25W

Model No.	Projection (mm)	Length (mm)	Backplate (mm)
A18631BLK	130	80	80x80
A18632BLK	150	400	70x150
A18633BLK	150	650	70x150
A18634BLK	150	850	70x150

NOAH LED Spotlight Range



A20031AB / A20033AB / A20034AB

- Metal spotlight
- Antique brass black finish lamp head
- Matt black base
- 5W LED GU10 globes included - replaceable
- Beam angle 36°
- Adjustable light head

● Black/Brass



Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable	Projection(mm)	Length(mm)	Backplate(mm)
A20031AB	5W	3000K	5W GU10 LED	350lm per head	No	125mm	100mm	100x25
A20033AB	15W	3000K	5W GU10 LED	350lm per head	No	125mm	500mm	100x25
A20034AB	20W	3000K	5W GU10 LED	350lm per head	No	125mm	640mm	100x25

PAISLEY LED Spotlight Range

IP44 LED

A11131CH / A11132CH / A11133CH

- Metal spotlight with frosted acrylic shade
- Polished chrome finish
- Integrated LEDs
- IP44 rating - suitable for use in bathrooms
- Beam angle 45°
- Adjustable light head
- Single light version with pull cord

● Black



SPOTLIGHTS

Model No.	Wattage	ColourTemp	Lamp Type	Lumens	Dimmable	Projection(mm)	Length(mm)	Backplate(mm)
A11131CH	4.5W	3000K	4.5W integrated LED	300lm per head	No	125mm	90mm	110x25
A11132CH	9W	3000K	4.5W integrated LED	300lm per head	No	125mm	90mm	110x25
A11133CH	13.5W	3000K	4.5W integrated LED	300lm per head	No	125mm	300mm	110x25



Strip Lights

The perfect accent lighting to your room. Choose between changing colour temperature or RGB to create the ideal light for every moment of the day.

STRIP LIGHT



MUC161/MUC162

- 1 year warranty
- Bulb type: LED
- Adjustable colour temperature
- Dimmable
- IP65 rated LED strip only
- Remote control included to control strip lights
- MUC160 mounting bracket available for purchase
- 240V AC input approved to Australian safety standard AS/NZS and EMC requirements

MUC161 - 2M CCT

MUC162 - 5M CCT



Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimensions
MUC161	12W	3000K/6500K	LED	400lm	160x80x200mm
MUC162	18W	3000K/6500K	LED	1000lm	200x80x250mm

NOTE: Additional accessory MUC160 can be used to mount the strip light to wall corners. This accessory helps to diffuse light and provides a stylish and elegant mounting solution.

STRIP LIGHT



MF4407RGBW

- 1 year warranty
- Bulb type: LED
- 5 metre LED strip length
- Colour changing & white LED lights
- Adjustable brightness using IR remote.
- 240V AC input approved to Australian safety standards AS/NZS and EMC requirements



Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimensions
MF4407RGBW	24W	RGB/6000K	LED	960lm	170x70x200mm



Downlights

Versatility meets performance with
this functional range of Downlights.
Ideal for any home or office.


EKO LED Downlight Range



MD4106W/CCT

- Switch between 3000K, 4000K and 6500K colour temperatures
- Integrated driver
- Cord & plug included
- Leading and trailing edge dimmable
- Suits cut-out size 70mm
- 5 year warranty, suitable for commercial applications

● White



CHOOSE FROM 3 LIGHT SETTINGS

With a flick of a switch located at the back of the product you can choose the desired light setting in each room of your house.

Choose between:


WW - 3000K Warm White	NW - 4000K Natural White	CW - 6500K Cool White
Living Room Bedroom	Hallway Kitchen	Laundry Bathroom

Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable	Beam Angle	CRI
MD4106W/CCT	6W	3000K/4000K/6500K	6W LED	545/590/560lm	Yes	100°	>80

*limited stock available


EKO-2 LED Downlight Range

MD4209W-CCT




- Switch between 3000K, 4000K and 6500K colour temperatures
- Integrated driver
- Cord & plug included
- Leading and trailing edge dimmable
- Suits cut-out size 90mm
- 5-year warranty, suitable for commercial applications

● White



DOWNLIGHTS



CHOOSE FROM 3 LIGHT SETTINGS

With a flick of a switch located at the back of the product you can choose the desired light setting in each room of your house.

Choose between:

WW - 3000K Warm White	NW - 4000K Natural White	CW - 6500K Cool White
Living Room Bedroom	Hallway Kitchen	Laundry Bathroom

Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable	Beam Angle	CRI
MD4209W-CCT	9W	3000K/4000K/6500K	9W SMD LED	750/860/770lm	Yes	100°	>80
MDA001	Brush chrome trims for EKO-2 9W downlight						


APOLLO LED Downlight



MD4309W-CCT

- Switch between 3000K, 4000K and 5000K colour temperatures
- Switch on side of housing to prevent dust build up and allow easier access
- Integrated driver
- Recessed diffuser for low glare
- Air vents to reduce heat & provide longer life to LED & driver
- Cord & plug included
- Leading & trailing edge dimmable
- Suits cut-out size 80-92mm
- 5 year warranty, suitable for commercial applications

● White



Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable	Beam Angle	CRI
MD4309W-CCT	7 W	3000K/4000K/5000K	7W LED	750/810/800lm	Yes	110°	>80


APOLLO SENSE LED Downlight



MD4309WP-CCT

- Switch between 3000K, 4000K and 5700K colour temperatures
- Integrated driver
- 360° sensor detection, up to 6-8 meters
- If there is no movement detected, it will automatically turn off after 30 seconds
- Manual override function
- Suits cut-out size 90mm
- 3 year warranty

● White



Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable	Beam Angle	CRI
MD4309WP-CCT	7 W	3000K/4000K/5700K	7W LED	700/800/750lm	No	100°	>80


APOLLO PRO LED Downlight



MD4309WL-CCT / MD4309WLG-CCT

- 7W LED downlights
- Available in gimballed and fixed version
- IP44 rated (front)
- Efficacy >110lm/W
- IC-4
- CCT from 3000K/4000K/5700K
- Low glare lens
- Gimballed version has tilt angle of 25°

● White



MD4309WL-CCT

90 cut out



MD4309WLG-CCT

90 cut out



Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable	Beam Angle	CRI
MD4309WL-CCT	7W	3000K/4000K/5700K	7W LED	800/900/860lm	Yes	36°	>80
MD4309WLG-CCT	7W	3000K/4000K/5700K	7W LED	800/900/860lm	Yes	36°	>80



OPTICA TRIO LED Downlight Range



MD510B-SW / MD510S-SW / MD510W-SW

- Aluminium housing
- Switch between 3000K, 4000K and 5000K colour temperatures
- Plastic diffuser
- Leading and trailing edge dimmable
- Cord and plug included

- Black
- Chrome
- White



CHOOSE FROM 3 LIGHT SETTINGS

With a flick of a switch located at the back of the product you can choose the desired light setting in each room of your house.

Choose between:

WW - 3000K Warm White	NW - 4000K Natural White	DL - 5000K Daylight
Living Room Bedroom	Hallway Kitchen	Laundry Bathroom



Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable	Beam Angle	CRI
MD510B-SW	10W	3000K/4000K/5000K	10W LED	950/1050/1000lm	Yes	100°	>80
MD510S-SW	10W	3000K/4000K/5000K	10W LED	950/1050/1000lm	Yes	100°	>80
MD510W-SW	10W	3000K/4000K/5000K	10W LED	950/1050/1000lm	Yes	100°	>80


OPTICA TRIO LITE LED Downlight Range




MD490B-TRI/MD490S-TRI / MD490W-TRI

- Plastic housing
- Switch between 3000K, 4000K and 5700K colour temperatures
- Plastic diffuser
- Leading and trailing edge dimmable
- Cord and plug included

- Black
- Chrome
- White



DOWNLIGHTS



CHOOSE FROM 3 LIGHT SETTINGS

With a flick of a switch located at the back of the product you can choose the desired light setting in each room of your house.

Choose between:

WW - 3000K Warm White	NW - 4000K Natural White	DL - 5700K Daylight
Living Room Bedroom	Hallway Kitchen	Laundry Bathroom



Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable	Beam Angle	CRI
MD490B-TRI	8W	3000K/4000K/5700K	8W LED	780/860/820lm	Yes	100°	>80
MD490W-TRI	8W	3000K/4000K/5700K	8W LED	780/860/820lm	Yes	100°	>80
MD490S-TRI	8W	3000K/4000K/5700K	8W LED	780/860/820lm	Yes	100°	>80


AAYDAN LED Downlight Range



MD4119WH-TRI / MD4129WH-TRI

- Switch between 3000K, 4000K and 6500K colour temperatures
- Integrated driver
- Cord & plug included
- Suits cut-out size 92mm
- 5 year warranty, suitable for commercial applications

● White



MD4119WH-TRI

92 cut out



MD4129WH-TRI

92 cut out



CHOOSE FROM 3 LIGHT SETTINGS

With a flick of a switch located at the back of the product you can choose the desired light setting in each room of your house.

Choose between:

WW - 3000K Warm White	NW - 4000K Natural White	CW - 6500K Cool White
Living Room Bedroom	Hallway Kitchen	Laundry Bathroom

Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable	Beam Angle	CRI
MD4119WH-TRI	8W	3000K/4000K/6500K	8W LED	800/900/850lm	Yes	100°	>80
MD4129WH-TRI	8W	3000K/4000K/6500K	8W LED	800/900/850lm	Yes	60°	>80


CRUZ LED Downlight Range



MD780W-CCT / MD780B-CCT

- Switch between 3000K, 4000K and 5700K colour temperatures
- Integrated driver
- Anti-glare due to deep recessed lens structure
- Cord & plug included
- Leading and trailing edge dimmable
- Suits cut-out size 90mm
- 5-year warranty, suitable for commercial applications

- Black
- White



DOWNLIGHTS

MD780W-CCT
90 cut out



CHOOSE FROM 3 LIGHT SETTINGS

With a flick of a switch located at the back of the product you can choose the desired light setting in each room of your house.


Choose between:

WW - 3000K Warm White	NW - 4000K Natural White	DL - 5700K Daylight
Living Room Bedroom	Hallway Kitchen	Laundry Bathroom

Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable	Beam Angle	CRI
MD780W-CCT	8W	3000K/4000K/5700K	8W LED	780/850/820lm	Yes	54°	>80
MD780B-CCT	8W	3000K/4000K/5700K	8W LED	650/740/700lm	Yes	54°	>80

ELIAS II LED Downlight Range

MD595B-CCT / MD595W-CCT



- 12W LED downlight
- IP44 rated (front)
- Available in matt white and matt black finish
- Tri-Color – 3000K/4000K/5700K
- Leading and trailing edge dimmable
- IC-4 rated
- External driver with cord and plug
- 3 year warranty

- Black
- White

MD595W-CCT
90 cut out




Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable	Beam Angle	CRI
MD595B-CCT	12W	3000K/4000K/5700K	12W LED	950/1050/1000lm	Yes	36°	>80
MD595W-CCT	12W	3000K/4000K/5700K	12W LED	950/1050/1000lm	Yes	36°	>80

ZEKE LED Downlight

MD350W-TRI / MD355W-TRI

- 7W and 9W LED downlights
- IP44 rated (front face)
- 72mm and 92mm cut-out
- IC-4 rated
- Tri-colour from 3000K/4000K/5700K
- 1.2m cable and plug
- 5 year warranty

● White



MD350W-TRI
72 cut out



MD355W-TRI
92 cut out




Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable	Beam Angle	CRI
MD350W-TRI	7W	3000K/4000K/5700K	7W LED	720/800/750lm	Yes	100°	>80
MD355W-TRI	9W	3000K/4000K/5700K	9W LED	950/1050/1000lm	Yes	100°	>80

MATEO LED Downlight Range

MD380W-TRI / MD385W-TRI

- 9W and 15W LED downlights
- IP65 rated (body)
- IC-4 rated
- Tri-colour from 3000K/4000K/5700K
- 1.2m cable and plug
- 3 year warranty

● White



MD380W-TRI
77 cut out



MD385W-TRI
95 cut out



Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable	Beam Angle	CRI
MD380W-TRI	9W	3000K/4000K/5700K	9W LED	700/750/720lm	Yes	60°	>80
MD385W-TRI	15W	3000K/4000K/5700K	15W LED	1200/1300/1250lm	Yes	60°	>80


ESTA LED Downlight



MD8209CCT / MD8213CCT / MD8215CCT / MD8220CCT

- Available in 9W, 13W, 15W, 20W
- Tri-colour 3000K/4000K/5700K
- IP44 rated
- Dimmable
- IC-4 rated
- Suitable for ceilings with limited space

● White



MD8209CCT

85-92 cut out



MD8213CCT

110-120 cut out



MD8215CCT

160 cut out



MD8220CCT


190-200 cut out



Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable	Beam Angle	CRI
MD8209CCT	9W	3000K/4000K/5700K	9W LED	860/910/900lm	Yes	100°	>80
MD8213CCT	13W	3000K/4000K/5700K	13W LED	1260/1320/1290lm	Yes	100°	>80
MD8215CCT	15W	3000K/4000K/5700K	15W LED	1460/1520/1490lm	Yes	100°	>80
MD8220CCT	20W	3000K/4000K/5700K	20W LED	1800/1900/1850lm	Yes	100°	>80

EQUINOX III LED Downlight

MD450W-CCT / MD450S-CCT / MD455W-CCT / MD455S-CCT



- Aluminium housing
- Plastic diffuser
- Leading and trailing edge dimmable
- Cord and plug included
- Available in fixed or gimballed versions
- Gimballed version has tilt angle of 18°

- Chrome
- White

MD455W-CCT
MD455S-CCT
92 cut out



MD450W-CCT
MD450S-CCT
92 cut out



Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable	Beam Angle	CRI
MD455W-CCT	14W	3000K/4000K/5000K	14W LED	1120/1200/1150lm	Yes	100°	>80
MD455S-CCT	14W	3000K/4000K/5000K	14W LED	1120/1200/1150lm	Yes	100°	>80
MD450W-CCT	16W	3000K/4000K/5000K	16W LED	1250/1380/1300lm	Yes	96°	>80
MD450S-CCT	16W	3000K/4000K/5000K	16W LED	1250/1380/1300lm	Yes	96°	>80


AQUARIUS LED Downlight



MD560W

- 9W LED downlight
- IP65 rated (both body and driver)
- 92mm cut-out
- Efficacy up to 100lm/W
- IC-4 rated
- Colour temperature 5700K
- CRI>80
- 100° beam angle

● White



Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable	Beam Angle	CRI
MD560W	9W	5700K	9W LED	900lm	Yes	100°	>80

COOPER LED Surface Mounted Downlight Range



MD5010

- Aluminium housing
- Leading and trailing edge dimmable
- Both frosted and clear glass diffusers included

- Black
- White



Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable	Beam Angle	CRI
MD5010/3	10W	3000K	10W LED	710lm	Yes	60°	>80
MD5010/4	10W	4000K	10W LED	750lm	Yes	60°	>80


MATTHIS Down-rod LED Downlight

LED

MD664B / MD664W

- 13W surface mount downlight
- COB design
- Diecast aluminium body
- Matt black/matt white finish
- Beam angle 36°
- Hardwire
- 3 year warranty

- Black
- White



Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable	Beam Angle	CRI
MD664B	13W	5000K	13W LED	1040lm	No	36°	>80
MD664W	13W	5000K	13W LED	1040lm	No	36°	>80

DIAZ LED Surface Mounted Downlight Range



MD666B-TRI / MD666TB-TRI / MD666TW-TRI / MD666W-TRI

- 12W surface mount downlight
- 2 x 12W twin surface mount downlight
- Features include ability to rotate and tilt
- Diecast aluminium body
- Matt black/matt white finish
- Tri-colour 3000K/4000K/5700K
- 3 year warranty

- Black
- White



Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable	Beam Angle	CRI
MD666B-TRI	12W	3000K/4000K/5700K	12W LED	800/900/850lm	No	100°	>80
MD666W-TRI	12W	3000K/4000K/5700K	12W LED	800/900/850lm	No	100°	>80
MD666TW-TRI	24W	3000K/4000K/5700K	2x12W LED	1600/1800/1700lm	No	100°	>80
MD666TB-TRI	24W	3000K/4000K/5700K	2x12W LED	1600/1800/1700lm	No	100°	>80




Battens

Designed with the Electrician in mind, this range of battens is easy to install and provides the high functionality for Domestic or Trade applications.

MF43 SERIES

- White housing
- White diffuser
- Switch between 3000K, 4000K and 5000K colour temperatures with a switch on the back side
- Linkable up to 18 units
- PC lens and housing
- Flex and plug included

● White



Item	4W/9W	18W	Description	Details
	1PC	1PC	1.8m power cord with plug	1.8m length
	1PC	1PC	Hard connector	--
	1PC	1PC	15cm flexible connector	15cm length
	1PC	1PC	10cm hardwired connector*	10cm length
	2PCS	3PCS	Surface bracket	--
	2PCS	3PCS	Angle bracket	--
	2PCS	3PCS	Screw	--

* Hardwired connector must be installed by a qualified electrician.

Model No.	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable	CRI
MF4304	4W	3000K/4000K/5000K	4W LED	No	350lm	No	>80
MF4309	9W	3000K/4000K/5000K	9W LED	No	800lm	No	>80
MF4318	18W	3000K/4000K/5000K	18W LED	No	1800lm	No	>80

MF50 SERIES

- White aluminium housing
- High quality PC diffuser
- Switch between 3000K, 4000K and 5000K colour temperatures with an internal switch
- Easy to install - either screw directly to ceiling or install with supplied clips
- 20mm knockouts for end-to-end installation
- 40W version: Internal switch for low power mode

● White



MF50SKIT




2m suspension kit
*Only available as custom order

MF5020CCT



MF5040CCT



Model No.	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable	CRI
MF5020CCT	20W	3000K/4000K/5000K	20W LED	No	2000/2200/2100lm	No	>80
MF5040CCT	20W 40W	3000K/4000K/5000K	20W LED 40W LED	No	2300/2450/2400lm 4400/4800/4600lm	No	>80

ML100 SERIES

- Extruded aluminium housing
 - Opal PC diffuser
 - Switch between 3000K, 4000K and 5000K colour temperatures with an internal switch
- White



Model No.	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable	CRI
ML10028CCT	28W	3000K/4000K/5000K	28W LED	No	2300/2500/2400lm	No	>80
ML10040CCT	40W	3000K/4000K/5000K	40W LED	No	3200/3800/3400lm	No	>80

SKEETA

ML5018Y / ML5036Y

- 18W and 36W LED batten
 - White body with yellow diffuser
 - Non-dimmable
 - 110° beam angle
 - Robust PC diffuser with integrated LED module (bug free)
- White



Model No.	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable	CRI
ML5018Y	18W	2000K	18W LED	No	1100lm	No	>50
ML5036Y	36W	2000K	36W LED	No	2400lm	No	>50

CORVIS II



MF35315CCT / MF35330CCT

- CCT switch - choose between 3000K, 4000K or 5000K White
- High lumen output with low power consumption
- 110° beam angle
- UV stabilised body & diffuser
- Electrician friendly - easy installation
- >30,000hrs lifespan on LED panel
- 3 year warranty



Model No.	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable	CRI
MF35315CCT	15W	3000K/4000K/5000K	15W LED	No	1700/1800/1750lm	No	>80
MF35330CCT	30W	3000K/4000K/5000K	30W LED	No	3500/3600/3550lm	No	>80

SHAW



MI7020CCTDP / MI7040CCTDP

- 12W/20W dual power selection (600mm) White
- 22W/40W dual power selection (1184mm)
- Selectable CCT: 3000K/4000K/5700K
- 120° beam angle
- White powder coated steel body



Model No.	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable	CRI
MI7020CCTDP	12W/20W	3000K/4000K/5700K	20W LED	No	2000/2200/2200lm	No	>80
MI7040CCTDP	22W/40W	3000K/4000K/5700K	40W LED	No	4000/4400/4400lm	No	>80

TANURA



MI7120CCTDP / MI7140CCTDP

- 12W/20W dual power selection (610mm)
- 22W/40W power selection (1200mm)
- Selectable CCT: 3000k/4000k/5700k
- 120° beam angle

● White



MI7120CCTDP

MI7140CCTDP



Model No.	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable	CRI
MI7120CCTDP	12/20W	3000K/4000K/5700K	12/20W LED	No	2000/2200/2200lm	No	>80
MI7140CCTDP	22/40W	3000K/4000K/5700K	22/40W LED	No	4000/4400/4400lm	No	>80


METRO LED LED Batten with Changeable Colour Temperature



MF3625CCT / MF3648CCT

- High output LED ceiling batten
- Metal housing
- Opal acrylic diffuser
- Compatible with trailing edge and universal dimmers
- Switch between 3000K, 4000K and 5000K colour temperatures with an internal switch

● White



Model No.	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable	CRI
MF3625CCT	25W	3000K/4000K/5000K	25W LED	No	2000/2400/2200lm	Yes	>80
MF3648CCT	48W	3000K/4000K/5000K	48W LED	No	3500/4200/3900lm	Yes	>80

CODY Linkable LED Batten






ML320/ML340

- 20W and 40W LED batten
- White PC body and end cap
- IP65 rated
- Fitted with 1.2m flex & plug
- Colour temperature 6500K
- Perfect for areas requiring water-resistant lighting and with limited space
- Linkable design (Up to 6 battens for 20W, up to 5 battens for 40W)

● Grey

COMPATIBLE WITH 20MM CONDUIT



Model No.	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable	CRI
ML320	20W	6500K	20W LED	No	2000lm	No	>80
ML340	40W	6500K	40W LED	No	4000lm	No	>80


LUCA TRI-PROOF LED Batten



MI8520TRI / MI8540TRI

- Easy to install
- Vandal proof and dual power
- Tri-colour 3000K/4000K/6000K
- Available in 600mm and 1200mm version
- High efficacy up to 100lm/W
- Energy efficient

● White



Model No.	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable	CRI
MI8520TRI	10W/20W	3000K/4000K/6000K	20W LED	No	2000/2200/2100lm	No	>80
MI8540TRI	20W/40W	3000K/4000K/6000K	40W LED	No	3700/4100/3900lm	No	>80

MI8220TRI / MI8240TRI / MI8260TRI

- Easy to install
- Vandal proof
- Tri-colour 3000K/4000K/6000K
- Available in 600mm, 1200mm and 1500mm version
- Available with dual power in 600mm, 1200mm and 1500mm version
- High efficacy up to 120lm/W
- Energy efficient
- Large terminal block for easy installation


● Grey




MI8220TRI



MI8240TRI



MI8260TRI



Model No.	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable	CRI
MI8220TRI	10W/20W	3000K/4000K/6000K	20W LED	No	2200/2400/2200lm	No	>80
MI8240TRI	20W/40W	3000K/4000K/6000K	40W LED	No	4400/4800/4400lm	No	>80
MI8260TRI	30W/60W	3000K/4000K/6000K	60W LED	No	6600/6900/6600lm	No	>80

WAVE PRO 40W with Emergency Lighting




MI8240BAT

- Easy to install
- Vandal proof
- Tri-colour 3000K/4000K/6000K
- Available in maintained version
- Emergency back up at 2.5W for 6 hours
- AS/NZS 2293.3 compliant
- High efficacy up to 120lm/W
- Energy efficient

● Grey



MI8240BAT



Model No.	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable	CRI
MI8240BAT	20/40W	3000K/4000K/6000K	40W LED	No	4400/4800/4400lm	No	>80

LIFT SHAFT



MI9000 / MI9200

- 18W T8 tube for single and twin version
- Non-dimmable
- Available in natural white 4000K
- Up to 106lm/W
- CRI > 80
- IP20
- Plug provided with round earth pin



Model No.	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimensions	Dimmable	CRI
MI9000	18W	4000K	1xT8 LED	Tube only	1900lm	1331x66x94mm	No	>80
MI9200	36W	4000K	2xT8 LED	Tube only	3600lm	1331x124x94mm	No	>80


HELIOS Solar Batten with PIR Sensor



MSL2520

- Solar batten light with remote control
- IP65 weather resistance
- Colour temperature 6000K
- Sensor range 3-4 meters
- 18W monocrystalline solar panel with 4m connection wire
- Average 8hr run time (for 100% brightness) with 14hr charging time with full sunshine
- Remote control to adjust brightness, on/off, timer

● Grey



Model No.	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable	CRI
MSL2520	18W	6000K	18W LED	No	1850lm	No	>80



Floodlights

Our electrician-friendly floodlight range boasts high performance and sleek modern designs, making them the perfect addition to any home.


LUDO II DIY LED Floodlight



MX103 SERIES

- 75cm flex & plug fitted
- Angled bracket for easy installation
- Additional corner bracket included
- 120° beam angle
- IP65

● Black



Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable
MX10320BLK	20W	4000K	20W LED	1700lm	No
MX10330BLK	30W	4000K	30W LED	2500lm	No
MX10350BLK	50W	4000K	50W LED	4100lm	No


DINO DIY LED Floodlight with PIR Sensor



MX102-SEN SERIES

- Prismatic diffuser to reduce glare
- 75cm flex & plug fitted
- Angled bracket for easy installation
- Additional corner bracket included
- PIR sensor with override function
- 120° sensor detection, up to 8 meters
- 10 seconds to 10 minutes adjustable time delay
- Adjustable LUX sensitivity
- 120° beam angle
- IP65

● Black



Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable
MX10220BLK/SEN	20W	4000K	20W LED	1600lm	No
MX10230BLK/SEN	30W	4000K	30W LED	2400lm	No


BAXTER LED Floodlight



MX203 SERIES

- 80cm flex & plug fitted
- Angled bracket for easy installation
- Wall or eave mounting
- 100° beam angle
- IP65

● Black



Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable
MX20320BLK	20W	4000K	20W LED	2000lm	No
MX20330BLK	30W	4000K	30W LED	2700lm	No
MX20350BLK	50W	4000K	50W LED	4700lm	No


BAXTER LED Floodlight with PIR Sensor



MX203-SEN SERIES

- 80cm flex & plug fitted
- Angled bracket for easy installation
- Hand adjustable sensor
- Wall or eave mounting
- PIR sensor with manual override function
- 120° sensor detection, up to 10 meters
- 10 seconds – 5 minutes adjustable time
- Adjustable LUX sensitivity
- IP54

● Black



Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable
MX20320BLK-SEN	20W	4000K	20W LED	2000lm	No
MX20330BLK-SEN	30W	4000K	30W LED	2700lm	No
MX20350BLK-SEN	50W	4000K	50W LED	4700lm	No



DAMIAN Slim LED Floodlight

DIY IP65 LED

MX106 SERIES

- 1m flex & plug fitted
- Angled bracket for easy installation
- Wall or eave mounting
- 110° beam angle
- IP65

● Black



Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable
MX106120	20W	5700K	20W LED	2000lm	No
MX106130	30W	5700K	30W LED	3000lm	No
MX106175	75W	5700K	75W LED	7500lm	No

VISION DIY LED Floodlight

DIY IP65 LED

MX10550

- 1.2m flex & plug fitted
- Glass diffuser
- IP65

● Black



Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable
MX10550	50W	4000K	50W LED	4200lm	No

CRESCENT DIY LED Floodlight



MX201 SERIES

- 60cm flex & plug fitted
- IP65
- Angled bracket for easy installation

- Black
- White



Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable
MX20120	20W	4000K	20W LED	1600lm	No
MX20130	30W	4000K	30W LED	2200lm	No
MX20150	50W	4000K	50W LED	3400lm	No

CRESCENT DIY LED Floodlight with PIR Sensor



MX201-SEN SERIES

- 60cm flex & plug fitted
- IP65
- Angled bracket for easy installation
- 120° sensor detection, up to 8 meters
- Remote adjustable timer, sensitivity and LUX

- Black
- White



Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable
MX20120-SEN	20W	4000K	20W LED	1600lm	No
MX20130-SEN	30W	4000K	30W LED	2200lm	No
MX20150-SEN	50W	4000K	50W LED	3400lm	No


ASPECT DIY LED Floodlight



MX104 SERIES

- Die-cast aluminium housing
- 1.5m flex & plug fitted
- Angled bracket for easy installation
- 120° beam angle
- IP65
- IK08
- 5 year warranty - suitable for commercial applications

● Black



Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable
MX104100BLK/5	100W	5000K	100W LED	10000lm	No
MX104150BLK/5	150W	5000K	150W LED	15000lm	No
MX104200BLK/5	200W	5000K	200W LED	20000lm	No



DEFENDER 5W Solar LED Floodlight



MXS4405

- Solar powered
- Monocrystalline silicon solar panel
- 90° beam angle
- 120° sensor detection, up to 6 meters
- Up to 5 hours full brightness on full charge
- PIR sensor with two working modes: Sensor Mode and Constant lighting

● Black



Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable
MXS4405	5W	4000K	5W LED	500lm	No

DEFENDER 10W Solar LED Floodlight



MXS4410

- Solar powered
- Matt black aluminium finish
- Available with wall and pole mounting bracket
- Dual built-in PIR sensors
- Uniform light output with 90° beam angle
- 4 working modes
- High operating temperature of 50°C
- 180° sensor detection, up to 8 meters

● Black



Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable
MXS4410	10W	4000K	10W LED	1080lm	No



SOLITUDE Solar Floodlight with Radar Sensor



MSL30100/MSL3050

- 100% solar
- Colour temperature 6500K
- High lumen 1000lm/2000lm output
- IP65
- Remote function: On/Off, timer, brightness control, sensor mode, dusk to dawn mode
- Monocrystalline solar panel
- CRI>80
- Radar sensor detection range up to 8m
- Working time when battery fully charged: up to 6 hours (100% brightness for the first 4 hours and then 70% brightness for the next 2 hours)

● Black



Model No.	Lumens	Colour Temp	Solar Panel Power	Battery Capacity	Dimmable
MSL3050	1000lm	6500K	20W	3.2V 15Ah	Through Remote
MSL30100	2000lm	6500K	25W	3.2V 25Ah	Through Remote

NEXA Solar Security Light with PIR Sensor



MXS0450

- Hand adjustable lamp head and solar panel with adjustable mounting angle
- Colour temperature 5000K
- Polycrystalline solar panel
- IP44
- Li-ion 2x3.7V 1200mAh rechargeable battery
- 180° sensor detection, up to 10 meter 10 seconds – 1 minute adjustable time
- Adjustable LUX sensitivity

● Black



Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable
MXS0450		5000K	LED	450lm	No

RAIDEN PAR38 LED Floodlight



MX10112BLK

- 12W PAR38 LED globe included
- Fits 66mm diameter round junction box
- Terminal block included
- Adjustable lamp head
- IP44
- High impact strength UV stabilised plastic base

● Black



Model No.	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MX10112BLK	12W	5700K	12W LED PAR38	Globe Only	1200lm	No


OTTO II LED Security Floodlight



MXD67 SERIES

- COB LED floodlight
- Aluminium housing
- CCT switch inside back plate
- Glass diffuser
- Adjustable head

- Black
- Silver
- White



Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable
MXD6711	12W	3000K/4000K/5000K	12W COB LED	950/1050/1000lm	No
MXD6712	24W	3000K/4000K/5000K	2x12W COB LED	1850/2100/2000lm	No


OTTO II LED Security Floodlight with Sensor



MXD67-SEN SERIES

- COB LED floodlight
- Aluminium housing
- CCT switch inside back plate
- Glass diffuser
- Adjustable head
- PIR sensor with override function
- 120° sensor detection, up to 12 meters
- 10 seconds to 6 minutes adjustable time delay
- Adjustable LUX sensitivity

- Black
- Silver
- White



Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable
MXD6711-SEN	12W	3000K/4000K/5000K	12W COB LED	950/1050/1000lm	No
MXD6712-SEN	24W	3000K/4000K/5000K	2x12W COB LED	1850/2100/2000lm	No

CICERO LED Security Floodlight



MXD672 SERIES

- Changeable colour temperature: 3000K (Warm White), 4000K (Natural White), 5700K (Daylight)
- Quick connect system for fast and hassle-free installation
- Hand adjustable lamp head
- 95° beam angle
- High impact strength UV stabilised plastic base and aluminium diecast lamp head for superior heat dissipation
- IP54

- Black
- White



Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable
MXD6721	12W	3000K/4000K/5700K	12W LED	850/950/920lm	No
MXD6722	24W	3000K/4000K/5700K	2x12W LED	1600/1900/1750lm	No


CICERO LED Security Floodlight with PIR Sensor



MXD672-SEN SERIES

- Changeable colour temperature: 3000K (Warm White), 4000K (Natural White), 5700K (Daylight)
- Quick connect system for fast and hassle-free installation
- Hand adjustable lamp head and sensor
- 100° beam angle
- PIR sensor with manual override function
- 120° sensor detection, up to 10 meters
- 10 seconds – 7 minutes adjustable time
- Adjustable LUX sensitivity

- Black
- White



Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable
MXD6721-SEN	12W	3000K/4000K/5700K	12W LED	850/950/920lm	No
MXD6722-SEN	24W	3000K/4000K/5700K	2x12W LED	1600/1900/1750lm	No


SANDERS PAR38 LED Floodlight

IP44 LED

MXD66 SERIES

- LED PAR38 globe included
- Hand adjustable lamp head
- Lamp holder type is E27
- Wall mount or eave mount screw included
- High impact strength UV stabilised plastic construction

● Black



Model No.	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MXD6612BLK	12W	5700K	12W LED PAR38	Globe Only	1200lm	No
MXD6624BLK	24W	5700K	2x12W LED PAR38	Globe Only	2400lm	No


SANDERS PAR38 LED Floodlight with Sensor

IP44 LED

MXD66-SEN SERIES

- LED PAR38 globe included
- Hand adjustable lamp heads and sensor
- PIR sensor with manual override function
- 180° sensor detection, up to 10 meters
- 5 seconds to 5 minutes adjustable time delay
- Adjustable LUX sensitivity

● Black



Model No.	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MXD6612BLK-SEN	12W	5700K	12W LED PAR38	Globe Only	1200lm	No
MXD6624BLK-SEN	24W	5700K	2x12W LED PAR38	Globe Only	2400lm	No

ONYX LED Security Floodlight

IP54

LED

MXD692 SERIES

- Quick connect system for fast and hassle-free installation
- Hand adjustable lamp head
- 100° beam angle
- High impact strength UV stabilised plastic base and aluminium diecast lamp head for superior heat dissipation
- IP54

● Black



Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable
MXD6921BLK	15W	5700K	15W LED	1600lm	No
MXD6922BLK	30W	5700K	2x15W LED	3200lm	No
MXD6923BLK	45W	5700K	3x15W LED	4100lm	No

ONYX LED Security Floodlight with PIR Sensor




IP54

LED

MXD692-SEN SERIES

- Quick connect system for fast and hassle-free installation
- Hand adjustable lamp head and sensor
- 100° beam angle
- PIR sensor with manual override function
- 120° sensor detection, up to 10 meters
- 10 seconds – 7 minutes adjustable time
- Adjustable LUX sensitivity
- IP54

● Black



Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Dimmable
MXD6921BLK-SEN	15W	5700K	15W LED	1600lm	No
MXD6922BLK-SEN	30W	5700K	2x15W LED	3200lm	No
MXD6923BLK-SEN	45W	5700K	3x15W LED	4100lm	No



Commercial

A range of high performance products
ideal for commercial applications and
public spaces.

TITAN III LED Highbay Range



MI57 SERIES

- Up to 70% more energy efficient than traditional metal halide lamps
- Includes 1.5m cable & plug
- Engineered to operate in high temperatures
- IP65 and IK08 for tough environments
- 5 year commercial warranty
- High lumen output
- Optional daylight and motion control sensor capabilities with tool free sensor installation
- Ideal for industrial and warehouse use

● Black



APPLICATIONS

This LED Highbay has a power range of 100W to 200W. It replaces 200W to 400W energy consuming traditional metal halide and fluorescent lamps.

Engineered to operate in indoor and outdoor applications. Ideally suited for factories, warehouses, car parks, airport hangers and similar places.

Model No.	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MI57100D	100W	5000K	100W LED	No	14000lm	Yes
MI57150D	150W	5000K	150W LED	No	21000lm	Yes
MI57200D	200W	5000K	200W LED	No	28000lm	Yes

OPTIONAL ACCESSORIES (Sold Separately)



U-Shape bracket (Model No. MI57BRACKET)
- For installing on horizontal or vertical surface



Bolt-on MW sensor (Model No. MI57SENSE)
- Saves energy by turning OFF or dimming the light when not required
- Tool free installation



Lampshade (Model No. MI57SHADE)
- Black colour lampshade for more direct light and reducing glare when viewed from an angle
*Acrylic diffuser only available on custom order



Remote control for sensor (Model No. MI57REMOTE)
- For reprogramming sensor settings



90° lens (Model No. MI57LENS)
- For 90° beam angle

TITAN III Bolt-on Microwave Sensor



* Remote Control sold separately


FEATURES AND BENEFITS

- Add up to 90% energy efficiency to LED highbay
- Engineered to operate in high temperatures
- IP65 rated
- 5 year commercial warranty
- Daylight and motion control sensor capabilities with dynamic dimming
- Quick & easy tool free sensor installation
- Optional Infrared remote control makes it easy to adjust the parameters of the sensor


APPLICATIONS

Our titan III LED Highbay comes with an optional quick and easy to install bolt-on sensor to detect motion and daylight. The addition of this sensor to our Titan III LED Highbay adds up to 90% efficiency when compared to a traditional metal halide Highbay.


DETECTION COVERAGE



SENSOR FUNCTION




When ambient light is **sufficient**, sensor does not switch the highbay



When ambient light is **insufficient**, sensor switches the highbay on when motion is detected



After hold time, sensor dims the light to low brightness if no motion is detected (Preset hold time is 5 min)



After **stand-by time**, sensor switches off the highbay if no new motion is detected (Preset stand-by time is 30min)

TARZEN



MI67100D / MI67150D / MI67200D / MI67200QL

- 1.5m flex and plug fitted for easy installation ● Black
- High lumen efficacy of 150lm/W
- 0-10V dimmable
- IP65 and IK10 rating
- Quick connect microwave sensor available with special order, programmable by remote.
- 120° beam angle: 60°, 90° beam angle diffuser available with special order
- Aluminium diecast body

• APPLICATIONS

- This LED Highbay has a power range of 100W to 200W, also has 200W Lumen Select model for 1 box solution
- 200W Lumen Select model include 100W 15000lm, 120W 18000lm, 150W 22500lm, 200W 30000lm
- Versatile LED Highbay suited for indoor commercial and industrial spaces

MI67100D



MI67150D



MI67200D / MI67200QL



Model No.	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable
MI67100D	100W	5000K	100W LED	No	15000lm	Yes
MI67150D	150W	5000K	120W LED	No	22500lm	Yes
MI67200D	200W	5000K	150W LED	No	30000lm	Yes
MI67200QL	100W/120W/150W/200W	5000K	200W LED	No	15000/18000/22500/30000lm	Yes

EPSILON



MSL203 / MSL205

- 100% solar
- Includes pole (Length: 45cm; Diameter: 4.5cm) for easy installation
- Engineered to operate in high temperatures
- IP65 Rating
- Can be used for 2-3 rainy days if used in conjunction with sensor

● Black

• **APPLICATIONS**

- Engineered to operate in outdoor applications
- Ideally suited for outdoor parking lots, gardens, courtyards, parks, farms, caravan parks and similar places



MSL205

245

630

Model No.	Wattage	Colour Temp	Lamp Type	Replaceable	Lumens	Dimmable	Beam Angle	CRI
MSL205	90W	5700K	90W SMD LED	No	1500lm	No	110°	80

ZILLA PANEL LIGHT Tri-Colour LED Sidelit and Backlit Panel Lights




MD93/MD95 SERIES

- High quality PMMA diffuser provides uniform distribution
- CCT changeable – change between 3000K, 4000K & 5700K with a switch
- 5 Year warranty
- Better technology to avoid yellowing of diffuser
- High efficiency LED chips, >100lm/W
- Seamless welded aluminium frame with powder coated finish

• APPLICATIONS

- Our backlit LED panels can replace twin T8 fluorescent fittings. Ideal for retail stores, workshops, offices, indoor public areas and similar locations. These panels can be installed as surface mounted, recessed or suspended

● White



Model No.	Wattage	Colour Temp	Lamp Type	Lumens	Beam Angle	CRI
MD9512TRI*	12W	3000K/4000K/5700K	12W SMD 2835 backlit	1200lm	120°	>80
MD9524TRI*	24W	3000K/4000K/5700K	24W SMD 2835 backlit	2400lm	120°	>80
MD9536TRI	36W	3000K/4000K/5700K	36W SMD 2835 backlit	3600lm	120°	>80
MD933060*	12W	3000K/4000K/5700K	12W SMD 2835 backlit	1560lm	120°	>80
MD936060*	24W	3000K/4000K/5700K	24W SMD 2835 backlit	3120lm	120°	>80
MD933012	36W	3000K/4000K/5700K	36W SMD 2835 backlit	4680lm	120°	>80
MD953060S*	20W	3000K/4000K/5700K	20W SMD 2835 sidelit	2000lm	120°	>80
MD956060S*	36W	3000K/4000K/5700K	36W SMD 2835 sidelit	3600lm	120°	>80
MD953012S	36W	3000K/4000K/5700K	36W SMD 2835 sidelit	3600lm	120°	>80
MD956012S*	60W	3000K/4000K/5700K	60W SMD 2835 sidelit	6000lm	120°	>80

MD92Chain Panel Light Suspension Drop 1.5m

* Available as special order





Sensors

Bring greater peace of mind to
any home with our range of sensors.

SENSORY

IP44

MEL001/MEL001-BLK

- IP44 passive infrared sensor
- Adjustable head
- Rated load: Max 1000W (incandescent)
Max 500W (fluorescent)
- 180° detection range up to 12m
- 5 seconds to 5 minutes adjustable time delay
- Adjustable LUX sensitivity
- With override function
- 3 wire design

- Black
- White



SURFACE MOUNT SENSOR PIR Version

XSEN002PIR

- Surface mounted passive infrared sensor
- Rated load: Max 2000W (incandescent)
Max 1000W (energy saving lamp)
- 360° detection range up to 6 meters
- 10 seconds to 15 minutes adjustable time delay
- Adjustable LUX sensitivity
- With override function
- 3 wire design

- White



IP65 SENSOR PIR Version

IP65

XSEN003PIR/XSEN003PIR-BLK

- IP65 passive infrared sensor
- Adjustable head
- Rated Load: Max 1200W (Incandescent)
Max 300W (Energy Saving Lamp)
- 180° detection up to 12 meters
- 10 seconds to 15 minutes adjustable time delay
- Adjustable LUX sensitivity
- With override function
- 3 wire design

- Black
- White



IP65 SENSOR Microwave Version

IP65

XSEN003MW/XSEN003MW-BLK

- IP65 microwave sensor
- Adjustable head
- Rated load: Max 1200W (incandescent)
Max 300W (energy saving lamp)
- 180° detection between 5-15 metres
- 10 seconds to 12 minutes adjustable time delay
- Adjustable LUX sensitivity
- 3 wire design

- Black
- White



RECESSED GIMBLE SENSOR PIR Version

XSEN005PIR

- Recessed gimble passive infrared sensor
- Adjustable head
- Rated load: Max 800W (incandescent)
Max 400W (energy saving lamp)
- 360° detection up to 12 metres
- 10 seconds to 15 minutes adjustable time delay
- Adjustable LUX sensitivity
- With override function
- 3 wire design

● White



67-70 cut out



RECESSED GIMBLE SENSOR Microwave Version

XSEN005MW

- Recessed gimble microwave sensor
- Rated load: Max 1200W (incandescent)
Max 300W (energy saving lamp)
- 360° detection between 1-8 metres
- 10 seconds to 12 minutes adjustable time delay
- Adjustable LUX sensitivity
- 3 wire design

● White



67-70 cut out



IP66 INFRARED MOTION SENSOR



XSEN006 BLK/XSEN006WHT

- IP66 passive infrared sensor
- Adjustable head
- Rated load: Max 2000W (incandescent)
Max 1000W (energy saving lamp)
- 120° detection range up to 18 metres
- 10 seconds to 30 minutes adjustable time delay
- Adjustable LUX sensitivity
- With override function
- 2 or 3 wire design
- Installation height: 1.8m to 2.5m
- 5 year warranty – suitable for commercial applications
- Multi sensors connecting in parallel suitable for 2 x 20mm side entry conduit openings

- Black
- White





Globes

A collection ranging from functional everyday globes to exquisite decorative pieces to suit your decorative lighting needs.

A60 LED GLOBE 6W



- Dimmable
- Lumen efficacy:
105lm/W for 5700K
100lm/W for 3000K
- Beam angle: 200°




Item Code	Wattage	Colour Temp	Base	Lumens
MGL010DB-D	6W	5700K	B22	630lm
MGL010DE-D	6W	5700K	E27	630lm
MGL010WB-D	6W	3000K	B22	600lm
MGL010WE-D	6W	3000K	E27	600lm

A60 LED GLOBE 9W



- Dimmable
- Lumen efficacy:
106lm/W for 5700K
100lm/W for 3000K
- Beam angle: 200°




Item Code	Wattage	Colour Temp	Base	Lumens
MGL020DB-D	9W	5700K	B22	950lm
MGL020DE-D	9W	5700K	E27	950lm
MGL020WB-D	9W	3000K	B22	900lm
MGL020WE-D	9W	3000K	E27	900lm

A70 LED GLOBE 12W



- Dimmable
- Lumen efficacy:
106lm/W for 5700K
100lm/W for 3000K
- Beam angle: 200°




Item Code	Wattage	Colour Temp	Base	Lumens
MGL030DB-D	12W	5700K	B22	1270lm
MGL030DE-D	12W	5700K	E27	1270lm
MGL030WB-D	12W	3000K	B22	1200lm
MGL030WE-D	12W	3000K	E27	1200lm

A80 LED GLOBE 15W



- Dimmable
- Lumen efficacy:
106lm/W for 5700K
100lm/W for 3000K
- Beam angle: 200°




Item Code	Wattage	Colour Temp	Base	Lumens
MGL040DB-D	15W	5700K	B22	1590lm
MGL040DE-D	15W	5700K	E27	1590lm
MGL040WB-D	15W	3000K	B22	1500lm
MGL040WE-D	15W	3000K	E27	1500lm

CANDLE LED GLOBE 4W



- Dimmable
- Lumen efficacy:
100lm/W for 5700K
95lm/W for 3000K
- Beam angle: 200°




Item Code	Wattage	Colour Temp	Base	Lumens
MGL060DSB-D	4W	5700K	B15	400lm
MGL060DSE-D	4W	5700K	E14	400lm
MGL060WSB-D	4W	3000K	B15	380lm
MGL060WSE-D	4W	3000K	E14	380lm

FANCY ROUND LED GLOBE 4W



- Dimmable
- Lumen efficacy:
100lm/W for 5700K
95lm/W for 3000K
- Beam angle: 200°



Item Code	Wattage	Colour Temp	Base	Lumens
MGL062DSB-D	4W	5700K	B15	400lm
MGL062DSE-D	4W	5700K	E14	400lm
MGL062WSB-D	4W	3000K	B15	380lm
MGL062WSE-D	4W	3000K	E14	380lm

G4 LED GLOBE 2W



- Non-dimmable
- Lumen efficacy:
113lm/W for 6500K
105lm/W for 3000K
- Beam angle: 300°




Item Code	Wattage	Colour Temp	Base	Lumens
MGL068D	2W	6500K	G4	225lm
MGL068W	2W	3000K	G4	210lm

G9 LED GLOBE 2W

LED

- Non-dimmable
- Lumen efficacy:
113lm/W for 6500K
105lm/W for 3000K
- Beam angle: 300°



Item Code	Wattage	Colour Temp	Base	Lumens
MGL069D	2W	6500K	G9	225lm
MGL069W	2W	3000K	G9	210lm

R39 LED GLOBE 3.5W

LED

- Non-dimmable
- Lumen efficacy:
103lm/W for 5700K
97lm/W for 3000K
- Beam angle: 120°



Item Code	Wattage	Colour Temp	Base	Lumens
MGL070DSE	3.5W	5700K	E14	360lm
MGL070WSE	3.5W	3000K	E14	340lm

R50 LED GLOBE 4.5W

LED

- Non-dimmable
- Lumen efficacy:
100lm/W for 5700
96lm/W for 3000K
- Beam angle: 120°



Item Code	Wattage	Colour Temp	Base	Lumens
MGL071DSE	4.5W	5700K	E14	450lm
MGL071WSE	4.5W	3000K	E14	430lm

R63 LED GLOBE 6W

LED

- Non-dimmable
- Lumen efficacy:
100lm/W for 5700K
97lm/W for 3000K
- Beam angle: 120°



Item Code	Wattage	Colour Temp	Base	Lumens
MGL072DE	6W	5700K	E27	600lm
MGL072WE	6W	3000K	E27	580lm

R80 LED GLOBE 9W

LED

- Non-dimmable
- Lumen efficacy:
102lm/W for 5700K
97lm/W for 3000K
- Beam angle: 120°



Item Code	Wattage	Colour Temp	Base	Lumens
MGL075DE	9W	5700K	E27	920lm
MGL075WE	9W	3000K	E27	870lm

MR16 GLASS LED GLOBE 5W

LED

- Non-dimmable
- Lumen efficacy:
82lm/W for 5700K
78lm/W for 3000K
- Shade construction: Glass



Item Code	Wattage	Colour Temp	Base	Lumens	Beam angle
MGL090GD	5W	5700K	MR16	410lm	36°
MGL090GW	5W	3000K	MR16	390lm	36°
MGL092GD	5W	5700K	MR16	410lm	60°
MGL092GW	5W	3000K	MR16	390lm	60°

MR16 LED GLOBE 6W



- Dimmable
- Lumen efficacy:
92lm/W for 5700K
83lm/W for 3000K
- Shade construction: Plastic



Item Code	Wattage	Colour Temp	Base	Lumens	Beam angle
MGL090D-D	6W	5700K	MR16	550lm	36°
MGL090W-D	6W	3000K	MR16	500lm	36°
MGL092D-D	6W	5700K	MR16	550lm	60°
MGL092W-D	6W	3000K	MR16	500lm	60°

GU10 GLASS LED GLOBE 5.5W

LED

- Non-dimmable
- Lumen efficacy:
91lm/W for 5700K
85lm/W for 3000K
- Shade construction: Glass



Item Code	Wattage	Colour Temp	Base	Lumens	Beam angle
MGL080GD	5.5W	5700K	GU10	500lm	36°
MGL080GW	5.5W	3000K	GU10	470lm	36°
MGL082GD	5.5W	5700K	GU10	500lm	60°
MGL082GW	5.5W	3000K	GU10	470lm	60°

GU10 LED GLOBE 5.5W



- Dimmable
- Lumen efficacy:
100lm/W for 5700K
- 91lm/W for 3000K
- Shade construction: Plastic



Item Code	Wattage	Colour Temp	Base	Lumens	Beam angle
MGL080D-D	5.5W	5700K	GU10	550lm	36°
MGL080W-D	5.5W	3000K	GU10	500lm	36°
MGL082D-D	5.5W	5700K	GU10	550lm	60°
MGL082W-D	5.5W	3000K	GU10	500lm	60°

GU10 LED GLOBE 9W



- Non-dimmable
- Long neck GU10 LED globe



Item Code	Wattage	Colour Temp	Base	Lumens	Lumen efficacy
9GU10LED9-3	9W	3000K	GU10	480lm	53lm/W
9GU10LED9-4	9W	4000K	GU10	520lm	58lm/W
9GU10LED9-5	9W	5000K	GU10	550lm	61lm/W

GU10 LED GLOBE 9W



- Dimmable
- Long neck GU10 LED globe



Item Code	Wattage	Colour Temp	Base	Lumens	Lumen efficacy
9GU10LED9D-3	9W	3000K	GU10	480lm	53lm/W
9GU10LED9D-4	9W	4000K	GU10	520lm	58lm/W
9GU10LED9D-5	9W	5000K	GU10	550lm	61lm/W

TUBULAR GLOBE 10W

LED

- Non-dimmable
- Lumen efficacy:
105lm/W for 6000K
97lm/W for 4000K
92lm/W for 2700K



Item Code	Wattage	Colour Temp	Base	Lumens
9B22LED02-3	10W	2700K	B22	920lm
9B22LED02-4	10W	4000K	B22	970lm
9B22LED02-6	10W	6000K	B22	1050lm
9E27LED02-4	10W	4000K	E27	970lm

PAR38 LED GLOBE 12W

IP44

LED

- Non-dimmable
- Lumen efficacy: 100lm/W
- Beam angle: 100°
- IP44



Item Code	Wattage	Colour Temp	Base	Lumens
9E27LEDP38DL	12W	5700K	E27	1200lm
9E27LEDP38WW	12W	3000K	E27	1200lm

VINTAGE MINI-BANANA 3.5W



- Decorative vintage globe
- Dimmable




Item Code	Wattage	Colour Temp	Base	Lumens
9B22LED13L	3.5W	1800K	B22	105lm

VINTAGE BANANA 2.3W



- Decorative vintage globe
- Dimmable



Item Code	Wattage	Colour Temp	Base	Lumens
9B22LED11L	2.3W	1800K	B22	45lm

VINTAGE G95 3.5W



- Decorative vintage globe
- Dimmable



Item Code	Wattage	Colour Temp	Base	Lumens
9B22LED14L	3.5W	1800K	B22	105lm

VINTAGE G125 3.5W



- Decorative vintage globe
- Dimmable



Item Code	Wattage	Colour Temp	Base	Lumens
9B22LED15L	3.5W	1800K	B22	105lm

CLASSIC A60 FILAMENT GLOBE Blue 2W

LED

- Decorative coloured globe - blue
- Non-dimmable



Item Code	Wattage	Colour Temp	Base	Lumens
MGL288B	2W	-	E27	-
MGL289B	2W	-	B22	-

CLASSIC A60 FILAMENT GLOBE Green 2W

LED

- Decorative coloured globe - green
- Non-dimmable



Item Code	Wattage	Colour Temp	Base	Lumens
MGL288G	2W	-	E27	-
MGL289G	2W	-	B22	-

CLASSIC A60 FILAMENT GLOBE Red 2W

LED

- Decorative coloured globe - red
- Non-dimmable



Item Code	Wattage	Colour Temp	Base	Lumens
MGL288R	2W	-	E27	-
MGL289R	2W	-	B22	-

CLASSIC A60 FILAMENT GLOBE Orange 2W

LED

- Decorative coloured globe - orange
- Non-dimmable



Item Code	Wattage	Colour Temp	Base	Lumens
MGL288O	2W	-	E27	-
MGL289O	2W	-	B22	-

CLASSIC A60 FILAMENT GLOBE Yellow 2W

LED

- Decorative coloured globe - yellow
- Non-dimmable



Item Code	Wattage	Colour Temp	Base	Lumens
MGL288Y	2W	-	E27	-
MGL289Y	2W	-	B22	-

CLASSIC A60 FILAMENT GLOBE 7.5W

LED

- Dimmable
- Lumen efficacy: 108lm/W
- Beam angle: 360°




Item Code	Wattage	Colour Temp	Base	Lumens
9B22LEDA60DC	7.5W	2700K	B22	810lm
9E27LEDA60DC	7.5W	2700K	E27	810lm

ST26 FILAMENT GLOBE 2W

LED

- Non-dimmable
- Lumen efficacy: 115lm/W
- Beam angle: 360°



Item Code	Wattage	Colour Temp	Base	Lumens
MGL284	2W	2700K	E14	230lm
MGL285	2W	2700K	B15	230lm

R80 FILAMENT GLOBE 6.5W

LED

- Dimmable
- Lumen efficacy: 103lm/W
- Beam angle: 180°
- Silver coated shade




Item Code	Wattage	Colour Temp	Base	Lumens
MGL282-D	6.5W	5700K	E27	670lm

T30 FILAMENT GLOBE 4W

LED

- Dimmable
- Lumen efficacy: 118lm/W
- Beam angle: 360°



Item Code	Wattage	Colour Temp	Base	Lumens
MGL280-D	4W	2700K	E27	470lm

FANCY CANDLE LED GLOBE 2.8W

LED

- Non-dimmable
- Lumen efficacy: 82lm/W
- Beam angle: 360°



Item Code	Wattage	Colour Temp	Base	Lumens
9E14LED12F	2.8W	2700K	E14	230lm

FANCY ROUND FILAMENT GLOBE 2.8W

LED

- Non-dimmable
- Lumen efficacy: 82lm/W
- Beam angle: 360°



Item Code	Wattage	Colour Temp	Base	Lumens
9E14LED13	2.8W	2700K	E14	230lm

DIAMOND FILAMENT GLOBE 4W

LED

- Dimmable
- Lumen efficacy: 105lm/W
- Beam angle: 360°



Item Code	Wattage	Colour Temp	Base	Lumens
9E27LED19DC	4W	2700K	E27	420lm

G125 DECORATIVE LED GLOBE 4w

LED

- 3D effect finish
- Non-dimmable



Item Code	Wattage	Colour Temp	Base	Lumens
MGL274	4W	-	E27	-

ST64 PEAR FILAMENT LED GLOBE 7.5w

LED

- Dimmable
- Lumen efficacy: 101lm/W
- Beam angle: 360°




Item Code	Wattage	Colour Temp	Base	Lumens	Coating
9B22LEDST64DC	7.5W	2700K	B22	760lm	Clear
9E27LEDST64DA	7.5W	2700K	E27	760lm	Amber
9E27LEDST64DC	7.5W	2700K	E27	760lm	Clear

G95 FILAMENT LED GLOBE 4w

LED

- Non-dimmable
- Lumen efficacy: 118lm/W
- Beam angle: 360°
- Amber glass coating



Item Code	Wattage	Colour Temp	Base	Lumens
9E27LEDG95A	4W	2700K	E27	470lm

G95 FILAMENT LED GLOBE 7.5w

LED

- Dimmable
- Lumen efficacy: 108lm/W
- Beam angle: 360°



Item Code	Wattage	Colour Temp	Base	Lumens
9B22LEDSP95DC	7.5W	2700K	B22	810lm
9E27LEDSP95DC	7.5W	2700K	E27	810lm

G95 FILAMENT LED GLOBE 7.5w

LED

- Dimmable
- Lumen efficacy: 100lm/W
- Beam angle: 180°
- Half black coated



Item Code	Wattage	Colour Temp	Base	Lumens
9E27LEDSP95DHB	7.5W	2700K	E27	750lm

MERCATOR CANDLE LED GLOBE 4W

LED

- Non-dimmable
- Lumen efficacy: 118lm/W
- Clear glass



Item Code	Wattage	Colour Temp	Base	Lumens
9E14LEDC37C	4W	2700K	E14	470lm

MERCATOR FANCY ROUND LED GLOBE 4W

LED

- Non-dimmable
- Lumen efficacy: 118lm/W
- Clear glass




Item Code	Wattage	Colour Temp	Base	Lumens
9E14LEDG45C	2.8W	2700K	E14	470lm

T30 VINTAGE DECORATIVE LED GLOBE 2W

LED

- Non-dimmable
- Lumen efficacy: 37.5lm/W
- Amber glass
- 15000hrs lifetime




Item Code	Wattage	Colour Temp	Base	Lumens
9E27LED20	2W	1800K	E27	75lm

T30 VINTAGE DECORATIVE LED GLOBE 2W

LED

- Dimmable
- Lumen efficacy: 37.5lm/W
- Amber glass
- 15000hrs lifetime



Item Code	Wattage	Colour Temp	Base	Lumens
9B22LED20	2W	1800K	B22	75lm

T45 VINTAGE DECORATIVE LED GLOBE 4W

LED

- Non-dimmable
- Lumen efficacy: 50lm/W
- Amber glass
- 15000hrs lifetime




Item Code	Wattage	Colour Temp	Base	Lumens
9E27LED21	4W	1800K	E27	200lm

T45 VINTAGE DECORATIVE LED GLOBE 4W

LED

- Non-dimmable
- Lumen efficacy: 50lm/W
- Amber glass
- 15000hrs lifetime



Item Code	Wattage	Colour Temp	Base	Lumens
9B22LED21	4W	1800K	B22	200lm

ST64 VINTAGE DECORATIVE LED GLOBE 4W

LED

- Non-dimmable
- Lumen efficacy: 50lm/W
- Amber glass
- 15000hrs lifetime



Item Code	Wattage	Colour Temp	Base	Lumens
9E27LED22	4W	1800K	E27	200lm

ST64 VINTAGE DECORATIVE LED GLOBE 4W

LED

- Non-dimmable
- Lumen efficacy: 50lm/W
- Amber glass
- 15000hrs lifetime



Item Code	Wattage	Colour Temp	Base	Lumens
9B22LED22	4W	1800K	B22	200lm

G95 VINTAGE DECORATIVE LED GLOBE 4W

LED

- Non-dimmable
- Lumen efficacy: 50lm/W
- Amber glass
- 15000hrs lifetime



Item Code	Wattage	Colour Temp	Base	Lumens
9E27LED23	4W	1800K	E27	200lm

G95 VINTAGE DECORATIVE LED GLOBE 4W



- Non-dimmable
- Lumen efficacy: 50lm/W
- Amber glass
- 15000hrs lifetime



Item Code	Wattage	Colour Temp	Base	Lumens
9B22LED23	4W	1800K	B22	200lm

G125 VINTAGE DECORATIVE LED GLOBE 4W



- Non-dimmable
- Lumen efficacy: 50lm/W
- Amber glass
- 15000hrs lifetime



Item Code	Wattage	Colour Temp	Base	Lumens
9E27LED24	4W	1800K	E27	200lm

G125 VINTAGE DECORATIVE LED GLOBE 4W



- Non-dimmable
- Lumen efficacy: 50lm/W
- Amber glass
- 15000hrs lifetime



Item Code	Wattage	Colour Temp	Base	Lumens
9B22LED24	4W	1800K	B22	200lm

VINTAGE DECORATIVE GLOBE Metal Mesh Black Sphere 4W



- Non-dimmable
- Lumen efficacy: 35lm/W
- Black metal mesh
- 15000hrs lifetime



Item Code	Wattage	Colour Temp	Base	Lumens
9E27LED25	4W	1800K	E27	140lm

VINTAGE DECORATIVE GLOBE Metal Mesh Black Sphere 4W



- Non-dimmable
- Lumen efficacy: 35lm/W
- Black metal mesh
- 15000hrs lifetime



Item Code	Wattage	Colour Temp	Base	Lumens
9B22LED25	4W	1800K	B22	140lm

VINTAGE DECORATIVE GLOBE Metal Mesh Black Cylinder 4W



- Non-dimmable
- Lumen efficacy: 35lm/W
- Black metal mesh
- 15000hrs lifetime



Item Code	Wattage	Colour Temp	Base	Lumens
9E27LED26	4W	1800K	E27	140lm

VINTAGE DECORATIVE GLOBE Metal Mesh Black Cylinder 4W LED

- Non-dimmable
- Lumen efficacy: 35lm/W
- Black metal mesh
- 15000hrs lifetime



Item Code	Wattage	Colour Temp	Base	Lumens
9B22LED26	4W	1800K	B22	140lm

G125 DECORATIVE GLOBE Magician Dot Silver 4W LED

- Non-dimmable
- Lumen efficacy: 31.5lm/W
- Dot Silver
- 15000hrs lifetime



Item Code	Wattage	Colour Temp	Base	Lumens
9E27LED30	4W	2700K	E27	126lm

G125 DECORATIVE GLOBE Magician Dot Silver 4W LED

- Non-dimmable
- Lumen efficacy: 31.5lm/W
- Dot Silver
- 15000hrs lifetime



Item Code	Wattage	Colour Temp	Base	Lumens
9B22LED30	4W	2700K	B22	126lm

G125 DECORATIVE GLOBE Magician Net 4W

LED

- Non-dimmable
- Lumen efficacy: 65lm/W
- Net Black
- 15000hrs lifetime



Item Code	Wattage	Colour Temp	Base	Lumens
9E27LED29	4W	2700K	E27	260lm

G125 DECORATIVE GLOBE Magician Net 4W

LED

- Non-dimmable
- Lumen efficacy: 65lm/W
- Net Black
- 15000hrs lifetime



Item Code	Wattage	Colour Temp	Base	Lumens
9B22LED29	4W	2700K	B22	260lm

D120 DECORATIVE GLOBE WITHIN GLOBE 3.5W



- Dimmable
- Lumen efficacy: 75lm/W
- Clear glass
- 15000hrs lifetime



Item Code	Wattage	Colour Temp	Base	Lumens
9E27LED31	3.5W	2700K	E27	265lm

D120 DECORATIVE GLOBE EVEREST 3.5W

LED

- Non-dimmable
- Lumen efficacy: 50lm/W
- Clear/frosted glass
- 15000hrs lifetime



Item Code	Wattage	Colour Temp	Base	Lumens
9E27LED32	4W	1800K	E27	200lm

ST60 VINTAGE DECORATIVE GLOBE Matt Opal 4W

LED

- Non-dimmable
- Lumen efficacy: 140lm/W
- Texture glass in opal colour
- 15000hrs lifetime




Item Code	Wattage	Colour Temp	Base	Lumens
9E27LED28	4W	3000K	E27	580lm

ST60 VINTAGE DECORATIVE GLOBE Matt Opal 4W

LED

- Non-dimmable
- Lumen efficacy: 140lm/W
- Texture glass in opal colour
- 15000hrs lifetime



Item Code	Wattage	Colour Temp	Base	Lumens
9B22LED28	4W	3000K	E27	560lm

G125 VINTAGE DECORATIVE GLOBE Matt Opal 4W



- Non-dimmable
- Lumen efficacy: 145lm/W
- Texture glass in opal colour
- 15000hrs lifetime



Item Code	Wattage	Colour Temp	Base	Lumens
9E27LED27	4W	3000K	E27	580m

G125 VINTAGE DECORATIVE GLOBE Matt Opal 4W



- Non-dimmable
- Lumen efficacy: 145lm/W
- Texture glass in opal colour
- 15000hrs lifetime



Item Code	Wattage	Colour Temp	Base	Lumens
9B22LED27	4W	3000K	E27	580m

G125 FILAMENT SPHERE LED 4W

- Non-dimmable
- Lumen efficacy: 108lm/W
- Beam angle: 360°



9E27LED15A
(AMBER)



9E27LED15F
(FROST)



LED

Item Code	Wattage	Colour Temp	Base	Lumens
9E27LED15A	4W	2700K	E27	300lm
9E27LED15F	4W	2700K	E27	300lm

G125 FILAMENT GLOBE LED 7.5W

- Dimmable
- Lumen efficacy: 108lm/W
- Beam angle: 360°



Item Code	Wattage	Colour Temp	Base	Lumens
9B22LEDSP125DC	7.5W	2700K	B22	810lm
9E27LEDSP125DC	7.5W	2700K	E27	810lm

G125 FILAMENT GLOBE 7.5W

- Dimmable
- Lumen efficacy: 100lm/W
- Beam angle: 180°
- Half black coated



Item Code	Wattage	Colour Temp	Base	Lumens
9E27LEDSP125DHB	7.5W	2700K	E27	750lm



Ceiling Fans & Accessories

Choosing the right fan for you

LOCATION COMES FIRST

The most important factor in choosing a ceiling fan for your space is identifying where the fan will be installed.

Dry, indoor location

Choose from any of our fan range.

High-humidity indoor or under-covered outdoor location

Choose from ABS or 316 stainless steel fan ranges. Fans with plywood blades are not recommended.

Outdoor location with likely direct contact with water

Choose a fan with high ingress protection (IP) rating.

FAN SIZE

The room size where the fan will be installed can serve as a general guide to your fan size.

Fan size refers to the fan diameter.

We recommend placing your fan in the middle of room for best performance and away from the direct path of ventilating hole.

For oversized space or long corridor you should consider installing multiple fans.

STYLE

The style you choose is an individual decision, however timber blades and DC fans are quieter and better suited for bedrooms, while metal and ABS fans generally move more air and are better suited to high-traffic areas.

FEATURES

We offers the widest range of ceiling fans with a variety of features. Pick a fan with the most features that matter to you.

Fan control

Choose from wall control, pull chain control or remote control. For AC ceiling fans, a retrofit remote controller can be of way to extend fan features, including network connectability.

Smart features such as voice control and scheduling are available.

Light kit

Ceiling fans can be supplied with or without a light fitting. The light fitting may accept retrofit globes or come with an integrated light source. The light can vary in style, ease of control, degree of light control and power it consumes. There are also fans where a matching light kit is sold separately. Fans fitted with lights are generally more suitable in smaller spaces as the main source of overhead light whereas larger spaces usually have alternative primary light sources.

CEILING HEIGHT


Recommended downrod length is based on ceiling height. Mandatory minimum distance from floor to fan blades is 2.1 metre.

AIRFLOW

We provide airflow measured in cubic metres per hour for ceiling fan. The greater the number, the greater the air moved.



You want to know the fan you buy will provide the airflow and comfort you desire. To make an informed decision, you need to understand the airflow test procedure behind a published airflow performance. In Australia, there is currently no prescribed airflow test procedure for ceiling fans so the airflow performance can be derived by manufacturers using varying test methods of their own choosing, including inexpensive and unqualified in-house test set up.





Mercator adopts the trusted U.S. Department of Energy (DOE) airflow test procedure for our ceiling fans range and conduct all our airflow test in fully accredited test laboratory.

OLD TEST PROCEDURE

The ceiling fan is suspended by a downrod 40 5/8" from test ceiling and 6" above a cylinder. The cylinder is 8" larger in diameter than the fan.

IMPROVED TEST PROCEDURE

The ceiling fan is mounted directly to the ceiling using the supplied down rod. Hugger fans are flush mounted. There is no cylinder below the fan. A sensor arm detects airflow from various test points along the length of the blade. The updated DOE airflow test procedure, as adopted by industry leaders, are very specific to ensure consistency across



published airflow numbers. The performance produced by accredited test method allows consumer to better associate the airflow number they see on packaging to what they will actually "feel" when they use their ceiling fans at home.

Mercator has seen 10% - 45% reduction in cubic metre per hour (m³/h) being realised with the improved DOE

testing, compared to the same products tested under the previous procedure.

Initially, the lower airflow numbers can be confusing. It is important to understand that the lower numbers don't mean less airflow is being generated. The fans, and their airflow, have not changed. The way that airflow is being measured has changed.

At Mercator, we strive to provide you with trusted ceiling fan performance. We recommend consumers enquire about airflow test or experience a fan performance in person whenever possible for satisfactory purchase outcome.

AC Ceiling Fans

Well studied electromechanical technology and durable fan construction that stands the test of time



REASONS FOR CHOOSING AN AC CEILING FAN:

- Can be controlled by a hardwired wall controller or a remote control.
- Wider designs and styles available
- More affordable than a comparable DC fan
- Extendable features with advanced smart remote controllers

LONSDALE

FC920124 / FC922124 / FC922124R



**AC
MOTOR**


**2
YEAR
IN HOME
WARRANTY**

**5
YEAR
MOTOR
WARRANTY**

CEILING FAN DIMENSIONS

- A: 150mm
- B: (B22) 428mm | (NL) 335mm
- C: 315mm
- D: 1200mm
- E: Slope to max. 23°

Stated dimensions with 150mm rod supplied
Longer rods available



CEILING FAN FEATURES

- 120cm ceiling fans
- Reversible airflow for summer and winter use
- Tropically rated
- Metal body with plywood blades
- Suitable for indoor installation
- 3-speed wall controller or remote controller included
- Available with or without fitted B22 light
- Model with light available with or without FRM86 3-speed remote controller with dimming function

CEILING FAN SPECIFICATIONS

MODEL	FC920124 (WITHOUT LIGHT)	FC922124 (WITH LIGHT)	FC922124R (WITH LIGHT & REMOTE)
BLADE SWEEP	120cm	120cm	120cm
MOTOR POWER	60W	60W	60W
MAX. AIRFLOW	7,400 m ³ /h	7,400 m ³ /h	7,400 m ³ /h
FAN LIGHT	-	Suits two B22 20W globes (not supplied)	
LIGHT COLOUR	-		
LIGHT OUTPUT	-	max. globe dimension: L110mm x W55mm	
CONTROLLER	Wall control	Wall control	Remote control (FRM86)

COLOURS



FAN: **FC920124WH**
white assembly
BLADES:
white finish



FAN: **FC922124WH**
white assembly
BLADES:
white finish



FAN: **FC922124RWH**
white assembly
BLADES:
white finish



FAN: **FC922124RBC**
brushed chrome
assembly
BLADES:
silver finish

RECOMMENDED SPACE

This ceiling fan is recommended for:

- Living Room
- Dining Room
- Kitchen
- Bedroom
- Study



RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

FAN COLOUR	60CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)	90CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)	REMOTE CONTROLLER
BRUSHED CHROME	FD360600BC + XFC6403	FD360900BC + XFC6404	FRM87 / FRM97 / FRM86 (dimmer remote) / FRM86G (smart remote)
WHITE	FD360600WH + XFC6403	FD360900WH + XFC6404	

See downrod page section for more compatible rods

CAPRICE

FC250134 / FC252128 / FC252134 / FC257134



**AC
MOTOR**

**3
YEAR
IN HOME
WARRANTY**

**6
YEAR
MOTOR
WARRANTY**

CEILING FAN DIMENSIONS

A: 135mm


B: (B22 / LED) 365mm | (NL) 296mm

C: 239mm

D: 1219 / 1320mm

E: Slope to max. 21°

Stated dimensions with 114mm rod supplied
Longer rods available



CEILING FAN FEATURES

- 120cm and 132cm ceiling fans
- Reversible airflow for summer and winter use
- Tropically rated
- Cast aluminium body with plywood blades
- Suitable for indoor installation
- 3-speed wall controller with light switch included
- Available with or without fitted light (B22 or LED)
- Remote controller adaptable (sold separately)

CEILING FAN SPECIFICATIONS

MODEL	FC250128 (WITHOUT LIGHT)	FC250134 (WITHOUT LIGHT)	FC252128 (WITH B22)	FC252128 (WITH B22)	FC257134 (WITH LED)
BLADE SWEEP	122cm	132cm	122cm	132cm	132cm
MOTOR POWER	60W	60W	60W	60W	60W
MAX. AIRFLOW	8,600 m ³ /h	9,100 m ³ /h	8,600 m ³ /h	9,100 m ³ /h	9,100 m ³ /h
FAN LIGHT	-	-	Suits two B22 20W CFL or 10W LED globes (not supplied) max. globe dimension: L110mm x W55mm		16W integrated LED
LIGHT COLOUR	-	-			3000K Warm White / 4000K Neutral White
LIGHT OUTPUT	-	-			1000lm
CONTROLLER	Wall control	Wall control	Wall control	Wall control	Remote control

COLOURS



FAN: **FC250128WH**
white assembly
BLADES:
white finish



FAN: **FC250134WH**
white assembly
BLADES:
white finish



FAN: **FC250134BK**
black assembly
BLADES:
black finish



FAN: **FC250134BS**
brushed steel assembly
BLADES:
silver finish



FAN: **FC252128WH**
white assembly
BLADES:
white finish



FAN: **FC252134WH**
white assembly
BLADES:
white finish



FAN: **FC252134BK**
black assembly
BLADES:
black finish



FAN: **FC252134BS**
brushed steel assembly
BLADES:
silver finish
FAN: **FC257134WH**



white assembly
BLADES:
white finish

RECOMMENDED SPACE

This ceiling fan is recommended for:

- Living Room
- Dining Room
- Kitchen
- Bedroom
- Study



RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

FAN COLOUR	60CM EXTENSION ROD (FD...)	90CM EXTENSION ROD (FD...)	REMOTE CONTROLLER
BLACK	FD250600BK	FD250600BK	FRM87 / FRM97 / FRM86 (dimmer remote) / FRM86G (smart remote)
BRUSHED STEEL	FD250600BS	FD250600BS	
WHITE	FD250600WH	FD250600WH	

See downrod page section for more compatible rods

AIRNIMATE

FC770134 / FC777134



**AC
MOTOR**

**3
YEAR
IN HOME
WARRANTY**

**6
YEAR
MOTOR
WARRANTY**

CEILING FAN DIMENSIONS

A: 140mm


B: (LED) 370mm | (NL) 335mm

C: 282mm

D: 1320mm

E: Slope to max. 15°

Stated dimensions with 150mm rod supplied
Longer rods available



CEILING FAN FEATURES

- 132cm ceiling fans
- Reversible airflow for summer and winter use
- Tropically rated
- Corrosion and UV resistant moulded ABS body and blades
- Suitable for indoor and enclosed outdoor installation
- 3-speed wall controller with light switch included
- Available with or without dimmable tri-colour LED light
- Dimmer sold separately
- Remote controller adaptable (sold separately)
- Packaging serves as fan assembly platform
- Easy installation with quick connect wiring

CEILING FAN SPECIFICATIONS

MODEL	FC770134 (WITHOUT LIGHT)	FC777134 (WITH LED)		
BLADE SWEEP	132cm	132cm		
MOTOR POWER	60W	60W		
MAX. AIRFLOW	9,667 m ³ /h	9,667 m ³ /h		
FAN LIGHT	-	20W dimmable* integrated LED *dimmer sold separately		
LIGHT COLOUR	-	3000K Warm White	4000K Neutral White	5000K Daylight
LIGHT OUTPUT	-	1000lm	1000lm	1000lm
CONTROLLER	Wall control	Wall control		

COLOURS



FAN: **FC770134BK**
black assembly
BLADES:
black finish



FAN: **FC770134WH**
white assembly
BLADES:
white finish



FAN: **FC777134BK**
black assembly
BLADES:
black finish



FAN: **FC777134WH**
white assembly
BLADES:
white finish

RECOMMENDED SPACE

This ceiling fan is recommended for:

- Living Room
- Dining Room
- Kitchen
- Bedroom
- Study
- Alfresco
- Coastal Areas



RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

FAN COLOUR	60CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)	90CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)	REMOTE CONTROLLER
BLACK	FD360600BK + XFC6403	FD360900BK + XFC6404	FRM87 / FRM97 / FRM86 (dimmer remote) / FRM86G (smart remote)
WHITE	FD360600WH + XFC6403	FD360900WH + XFC6404	

See downrod page section for more compatible rods

CLARE

FC660134 / FC662134



**AC
MOTOR**

**3
YEAR
IN HOME
WARRANTY**

**6
YEAR
MOTOR
WARRANTY**

CEILING FAN DIMENSIONS

A: 150mm


B: (B22) 414mm | (NL) 330mm

C: 315mm

D: 1350mm

E: Slope to max. 15°

Stated dimensions with 150mm rod supplied
Longer rods available



CEILING FAN FEATURES

- 135cm ceiling fans
- Reversible airflow for summer and winter use
- Tropically rated
- Corrosion and UV resistant moulded ABS body and blades
- Suitable for indoor or enclosed outdoor installation
- 3-speed wall controller with light switch included
- Available with or without fitted B22 light
- Globe sold separately
- Remote controller adaptable (sold separately)
- Easy installation with quick connect wiring

CEILING FAN SPECIFICATIONS

MODEL	FC660134 (WITHOUT LIGHT)	FC662134 (B22 LIGHT)
BLADE SWEEP	135cm	135cm
MOTOR POWER	88W	88W
MAX. AIRFLOW	11,340 m ³ /h	11,340 m ³ /h
FAN LIGHT	-	Suits two B22 15W globes (not supplied)
LIGHT COLOUR	-	
LIGHT OUTPUT	-	max. globe dimension: L110mm x W55mm
CONTROLLER	Wall control	Wall control

COLOURS



FAN: **FC660134BK**
black assembly
BLADES:
black finish



FAN: **FC660134WH**
white assembly
BLADES:
white finish



FAN: **FC662134BK**
black assembly
BLADES:
black finish



FAN: **FC662134WH**
white assembly
BLADES:
white finish

RECOMMENDED SPACE

This ceiling fan is recommended for:

- Living Room
- Dining Room
- Kitchen
- Bedroom
- Study
- Alfresco
- Coastal Areas



RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

FAN COLOUR	60CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)	90CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)	REMOTE CONTROLLER
BLACK	FD660600BK (loom incl.)	FD660900BK (loom incl.)	FRM86 (dimmer remote) / FRM86G (smart remote)
WHITE	FD660600WH (loom incl.)	FD660900WH (loom incl.)	

See downrod page section for more compatible rods

AIRVENTURE

FC580133 / FC587133



**AC
MOTOR**

**3
YEAR
IN HOME
WARRANTY**

**6
YEAR
MOTOR
WARRANTY**

CEILING FAN DIMENSIONS

A: 144mm


B: (LED) 331mm | (NL) 334mm

C: 300mm

D: 1331mm

E: Slope to max. 12°

Stated dimensions with 100mm rod supplied
Longer rods available



CEILING FAN FEATURES

- 132cm ceiling fans with unique design details
- Reversible airflow for summer and winter use
- Tropically rated
- Corrosion and UV resistant moulded ABS body and blades
- Suitable for indoor or enclosed outdoor installation
- 3-speed wall controller with light switch included
- Available with or without dimmable tri-colour LED light
- Remote controller adaptable (sold separately)
- Packaging serves a fan assembly platform
- Easy installation

CEILING FAN SPECIFICATIONS

MODEL	FC580133 (WITHOUT LIGHT)	FC587133 (WITH LED)		
BLADE SWEEP	132cm	132cm		
MOTOR POWER	57W	57W		
MAX. AIRFLOW	10,429 m ³ /h	10,429 m ³ /h		
FAN LIGHT	-	20W dimmable* integrated LED *dimmer sold separately		
LIGHT COLOUR	-	3000K Warm White	4000K Neutral White	5700K Daylight
LIGHT OUTPUT	-	1400lm	1550lm	1550lm
CONTROLLER	Wall control	Wall control		

COLOURS



FAN: **FC580133BK**
black assembly
BLADES:
black finish



FAN: **FC580133WH**
white assembly
BLADES:
white finish



FAN: **FC587133BK**
black assembly
BLADES:
black finish



FAN: **FC587133WH**
white assembly
BLADES:
white finish

RECOMMENDED SPACE

This ceiling fan is recommended for:

- Living Room
- Dining Room
- Kitchen
- Bedroom
- Study
- Alfresco
- Coastal Areas



RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

FAN COLOUR	60CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)	90CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)	REMOTE CONTROLLER
BLACK	FD360600BK + XFC6403	FD360900BK + XFC6404	FRM87 / FRM97 / FRM86 (dimmer remote) / FRM86G (smart remote)
WHITE	FD360600WH + XFC6403	FD360900WH + XFC6404	

See downrod page section for more compatible rods

CLARENCE

FC760143 / FC768143



AC
MOTOR

3
YEAR
IN HOME
WARRANTY

6
YEAR
MOTOR
WARRANTY

CEILING FAN DIMENSIONS

A: 132mm


B: (LED) 360mm | (NL) 322mm

C: 318mm

D: 1418mm

E: Slope to max. 21°

Stated dimensions with 127mm rod supplied
Longer rods available



CEILING FAN FEATURES

- 142cm ceiling fans with industrial inspired styling
- Reversible airflow for summer and winter use
- Tropically rated
- Metal body with corrosion and UV resistant moulded blades
- Suitable for indoor installation
- 3-speed wall controller with light switch included
- Available with or without dimmable tri-colour LED light
- Dimmer sold separately
- Remote controller adaptable (sold separately)
- Easy installation with quick connect wiring

CEILING FAN SPECIFICATIONS

MODEL	FC760143	FC768143		
	(WITHOUT LIGHT)	(WITH LED)		
BLADE SWEEP	142cm	142cm		
MOTOR POWER	75W	75W		
MAX. AIRFLOW	12,336 m ³ /h	12,336 m ³ /h		
FAN LIGHT	-	13W dimmable* integrated LED *dimmer sold separately		
LIGHT COLOUR	-	3000K Warm White	4000K Neutral White	5700K Daylight
LIGHT OUTPUT	-	700lm	750lm	700lm
CONTROLLER	Wall control	Wall control		

COLOURS



FAN: **FC760143BC**
brushed chrome
assembly
BLADES:
black timber finish



FAN: **FC760143RB**
oil rubbed bronze
assembly
BLADES:
dark timber finish



FAN: **FC760143WH**
white assembly
BLADES:
light timber finish



FAN: **FC768143BC**
brushed chrome
assembly
BLADES:
black timber finish



FAN: **FC768143RB**
oil rubbed bronze
assembly
BLADES:
dark timber finish



FAN: **FC768143WH**
white assembly
BLADES:
light timber finish

RECOMMENDED SPACE

This ceiling fan is recommended for:

- Living Room
- Dining Room
- Kitchen
- Bedroom
- Study



RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

FAN COLOUR	60CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)	90CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)	REMOTE CONTROLLER
BRUSHED CHROME	FD360600BC + XFC6403	FD360900BC + XFC6404	FRM87 / FRM97 / FRM86 (dimmer remote) / FRM86G (smart remote)
OIL RUBBED BRONZE	FD510143RB + XFC6403	FD170114RB + XFC6404	
WHITE	FD360600WH + XFC6403	FD360900WH + XFC6404	

See downrod page section for more compatible rods

HAYMAN

FC050135



AC
MOTOR

2
YEAR
IN HOME
WARRANTY

5
YEAR
MOTOR
WARRANTY

CEILING FAN DIMENSIONS

A: 130mm


B: 368mm

C: 304mm

D: 1318mm

E: Slope to max. 15°

Stated dimensions with 152mm rod supplied
Longer rods available



CEILING FAN FEATURES

- 132cm ceiling fans
- Reversible airflow for summer and winter use
- Tropically rated
- Metal body and plywood blades
- Suitable for indoor installation
- 3-speed pull chain switch included
- Remote controller adaptable (sold separately)

CEILING FAN SPECIFICATIONS

MODEL	FC050135
BLADE SWEEP	132cm
MOTOR POWER	60W
MAX. AIRFLOW	8,021 m ³ /h
FAN LIGHT	-
LIGHT COLOUR	-
LIGHT OUTPUT	-
CONTROLLER	Wall control

COLOURS



FAN: **FC050135AB**
 antique brass assembly
 BLADES:
 reversible walnut /oak
 finish

RECOMMENDED SPACE

This ceiling fan is recommended for:

- Living Room
- Dining Room
- Kitchen
- Bedroom
- Study



RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

FAN COLOUR	60CM EXTENSION ROD (FD...)	90CM EXTENSION ROD (FD...)	REMOTE CONTROLLER
ANTIQUÉ BRASS	-	FD110900AB	FRM87/FRM97 FRM86 (dimmer remote) FRM86G (smart remote)

See downrod page section for more compatible rods

KEWARRA

FC190139



AC
MOTOR

2
YEAR
IN HOME
WARRANTY

5
YEAR
MOTOR
WARRANTY

CEILING FAN DIMENSIONS

A: 130mm


B: 390mm

C: 335mm

D: 1350mm

E: Slope to max. 20°

Stated dimensions with 152mm rod supplied
Longer rods available



CEILING FAN FEATURES

- 135cm ceiling fans
- Reversible airflow for summer and winter use
- Tropically rated
- Metal body and ABS blades
- Suitable for indoor installation
- 3-speed wall controller with light switch included
- Remote controller adaptable (sold separately)

CEILING FAN SPECIFICATIONS

MODEL	FC190139
BLADE SWEEP	135cm
MOTOR POWER	60W
MAX. AIRFLOW	8,033 m ³ /h
FAN LIGHT	-
LIGHT COLOUR	-
LIGHT OUTPUT	-
CONTROLLER	Wall control

COLOURS



FAN: **FC190139RB**
oil rubbed bronze
assembly
BLADES:
Palm leaf look

RECOMMENDED SPACE

This ceiling fan is recommended for:

- Living Room
- Dining Room
- Kitchen
- Bedroom
- Study



RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

FAN COLOUR	60CM EXTENSION ROD (FD...)	90CM EXTENSION ROD (FD...)	REMOTE CONTROLLER
OIL RUBBED BRONZE	FD510143RB	FD170114RB	FRM87/FRM97 FRM86 (dimmer remote) FRM86G (smart remote)

See downrod page section for more compatible rods

HEALEY

FC490135



AC
MOTOR

2
YEAR
IN HOME
WARRANTY

5
YEAR
MOTOR
WARRANTY

CEILING FAN DIMENSIONS

A: 132mm


B: 374mm

C: 293mm

D: 1300mm

E: Slope to max. 21°

Stated dimensions with 127mm rod supplied
Longer rods available



CEILING FAN FEATURES

- 130cm ceiling fans
- Reversible airflow for summer and winter use
- Tropically rated
- Metal body and plywood blades
- Suitable for indoor installation
- 3-speed wall controller with light switch included
- Remote controller adaptable (sold separately)

CEILING FAN SPECIFICATIONS

MODEL	FC490135
BLADE SWEEP	130cm
MOTOR POWER	65W
MAX. AIRFLOW	8,735 m ³ /h
FAN LIGHT	-
LIGHT COLOUR	-
LIGHT OUTPUT	-
CONTROLLER	Wall control

COLOURS



FAN: **FC490135AB**
 antique brass assembly
 BLADES:
 reversible walnut /
 cherry finish



FAN: **FC490135RB**
 oil rubbed bronze
 assembly
 BLADES:
 reversible oak /
 wengue finish

RECOMMENDED SPACE

This ceiling fan is recommended for:

- Living Room
- Dining Room
- Kitchen
- Bedroom
- Study



RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

FAN COLOUR	60CM EXTENSION ROD (FD...)	90CM EXTENSION ROD (FD...)	REMOTE CONTROLLER
ANTIQUE BRASS	FD110600AB	FD110900AB	FRM87/FRM97
OIL RUBBED BRONZE	FD510143RB	FD170114RB	FRM86 (dimmer remote) FRM86G (smart remote)

See downrod page section for more compatible rods

COOYA

FC190135



IP
44

AC
MOTOR

2
YEAR
IN HOME
WARRANTY

5
YEAR
MOTOR
WARRANTY

CEILING FAN DIMENSIONS

A: 130mm


B: 385mm

C: 342mm

D: 1320mm

E: Slope to max. 15°

Stated dimensions with 152mm rod supplied
Longer rods available



CEILING FAN FEATURES

- 132cm ceiling fans with IP44 rating
- Reversible airflow for summer and winter use
- Tropically rated
- Metal body and ABS blades
- Suitable for indoor or enclosed outdoor installation
- 3-speed wall controller with light switch included
- Remote controller adaptable (sold separately)

CEILING FAN SPECIFICATIONS

MODEL	FC190135
BLADE SWEEP	132cm
MOTOR POWER	65W
MAX. AIRFLOW	7,522 m ³ /h
FAN LIGHT	-
LIGHT COLOUR	-
LIGHT OUTPUT	-
CONTROLLER	Wall control

COLOURS



FAN: **FC190135BR**

brown assembly

BLADES:

wide leaf design

RECOMMENDED SPACE

This ceiling fan is recommended for:

- Living Room
- Dining Room
- Kitchen
- Bedroom
- Study
- Alfresco
- Coastal Areas



RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

FAN COLOUR	60CM EXTENSION ROD (FD...)	90CM EXTENSION ROD (FD...)	REMOTE CONTROLLER
BROWN	-	FD190900BR	FRM87/FRM97 FRM86 (dimmer remote) FRM86G (smart remote)

See downrod page section for more compatible rods

DC Ceiling Fans

Evolving energy saving fan technology that doesn't cost the earth



REASONS FOR CHOOSING A DC CEILING FAN:

- More energy efficient than a comparable AC fans
- Can be much quieter than a comparable AC fans
- More speeds and fan/light control via remote handset
- Typically weighs less than an AC fan (easier to handle and install)
- Smart fan option available

NEMOI


FC700134 / FC708134



DC MOTOR	3 YEAR IN HOME WARRANTY	6 YEAR MOTOR WARRANTY
--------------------	---	---------------------------------------

CEILING FAN DIMENSIONS

- A: 150mm
 - B: (LED) 340mm | (NL) 310mm
 - C: 290mm
 - D: 1370mm
 - E: Slope to max. 21°
- Stated dimensions with 150mm rod supplied
Longer rods available



CEILING FAN FEATURES

- 137cm ceiling fans
- Reversible airflow for summer and winter use
- Tropically rated
- Corrosion and UV resistant moulded ABS body and blades
- Suitable for indoor or enclosed outdoor installation
- 5-speed remote controller (FRM123) included
- Available with or without colour changing LED light
- 1H/4H/8H fan and light off timer
- Easy installation with quick connect wiring

CEILING FAN SPECIFICATIONS

MODEL	FC700134	FC708134			
	(WITHOUT LIGHT)	(WITH LED)			
BLADE SWEEP	137cm	137cm			
MOTOR POWER	35W	35W			
MAX. AIRFLOW	10,228 m ³ /h	10,228 m ³ /h			
FAN LIGHT	-	18W dimmable integrated LED			
LIGHT CONTROL	-	4-step colour change or smooth transitional colour change between warm white and daylight white			
LIGHT COLOUR	-	3000K	4000K	5000K	5700K
LIGHT OUTPUT	-	1000lm	1000lm	1000lm	1000lm
CONTROLLER	Remote control	Remote control			

COLOURS



FAN: **FC700134WH**
white assembly
BLADES:
white finish



FAN: **FC700134BK**
black assembly
BLADES:
black finish



FAN: **FC708134WH**
white assembly
BLADES:
white finish



FAN: **FC708134BK**
black assembly
BLADES:
black finish

RECOMMENDED SPACE

This ceiling fan is recommended for:

- Living Room
- Dining Room
- Kitchen
- Bedroom
- Study
- Alfresco
- Coastal Areas



RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

FAN COLOUR	60CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)	90CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)
BLACK	FD360600BK + XFC7003	FD360900BK + XFC7004
WHITE	FD360600WH + XFC7003	FD360900WH + XFC7004

MONA


FC780133



DC MOTOR	3 YEAR IN HOME WARRANTY	6 YEAR MOTOR WARRANTY
---------------------	--	--

CEILING FAN DIMENSIONS

- A: 130mm
- B: 314mm
- C: 263mm
- D: 1320mm
- Longer rods available



CEILING FAN FEATURES

- 132cm ceiling fans
- Reversible airflow for summer and winter use
- Tropically rated
- Corrosion and UV resistant moulded blades
- Suitable for low ceiling indoor installation
- 6-speed remote controller included
- Available with or without colour changing LED light (light kit sold separately)
- 1H/4H/8H fan and light off timer
- Easy installation with quick connect wiring

CEILING FAN SPECIFICATIONS

MODEL	FC780133	FC780133 + FLF7881			
	(WITHOUT LIGHT)	(WITH LED)			
BLADE SWEEP	132cm	132cm			
MOTOR POWER	35W	35W			
MAX. AIRFLOW	9348 m ³ /h	9348 m ³ /h			
FAN LIGHT	-	20W dimmable integrated LED			
LIGHT CONTROL	-	4-step colour change or smooth transitional colour change between warm white and daylight white			
LIGHT COLOUR	-	3000K	4000K	5000K	5700K
LIGHT OUTPUT	-	1000lm	1000lm	1000lm	1000lm
CONTROLLER	Remote control	Remote control			

COLOURS



FAN: FC780133WH
white assembly
BLADES: white finish



FAN: FC780133BK
black assembly
BLADES: timber finish

RECOMMENDED SPACE

This ceiling fan is recommended for:

- Living Room
- Dining Room
- Kitchen
- Bedroom
- Study
- Low Ceiling Room



RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

FAN COLOUR	LIGHT KIT
BLACK WITH TIMBER-LOOK BLADES	FLF7881BK
WHITE FINISH	FLF7881WH

See downrod page section for more compatible rods

INSTINCT


FC1100133 / FC1108133



DC MOTOR	3 YEAR IN HOME WARRANTY	6 YEAR MOTOR WARRANTY
--------------------	---	---------------------------------------

CEILING FAN DIMENSIONS

- A: 168mm
- B: (LED) 237mm | (NL) 191mm
- C: 183mm
- D: 1370mm



CEILING FAN FEATURES

- 137cm ceiling fans
- Reversible airflow for summer and winter use
- Tropically rated
- Metal body with corrosion and UV resistant moulded blades
- Suitable for low ceiling indoor installation
- 6-speed remote controller included
- Available with or without colour changing LED light
- 1H/4H/8H fan and light off timer
- Easy installation with quick connect wiring

CEILING FAN SPECIFICATIONS

MODEL	FC700134 (WITHOUT LIGHT)	FC708134 (WITH LED)			
BLADE SWEEP	137cm	137cm			
MOTOR POWER	35W	35W			
MAX. AIRFLOW	8,990 m ³ /h	8,990 m ³ /h			
FAN LIGHT	-	18W dimmable integrated LED			
LIGHT CONTROL	-	4-step colour change or smooth transitional colour change between warm white and daylight white			
LIGHT COLOUR	-	3000K	3500K	4500K	5700K
LIGHT OUTPUT	-	800lm	800lm	1000lm	1000lm
CONTROLLER	Remote control	Remote control			

COLOURS



FAN: **FC1100133WH**
white assembly
BLADES:
white finish



FAN: **FC1108133WH**
white assembly
BLADES:
white finish

RECOMMENDED SPACE

This ceiling fan is recommended for:

- Living Room
- Dining Room
- Kitchen
- Bedroom
- Study
- Low Ceiling Room



ACCESSORIES NOT AVAILABLE

See downrod page section for more compatible rods

JUNO

FC1120143 / FC1128143




**DC
MOTOR**

**3
YEAR
IN HOME
WARRANTY**

**6
YEAR
MOTOR
WARRANTY**

CEILING FAN DIMENSIONS

- A: 144mm
 - B: (LED) 354mm | (NL) 290mm
 - C: 282mm
 - D: 1420mm
 - E: Slope to max. 15°
- Longer rods available



CEILING FAN FEATURES

- 142cm ceiling fan
- Reversible airflow for summer and winter use
- Tropically rated
- Corrosion and UV resistant moulded ABS body and blades
- Suitable for indoor or enclosed outdoor installation
- 6-speed remote controller included
- Available with or without colour changing LED light
- 1H/4H/8H fan and light off timer
- Easy installation with quick connect wiring

CEILING FAN SPECIFICATIONS

MODEL	FC1120143 (WITHOUT LED)	FC1128143 (WITH LED)			
BLADE SWEEP	142cm	142cm			
MOTOR POWER	35W	35W			
MAX. AIRFLOW	12,995 m ³ /h	12,995 m ³ /h			
FAN LIGHT	-	18W dimmable integrated LED			
LIGHT CONTROL	-	4-step colour change or smooth transitional colour change between warm white and daylight white			
LIGHT COLOUR	-	3000K	3500K	4000K	5000K
LIGHT OUTPUT	-	1200lm	1250lm	1250lm	1300lm
CONTROLLER	Remote control	Remote control			

COLOURS



FAN: FC1120143WH
white assembly
BLADES: white finish



FAN: FC1120143BK
black assembly
BLADES: black finish



FAN: FC1128143WH
white assembly
BLADES: white finish



FAN: FC1128143BK
black assembly
BLADES: black finish

RECOMMENDED SPACE

This ceiling fan is recommended for:

- Living Room
- Dining Room
- Kitchen
- Bedroom
- Study
- Alfresco
- Coastal Areas



RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

FAN COLOUR	60CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)	90CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)
BLACK	FD360600BK + XFC8283	FD360600BK + XFC8284
WHITE	FD360600WH + XFC8283	FD360600WH + XFC8284

See downrod page section for more compatible rods

LORA

FC1130153 / FC1138153




**DC
MOTOR**

**3
YEAR
IN HOME
WARRANTY**

**6
YEAR
MOTOR
WARRANTY**

CEILING FAN DIMENSIONS

- A: 144mm
- B: (LED) 362mm | (NL) 290mm
- C: 331mm
- D: 1522mm
- E: Slope to max. 12°
- Longer rods available



CEILING FAN FEATURES

- 152cm ceiling fan
- Reversible airflow for summer and winter use
- Tropically rated
- Corrosion and UV resistant moulded ABS body and blades
- Suitable for indoor or enclosed outdoor installation
- 6-speed remote controller included
- Available with or without colour changing LED light
- 1H/4H/8H fan and light off timer
- Easy installation with quick connect wiring

CEILING FAN SPECIFICATIONS

MODEL	FC1130153	FC1138153			
	(WITHOUT LED)	(WITH LED)			
BLADE SWEEP	152cm	152cm			
MOTOR POWER	35W	35W			
MAX. AIRFLOW	16,360 m ³ /h	16,360 m ³ /h			
FAN LIGHT	-	18W dimmable integrated LED			
LIGHT CONTROL	-	4-step colour change or smooth transitional colour change between warm white and daylight white			
LIGHT COLOUR	-	3000K	3500K	4000K	5000K
LIGHT OUTPUT	-	1100lm	1200lm	1200lm	1200lm
CONTROLLER	Remote control	Remote control			

COLOURS



FAN: FC1130153WH
white assembly
BLADES: white finish



FAN: FC1130153BK
black assembly
BLADES: black finish



FAN: FC1138153WH
white assembly
BLADES: white finish



FAN: FC1138153BK
black assembly
BLADES: black finish

RECOMMENDED SPACE

This ceiling fan is recommended for:

- Living Room
- Dining Room
- Kitchen
- Bedroom
- Study
- Alfresco
- Coastal Areas



RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

FAN COLOUR	60CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)	90CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)
BLACK	FD360600BK + XFC8283	FD360600BK + XFC8284
DARK TIMBER FINISH	FD360600WH + XFC8283	FD360600WH + XFC8284

See downrod page section for more compatible rods

EAGLE


FC360143 / FC368143



DC MOTOR	3 YEAR IN HOME WARRANTY	6 YEAR MOTOR WARRANTY
---------------------	--	--

CEILING FAN DIMENSIONS

- A: 132mm
 - B: (LED) 368mm | (NL) 311mm
 - C: 303mm
 - D: 1418mm
 - E: Slope to max. 13° (with 127mm rod) or max. 21° (with min. 600mm rod)
- Stated dimensions with 127mm rod supplied
Longer rods available



CEILING FAN FEATURES

- 142cm ceiling fans
- Uniquely shaped design for stronger airflow
- Reversible airflow for summer and winter use
- Tropically rated
- Metal body with corrosion and UV resistant moulded blades
- Suitable for indoor installation
- 6-speed remote controller included
- Available with or without dimmable LED light

CEILING FAN SPECIFICATIONS

MODEL	FC360143 (WITHOUT LIGHT)	FC368143 (WITH LED)
BLADE SWEEP	142cm	142cm
MOTOR POWER	35W	35W
MAX. AIRFLOW	12,176 m ³ /h	12,176 m ³ /h
FAN LIGHT	-	12W dimmable integrated LED
LIGHT COLOUR	-	4000K Neutral White
LIGHT OUTPUT	-	900lm
CONTROLLER	Remote control	Remote control

COLOURS



FAN: **FC360143BB**
black assembly
BLADES:
black finish



FAN: **FC360143BC**
brushed chrome
assembly
BLADES:
silver finish



FAN: **FC360143RB**
oil rubbed bronze
assembly
BLADES:
timber look finish



FAN: **FC368143WH**
white assembly
BLADES:
white finish



FAN: **FC368143BB**
black assembly
BLADES:
black finish



FAN: **FC368143BC**
brushed chrome
assembly
BLADES:
silver finish



FAN: **FC368143RB**
oil rubbed bronze
assembly
BLADES:
timber look finish

RECOMMENDED SPACE

This ceiling fan is recommended for:

- Living Room
- Dining Room
- Kitchen
- Bedroom
- Study



RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

FAN COLOUR	60CM EXTENSION ROD (FD...)	90CM EXTENSION ROD (FD...)
BLACK	FD360600BK	FD360900BK
BRUSHED CHROME	FD360600BC	FD231134BC
OIL RUBBED BRONZE	FD510143RB	FD170114RB
WHITE	FD360600WH	FD360900WH / FD231134WH / FD240134WH

See downrod page section for more compatible rods

EAGLE XL

FC360163 / FC368163



DC MOTOR	3 YEAR IN HOME WARRANTY	6 YEAR MOTOR WARRANTY
--------------------	---	---------------------------------------

CEILING FAN DIMENSIONS

A: 132mm


B: (LED) 373mm | (NL) 332mm

C: 215mm

D: 1676mm

E: Slope to max. 13° (with 127mm rod)
or max. 21° (with min. 600mm rod)

Stated dimensions with 127mm rod supplied
Longer rods available



CEILING FAN FEATURES

- 168cm ceiling fans
- Uniquely shaped design for stronger airflow
- Reversible airflow for summer and winter use
- Tropically rated
- Metal body with corrosion and UV resistant moulded blades
- Suitable for indoor installation
- 5-speed remote controller included
- 1H/4H/8H fan timer
- Available with or without dimmable LED light
- Easy installation with quick connect wiring

CEILING FAN SPECIFICATIONS

MODEL	FC360163 (WITHOUT LIGHT)	FC368163 (WITH LED)
BLADE SWEEP	168cm	168cm
MOTOR POWER	35W	35W
MAX. AIRFLOW	13,500 m ³ /h	13,500 m ³ /h
FAN LIGHT	-	12W dimmable integrated LED
LIGHT COLOUR	-	4000K Neutral White
LIGHT OUTPUT	-	900lm
CONTROLLER	Remote control	Remote control

COLOURS



FAN: **FC360163BB**
black assembly
BLADES:
black finish



FAN: **FC360163BC**
brushed chrome
assembly
BLADES:
silver finish



FAN: **FC360163RB**
oil rubbed bronze
assembly
BLADES:
timber look finish



FAN: **FC360163WH**
white assembly
BLADES:
white finish



FAN: **FC368163BB**
black assembly
BLADES:
black finish



FAN: **FC368163BC**
brushed chrome
assembly
BLADES:
silver finish



FAN: **FC368163RB**
oil rubbed bronze
assembly
BLADES:
timber look finish



FAN: **FC368163WH**
white assembly
BLADES:
white finish

RECOMMENDED SPACE

This ceiling fan is recommended for:

- Living Room
- Dining Room
- Kitchen
- Bedroom
- Study



RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

FAN COLOUR	60CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)	90CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)
BLACK	FD360600BK + XFC3603	FD360900BK + XFC3604
BRUSHED CHROME	FD360600BC + XFC3603	FD231134BC + XFC3604
OIL RUBBED BRONZE	FD510143RB + XFC3603	FD170114RB + XFC3604
WHITE	FD360600WH + XFC3603	FD360900WH / FD231134WH / + XFC3604 FD240134WH

See downrod page section for more compatible rods

GUARDIAN

FC1110143



IP
44

DC
MOTOR

3
YEAR
IN HOME
WARRANTY

6
YEAR
MOTOR
WARRANTY

CEILING FAN DIMENSIONS

A: 155mm


B: 248mm

C: 220mm

D: 1420mm

E: Slope to max. 15°

Longer rods available



CEILING FAN FEATURES

- 142cm ceiling fans
- Coastal friendly
- Corrosion friendly – corrosion resistant parts
- IP55 rated fan for indoor and outdoor use
- 6-speed remote controller included
- Summer/Winter modes (reversible airflow)
- 1H/4H/8H fan off timer
- Easy pairing (up to 4 handsets per receiver)
- Easy installation with quick connect wiring

CEILING FAN SPECIFICATIONS

MODEL	FC1110143
BLADE SWEEP	142cm
MOTOR POWER	35W
MAX. AIRFLOW	10,330 m ³ /h
FAN LIGHT	-
LIGHT CONTROL	-
LIGHT COLOUR	-
LIGHT OUTPUT	-
CONTROLLER	Remote control

COLOURS



FAN: FC1110143BK
 black assembly
 BLADES:
 dark timber finish

RECOMMENDED SPACE

This ceiling fan is recommended for:

- Living Room
- Dining Room
- Kitchen
- Bedroom
- Study
- Alfresco
- Coastal Areas



RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

FAN COLOUR	60CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)	90CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)
BLACK WITH DARK TIMBER BLADES	FD360600BK + XFC11103	FD360600BK + XFC11104

See downrod page section for more compatible rods

RHINO 1.8M

FC479180 / FC47918L / FLF4781



Fan light sold separately

DC
MOTOR

2
YEAR
IN HOME
WARRANTY

5
YEAR
MOTOR
WARRANTY

CEILING FAN DIMENSIONS

A: 132mm


B: (LED) 547mm | (NL) 506mm

C: 468mm

D: 1823mm

E: 182cm fan - Slope to max. 15° (with 300mm rod)
or max. 21° (with min. 460mm rod)

Stated dimensions with 300mm rod supplied
Longer rods available



CEILING FAN FEATURES

- 182cm ceiling fans
- Reversible airflow for summer and winter use
- Tropically rated
- Metal body with aluminium blades
- Suitable for indoor or enclosed outdoor installation
- 5-speed remote controller included
- 1H/4H/8H fan timer
- Compatible LED light kit available
- Motor assembly, blade set and light kit sold separately

CEILING FAN SPECIFICATIONS

MODEL	FC479180 + FC47918L (WITHOUT LIGHT)	FLF4781 (LIGHT KIT)
BLADE SWEEP	182cm	-
MOTOR POWER	35W	-
MAX. AIRFLOW	16,836 m ³ /h	-
FAN LIGHT	-	20W dimmable integrated LED
LIGHT COLOUR	-	4000K
LIGHT OUTPUT	-	1050lm
CONTROLLER	Remote control	

COLOURS



FAN: **FC479180BC**
brushed chrome assembly
BLADES: **FC47918LBK**
black finish



FAN: **FC479180GR**
graphite assembly
BLADES: **FC47918LGR**
graphite finish



FAN: **FC479180BC**
brushed chrome assembly
BLADES: **FC47918LBK**
black finish
LIGHT KIT: **FLF4781BK**
black finish



FAN: **FC479180GR**
graphite assembly
BLADES: **FC47918LGR**
graphite finish
LIGHT KIT: **FLF4781GR**
graphite finish

RECOMMENDED SPACE

This ceiling fan is recommended for:

- Large living spaces
- Outdoor spaces
- Sheds
- Garages



RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

FAN COLOUR	60CM EXTENSION ROD (FD...) INCLUDING WIRING LOOM	90CM EXTENSION ROD (FD...) INCLUDING WIRING LOOM	180CM EXTENSION ROD (FD...) INCLUDING WIRING LOOM	240CM EXTENSION ROD (FD...) INCLUDING WIRING LOOM
BRUSHED CHROME	FD476060BC	FD476090BC	FD476180BC	FD476240BC
GRAPHITE	FD476060GR	FD476090GR	FD476180GR	FD476240GR

See downrod page section for more compatible rods

RHINO 2.1M

FC479210 / FC47921L / FLF4781



Fan light sold separately

DC
MOTOR

2
YEAR
IN HOME
WARRANTY

5
YEAR
MOTOR
WARRANTY

CEILING FAN DIMENSIONS

A: 132mm


B: (LED) 547mm | (NL) 506mm

C: 468mm

D: 2134mm

E: 213cm fan — Slope to max. 12° (with 300mm rod)
or max. 21° (with min. 600mm rod)

Stated dimensions with 300mm rod supplied
Longer rods available



CEILING FAN FEATURES

- 213cm ceiling fans
- Reversible airflow for summer and winter use
- Tropically rated
- Metal body with aluminium blades
- Suitable for indoor or enclosed outdoor installation
- 5-speed remote controller included
- 1H/4H/8H fan timer
- Compatible LED light kit available
- Motor assembly, blade set and light kit sold separately

CEILING FAN SPECIFICATIONS

MODEL	FC479210 + FC47921L (WITHOUT LIGHT)	FLF4781 (LIGHT KIT)
BLADE SWEEP	213cm	-
MOTOR POWER	35W	-
MAX. AIRFLOW	22,200 m ³ /h	-
FAN LIGHT	-	20W dimmable integrated LED
LIGHT COLOUR	-	4000K
LIGHT OUTPUT	-	1050lm
CONTROLLER	Remote control	

COLOURS



FAN: **FC479210BC**
brushed chrome assembly
BLADES: FC47921LBK
black finish



FAN: **FC479210GR**
graphite assembly
BLADES: FC47921LGR
graphite finish



FAN: **FC479210BC**
brushed chrome assembly
BLADES: FC47921LBK
black finish
LIGHT KIT: FLF4781BK
brushed chrome finish



FAN: **FC479210GR**
graphite assembly
BLADES: FC47921LGR
graphite finish
LIGHT KIT: FLF4781GR
graphite finish

RECOMMENDED SPACE

This ceiling fan is recommended for:

- Large living spaces
- Outdoor spaces
- Sheds
- Garages



RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

FAN COLOUR	60CM EXTENSION ROD (FD...) INCLUDING WIRING LOOM	90CM EXTENSION ROD (FD...) INCLUDING WIRING LOOM	180CM EXTENSION ROD (FD...) INCLUDING WIRING LOOM	240CM EXTENSION ROD (FD...) INCLUDING WIRING LOOM
BRUSHED CHROME	FD476060BC	FD476090BC	FD476180BC	FD476240BC
GRAPHITE	FD476060GR	FD476090GR	FD476180GR	FD476240GR

See downrod page section for more compatible rods

ANOVA

FC1140 / FC1148




APP FEATURES

- App controlled fan features include scheduling and count-down timers, scenes and automation, speed control, and lighting brightness and colour control
- App works on mobile devices running iOS and Android with connectivity to existing 2.4GHz Wi-Fi network. See ikuu.com.au for minimum requirements

Free download now
No annoying ads – we promise Ü

one clever app



Every device you need, all in one place.

Individual and scene control.

Voice control with Amazon Alexa and Google Assistant.

Easy. Seamless. Integrated.




**DC
MOTOR**

**3
YEAR
IN HOME
WARRANTY**

**6
YEAR
MOTOR
WARRANTY**

CEILING FAN DIMENSIONS

- A: 140mm
 - B: (LED) 368mm | (NL) 334mm
 - C: 281mm
 - D: 1320mm
 - E: Slope to max. 15°
- Longer rods available



CEILING FAN FEATURES

- 132cm ceiling fan
- Reversible airflow for summer and winter use
- Tropically rated
- Corrosion and UV resistant moulded blades
- 6-speed remote controller with 1H/8H/8H fan and light off timer included
- Available with or without colour changing LED light
- Easy installation with quick connect wiring

CEILING FAN SPECIFICATIONS

MODEL	FC1140 (WITHOUT LIGHT)	FC1148 (WITH LED)
BLADE SWEEP	132cm	132cm
MOTOR POWER	35W	35W
MAX. AIRFLOW	10,552 m ³ /h	10,552 m ³ /h
FAN LIGHT	-	18W dimmable integrated LED
LIGHT CONTROL	-	4-step colour change or smooth transitional colour change between warm white and daylight white
LIGHT COLOUR	-	2700K 6000K
LIGHT OUTPUT	-	1200lm 1200lm
CONTROLLER	Remote control	Remote control

COLOURS



FAN: FC1140BKWIFI
black assembly
BLADES: black finish



FAN: FC1140WHWIFI
white assembly
BLADES: white finish



FAN: FC1148BKWIFI
black assembly
BLADES: black finish



FAN: FC1148WHWIFI
white assembly
BLADES: white finish

RECOMMENDED SPACE

This ceiling fan is recommended for:

- Living Room
- Dining Room
- Kitchen
- Bedroom
- Study



RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

FAN COLOUR	60CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)	90CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)
BLACK	FD360600BK + XFC8583	FD360600BK + XFC8584
WHITE	FD360600WH + XFC8583	FD360900WH + XFC8584

See downrod page section for more compatible rods

CASA

FC790133G / FC798133G




MERCATOR ikuü

APP FEATURES

- App controlled fan features include scheduling and count-down timers, scenes and automation, speed control, and lighting brightness and colour control
- App works on mobile devices running iOS and Android with connectivity to existing 2.4GHz Wi-Fi network. See ikuu.com.au for minimum requirements

Free download now
No annoying ads – we promise Ü

one clever app



Every device you need, all in one place.

Individual and scene control.

Voice control with Amazon Alexa and Google Assistant.

Easy. Seamless. Integrated.



DC MOTOR

2 YEAR IN HOME WARRANTY

6 YEAR MOTOR WARRANTY

CEILING FAN DIMENSIONS

A: 174mm

B: (LED) 276mm | (NL) 245mm


C: 225mm

D: 1320mm

E: Slope to max. 19°

Stated dimensions with 114mm rod supplied

Longer rods available



CEILING FAN FEATURES

- 132cm ceiling fans
- Reversible airflow for summer and winter use
- Tropically rated
- Corrosion and UV resistant moulded blades
- Suitable for indoor or enclosed outdoor installation
- 6-speed remote controller with 1H/8H/8H fan and light off timer included
- Available with or without colour changing LED light
- Easy installation with quick connect wiring

CEILING FAN SPECIFICATIONS

MODEL	FC790133G	FC798133G			
	(WITHOUT LIGHT)	(WITH LED)			
BLADE SWEEP	132cm	132cm			
MOTOR POWER	35W	35W			
MAX. AIRFLOW	9,727 m ³ /h	9,727 m ³ /h			
FAN LIGHT	-	18W dimmable integrated LED			
LIGHT CONTROL	-	4-step colour change or smooth transitional colour change between warm white and daylight white			
LIGHT COLOUR	-	2700K	4000K	5000K	6500K
LIGHT OUTPUT	-	1100lm	1150lm	1150lm	1150lm
CONTROLLER	Remote control	Remote control			

COLOURS



FAN: **FC790133GWW**
white assembly
BLADES:
white finish



FAN: **FC798133GWW**
white assembly
BLADES:
white finish

RECOMMENDED SPACE

This ceiling fan is recommended for:

- Living Room
- Dining Room
- Kitchen
- Bedroom
- Study
- Alfresco
- Coastal Areas



RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

FAN COLOUR	60CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)	90CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)
WHITE	FD798600WH + XFC8583	FD798600WH + XFC8584

See downrod page section for more compatible rods

MINOTA

FC620133G / FC628133G




APP FEATURES

- App controlled fan features include scheduling and count-down timers, scenes and automation, speed control, and lighting brightness and colour control
- App works on mobile devices running iOS and Android with connectivity to existing 2.4GHz Wi-Fi network. See ikuu.com.au for minimum requirements

Free download now
No annoying ads – we promise Ü

one clever app



Every device you need, all in one place.

Individual and scene control.

Voice control with Amazon Alexa and Google Assistant.

Easy. Seamless. Integrated.



**DC
MOTOR**

**3
YEAR
IN HOME
WARRANTY**

**6
YEAR
MOTOR
WARRANTY**

CEILING FAN DIMENSIONS

A: 140mm


B: (LED) 323mm | (NL) 337mm

C: 303mm

D: 1320mm

E: Slope to max. 10°

Stated dimensions with 152mm rod supplied
Longer rods available



CEILING FAN FEATURES

- 132cm ceiling fans
- Reversible airflow for summer and winter use
- Tropically rated
- Metal body with corrosion and UV resistant moulded blades
- Motor and blade sets sold separately
- Suitable for indoor installation
- Available with or without colour changing LED light
- Easy installation with quick connect wiring

CEILING FAN SPECIFICATIONS

MODEL	FC620133G (WITHOUT LIGHT)	FC628133G (WITH LED)			
BLADE SWEEP	132cm	132cm			
MOTOR POWER	35W	35W			
MAX. AIRFLOW	10,904 m ³ /h	10,904 m ³ /h			
FAN LIGHT	-	20W dimmable integrated LED			
LIGHT CONTROL	-	4-step colour change or smooth transitional colour change between warm white and daylight white			
LIGHT COLOUR	-	3000K	4000K	5000K	5700K
LIGHT OUTPUT	-	900lm	950lm	1000lm	1000lm
CONTROLLER	Remote control	Remote control			

COLOURS



FAN: **FC620133GBC**
brushed chrome
assembly
BLADES: black finish



FAN: **FC620133GBK**
black assembly
BLADES:
dark timber finish



FAN: **FC620133GWH**
white assembly
BLADES:
light timber finish



FAN: **FC628133GBC**
brushed chrome
assembly
BLADES: black finish



FAN: **FC628133GBK**
black assembly
BLADES:
dark timber finish



FAN: **FC628133GWH**
white assembly
BLADES:
light timber finish

RECOMMENDED SPACE

This ceiling fan is recommended for:

- Living Room
- Dining Room
- Kitchen
- Bedroom
- Study



RECOMMENDED ACCESSORIES (SOLD SEPARATELY)

FAN COLOUR	60CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)	90CM EXTENSION ROD (FD...) + WIRING LOOM (XFC...)
BRUSHED CHROME	FD360600BC + XFC8583	FD360900BC + XFC8584
BLACK	FD360600BK + XFC8583	FD360600BK + XFC8584
WHITE	FD360600WH + XFC8583	FD360900WH + XFC8584

See downrod page section for more compatible rods

FRM86 AC Fan Remote with Dimmer

- Fan ON/OFF - Low/Medium/High
- Light ON/OFF/DIMMER (must be enabled)
- Light settings memory
- 12 month warranty
- 3 Off timer (2H, 4H, 8H) options
- Up to 10m radio frequency range
- Battery included
- Fan motor: max. 180W
- Lighting: max. 100W



FRM87 AC Fan Remote

- RF-radio frequency 433.9MHz
- Suitable for use with incandescent globes and energy saving compact fluorescent lamps
- 12 months warranty
- Light ON/OFF
- Fan ON/OFF - Low/Medium/High
- Fan motor: max. 120W
- Lamps: max. 300w (incandescent) / max. 100W (energy saving CFL)
- 16 possible code combinations



FRM97 AC Fan Remote

- RF-radio frequency 433.9MHz
- Suitable for use with incandescent globes and energy saving compact fluorescent lamps
- 12 months warranty
- Light ON/OFF - Timer (1H, 2H, 3H, 4H, 5H, 6H, 7H, 8H)
- Fan ON/OFF - Low/Medium/High
- Fan motor: max. 100W
- Lamps: max. 600W
- 16 possible code combinations



FRM86G AC Fan WIFI Remote with Dimmer



APP FEATURES

- App controlled fan features include scheduling and count-down timers, scenes and automation, speed control, and lighting brightness and colour control
- App works on mobile devices running iOS and Android with connectivity to existing 2.4GHz Wi-Fi network. See ikuu.com.au for minimum requirements
- Fan ON/OFF - Low/Medium/High
- Light ON/OFF/DIMMER (must be enabled)
- Light settings memory
- 12 month warranty
- 3 Off timer options
- Up to 10m radio frequency range
- Battery included
- Fan motor: max. 180W
- Lighting: max. 100W

368 MERCATOR.COM.AU

Every device you need, all in one place.

Individual and scene control.


Voice control with Amazon Alexa and Google Assistant.

Easy. Seamless. Integrated.

Free download now

No annoying ads - we promise ðŸ™‚

one clever app




AC Ceiling Fan & Remote Compatibility

FAN RANGE	FRM86	FRM86G	FRM87	FRM97
Airimate	•	•	•	•
Airventure	•	•	•	•
Caprice	•	•	•	•
Clare	•	•	•	•
Clarence	•	•	•	•
Cooya	•	•	•	•
Hayman	•	•	•	•
Healey	•	•	•	•
Kewarra	•	•	•	•
Lonsdale	• †	•	•	•
Voltan	•	•	•	•

† Fan series with remote includes this remote

Downrod Selection Guide

Recommended downrod length is based on ceiling height. Mandatory minimum distance from floor to fan blades is 2.1m.



DOWNRODS

ANOVA

Length	Nominal Size	Model Number	Colours Available	Compatible Loom (Supplied)	Compatible Loom (Sold Separately)
600mm	1/2"	FD360600	BC/BK/WH/BZ/SS/RB	-	XFC8583
900mm	1/2"	FD360900	BK/GR/WH/BC/BZ/RB/SS	-	XFC8584

AIRNIMATE

Length	Nominal Size	Model Number	Colours Available	Compatible Loom (Supplied)	Compatible Loom (Sold Separately)
600mm	1/2"	FD360600	BC/BK/WH/BZ/SS/RB	-	XFC6403
900mm	1/2"	FD360900	BK/GR/WH/BC/BZ/RB/SS	-	XFC6404

AIRVENTURE

Length	Nominal Size	Model Number	Colours Available	Compatible Loom (Supplied)	Compatible Loom (Sold Separately)
600mm	1/2"	FD360600	BC/BK/WH/BZ/SS/RB	-	XFC6403
900mm	1/2"	FD360900	BK/GR/WH/BC/BZ/RB/SS	-	XFC6404

CAPRICE

Length	Nominal Size	Model Number	Colours Available	Compatible Loom (Supplied)	Compatible Loom (Sold Separately)
600mm	1/2"	FD250600	BK/BS/WH	-	-
900mm	1/2"	FD250900	BK/BS/WH	-	-

CARDIFF

Length	Nominal Size	Model Number	Colours Available	Compatible Loom (Supplied)	Compatible Loom (Sold Separately)
600mm	1/2"	FD652600	BC/BK/WH	YES	-
900mm	1/2"	FD652900	BC/BK/WH	YES	-

DOWNRODS

CASA

Length	Nominal Size	Model Number	Colours Available	Compatible Loom (Supplied)	Compatible Loom (Sold Separately)
600mm	3/4"	FD798600	WH	-	XFC8583
900mm	3/4"	FD798900	WH	-	XFC8584

CLARE

Length	Nominal Size	Model Number	Colours Available	Compatible Loom (Supplied)	Compatible Loom (Sold Separately)
600mm	1/2"	FD660600	BK/WH	YES	-
900mm	1/2"	FD660900	BK/WH	YES	-

CLARENCE

Length	Nominal Size	Model Number	Colours Available	Compatible Loom (Supplied)	Compatible Loom (Sold Separately)
600mm	1/2"	FD360600	BC/BK/WH/BZ/SS/RB	-	XFC6403
900mm	1/2"	FD360900	BK/GR/WH/BC/BZ/RB/SS	-	XFC6404

COOYA

Length	Nominal Size	Model Number	Colours Available	Compatible Loom (Supplied)	Compatible Loom (Sold Separately)
600mm	1/2"	FD360600	BC/BK/WH/BZ/SS/RB	-	-
900mm	1/2"	FD190900	BR	-	-
900mm	1/2"	FD360900	BK/GR/WH/BC/BZ/RB/SS	-	-

EAGLE

Length	Nominal Size	Model Number	Colours Available	Compatible Loom (Supplied)	Compatible Loom (Sold Separately)
600mm	1/2"	FD360600	BC/BK/WH/BZ/SS/RB		
900mm	1/2"	FD360900	BK/GR/WH/BC/BZ/RB/SS		
900mm	1/2"	FD560900	BC/BZ/WH		

EAGLE XL

Length	Nominal Size	Model Number	Colours Available	Compatible Loom (Supplied)	Compatible Loom (Sold Separately)
600mm	1/2"	FD360600	BC/BK/WH/BZ/SS/RB		XFC3603
900mm	1/2"	FD360900	BK/GR/WH/BC/BZ/RB/SS		XFC3604

FLINDERS

Length	Nominal Size	Model Number	Colours Available	Compatible Loom (Supplied)	Compatible Loom (Sold Separately)
600mm	1/2"	FD360600	BC/BK/WH/BZ/SS/RB	-	-
900mm	1/2"	FD360900	BK/GR/WH/BC/BZ/RB/SS	-	-

DOWNRODS

GRANGE LED II

Length	Nominal Size	Model Number	Colours Available	Compatible Loom (Supplied)	Compatible Loom (Sold Separately)
600mm	1/2"	FD250600	BK/BS/WH	-	XFC0373
900mm	1/2"	FD250900	BK/BS/WH	-	XFC0374

GRANGE DC II

Length	Nominal Size	Model Number	Colours Available	Compatible Loom (Supplied)	Compatible Loom (Sold Separately)
600mm	1/2"	FD250600	BK/BS/WH	-	XFC0373
900mm	1/2"	FD250900	BK/BS/WH	-	XFC0374

GUARDIAN

Length	Nominal Size	Model Number	Colours Available	Compatible Loom (Supplied)	Compatible Loom (Sold Separately)
600mm	1/2"	FD360600	BC/BK/WH/BZ/SS/RB	-	XFC11103
900mm	1/2"	FD360900	BK/GR/WH/BC/BZ/RB/SS	-	XFC11104

HAYMAN

Length	Nominal Size	Model Number	Colours Available	Compatible Loom (Supplied)	Compatible Loom (Sold Separately)
600mm	1/2"	FD360600	BC/BK/WH/BZ/SS/RB		
900mm	1/2"	FD360900	BK/GR/WH/BC/BZ/RB/SS		

HEALEY

Length	Nominal Size	Model Number	Colours Available	Compatible Loom (Supplied)	Compatible Loom (Sold Separately)
600mm	1/2"	FD360600	BC/BK/WH/BZ/SS/RB		
900mm	1/2"	FD360900	BK/GR/WH BC/BZ/RB/SS		

JUNO

Length	Nominal Size	Model Number	Colours Available	Compatible Loom (Supplied)	Compatible Loom (Sold Separately)
600mm	1/2"	FD360600	BC/BK/WH/BZ/SS/RB	-	XFC8283
900mm	1/2"	FD360900	BK/GR/WH/BC/BZ/RB/SS	-	XFC8284

KEWARRA

Length	Nominal Size	Model Number	Colours Available	Compatible Loom (Supplied)	Compatible Loom (Sold Separately)
600mm	1/2"	FD360600	BC/BK/WH/BZ/SS/RB	-	-
900mm	1/2"	FD560900	BC/BZ/WH/BC/BZ/RB/SS	-	-

KIMBERLEY II

Length	Nominal Size	Model Number	Colours Available	Compatible Loom (Supplied)	Compatible Loom (Sold Separately)
900mm	1/2"	FD180124	BC/WH	YES	-

DOWNRODS

LONSDALE

Length	Nominal Size	Model Number	Colours Available	Compatible Loom (Supplied)	Compatible Loom (Sold Separately)
600mm	1/2"	FD360600	BC/BK/WH/BZ/SS/RB	-	XFC6403
900mm	1/2"	FD360900	BK/GR/WH/BC/BZ/RB/SS	-	XFC6404

LORA

Length	Nominal Size	Model Number	Colours Available	Compatible Loom (Supplied)	Compatible Loom (Sold Separately)
600mm	1/2"	FD360600	BC/BK/WH/BZ/SS/RB	-	XFC8283
900mm	1/2"	FD360900	BK/GR/WH/BC/BZ/RB/SS	-	XFC8284

LUNA

Length	Nominal Size	Model Number	Colours Available	Compatible Loom (Supplied)	Compatible Loom (Sold Separately)
600mm	1/2"	FD250600	BK/BS/WH	-	-
900mm	1/2"	FD250900	BK/BS/WH	-	-



RECOMMENDED PARTS / ACCESSORIES FOR CEILING FANS

MODEL	DESCRIPTION	DC CEILING FANS																
		Anova	Caprice DC	Cardiff NL/B22	Cardiff LED	Casa	Eagle 142CM	Eagle XL	Guardian	Instinct	June	Lora	Minota	Mona	Nemoi	Rhino 6B 1.8M	Rhino 6B 2.1M	Trinidad III
REPLACEMENT REMOTE CONTROL																		
FRM105A	REMOTE HANDSET																	•
FRM119	REMOTE HANDSET							•								•	•	
FRM121	REMOTE HANDSET			•														
FRM122	REMOTE HANDSET				•													
FRM123	REMOTE HANDSET													•				
FRM124	REMOTE HANDSET					•			•	•			•					
FRM99	REMOTE SET, RECEIVER & HANDSET		•															
FRM100	REMOTE SET, RECEIVER & HANDSET						NL											
FRM101	REMOTE SET, RECEIVER & HANDSET						LED											
FRM111	REMOTE SET, RECEIVER & HANDSET								•									
FRMW788	REMOTE SET, RECEIVER & HANDSET												•					
FRMW105A	REMOTE SET, RECEIVER & HANDSET																	•
FRMW121	REMOTE SET, RECEIVER & HANDSET			•														
FRMW122	REMOTE SET, RECEIVER & HANDSET				•													
FRMW123	REMOTE SET, RECEIVER & HANDSET													NL				
FRMW124	REMOTE SET, RECEIVER & HANDSET													LED				
FRMW1140	REMOTE SET, RECEIVER & HANDSET	NL																
FRMW1148	REMOTE SET, RECEIVER & HANDSET	LED																
FRMW1100133	REMOTE SET, RECEIVER & HANDSET								NL									
FRMW1108133	REMOTE SET, RECEIVER & HANDSET								LED									
FRMW1110143	REMOTE SET, RECEIVER & HANDSET									•								
FRMW1120143	REMOTE SET, RECEIVER & HANDSET										•							
FRMW1128143	REMOTE SET, RECEIVER & HANDSET										•							
FRMW1130153	REMOTE SET, RECEIVER & HANDSET											•						
FRMW1138153	REMOTE SET, RECEIVER & HANDSET											•						
FRMW620G	REMOTE SET, RECEIVER & HANDSET												NL					
FRMW628W	REMOTE SET, RECEIVER & HANDSET												LED					
FRMW790133	REMOTE SET, RECEIVER & HANDSET						NL											
FRMW798133	REMOTE SET, RECEIVER & HANDSET						LED											
FRM87GL	REMOTE SET, RECEIVER & HANDSET																	
FRM97P	REMOTE SET, RECEIVER & HANDSET																	
§ If original fan's remote handset is without LCD then use FRM116 replacement handset. Δ The remote is supplied with the fan supplied with remote																		
WALL CONTROL																		
FS010094	WALL CONTROL, 1.2uF & 1.8uF																	
FS010124	WALL CONTROL, 1.8uF & 2.8uF																	
FS010124SS	WALL CONTROL, 2.2uF & 4.0uF																	
FS010134	WALL CONTROL, 2.2uF & 4.0uF																	
FS180124	WALL CONTROL, 1.9uF & 4.0uF																	
FS182124	WALL CONTROL, 1.9uF & 4.0uF																	
FS250134	WALL CONTROL, 1.5uF & 3.0uF																	
FS642134	WALL CONTROL, 2.0uF & 4.0uF																	
FS660134	WALL CONTROL, 2.5uF & 4.5uF																	
FS768143	WALL CONTROL, 2.0uF & 4.0uF																	
FS770134	WALL CONTROL, 2.0uF & 3.5uF																	
FS922124	WALL CONTROL, 1.5uF & 2.5uF																	

RECOMMENDED PARTS / ACCESSORIES FOR CEILING FANS

		DC CEILING FANS																			
MODEL	DESCRIPTION	Anova	Caprice DC	Cardiff NL/B22	Cardiff LED	Casa	Eagle 142CM	Eagle XL	Guardian	Instinct	Juno	Lora	Minota	Mona	Nemoi	Rhino 6B 1.8M	Rhino 6B 2.1M	Trinidad III	Airimate 132CM	Airventure	
PULL CHAIN																					
XFC0502AB	PULL CHAIN SWITCH																				
LAMP DIFFUSER																					
FG1148	GLASS COVER	LED																			
FG037134	ACRYLIC COVER																				
FG132124	GLASS COVER																				
FG132124A	ACRYLIC COVER																				
FG182124	GLASS COVER																				
FG182124A	ACRYLIC COVER																				
FG252134	GLASS COVER		WL																		
FG256134	ACRYLIC COVER	LED																			
FG368143	ACRYLIC COVER					LED						LED									
FG368163	ACRYLIC COVER							LED													
FG428133	ACRYLIC COVER					LED													LED		
FG518143	ACRYLIC COVER																				
FG557134	ACRYLIC COVER																				
FG577134	ACRYLIC COVER																				
FG587134	ACRYLIC COVER																				LED
FG628133	ACRYLIC COVER												LED								
FG652134	ACRYLIC COVER			WL	LED																
FG662134	GLASS COVER																				
FG708134	ACRYLIC COVER														LED						
FG712123	GLASS COVER																				
FG717123	ACRYLIC COVER																				
FG777134	ACRYLIC COVER																		LED		
FG922124	GLASS COVER																				
FG1108133	ACRYLIC COVER									LED											
¥ Only use this when the original fan's lamp cover material is glass. β Only use this when the original fan's lamp cover material is acrylic																					
LAMP																					
FLF368143	INTEGRATED LED MODULE					LED															
FLF368163	INTEGRATED LED MODULE							LED													
FLF4781BC/GR/WH	INTEGRATED LED LIGHT KIT															LED	LED				
XFC0381	INTEGRATED LED MODULE																				
XFC2571	INTEGRATED LED MODULE		LED																		
XFC5181	INTEGRATED LED MODULE																				
XFC5571	INTEGRATED LED MODULE																				
XFC5771	INTEGRATED LED MODULE																				
XFC6281	INTEGRATED LED MODULE												LED								
XFC7681	INTEGRATED LED MODULE																				
XFC7981	INTEGRATED LED MODULE					LED															
XFC11081	INTEGRATED LED MODULE									LED											
§ If original fan's remote handset is without LCD then use FRM116 replacement handset. □□The remote is supplied with the fan supplied with																					
¥ Only use this when the original fan's lamp cover material is glass. β Only use this when the original fan's lamp cover material is acrylic																					
LED	LED Applicable to FC037138 series																				



Portable Fans & Wall Fans

Functional fans ensuring high-grade production.
Suitable to any indoor or outdoor space.

IVAN 40cm Wall Fan

FF92316WH

- Wide range oscillation
- Adjustable fan tilt
- Remote control included
- High/Medium/Low speeds
- Oscillation control
- Normal/Natural/Sleep modes
- 7.5-hour fan off timer
- Power cord with plug supplied
- 12 months warranty

● White




IVAN 40cm Wall Fan

FF93316WH

- Wide range oscillation
- Adjustable fan tilt
- Fan control via pull cords
- High/Medium/Low speeds
- Oscillation control
- Power cord with plug supplied
- 12 months warranty

● White



PULL CORD



RIDER 40cm Wall Fan

FF52316WH

- Wide range oscillation
- Adjustable fan tilt
- Remote control included
- High/Medium/Low speeds
- Oscillation control
- Normal/Natural/Sleep modes
- 7.5-hour fan off timer
- Power cord with plug supplied
- 12 months warranty

● White



ARENA 50cm Industrial Wall Fan


FF83320BK

- Long life motor with 100% copper wire
- Wide range horizontal oscillation
- Adjustable fan tilt
- 2.3m flexible power cord with plug supplied
- 3 speeds pull cord switch
- Ultra-high 7,200 m³/h airflow
- Sturdy heavy-duty wall mount
- 12 months warranty

● Black



PULL CORD



BROOME 75cm Industrial Wall Fan

FF103330BK

- Long life motor with 100% copper wire
- Wide range horizontal oscillation
- Tilttable fan head
- 2.3m power cord with plug supplied
- 3 speeds switch settings
- Ultra-high 16,000 m³/h airflow
- 12 months warranty

● Black




AIRBOND DC 75cm Industrial Wall Fan

FF62330BK

- Energy saving DC motor consumes up to 70% less energy than AC motor
- Impressive 18,800 m³/h airflow
- Long life motor and aluminium blades
- Remote control included
- 19 variable speeds
- Remote controlled oscillation
- Normal/Natural/Sleep operation modes
- 1-9 hour timer
- Tilttable fan head
- 1.8m flexible power cord with plug supplied
- 12 months warranty

● Black



BROOME 75cm Industrial Pedestal Fan

FF101230BK

- Long life motor with 100% copper wire
- Sturdy heavy-duty base
- Wide range horizontal oscillation
- Tiltable fan head and height adjustable metal pole
- 2.3m power cord with plug supplied
- 3 speeds switch settings
- Ultra-high 16,000 m³/h airflow
- 12 months warranty

● Black




AIRBOND DC 75cm Industrial Pedestal Fan

FF62230BK

- Energy saving DC motor consumes up to 70% less energy than AC motor
- Impressive 18,800 m³/h airflow
- Long life motor and aluminium blades
- Sturdy heavy-duty base
- Tiltable fan head and height adjustable metal pole
- Remote control included
- 19 variable speeds
- Remote controlled oscillation
- Normal/Natural/Sleep 3 operation modes
- 1-9 hour timer
- 1.8m flexible power cord with plug supplied
- 12 months warranty

● Black



DRONE 60cm Industrial Drum Fan

FF71424BK

- Long life motor with 100% copper wire
- Heavy duty gauge steel casing, guard and frame
- Quality construction with balanced blades
- 360° tiltable fan head
- 3 speeds rotary switch settings
- Portable movement assisted by wheels
- Ultra-high 11,780 m³/h airflow
- 1.6m flexible power cord with plug supplied
- 12 months warranty

● Black







Exhaust Fans & Bathroom Heaters

Modern styles with superior performance
to suit the air movement need of any
bathroom, laundry or kitchen.

domino

3 in 1 Bathroom Solution



Up to
500
m³/hr Max
Air Extraction

Quick and
easy
installation

Heavy duty
metal housing
provides
durability

**Electrician
Friendly**
Side entry duct for
easier installation
and improved
performance

Black

White

Silver

3 YR
In-home Warranty
*Excludes globes

CCT LED
2x11W CCT LED Panel
Provides improved
lighting

Up to
500m³/hr
Max Air Extraction
*Actual performance
may vary


800W
Heat Lamp
For instant warmth



DOMINO



BH152ESW



60W
EXHAUST
FAN

500 m³/hr
MAX AIR
EXTRACTION

3YR
IN HOME
WARRANTY

PRODUCT DETAILS

- 3 in 1 bathroom solution
- 1 x 800W R7s linear heat lamp
- 2 x 11W CCT LED panel light:
Warm White - 1000lm, Neutral Light - 1200lm,
Cool White - 1100lm
- High air extraction up to 500m³/hr
- Powerful 60W ball bearing motor
- Side entry draft stopper and 1.5m, Ø150mm flexible duct included
- Wall controller with 3 switches included for separate heat, light and fan control
- Thermal cut out and overheating protection for safety
- Cut out template included
- Heavy duty metal housing
- 2 year warranty on heat lamp

COLOURS

- Black
- Silver
- White



Black


Silver

White

RECOMMENDED ACCESSORIES

See page 343 for recommended accessories.

Model	Exhaust Fan	Heater	Light	Air Extraction	Fascia Size	Cut Out Size	Duct Outlet
BH152ESW	60W	R7s, 1 x 800W	2 x 11W CCT LED panel	500m ³ /hr	560 x 360mm	540 x 320mm	Ø150mm



60^W
EXHAUST
FAN

460 m³/hr
MAX AIR
EXTRACTION

3 YR
WARRANTY

PRODUCT DETAILS

- 3 in 1 bathroom solution
- High airflow extraction up to 460 m³/hr*
- 1 x 800W heat lamps for instant heating
- 1 x 13W CCT LED panel light:
Warm White - 900lm, Neutral White - 950lm
Cool White - 900lm
- Heavy duty metal housing provides durability
- Wall controller with 3 switches included for separate heat, light and fan control
- Triple overheating protections by thermostat, thermal cutout and fuse
- Extra safety protection by contact switch activated heat lamp
- Side entry draft stopper and 1.5m, ø150mm flexible duct included
- Cut-out template included**
- 2 years warranty for heat lamp

COLOURS

- Black
- Silver
- White



Black



Silver



White

RECOMMENDED ACCESSORIES

See page 343 for recommended accessories.


Model	Exhaust Fan	Heater	Light	Air Extraction	Fascia Size	Cut Out Size	Duct Outlet
BH161ESW	60W	R7s, 1 x 800W	1 x 13W CCT LED	460m ³ /hr	457 x 360mm	440 x 320mm	Ø150mm

* Manufacturer supplied data. Actual performance may vary * This product must be installed by a licensed electrician

MIDAS QUATTRO



BS134ESW



30W
EXHAUST
FAN

270 m³/hr
MAX AIR
EXTRACTION


3YR
WARRANTY

PRODUCT DETAILS

- Ideal for bathrooms
- 4 x 275W durable IR lamps for instant heating included
- 1 x 7W LED lamp included (3000K –750lm)
- High air extraction up to 270m³/hr
- Powerful 30W ball bearing motor
- Draft stopper and 1.5m, Ø100mm flexible duct included
- Wall controller with 4 switches included for separate heat, light and fan control
- 75°C thermal cut out feature for safety
- Removable grille for easy cleaning
- Cut out template included

COLOURS

- White



White

RECOMMENDED ACCESSORIES


See page 343 for recommended accessories.

Model	Exhaust Fan	Heater	Light	Air Extraction	Fascia Size	Cut Out Size	Duct Outlet
BS134ESW	30W	E27, 4 x 275W	1 x 7W LED	270m ³ /hr	375 x 375mm	290 x 290mm	Ø100mm

MIDAS DUO



BS132ESW



30W
EXHAUST
FAN

270 m³/hr
MAX AIR
EXTRACTION

3YR
WARRANTY

PRODUCT DETAILS

- Ideal for bathrooms
- 4 x 275W durable IR lamps for instant heating included
- 1 x 7W LED lamp included (3000K – 750lm)
- High air extraction up to 270m³/hr
- Powerful 30W ball bearing motor
- Draft stopper and 1.5m, Ø100mm flexible duct included
- Wall controller with 4 switches included for separate heat, light and fan control
- 75°C thermal cut out feature for safety
- Removable grille for easy cleaning
- Cut out template included

COLOURS

- White



White


RECOMMENDED ACCESSORIES

See page 343 for recommended accessories.

Model	Exhaust Fan	Heater	Light	Air Extraction	Fascia Size	Cut Out Size	Duct Outlet
BS132ESW	30W	E27, 2 x 275W	7W LED	270m ³ /hr	429 x 230mm	345 x 190mm	Ø100mm

ARDENE QUATTRO

BS124ESW



30W
EXHAUST
FAN

220 m³/hr
MAX AIR
EXTRACTION


12 MONTH
WARRANTY

PRODUCT DETAILS

- Ideal for bathrooms
- 4 x 275W heat lamps
- 1 x 6W R63 E27 LED daylight globe included
- Airflow extraction up to 220m³/hr
- 30W ball bearing motor
- 1.5m, Ø100mm flexible duct and duct grille included
- Wall controller with 4 switches included for separate heat, light and fan control
- 90°C thermal cut out feature for safety
- Mounting kit included
- Cut out template included

COLOURS

- White



White

RECOMMENDED ACCESSORIES



See page 343 for recommended accessories.

Model	Exhaust Fan	Heater	Light	Air Extraction	Fascia Size	Cut Out Size	Duct Outlet
BS124ESW	30W	E27, 4 x 275W	1 x 6W R63 E27	220m ³ /hr	364 x 364mm	290 x 290mm	Ø100mm

ARDENE DUO



BS122ESW



30W
EXHAUST
FAN

220 m³/hr
MAX AIR
EXTRACTION

12 MONTH
WARRANTY

PRODUCT DETAILS

- Ideal for bathrooms
- 2 x 275W heat lamps
- 1 x 6W R63 E27 LED daylight globe included
- Airflow extraction up to 220m³/hr
- 30W ball bearing motor
- 1.5m, Ø100mm flexible duct and duct grille included
- Wall controller with 3 switches included for separate heat, light and fan control
- 90°C thermal cut out feature for safety
- Mounting kit included
- Cut out template included

COLOURS

- White



White


RECOMMENDED ACCESSORIES

See page 343 for recommended accessories.

Model	Exhaust Fan	Heater	Light	Air Extraction	Fascia Size	Cut Out Size	Duct Outlet
BS122ESW	30W	E27, 2 x 275W	1 x 6W R63 E27	220m ³ /hr	400 x 226mm	345 x 190mm	Ø100mm

LAVA DUO LED

BS222ESW



30W
EXHAUST
FAN

270 m³/hr
AIR
EXTRACTION

3YR
WARRANTY

PRODUCT DETAILS

- Ideal for bathrooms
- 2 x 275W durable IR lamps for instant heating included
- 2 x 6W R63 LED included (3000K - 2 x 450lm)
- High airflow extraction up to 270m³/hr
- Powerful 30W ball bearing motor
- Draft stopper and 1.5m, Ø100mm flexible duct included for energy efficient operation
- Wall controller with 3 switches included for separate heat, light and fan control
- 90°C thermal cut out feature for safety
- Removable grille for easy cleaning
- Cut out template included

COLOURS

- White



White

RECOMMENDED ACCESSORIES

See page 343 for recommended accessories.

Model	Exhaust Fan	Heater	Light	Air Extraction	Fascia Size	Cut Out Size	Duct Outlet
BS222ESW	30W	E27, 2 x 275W	2 x 6W R63 LED	270m ³ /hr	400 x 230mm	345 x 190mm	Ø100mm


ACELINE



BE370ESP



Use switch on back of fascia to adjust the colour of light



30W
EXHAUST
FAN

250 m³/hr
MAX AIR
EXTRACTION

12 MONTH
WARRANTY

PRODUCT DETAILS

- Ideal for bathrooms, toilets or kitchens
- Separate fan and light power cords included
- Side ducted with draft stopper
- Cut-out template included

COLOURS

- White
- Black



White



Black


Model	Exhaust Fan	Light	Air Extraction	Fascia Size	Cut Out Size	Duct Outlet
BE370ESPWH	30W	14W LED	250m ³ /hr	285x285mm	245x245mm	Ø100mm
BE370ESPBK	30W	14W LED	250m ³ /hr	285x285mm	245x245mm	Ø100mm

* All power outlets must be installed by a qualified electrician

STARLINE LED



BE170ESP / BE190ESP



40W
EXHAUST
FAN

400 m³/hr
MAX AIR
EXTRACTION

12 MONTH
WARRANTY

PRODUCT DETAILS

- Ideal for bathrooms, toilets & kitchens
- 16W LED lamp included (5000K – 1000lm)
- High air extraction up to 400m³/hr
- Powerful 40W ball bearing motor
- IP45 rating – suitable for above shower installation
- Easy to install – DIY to existing power outlet
- Flex & plugs for separate fan and light control
- Cut out template included

COLOURS

- Silver
- White



Silver-Square



WH-Square



WH-Round

RECOMMENDED ACCESSORIES

See page 343 for recommended accessories.


Model	Shape	Exhaust Fan	Light	Air Extraction	Fascia Size	Cut Out Size	Duct Outlet
BE170ESP	Square	40W	16W LED	400m ³ /hr	300x300mm	Ø295mm	Ø100mm/150mm
BE190ESP	Round	40W	16W LED	400m ³ /hr	Ø325mm	Ø295mm	Ø100mm/150mm

* All power outlets must be installed by a qualified electrician

SKYLINE LED



BE240ESP



30W
EXHAUST
FAN

250 m³/hr
MAX AIR
EXTRACTION

12 MONTH
WARRANTY

PRODUCT DETAILS

- Ideal for bathrooms, toilets or kitchens
- 15W LED lamp included (4000K - 1000lm)
- Silent and powerful motor
- Side duct and draft stopper included for energy efficient operation
- Easy to install - DIY to existing power outlet*
- Flex & plugs for separate fan and light control
- Cut out template included

COLOURS

- White



White-Round

RECOMMENDED ACCESSORIES


See page 343 for recommended accessories.

Model	Shape	Exhaust Fan	Light	Air Extraction	Fascia Size	Cut Out Size	Duct Outlet
BE240ESP	Round	30W	15W LED	250m ³ /hr	Ø290mm	Ø250mm	Ø100mm

* All power outlets must be installed by a qualified electrician

SKYLINE

BE220FSP



30^W
EXHAUST
FAN

250 m³/hr
MAX AIR
EXTRACTION

12 MONTH
WARRANTY

PRODUCT DETAILS

- Ideal for bathrooms, toilets or kitchens
- 22W T5 4200K energy saving lamp (included)
- Silent and powerful motor
- Side duct and draft stopper included for energy efficient operation
- Easy to install - DIY to existing power outlet*
- Flex & plugs for separate fan and light control
- Cut out template included

COLOURS

● White



White-Round

RECOMMENDED ACCESSORIES

See page 343 for recommended accessories.


Model	Shape	Exhaust Fan	Light	Air Extraction	Fascia Size	Cut Out Size	Duct Outlet
BE220FSP	Round	30W	22W T5	250m ³ /hr	Ø290mm	Ø250mm	Ø100mm

* All power outlets must be installed by a qualified electrician

REVOLINE LED




BE380ESP/BE390ESP




Use switch on back of fascia to adjust the colour of light



BE380ESP



BE390ESP



UP TO
40W
EXHAUST
FAN

UP TO
350 m³/hr
AIR
EXTRACTION

2 YEAR
WARRANTY

PRODUCT DETAILS

- 2 years warranty
- 13W/17W tricolour LED panel
- Changeable colour temperature
- 3000K/4000K/5000K
- Separate fan and light power cords included
- Quick and easy installation*
- Side ducted with draft stopper
- Cut out template included

COLOURS

● White



BE380 - White



BE390 - White

RECOMMENDED ACCESSORIES


See page 343 for recommended accessories.

Model	Shape	Exhaust Fan	Light	Air Extraction	Fascia Size	Cut Out Size	Duct Outlet
BE380ESPWH	Round	28W	13W tricolour LED	270m ³ /hr	Ø275mm	Ø240mm	Ø100mm
BE390ESPWH	Round	40W	17W tricolour LED	350m ³ /hr	Ø335mm	Ø290mm	Ø150mm

EMELINE II



BE320ESP / BE330ESP / BE340ESP / BE350ESP



UP TO
35W
EXHAUST
FAN

UP TO
320 m³/hr
AIR
EXTRACTION

12 MONTH
WARRANTY

PRODUCT DETAILS

- Ideal for bathrooms, toilets or kitchens
- 10W LED included (4000K - 860lm)
- Side duct and draft stopper included for energy efficient operation
- Easy to install - DIY to existing power outlet*
- Flex & plug included
- Cut out template included

COLOURS

● White



White Round



White Square

RECOMMENDED ACCESSORIES

See page 343 for recommended accessories.

Model	Shape	Exhaust Fan	Light	Air Extraction	Fascia Size	Cut Out Size
BE320ESPWH	Square	30W	10W LED	270m ³ /hr	270 x 270mm	Ø240mm Ø100mm
BE330ESPWH	Round	35W	10W LED	320m ³ /hr	330 x 330mm	Ø290mm Ø150mm
BE340ESPWH	Square	30W	10W LED	270m ³ /hr	Ø270mm	Ø240mm Ø100mm
BE350ESPWH	Round	35W	10W LED	320m ³ /hr	Ø330mm	Ø290mm Ø150mm


* All power outlets must be installed by a qualified electrician

NOVALINE II


DIY

BE3200SP / BE3300SP / BE3400SP / BE3500SP


BE3500SP




BE3400SP



BE3300SP



BE3200SP



UP TO
35W
EXHAUST
FAN

UP TO
320 m³/hr
AIR
EXTRACTION

12 MONTH
WARRANTY

PRODUCT DETAILS

- Ideal for bathrooms, toilets or kitchens
- Silent and powerful motor
- Side duct and draft stopper included for energy efficient operation
- Easy to install - DIY to existing power outlet*
- Flex & plug included
- Cut out template included

COLOURS

● White



White Round



White Square

RECOMMENDED ACCESSORIES

- See page 343 for recommended accessories.

Model	Shape	Exhaust Fan	Air Extraction	Fascia Size	Cut Out Size	Duct Outlet
BE3200SP	Square	30W	270m ³ /hr	270 x 270mm	Ø240mm	Ø100mm
BE3300SP	Round	35W	320m ³ /hr	330 x 330mm	Ø290mm	Ø150mm
BE3400SP	Square	30W	270m ³ /hr	Ø270mm	Ø240mm	Ø100mm
BE3500SP	Round	35W	320m ³ /hr	Ø330mm	Ø290mm	Ø150mm

* All power outlets must be installed by a qualified electrician

RECOMMENDED PARTS / ACCESSORIES FOR EXHAUST FANS & BATHROOM HEATERS

MODEL	DESCRIPTION	EXHAUST FAN		EXHAUST FAN WITH LIGHT							BATHROOM HEATER					
		NOVALINE II 240	NOVALINE II 290	ACELINE	SKYLINE	EMELINE II 240	EMELINE II 290	REVOLINE 240	REVOLINE 290	STARLINE	ARDENE DUO	ARDENE QUATTRO	LAVA DUO LED	MIDAS DUO	MIDAS QUATTRO	DOMINI
HEAT LAMP																
LR275E27GRR	275W, E27, 2450K D125mm×H183mm										•	•	•	•		
XBH1514	800W, R7S, 2500K														•	•
LAMP																
LF6WLEDR63	6W, R63 LED globe, E27, 3000K											•				
XBE3216BK/WH	10W, LED downlight, 4000K					•	•									
LC22WT5EB	22W, T5 circular fluro, 4200K				•											
WALL CONTROL																
FSX90263	3 Gang switch										•		•	•	•	•
FSX90264	4 Gang switch										•			•		
DRIVER																
XBH1516	LED driver															•
XBH1616	LED driver						•								•	
DRAFT STOPPER																
XBE322BK	Draft stopper	•				•		•								
XBE332BK	Draft stopper		•				•		•							
XBH1512	Draft stopper														•	•
WALL GRILLE																
XBH1513															•	•
FRONT PANEL (FASCIA)																
XBE3201BK/WH	Fascia only, square	•														
XBE3301BK/WH	Fascia only, square		•													
XBE3401BK/WH	Fascia only, round	•														
XBE3501BK/WH	Fascia only, round		•													
XBE3211BK/WH	Fascia only, square					•										
XBE3311BK/WH	Fascia only, square						•									
XBE3411BK/WH	Fascia only, round					•										
XBE3511BK/WH	Fascia only, round						•									
XBS1341SWH	Fascia only														•	
XBE1701WH	Fascia with LED, square									•						
XBE1901WH	Fascia with LED, round									•						
XBE3701BK/WH	Fascia with LED, square				•											
XBE3801BK/WH	Fascia with LED, round							•								
XBE3901BK/WH	Fascia with LED, round								•							
XBH1511BK/SL/WH	Fascia with LED															•
XBH1611BK/SL/WH	Fascia with LED														•	

How to keep a bathroom well ventilated

3 important factors determine how well an exhaust fan removes steam produced by showers/baths:

1 Extraction rate

Selecting the right extraction rate of an exhaust fan involves 3 simple steps:

Calculate the room size.

Example: Volume of a 2.5m x 2.0m x 2.4m rooms = 12m³

- 2 For reasonably good ventilation an exhaust fan must be capable of replacing the air in a room about 15 times per hour (15 ACH). However a prolonged hot shower on a cold day may warrant more frequent air changes per hour to help get rid of excessive moisture in the air. If required choose a larger ACH value (>20).

Example: Required ACH = 15 x 12 = 180m³/h

- 3 Choose an exhaust fan with extraction rate more than the required ACH.

Example: Required extraction rate (>180m³/h) = 200m³/h

Adequate cross ventilation

Getting a decent exhaust fan with sufficient air extraction rate alone does not guarantee that a room can be well ventilated. A little planning before fan installation is carried out goes a long way.

To ensure that steam is effectively removed from bathroom, exhaust fan should be located, as far as practicable, opposite air intake openings so that cross breeze can traverse through the room.

Replenishment of exhaust air

Air discharged must be adequately replenished by fresh air from the outside.

Typical sources of air intake include opening under door, grille on door or window. If a room has insufficient avenues for air intake, an exhaust fan can be noticeably noisier and will barely extract air. Prolonged use of exhaust fan inside an air tight bathroom may shorten useful life of the motor.

The reasons above mentioned account for most complaints relating to performance of a good exhaust fan. Other common factors affecting air extraction performance include wrinkled duct and restricted movement of self-closing draft stopper.

Exhaust Fans & Bathroom Heaters Selection Guide

Room Type (Airchange /Hour)	Room size in m ³ (Area x Ceiling Height)	AIR DELIVERY SUITABILITY															
		EXHAUST FAN		EXHAUST FAN WITH LIGHT							3-IN-1 BATHROOM HEATER						
		NOVALINE II 240	NOVALINE II 290	ACELINE	SKYLINE	EMELINE II 240	EMELINE II 290	REVOLINE 240	REVOLINE 290	STARLINE	ARDENE DUO	ARDENE QUATTRO	LAVA DUO DUO	MIDAS DUO	MIDAS QUATTRO	DOMINI	DOMINO
Toilet (6-15 ACH)	Small (<7)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	Standard (7-10)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Bathroom with Shower (15-20 ACH)	Small (<12)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	Standard (12-17)	1+	•	1+	1+	1+	•	1+	•	•	1+	1+	1+	•	•	•	•
	Large (17-33)	1+	1+	1+	1+	1+	1+	1+	1+	1+	1+	1+	1+	1+	1+	•	•
Domestic Kitchen (15-20 ACH)	Small (<10)	•	•	•	•	•	•	•	•	•							
	Standard (10-17)	1+	1+	1+	1+	1+	1+	1+	1+	•							
	Large (17-33)	1+	1+	1+	1+	1+	1+	1+	1+	1+							

* +1 Indicates more than one unit is ideal, or consider installing higher extraction model for efficient ventilation.



Heaters

Curated collections for heating improvements.


HEATERS

Heated Towel Rail

INNOVATIVE UNIVERSAL WIRING SYSTEM*

NEW


[Patent Pending]



**DIY
or
HARD
WIRE**

Installation with cord on the **Left** side

Installation with cord on the **Right** side



DIY: Bottom Left or Top Right
HARD WIRE: Left or Right, Top or Bottom





* This feature is available on YARRA 4 and 7 bar

YARRA Heated Towel Rail

HT00101/HT00104/HT00107

- Stainless steel 304SS
- DIY or hard-wired wiring (by licensed electrician)
- IP 34 rated resistant (HT00104/HT00107)
- IPX1 rated resistant (HT00101)
- Power cord included
DIY: 1.6m-1.8m free length with plug
Hardwired: 2.0m-2.5m free length
- Heating time: 5-10 minutes
- Maximum surface temperature: 55°

- White
- Black
- Chrome



CUBIX 2000W Ceramic Fan Heater

HF100120YE

- Fan only and 2 power settings 1000W/2000W
- PTC heating element
- Adjustable thermostat
- Safety overheat protection
- Robust metal construction
- Safety tip-over switch
- Sleek carry handle

● Yellow



CUBIX 3000W Ceramic Fan Heater

HF100130YE

- Fan only and 2 power settings 2000W/3000W
- PTC heating element
- Adjustable thermostat
- Safety overheat protection
- Robust metal construction
- Safety tip-over switch
- Sleek carry handle
- 15 amp socket is required (not included)

● Yellow





Electrical Accessories


Innovative electrical accessories,
designed to ensure premium quality.

COMPACT DOOR CHIME Hard Wired package

MDCS01WHT/MDCS01BLK

- 1 year warranty
- Door chime unit consists of 240V din rail mount door chime
- Hard wired
- White or black chime unit
- White or black bell press
- 8m cable, screws and mounting plugs

- Black
- White




DOOR CHIME Hard Wired with Light

MDCS11 / MDCS12 / MDCS14

- 1 year warranty
- Plastic door chime push button
- Illuminated blacklit button
- Compact size
- Easy installation
- Work with 9V d.c. (pp3 battery) or 8-12V a.c. transformer
- Can be used as an accessory with Mercator hard wired door chime package

- Black
- White
- Brushed Steel



BENSON Plug In Door Chime

IP44

MDC650

- 1 year warranty
- With power socket
- 240V plug-in door chime
- 150m operating distance
- 8 chime tones
- IP44 weatherproof bell press
- Easy to install, plug and play

● White



WIRELESS DOOR CHIME Battery Operated

IP44

MDC146

- 1 year warranty
- Flashing blue LED visual alert
- Battery operated
- 100m operating distance
- 38 chime tones
- IP44 weatherproof bell press
- Easy to install

● White



DIMMER MECHANISM with Integrated Switch and Multi-way control

X330MWDIM


- 3 years warranty
- Universal rotary dimmer
- Integrated switch and multi-way control
- Built in on/off switch
- Suitable for one-way, two-way, three-way and multi-way dimming
- Suits retrofit or new dimmable LED lighting installs
- Twist to dim, push to switch on & off
- 0-100% dimming range on most LED lights
- Clever controls like Quick Flick to jump to full brightness
- Wake & sleep timers - double tap to dim up or down over 30 minutes
- Backlight indicator LED shows dimmer status and mode
- Fit with most leading brands wall plates



DIMMER MECHANISM Universal

X320ULDIM

- 3 years warranty
- Electronic rotary dimmer
- Suitable for dimming with LED (150W), incandescent loads (200W) and 240V halogen lamps
- Works with all most market leading dimmer lights
- Built-in over voltage and short circuit protection
- Easy installation
- Innovative minimum brightness setting function enables user to set a minimum brightness
- Fit with most leading brands wall plates




PRODUCT CODE	X330MWDIM	X320ULDIM
Description	Rotary dimmer mechanism with integrated switch and multi-way control	Rotary dimmer mechanism
Load brightness control range	0% to 100% (typical for LED loads)	0% to 100% (typical for LED loads)
Rated load	400W limmable LED lamps 400W incandescent 400W dimmable CFLs 400W electronic transformers	150W dimmable LED lamps 200W incandescent and halogen lamps
Minimum load	2W	2W
Extra features	See individual product sheet	See individual product sheet
Incompatible load types	Ceiling sweep fans, exhaust fan and non-dimmable light sources	Ceiling sweep fans, exhaust fan and non-dimmable light sources

MECHANICAL TIMER 24 Hour Square

MPC627

- 1 year warranty
- 48 ON and 48 OFF switchings available every 24 hours
- 15 minute switching increments
- Double pole switch mechanism
- 10A 2400W maximum loading
- Manual override switch

● White



MECHANICAL TIMER 24 Hour Single Pack

MPC728

- 1 year warranty
- 48 ON and 48 OFF switchings available every 24 hours
- 15 minute switching increments
- Double pole switch mechanism
- 10A 2400W maximum loading
- Manual override switch

● White



MECHANICAL TIMER 24 Hour Twin Pack

MPC729

- 1 year warranty
- 48 ON and 48 OFF switchings available every 24 hours
- 15 minute switching increments
- Double pole switch mechanism
- 10A 2400W maximum loading
- Manual override switch

● White



POWER OUTLET Tester Plug

MDET240

- 1 year warranty
- Safe and simple to use with key ring
- Compact and durable construction
- Fault indicator chart attached
- Power outlet tester plug detects incorrect or faulty wiring connections



	INDICATOR INFORMATION			RESULT
1	ON	ON	OFF	CORRECT
2	OFF	ON	OFF	E NOT CONNECTED
3	ON	OFF	ON	A & E REVERSED
4	OFF	ON	ON	A & N REVERSED
5	ON	OFF	OFF	N NOT CONNECTED
6	OFF	OFF	OFF	A NOT CONNECTED
7	ON	ON	ON	FAULT

• WARNING THIS DEVICE WILL NOT DIFFERENTIATE A NEUTRAL-EARTH TRANSPOSITION
 • ONLY TEST SOCKET WITH NO LOAD CIRCUIT
 • ALWAYS DOUBLE CHECK TO ACHIEVE "CORRECT" RESULT BEFORE USE


AC VOLTAGE TESTER CAT III Insulated

IP44

MDET566

- 1 year warranty safe non-contact sensor
- LED lights and buzzer sounds when voltage is detected
- Compact pocket size
- 70-1000V AC voltage
- The AC voltage tester is used to detect voltage in outlets, light fixtures, circuit breakers or to find a break in an electrical cable
- 2X AAA batteries (included)

● Yellow



COMPACT DIGITAL LUX METER Battery Operated

MLX610

- 1 year warranty
- Measure LED and standard artificial in Lux or Foot-candle (Fc) units
- Maximum and minimum measurements
- Data hold with auto power off
- Features built-in sensor with protective cover
- 3 x AAA batteries (included)
- Measuring Range: 0 - 99990 lux
Or 0 - 9999 Foot-candle

● Yellow




TRODOS 4 Outlet RCD Power Block with USB Charger

IP33

MPB96U

- 1 year warranty
- RCBO protection
- IP33 weatherproof
- 3.1A USB charger charges phone and tablet at the same time
- Each socket is individually double pole switched
- RCBO protected against 30mA residual current during electrical fault
- 10A tripping overload and 6kA short-circuit rated
- Complies with AS/NZS 3190 and AS/NZS 3012 for use on construction and demolition sites

● Orange





Warranty & Technical Information

1 LIMITED REPAIR / REPLACEMENT WARRANTY

MERCATOR offers a repair or replacement warranty on MERCATOR products in cases where the product fails due to defective materials or workmanship. Please refer to the LIMITED WARRANTY PERIOD TABLE which sets out the relevant warranty and warranty period which MERCATOR grants to the purchaser of the MERCATOR product. The warranty period begins from the date of purchase. Also, please refer to WHAT IS NOT COVERED BY THE LIMITED REPAIR / REPLACEMENT WARRANTY.

You must have proof of purchase (such as the original dated purchase receipt) from an authorised MERCATOR retailer to make a warranty claim. In addition, a certificate of compliance for the installation as required by law from the installing electrician is required for products requiring installation by licensed electricians. Please refer to the Instruction leaflet for the MERCATOR product purchased, which will state if the product is required to be installed by a licensed electrician. Warranty claims without this documentation will NOT be accepted.

Repairs / Replacements

MERCATOR Products presented for repair may be replaced by refurbished goods of the same type rather than being repaired. Refurbished parts may be used to repair the goods.

Balance of Warranty

To the maximum extent permitted by law, any replaced or repaired products by MERCATOR are covered only by the balance of the warranty period remaining from the date of purchase of the original MERCATOR product.

2 IN-HOME REPAIR / REPLACEMENT WARRANTY

In addition to the limited warranty terms set out under section (1) above, the in-home warranty applies to all lighting products which are hard wired to the electricity supply at residential premises and are required to be installed by a licensed electrician.

Where a consumer asserts that a product installed in-home is faulty, and a MERCATOR service agent has attended at the property, A SERVICE CALL FEE WILL BE CHARGED TO THE CONSUMER IF:

The product is deemed to be a non-MERCATOR product;

1. There is nothing wrong with the MERCATOR product or to the extent that the failure is not a failure of the product to perform in accordance with its published features and specifications as reasonably determined by MERCATOR;
2. The original installation of the MERCATOR product was not carried out by a licensed electrician;
3. The installation is not performed in accordance with the relevant MERCATOR product installation instructions;
4. The defects have been caused by incorrect application or abuse or misuse by the consumer of the MERCATOR product.

In cases of in-home repair/replacements in areas outside the coverage of MERCATOR service agents, MERCATOR will reimburse customers a standard fee of \$82.50 (inc. GST) for using their own electrician. Any service request must be arranged with the MERCATOR warranty department and obtained an Approval Reference Number (ARN) before calling your own electrician. Reimbursements will not be made for call-out fees or other costs without prior approval in writing of the MERCATOR warranty department. In the circumstances where an emergency has arisen out of normal business hours and the MERCATOR warranty department cannot be contacted to dispatch a service agent to the premises, MERCATOR will reimburse customers their reasonable costs (as determined by MERCATOR) for using their own electrician.

3 WARRANTY TRANSFER

If the ownership changes on the dwelling where the MERCATOR product is installed, the balance of the warranty period passes to the new owner provided the proof of purchase (such as the original dated purchase receipt) from an authorised MERCATOR retailer is retained by the new owner. In addition, a certificate of compliance for the installation as required by law from the installing electrician is required for products requiring installation by licensed electricians.

4 AUSTRALIAN CONSUMER LAW

The benefits given to you in this warranty document are in

addition to your other rights and remedies under a law in relation to the products to which this warranty document relates.

“YOUR CONSUMER RIGHTS”

“Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.”

Subject to "Your Consumer Rights" outlined above, but otherwise to the maximum extent permitted by law, MERCATOR will not be liable for any consequential or indirect loss or damage suffered or incurred by you in relation to a MERCATOR product, including but not limited to loss of use, loss or damage for business interruption, or profits.

5 WHAT IS NOT COVERED BY THE LIMITED REPAIR / REPLACEMENT WARRANTY OR THE IN-HOME REPAIR/ REPLACEMENT WARRANTY

Subject to "Your Consumer Rights", but otherwise to the maximum extent permitted by law, the MERCATOR warranties provided in this document will not cover the following:

1. MERCATOR products that are not purchased from an authorised retailer and installed in Australia.
2. Where installation was not carried out by a licensed electrician as required.
3. MERCATOR products not installed in accordance with the product's installation instructions or specifications.
4. MERCATOR products not used in accordance with the instructions for use or specifications.
5. Defect, damage or failure to a MERCATOR product resulting from misuse, accident, neglect, abuse, tampering, modifications or unauthorised repairs of any kind by any person.
6. Damages not caused by a fault in the MERCATOR product materials or workmanship. Defect, damage or failure to a MERCATOR

product resulting from any acts of God, including damages from lightning, power grid fluctuations, or power surges.

7. Minor variations of speed may be evident between different fans, including the same model.
8. Replacement of light sources (globes, fluorescent tubes, etc) unless specified.
9. Replacement of batteries supplied with certain products.
10. Power supply “noise”, intermittent “humming” or other influences from mains power delivery infrastructure. Signals sent through the power grid by the electricity provider for the control of off peak hot water, street lights and other devices may cause an intermittent humming noise in your MERCATOR product. Filters for blocking/reducing such signals are available in Australia at the customer's expense. These noises do not indicate the MERCATOR product is faulty.
11. Damage caused by alternative power systems (for example: solar inverters, etc.).
12. Water damage of any kind caused by inappropriate placement of fittings not IP rated for that location.
13. The cost of renting, obtaining and using special access equipment (i.e. scaffoldings, scissor lifts, etc.) for accessing products installed at a height of greater than 3.0 meters.
14. Travelling costs incurred by MERCATOR personnel or service agents traveling greater than 25 Km from a MERCATOR authorised service agent. The purchaser must meet these traveling costs.
15. Where the product does not perform to the expectation of a user but it does perform to its published features and specifications.
16. Non-structural corrosion damage of non-316 stainless steel components such as surface rust or minor rust.
17. Liability for consequential loss or claims for damage to furniture, carpets, walls, ceilings, foundations or any other event either directly or indirectly resulting from a faulty product or accessory to the maximum extent permitted by law.

6 COMMERCIAL USE

Mercator products which specifically designed for commercial use are designated as Commercial Use Products on the product packaging.

All Mercator ceiling fan/bathroom heater/exhaust fan products are designed for domestic use unless otherwise specified in the warranty documentation supplied with the product.

Where products designed for domestic use are used in a commercial environment/commercial premises one third of the domestic warranty as supplied with the product applies.

THIS WARRANTY IS VALID IN AUSTRALIA ONLY


HOW TO MAKE A WARRANTY CLAIM

- A. Limited repair/replacement warranty: Please return the faulty MERCATOR product together with a copy of the proof of purchase, and if required, a certificate of compliance for the installation of the product by the licensed electrician who installed the product, to the authorised MERCATOR retailer where the product was purchased. To the maximum extent permitted by law, the customer must bear the costs and expenses of claiming under this warranty, including but not limited to the cost incurred in freight, postage, handling, travel, dismantling or reinstalling the product.
- B. In-home repair/replacement warranty: Where an in-home warranty applies, please phone the MERCATOR customer care hotline 1300 55 22 55 (select option 2.) Australia for all in-home warranty enquiries and do not phone or return the product to the retailer. Do not uninstall or return a hard-wired product to the retailer unless advised to do so by a MERCATOR customer service representative.

IN CASE OF MISSING ACCESSORIES OR PARTS, PLEASE CONTACT MERCATOR CUSTOMER SERVICE BEFORE INSTALLATION OF THE PRODUCT. IF YOUR PRODUCT IS DEFECTIVE OR EXCESSIVELY NOISY, PLEASE CONTACT MERCATOR CUSTOMER SERVICE BEFORE THE ELECTRICIAN LEAVES THE RESIDENCE WHERE THE INSTALLATION IS TAKING PLACE.

Warranty Claim Form


Caribbean Park, 36 Lakeview Drive, Scoresby,
VIC 3179, Australia

 1300 552 255 (select option #2)



Ceiling Fan / Bathroom Range

P.O Box 2596, Rowville, VIC
3178, Australia

 1300 552 256

ABN 23005946958

Mercator - Limited Warranty - Ceiling Fan / Bathroom Products

Dear Valued Customer,

In order to make a claim, we require the following documentation to be supplied

Copy of proof of purchase receipt

Copy of electrician's invoice or certificate of compliance for the installation of the MERCATOR product (if required).

Below form completed in full and with as much detail as you can provide to support your warranty claim with us.

Please ensure claim form is signed before submitting.

You can return a copy of this form along with your documentations to the above postal address or fax number. You can also forward your documentation to our warranty email address: warranty@mercator.com.au Alternatively, you may log onto our website www.mercator.com.au and make a claim online.

Product Details

Product Code:	No. of Faulty Units:	
Product Name:		
Product Description / Colour:		
Blade Colour (Req for Fan):		
Remote Control? Yes / No	Isolation Switch Installed? Yes / No	Remote Model No: FRM
Reason for Claim:		
When did the problem start:		
Do you have solar power? Yes / No		

Customer Details

Customer Name:		
Day Time Phone No:	Mobile No:	
Email Address:		
Address (of where product is installed):		
Suburb:	State:	Postcode:
Purchased From:	Date Purchased:	
Electrician Name:	Contact No:	

By signing the below, I.....acknowledge that I have read and understood the terms and conditions of the product warranty and I also acknowledge that if Mercator's service agent inspects and reports my fan/remote/light and deems the fault to be caused by incorrect installation and/or misused or any of the other exceptions set out in the Limited Warranty Terms and Conditions and I will be charged a "call out" fee by Mercator.

Purchaser's signature:

Date:

Signing of this form is required in order for your warranty claim to be processed

Warranty & Technical

MERCATOR – LIMITED WARRANTY – LIGHTING PRODUCTS TERMS AND CONDITIONS

MERCATOR PTY LTD ABN: 23 005 946 958
88-100 Kyabram Street, Coolaroo VIC 3048
Telephone: 1300 552 255
Email: warranty@mercator.com.au

1. LIMITED REPAIR / REPLACEMENT WARRANTY

MERCATOR offers a repair or replacement warranty on MERCATOR products in cases where the product fails due to defective materials or workmanship. Please refer to the **LIMITED WARRANTY PERIOD TABLE** which sets out the relevant warranty and warranty period which MERCATOR grants to the purchaser of the MERCATOR product. The warranty period begins from the date of purchase. Also, please refer to **WHAT IS NOT COVERED BY THE LIMITED REPAIR / REPLACEMENT WARRANTY**.

You must have proof of purchase (such as the original dated purchase receipt) from an **authorised MERCATOR retailer** to make a warranty claim. In addition, a certificate of compliance for the installation as required by law from the installing electrician is required for products requiring installation by licensed electricians. Please refer to the Instruction leaflet for the MERCATOR product purchased, which will state if the product is required to be installed by a licensed electrician. Warranty claims without this documentation will NOT be accepted.

REPAIRS / REPLACEMENTS

MERCATOR Products presented for repair may be replaced by refurbished goods of the same type rather than being repaired. Refurbished parts may be used to repair the goods.

BALANCE OF WARRANTY

To the maximum extent permitted by law, any replaced or repaired products by MERCATOR are covered only by the balance of the warranty period remaining from the date of purchase of the original MERCATOR product.

2. IN-HOME REPAIR / REPLACEMENT WARRANTY

In addition to the limited warranty terms set out under section (1) above, the in-home warranty applies to all lighting products which are hard wired to the electricity supply at residential premises and are required to be installed by a licensed electrician.

Where a consumer asserts that a product installed in-home is faulty, and a MERCATOR service agent has attended at the property, A SERVICE CALL FEE WILL BE CHARGED TO THE CONSUMER IF:

The product is deemed to be a non-MERCATOR product;

1. There is nothing wrong with the MERCATOR product or to the extent that the failure is not a failure of the product to perform in accordance with its published features and specifications as reasonably determined by MERCATOR;
2. The original installation of the MERCATOR product was not carried out by a licensed electrician;
3. The installation is not performed in accordance with the relevant MERCATOR product installation instructions;
4. The defects have been caused by incorrect application or abuse or misuse by the consumer of the MERCATOR product.

Warranty & Technical

MERCATOR – LIMITED WARRANTY – LIGHTING PRODUCTS TERMS AND CONDITIONS

In cases of in-home repair/replacements in areas outside the coverage of MERCATOR service agents, MERCATOR will reimburse customers a standard fee of \$95.00 (inc. GST) for using their own electrician. Any service request must be arranged with the MERCATOR warranty department and obtained an Approval Reference Number (ARN) before calling your own electrician. Reimbursements will not be made for call-out fees or other costs without prior approval in writing of the MERCATOR warranty department.

In the circumstances where an emergency has arisen out of normal business hours and the MERCATOR warranty department cannot be contacted to dispatch a service agent to the premises, MERCATOR will reimburse customers their reasonable costs (as determined by MERCATOR) for using their own electrician.

3. WARRANTY TRANSFER

If the ownership changes on the dwelling where the MERCATOR product is installed, the balance of the warranty period passes to the new owner provided the proof of purchase (such as the original dated purchase receipt) from an authorised MERCATOR retailer is retained by the new owner. In addition, a certificate of compliance for the installation as required by law from the installing electrician is required for products requiring installation by licensed electricians.

4. AUSTRALIAN CONSUMER LAW

The benefits given to you in this warranty document are in addition to your other rights and remedies under a law in relation to the products to which this warranty document relates.

"YOUR CONSUMER RIGHTS"

"Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund

for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure."

Subject to "Your Consumer Rights" outlined above, but otherwise to the maximum extent permitted by law, MERCATOR will not be liable for any consequential or indirect loss or damage suffered or incurred by you in relation to a MERCATOR product, including but not limited to loss of use, loss or damage for business interruption, or profits.

5. WHAT IS NOT COVERED BY THE LIMITED REPAIR / REPLACEMENT WARRANTY OR THE IN-HOME REPAIR/REPLACEMENT WARRANTY

Subject to "Your Consumer Rights", but otherwise to the maximum extent permitted by law, the MERCATOR warranties provided in this document will not cover the following:

1. MERCATOR products that are not purchased from an authorised retailer and installed in Australia.
2. Where installation was not carried out by a licensed electrician as required.
3. MERCATOR products not installed in accordance with the product's installation instructions or specifications.
4. MERCATOR products not used in accordance with the instructions for use or specifications.
5. Defect, damage or failure to a MERCATOR product resulting from misuse, accident, neglect, abuse, tampering, modifications or unauthorised repairs of any kind by any person.
6. Damages not caused by a fault in the MERCATOR product materials or workmanship.

Warranty & Technical

MERCATOR – LIMITED WARRANTY – LIGHTING PRODUCTS TERMS AND CONDITIONS

7. Defect, damage or failure to a MERCATOR product resulting from any acts of God, including damages from lightning, power grid fluctuations, or power surges.
8. Replacement of light sources (globes, fluorescent tubes, etc) unless specified.
9. Replacement of batteries supplied with certain products.
10. Power supply “noise”, intermittent “humming” or other influences from mains power delivery infrastructure. Signals sent through the power grid by the electricity provider for the control of off peak hot water, street lights and other devices may cause an intermittent humming noise in your MERCATOR product. Filters for blocking/reducing such signals are available in Australia at the customer's expense. These noises do not indicate the MERCATOR product is faulty.
11. Damage caused by alternative power systems (for example: solar inverters, etc.).
12. Water damage of any kind caused by inappropriate placement of fittings not IP rated for that location.
13. The cost of renting, obtaining and using special access equipment (i.e. scaffoldings, scissor lifts, etc.) for accessing products installed at a height of greater than 3.0 meters.
14. Travelling costs incurred by MERCATOR personnel or service agents traveling greater than 25 Km from a MERCATOR authorised service agent. The purchaser must meet these traveling costs.

15. Non-structural corrosion damage of non-316 stainless steel components such as surface rust or minor rust.

6. COMMERCIAL USE

Mercator products which specifically designed for commercial use are designated as Commercial Use Products on the product packaging.

All other Mercator products are designed for domestic use.

Where products designed for domestic use are used in a commercial environment/commercial premises one third of the domestic warranty.

THIS WARRANTY IS VALID IN AUSTRALIA ONLY

HOW TO MAKE A WARRANTY CLAIM

A. Limited repair/replacement warranty:

Please return the faulty MERCATOR product together with a copy of the proof of purchase, and if required, a certificate of compliance for the installation of the product by the licensed electrician who installed the product, to the authorised MERCATOR retailer where the product was purchased. To the maximum extent permitted by law, the customer must bear the costs and expenses of claiming under this warranty, including but not limited to the cost incurred in freight, postage, handling, travel, dismantling or reinstalling the product.

B. In-home repair/replacement warranty:

Where an in-home warranty applies, please phone the MERCATOR customer care hotline 1300 55 22 55 (select option 2.) Australia for all in-home warranty enquiries and do not phone or return the product to the retailer. Do not uninstall or return a hard-wired product to the retailer unless advised to do so by a MERCATOR customer service representative.

Warranty & Technical

MERCATOR – LIMITED WARRANTY – LIGHTING PRODUCTS TERMS AND CONDITIONS

IN THE CASE OF MISSING ACCESSORIES OR PARTS, PLEASE CONTACT MERCATOR CUSTOMER SERVICE BEFORE INSTALLATION OF THE PRODUCT. IF YOUR PRODUCT IS DEFECTIVE OR EXCESSIVELY NOISY, PLEASE CONTACT MERCATOR CUSTOMER SERVICE BEFORE THE ELECTRICIAN LEAVES THE RESIDENCE WHERE THE INSTALLATION IS TAKING PLACE.

In order for you to assist us with your claim, please complete the enclosed warranty form in full.

Warranty Claim Form

Lighting

ABN 23005946958

88-100 Kyabram Street,
Coolaroo VIC 3048 AUSTRALIA
☎ 1300 552 255 (select option #2)

P.O Box 66 Dallas VIC 3047
AUSTRALIA
☎ 1300 552 256



Mercator - Limited Warranty - Lighting Products

Dear Valued Customer,

In order to make a claim, we require the following documentation to be supplied

Copy of proof of purchase receipt

Copy of electrician's invoice or certificate of compliance for the installation of the MERCATOR product (if required).

Below form completed in full and with as much detail as you can provide to support your warranty claim with us.

Please ensure claim form is signed before submitting.

You can return a copy of this form along with your documentations to the above postal address or fax number. You can also forward your documentation to our warranty email address: warranty@mercator.com.au Alternatively, you may log onto our website www.mercator.com.au and make a claim online.

Product Details

Product Code: _____ No. of Faulty Units: _____

Product Name: _____

Product Description / Colour: _____

Reason for Claim: _____

When did the problem start: _____

Do you have solar power? Yes / No _____

Do you have dimmers fitted? Yes / No _____ Model No: _____

Customer Details

Customer Name: _____

Day Time Phone No: _____ Mobile No: _____

Email Address: _____

Address (of where product is installed): _____

Suburb: _____ State: _____ Postcode: _____

Purchased From: _____ Date Purchased: _____

Electrician Name: _____ Contact No: _____

By signing the below, I.....acknowledge that I have read and understood the terms and conditions of the product warranty and I also acknowledge that if Mercator's service agent inspects and reports my light fitting and deems the fault to be caused by incorrect installation and/or misused or any of the other exceptions set out in the Limited Warranty Terms and Conditions and I will be charged a "call out" fee by Mercator.

Purchaser's signature: _____

Date: _____

Signing of this form is required in order for your warranty claim to be processed

Isolation switches for Ceiling Fans

Ceiling fans are prescribed devices under Australian electrician regulations and must be tested and certified to Australian standards before they can be sold by importers/manufacturers.

As part of the certification process it is a requirement of standard AS/NZS 60335.1 (Household and similar electrical appliances - Safety) that the following clause applies:

7.12.2 if a stationary appliance is not fitted with a supply and a plug, or with other means of disconnection from the supply mains having a contact separation in all poles that provide full disconnection under overvoltage category III conditions, the instructions shall state that means for disconnection be incorporated in the fixed wiring in accordance with the wiring rules.

All ceiling fan instructions include the requirement for installation of an isolation switch to meet this requirement.

Being a stationary appliance not fitted with a plug and cord a ceiling fan must be installed by a licensed electrical contractor in accordance with the Australian wiring rules (AS/NZS 3000.)

The following clause of AS/NZS applies when installing a ceiling fan:

1.7 Selection and installation of electrical equipment

















1.7.1 Essential requirement

- (a) Operate in a safe and reliable manner in the course of normal operating conditions; and
- (b) Not cause any danger from electrical shock, fire, high temperature or physical injury in the event of reasonably expected conditions of abnormal operation, overload, fault or external
- (c) Be installed in accordance with the manufacturer's instructions.

In summary, it is requirement of the standards which apply to the product that and isolation switch be installed and a requirement of the wiring rules that the product be installed to manufacturer's instructions.

Any installation which does not meet both of the above requirements is not deemed to be a safe installation.

Explanation of IC and CA Ratings

NZ Only Rating	Description	Symbol	AUS Equivalent	AUS '16 Update	IEC/EN Equivalent
IC-F	Type IC-F recessed luminaire where fixed, building insulating material that can be safely exposed continuously to temperatures up to 90° Celsius may abut and cover the luminaire. The symbol shall be permanently marked on the back of the fitting, be clearly visible, at least 20mm high and clearly legible. Resistant to ingress of external matter.		No Symbol Required - installation refers to AS/NZS 3000		No Symbol Required - installation refers to local wiring rules
IC	Type IC recessed luminaire where fixed, building insulating material that can be safely exposed continuously to temperatures up to 90° Celsius may abut and cover the luminaire. The symbol shall be permanently marked on the back of the fitting, be clearly visible, at least 20mm high and clearly legible.		No Symbol Required - installation refers to AS/NZS 3000		No Symbol Required - installation refers to local wiring rules
CA80	Type CA80 (90), closed abutted, recessed luminaire where fixed, building insulating material that can be safely exposed continuously to temperatures up to 90° Celsius must not cover but may closely abut the sides of the luminaire. The symbol shall be permanently marked on the back of the fitting, be clearly visible, at least 20mm high and clearly legible.				
CA135	Type CA 135, closed abutted, recessed luminaire where fixed, building insulating material that can be safely exposed continuously to temperatures up to 150° Celsius must not cover but may closely abut the sides of the luminaire. The symbol shall be permanently marked on the back off the fitting, be clearly visible, at least 20mm high and clearly legible.				
NON-IC	Not allowed to have any insulation within 100mm and cannot be installed in residential buildings. 20mm high and clearly legible. Resistant to ingress of external matter.				

IP Rating Chart

The IP Code (or Ingress Protection Rating, sometimes also interpreted as International Protection Rating) consists of the letters IP followed by two digits.

IP65








First Numeral

Protection against the ingress of solid particles

Second Numeral










Protection against the harmful ingress of water

First Numeral

IP	Requirements	Example	Protection of persons against access to hazardous parts with:
0	No protection		Non-protected
1	Full penetration of 50mm diameter sphere not allowed. Contact with hazardous parts not permitted.		Back of hand
2	Full penetration of 12.5mm diameter sphere not allowed. The jointed test finger shall have adequate clearance from hazardous parts.		Finger
3	The access probe of 2.5mm diameter shall not penetrate.		Tool
4	The access probe of 1.0mm diameter shall not penetrate.		Wire
5	Limited ingress of dust permitted (no harmful deposit).		Wire
6	Totally protected against the ingress of dust.		Wire

This Chart is intended to be read in conjunction with AS60529. Degrees of protection provided by enclosures for electrical equipment (IP Code). The symbols shown on this chart are for explanatory purposes only. They are not part of the IP Code and must be used instead of the Code.

Second Numeral

IP	Requirements	Example	Protection from Water
0	No protection		Non-protected
1	Protected against falling drops of water. Limited ingress permitted.		Vertically dripping
2	Protected against vertically falling drops of water with the enclosure tilted 15° from the vertical. Limited ingress permitted.		Dripping up to 15° from the vertical
3	Protected against sprays to 60° from the vertical. Limited ingress permitted.		Tool
4	Protected against water splashed from all directions. Limited ingress permitted.		Wire
5	Protected against jets of water. Limited ingress permitted.		Wire
6	Protected against strong jets of water. Limited ingress permitted.		Wire
7	Protected against the effects of immersion between 15cm and 1m.		Temporary immersion
8	Protected against long periods of immersion under pressure.		Continuous immersion

IK Rating

IK Rating classifies the level of protection electrical appliances provide against mechanical impacts from outside. It is defined by the standard IEC 62262. The degree of mechanical protection is identified by a code that consists of the letters IK followed by two digits:

Code	Impact energy (Joules)	Test
00	Non-protected	
01	0.15	Resistant against an impact from an object of 200 grams thrown from a distance of 7.5cm
02	0.2	Resistant against an impact from an object of 200 grams thrown from a distance of 10cm
03	0.35	Resistant against an impact from an object of 200 grams thrown from a distance of 17.5cm
04	0.5	Resistant against an impact from an object of 200 grams thrown from a distance of 25cm
05	0.7	Resistant against an impact from an object of 200 grams thrown from a distance of 35cm
06	1.0	Resistant against an impact from an object of 500 grams thrown from a distance of 20cm
07	2.0	Resistant against an impact from an object of 500 grams thrown from a distance of 40cm
08	5.0	Resistant against an impact from an object of 1.7kg thrown from a distance of 29.5cm
09	10.0	Resistant against an impact from an object of 5kg thrown from a distance of 20cm
10	20.0	Resistant against an impact from an object of 5kg thrown from a distance of 40cm

VEU/IPART

Products with the VEU/IPART logo are approved for government rebate schemes.

Quick Reference Index

4W G125 Filament LED	313	Aaydan	236
4W G125 Filament LED	313	AC Fan Remote	368
4W G95 Filament LED	303	AC Fan Remote	368
5.5W GU10 LED	294	AC Fan Remote with Dimmer	368
5.5W GU10 LED	294	AC Fan WIFI Remote with Dimmer	368
5.5W GU10 LED	294	AC Voltage Tester	420
5.5W GU10 LED	294	Aceline	396
6W A60 LED	288	Addison	117
6W A60 LED	288	Addison	117
6W A60 LED	288	Adena	77
6W A60 LED	288	Aero	162
7.5 W G125 Filament	313	Aero	162
7.5 W G125 Filament LED	313	Ainsley	117
7.5 W G125 Filament LED	313	Ainsley	117
7.5W G95 Filament LED	303	Airbond DC	382
7.5W G95 Filament LED	303	Airbond DC Pedestal	383
7.5W G95 Filament LED	303	Airnimate	324
9W A60 LED	288	Airnimate	324
9W A60 LED	288	Airventure	328
9W A60 LED	288	Airventure	328
9W A60 LED	288	Albion	106
9W GU10 LED	294	Alfred	122
9W GU10 LED	294	Amar	72
9W GU10 LED	294	Amar	72
9W GU10 LED	294	Amaya	144
9W GU10 LED	294	Andre	165
9W GU10 LED	294	Andre	165
9W GU10 LED	294	Andre	165
A70 LED	289	Anna	151
A70 LED	289	Annie	104
A70 LED	289	Anova	44
A70 LED	289	Anova	44
A80 LED	289	Anova	45
A80 LED	289	Anova	45
A80 LED	289	Anova	45
A80 LED	289	Anova	362
A80 LED	289	Anova	362
Aaydan	236		

Apollo	232	Benjamin	119
Apollo Pro	233	Benson	415
Apollo Pro	233	Biba	154
Apollo Sense	232	Billie	116
Aquarius	242	Billie	116
Ardene Duo	394	Blair	138
Ardene Quattro	393	Blake	197
Arena	381	Blasko	150
Arizona	119	Bond II	187
Arizona	119	Bond II	187
Armstrong	76	Bond II	187
Armstrong	76	Bond II	187
Aspect	264	Bonita	115
Aspect	264	Brady	101
Aspect	264	Brenton	193
Astro	157	Brodie	171
Astro	157	Broome	382
Astro	161	Broome Pedestal	383
Astro	161	Bryce	134
Autumn	174	Bryce	134
Ava	81	Buckley	128
Ava	81	Burnley	118
Avery	103	Burnley	118
Bahama	101	Calico	75
Balmoral	120	Calico	122
Balmoral	120	Calvin	177
Barney	145	Calvin	177
Baxter	261	Calvin	177
Baxter	261	Calvin	177
Baxter	261	Campbell	113
Baxter Sensor	261	Campbell	113
Baxter Sensor	261	Candle Globe	49
Baxter Sensor	261	Candle Globe	49
Belgrave	108	Candle Globe	49
Belgrave	108	Candle Globe	49
Belmont	69	Candle LED	290
Ben	137	Candle LED	290
Benjamin	119	Candle LED	290

Candle LED	290	Classic A60 Filament- Yellow	299
Canterbury	82	Classic Globe	50
Canterbury	82	Classic Globe	50
Canterbury	82	Classic Globe	50
Caprice	322	Classic Globe	50
Caprice	322	Classic Globe CCT	50
Caprice	322	Classic Globe CCT	50
Caprice	322	Classic Globe CCT	50
Casa	46	Classic Globe CCT	50
Casa	46	Classic Globe RGB	50
Casa	364	Classic Globe RGB	50
Casa	364	Classic Globe RGB	50
Cayman	194	Classic Globe RGB	50
Cayman	194	Clinton	116
Celeste	137	Clinton	116
Celeste	137	Cody	253
Chelsea	105	Cody	253
Cicero	269	Colby	178
Cicero	269	Colby	178
Cicero Sensor	269	Colton	138
Cicero Sensor	269	Colton	138
Clare	326	Compact Digital Lux Meter	420
Clare	326	Compact Door Chime	414
Clarence	160	Compact Door Chime	414
Clarence	160	Contact Sensor	43
Clarence	330	Cooper	243
Clarence	330	Cooper	243
Classic A60 Filament	299	Cooya	338
Classic A60 Filament	299	Corby	92
Classic A60 Filament- Blue	298	Cordet	80
Classic A60 Filament- Blue	298	Corvis II	251
Classic A60 Filament- Green	298	Corvis II	251
Classic A60 Filament- Green	298	Cowley	214
Classic A60 Filament- Orange	299	Crescent	263
Classic A60 Filament- Orange	299	Crescent	263
Classic A60 Filament- Red	298	Crescent	263
Classic A60 Filament- Red	298	Crescent Sensor	263
Classic A60 Filament- Yellow	299	Crescent Sensor	263

Crescent Sensor	263	Dino	260
Cruz	237	Domini	390
Cruz	237	Domino	389
Cube	100	Donovan	48
Cubix	410	Door Chime	414
Cubix	411	Door Chime	414
Cullen	73	Door Chime	414
Cullen	73	Double Power Point	39
Cyrus	178	Double Power Point	39
Cyrus	178	Double Power Point	39
D120 Decorative Globe Within	310	Double Power Point USB	39
D120 Decorative Globe Within	311	Double Power Point USB	39
Dakota	205	Double Power Point USB	39
Dakota	205	Double Switch	37
Damian	262	Double Switch	37
Damian	262	Double Switch	37
Damian	262	Drone	384
Danska	62	Duna	153
Darby	69	Dylan	136
Darby	69	Dylan	136
Dawson	163	Eagle	352
Dawson	163	Eagle	352
Dawson	163	Eagle XL	354
Dawson	163	Eagle XL	354
Defender 10W	265	Eclipse	185
Defender 5W	265	Eclipse	185
Diamond Filament Globe	301	Eddie	101
Diaz	245	Eden	67
Diaz	245	Edith	80
Diaz	245	Eko	230
Diaz	245	Eko-2	231
Diego	195	Eko-2	231
Dimmer Mechanism	416	Elaine	200
Dimmer Mechanism	416	Elais II	238
Dimmer Switch	38	Elais II	238
Dimmer Switch	38	Elan	203
Dimmer Switch	38	Eleanor	203
Dino	260	Elise	183

Elise	183	Fan Controller	38
Eliza II	190	Fancy Candle LED	301
Eliza II	190	Fancy Round Filament	301
Eliza II	191	Fancy Round Globe	49
Eliza II	191	Fancy Round Globe	49
Ellie	103	Fancy Round Globe	49
Elliot	107	Fancy Round Globe	49
Emeline II	401	Fancy Round LED	290
Emeline II	401	Fancy Round LED	290
Emeline II	401	Fancy Round LED	290
Emeline II	401	Fancy Round LED	290
Emilia	129	Farrow	111
Emilia	201	Felton	79
Emily	220	Finley	74
Emily	220	Finley	124
Emily	220	Fiona	94
Emma	184	Fitzgerald	77
Environmental Sensor	43	Fletcher	198
Epsilon	277	Fletcher	198
Equinox III	241	Fletcher	199
Equinox III	241	Fletcher	199
Equinox III	241	Ford	48
Equinox III	241	Ford	48
Erika	202	Franklin	162
Esta	240	Franklin	162
Esta	240	Franklin CCT	163
Esta	240	Franklin CCT	163
Esta	240	Franklin CCT	163
Ester	121	Freya	102
Ester	121	Freya	102
Ethan	192	G125 Decorative	309
Eugene	133	G125 Decorative	309
Eva	200	G125 Decorative	310
Eve	201	G125 Decorative	310
Evora	182	G125 Decorative LED	302
Evora	182	G125 Vintage Decorative	312
Fallon	68	G125 Vintage Decorative	312
Fan Controller	38	G125 Vintage Decorative LED	307

G125 Vintage Decorative LED	307	Inline Switch	40
G4 LED	290	Inline Switch	40
G4 LED	290	Inline Switch	40
G9 LED	291	Instinct	346
G9 LED	291	Instinct	346
G95 Vintage Decorative LED	306	IP65 Sensor	283
G95 Vintage Decorative LED	307	IP65 Sensor	283
Georgia	128	IP65 Sensor	283
Gilbert	42	IP65 Sensor	283
Gladiator	93	IP66 Infrared Motion	285
GU10	51	IP66 Infrared Motion	285
GU10 Glass LED	293	Ivan	380
GU10 Glass LED	293	Ivan	380
GU10 Glass LED	293	Jake	151
GU10 Glass LED	293	Jazz	164
GU10 RGB	51	Jazz	164
GU10 RGB	51	Jazz	164
GU11	51	Jessica	185
Guardian	356	Jessica	185
Gwen	152	Jet	134
Gypsy	156	Jordana	108
Hampton	71	Jordana	108
Hampton	71	Juno	348
Hans	213	Juno	348
Hans	213	Kewarra	334
Harlow	100	Kiama	195
Haven	167	Kirby	65
Hayman	332	Kristov	90
Healey	336	Kristov	90
Helios	257	Lana	173
Hilda	115	Lara	248
Hudson	102	Lara	248
Hudson	102	Lara	248
Ikon	47	Lava Duo LED	395
Ikon	166	Laya	90
Ikon	166	Laya	90
Industry	92	Leona	171
Inline Switch	40	Levi	132

Lift Shaft	256	Marion	42
Lift Shaft	256	Marley	79
Liliana	106	Marshall	188
Liverpool	85	Marshall	188
Liverpool	85	Marshall	188
Liverpool	85	Marshall	188
Logan	129	Marvin II	188
Lois	78	Marvin II	188
Lonsdale	118	Mason	175
Lonsdale	118	Mateo	239
Lonsdale	320	Mateo	239
Lonsdale	320	Matthis	244
Lonsdale	320	Matthis	244
Lora	350	Maxim	174
Lora	350	Mechanical Timer	418
Lottie	110	Mechanical Timer	418
Lovato	160	Mechanical Timer	419
Lovato	160	Melba	66
Luca	253	Melba	66
Luca	253	Mercator Candle LED	304
Lucy	139	Mercator Fancy Round LED	304
Ludo II	260	Mercer	112
Ludo II	260	Metro LED	252
Ludo II	260	Metro LED	252
Luton	126	Midas Duo	392
Mackenzie	61	Midas Quattro	391
Madrid	70	Milford	64
Madrid	70	Minota	45
Maine	204	Minota	45
Manchester	85	Minota	45
Manchester	85	Minota	45
Manchester	85	Minota	45
Manchester	204	Minota	45
Marie	111	Minota	366
Marilyn	120	Minota	366
Marilyn	120	Moby	62
Marina	121	Moby	62
Marina	121	Moby	109

Molly	114	Oasis	58
Mona	344	Oasis	58
Morrisey	63	Oden	167
Morrisey	63	Olympia	83
Motion Sensor	44	Olympia	83
Motion Sensor Battery	43	Olympia	83
Motion Sensor IP65	44	Onyx	271
MR16 Glass LED	293	Onyx	271
MR16 Glass LED	293	Onyx	271
MR16 Glass LED	293	Onyx Sensor	271
MR16 Glass LED	293	Onyx Sensor	271
MR16 LED	293	Onyx Sensor	271
MR16 LED	293	Opal Ball	154
MR16 LED	293	Opal Ball	154
MR16 LED	293	Optica Trio	234
Murano	155	Optica Trio	234
Murano	155	Optica Trio	234
Murano	155	Optica Trio Lite	235
Natalia	107	Optica Trio Lite	235
Nemoi	342	Optica Trio Lite	235
Nemoi	342	Osbourne	176
Neo	250	Osbourne	176
Neo	250	Otto II	268
Newbury	149	Otto II	268
Nexa	267	Otto II Sensor	268
Nico II	184	Otto II Sensor	268
Nico II	184	Outdoor Power Point	40
Nikola	46	Outdoor Power Point	40
Noah	222	Outdoor Single Adaptor	52
Noah	222	Owen	114
Noah	222	Pagoda	208
Noel	78	Paisley	223
Nora	104	Paisley	223
Nora	104	Paisley	223
Novaline II	402	PAR38 Globe	51
Novaline II	402	PAR38 Globe	51
Novaline II	402	PAR38 LED	295
Novaline II	402	PAR38 LED	295

Paro	100	Re-wireable Plug	41
Paxton	109	Recessed Gimble	284
Peeta	59	Recessed Gimble	284
Peeta	59	Revoline LED	400
Penta	157	Revoline LED	400
Penta	161	Rhino 1.8M	358
Penta	161	Rhino 1.8M	358
Piccolo II	189	Rhino 1.8M	358
Piccolo II	189	Rhino 2.1M	360
Piccolo II	189	Rhino 2.1M	360
Piccolo II	189	Rhino 2.1M	360
Picton	64	Rider	381
Plug Base	41	Ridley	49
Plug Base	41	Ridley	49
Polar	249	Rupert	135
Polar	249	Rye	196
Power Outlet	419	Rye	196
Powerboard	53	Rye	196
Primrose	156	Rye	196
Prince	125	Sabina	192
Prisma	96	Sanders	270
Prisma	96	Sanders	270
Quad Power Point	40	Sanders Sensor	270
Quad Power Point	40	Sanders Sensor	270
Quad Switch	38	Sara	140
Quad Switch	38	Sara	141
Quad Switch	38	Sara	141
R39 LED	291	Sara Clamp	140
R39 LED	291	Sara USB	140
R50 LED	291	Sasha II	193
R50 LED	291	Sasha II	193
R63 LED	292	Sawyer	57
R63 LED	292	Sawyer	57
R80 Filament	300	Sawyer	123
R80 LED	292	Sawyer	123
R80 LED	292	Sefina	56
Rafael	89	Sefina	56
Raiden	267	Selena	113

Sensory	282	Surface Mount	282
Sensory	282	Sutton	86
Shaw	251	Sutton	86
Shaw	251	Sutton	87
Single Adaptor	52	Suzy	153
Single Power Point	39	Swell	164
Single Power Point	39	Swell	164
Single Switch	37	Switch	41
Single Switch	37	Switch	41
Single Switch	37	Switch	41
Skeeta	250	Switch	41
Skeeta	250	Sylvia	173
Skyline	399	T30 Filament	300
Skyline LED	398	T30 Vintage Decorative LED	304
Soho	91	T30 Vintage Decorative LED	305
Soho	91	T45 Vintage Decorative LED	305
Solitude	266	T45 Vintage Decorative LED	305
Solitude	266	Tanura	252
Sonya	112	Tanura	252
ST26 Filament	300	Tarzen	276
ST26 Filament	300	Tarzen	276
ST60 Vintage Decorative	311	Tarzen	276
ST60 Vintage Decorative	311	Tarzen	276
ST64 Pear Filament LED	302	Terrence	88
ST64 Pear Filament LED	302	Thalia	101
ST64 Pear Filament LED	302	Thompson	150
ST64 Vintage Decorative LED	306	Thorpe	219
ST64 Vintage Decorative LED	306	Thorpe	219
Star	157	Thorpe	219
Starline LED	397	Tia	60
Starline LED	397	Tia	60
Strip Light	48	Tia	60
Strip Light	48	Tia	60
Strip Light	48	Tiffany	221
Strip Light	48	Tiffany	221
Strip Light	226	Tiffany	221
Strip Light	226	Tiffany	221
Strip Light	227	Tilbury	206

Tilbury	207	Vintage Decorative	308
Tilbury	207	Vintage Decorative	308
Timothy	133	Vintage Decorative	309
Titan III	274	Vintage G125	297
Titan III	274	Vintage G95	297
Titan III	274	Vintage Mini-Banana	296
Titan III Sensor	275	Vision	262
Toledo	70	Walter	47
Toledo	70	Walter	47
Tonic	95	Walter	47
Tonic	95	Walter	47
Track Accessories	215	Walter RGB	47
Track Accessories	215	Walter RGB	47
Tracy	166	Walter RGB	47
Tracy	166	Walter RGB	47
Travis	218	Wave Pro 40W	255
Travis	218	Wave Pro Dual Power and Triproof	254
Travis	218	Wave Pro Dual Power and Triproof	254
Trax	212	Wave Pro Dual Power and Triproof	254
Trend	152	Waverley	172
Trent	152	Webster	148
Triple Switch	37	Wells	186
Triple Switch	37	Wells	186
Triple Switch	37	Wells	186
Trodos	421	Wells	186
Tubular	295	Wesley	175
Tubular	295	Wesley	175
Tubular	295	Wilshire	170
Tubular	295	Winnie	103
Tyra	179	Winnie	103
Universal Ceiling Fan Remote Kit	46	Winslow	148
Universal IR Remote	53	Wireless Door Chime	415
Vanessa	87	Yarra	208
Verona	89	Yarra	209
Verona	89	Yarra	409
Video Doorbell	42	Yarra	409
Vintage Banana	296	Yarra	409
Vintage Decorative	308	York	84

Zappa	97
Zeke	239
Zeke	239
Zilla Panel Light	278
Zilla Panel Light	278
Zilla Panel Light	278
Zilla Panel Light	278
Zilla Panel Light	278
Zilla Panel Light	278
Zilla Panel Light	278
Zilla Panel Light	278
Zilla Panel Light	278
Zilla Panel Light	278
Zilla Panel Light	278
Zilla Panel Light	278
Zilla Panel Light	278

Quick Reference Index

Model #	Name	Category	Page
32310	Ben	Task Table & Floor Lamps	137
31316-47	Marina	Decorative Table & Floor Lamps	121
32316-47	Marina	Decorative Table & Floor Lamps	121
9B22LED02-3	Tubular	Globes	295
9B22LED02-4	Tubular	Globes	295
9B22LED02-6	Tubular	Globes	295
9B22LED11L	Vintage Banana	Globes	296
9B22LED13L	Vintage Mini-Banana	Globes	296
9B22LED14L	Vintage G95	Globes	297
9B22LED15L	Vintage G125	Globes	297
9B22LED20	T30 Vintage Decorative LED	Globes	305
9B22LED21	T45 Vintage Decorative LED	Globes	305
9B22LED22	ST64 Vintage Decorative LED	Globes	306
9B22LED23	G95 Vintage Decorative LED	Globes	307
9B22LED24	G125 Vintage Decorative LED	Globes	307
9B22LED25	Vintage Decorative	Globes	308
9B22LED26	Vintage Decorative	Globes	309
9B22LED27	G125 Vintage Decorative	Globes	312
9B22LED28	ST60 Vintage Decorative	Globes	311
9B22LED29	G125 Decorative	Globes	310
9B22LED30	G125 Decorative	Globes	309
9B22LEDA60DC	Classic A60 Filament	Globes	299
9B22LEDSP125DC	7.5 W G125 Filament LED	Globes	313
9B22LEDSP95DC	7.5W G95 Filament LED	Globes	303
9B22LEDST64DC	ST64 Pear Filament LED	Globes	302
9E14LED12F	Fancy Candle LED	Globes	301
9E14LED13	Fancy Round Filament	Globes	301
9E14LEDC37C	Mercator Candle LED	Globes	304
9E14LEDG45C	Mercator Fancy Round LED	Globes	304
9E27LED02-4	Tubular	Globes	295
9E27LED15A	4W G125 Filament LED	Globes	313
9E27LED15F	4W G125 Filament LED	Globes	313
9E27LED19DC	Diamond Filament Globe	Globes	301
9E27LED20	T30 Vintage Decorative LED	Globes	304
9E27LED21	T45 Vintage Decorative LED	Globes	305
9E27LED22	ST64 Vintage Decorative LED	Globes	306

Model #	Name	Category	Page
9E27LED23	G95 Vintage Decorative LED	Globes	306
9E27LED24	G125 Vintage Decorative LED	Globes	307
9E27LED25	Vintage Decorative	Globes	308
9E27LED26	Vintage Decorative	Globes	308
9E27LED27	G125 Vintage Decorative	Globes	312
9E27LED28	ST60 Vintage Decorative	Globes	311
9E27LED29	G125 Decorative	Globes	310
9E27LED30	G125 Decorative	Globes	309
9E27LED31	D120 Decorative Globe Within	Globes	310
9E27LED32	D120 Decorative Globe Within	Globes	311
9E27LEDA60DC	Classic A60 Filament	Globes	299
9E27LEDG95A	4W G95 Filament LED	Globes	303
9E27LEDP38DL	PAR38 LED	Globes	295
9E27LEDP38WW	PAR38 LED	Globes	295
9E27LEDSPI25DC	7.5 W G125 Filament LED	Globes	313
9E27LEDSPI25DHB	7.5 W G125 Filament	Globes	313
9E27LEDSP95DC	7.5W G95 Filament LED	Globes	303
9E27LEDSP95DHB	7.5W G95 Filament LED	Globes	303
9E27LEDST64DA	ST64 Pear Filament LED	Globes	302
9E27LEDST64DC	ST64 Pear Filament LED	Globes	302
9GU10LED9-3	9W GU10 LED	Globes	294
9GU10LED9-4	9W GU10 LED	Globes	294
9GU10LED9-5	9W GU10 LED	Globes	294
9GU10LED9D-3	9W GU10 LED	Globes	294
9GU10LED9D-4	9W GU10 LED	Globes	294
9GU10LED9D-5	9W GU10 LED	Globes	294
A10031BLK	Travis	Spotlights	218
A10031WHT	Thorpe	Spotlights	219
A10034BLK	Travis	Spotlights	218
A10034WHT	Thorpe	Spotlights	219
A10333BLK	Travis	Spotlights	218
A10333WHT	Thorpe	Spotlights	219
A10931BLK	Emily	Spotlights	220
A10933BLK	Emily	Spotlights	220
A10933RBLK	Emily	Spotlights	220
A11131CH	Paisley	Spotlights	223
A11132CH	Paisley	Spotlights	223
A11133CH	Paisley	Spotlights	223

Model #	Name	Category	Page
A13011	Sara	Task Table & Floor Lamps	140
A13011USB	Sara USB	Task Table & Floor Lamps	140
A13021	Sara	Task Table & Floor Lamps	141
A13022	Sara	Task Table & Floor Lamps	141
A13041	Sara Clamp	Task Table & Floor Lamps	140
A18631BLK	Tiffany	Spotlights	221
A18632BLK	Tiffany	Spotlights	221
A18633BLK	Tiffany	Spotlights	221
A18634BLK	Tiffany	Spotlights	221
A19411	Dylan	Task Table & Floor Lamps	136
A19421	Dylan	Task Table & Floor Lamps	136
A20031AB	Noah	Spotlights	222
A20033AB	Noah	Spotlights	222
A20034AB	Noah	Spotlights	222
A21311	Bryce	Task Table & Floor Lamps	134
A21341	Bryce	Task Table & Floor Lamps	134
A21611	Timothy	Task Table & Floor Lamps	133
A21811	Celeste	Task Table & Floor Lamps	137
A21821	Celeste	Task Table & Floor Lamps	137
A28412	Bonita	Decorative Table & Floor Lamps	115
A28711	Campbell	Decorative Table & Floor Lamps	113
A28711S	Campbell	Decorative Table & Floor Lamps	113
A29111	Addison	Decorative Table & Floor Lamps	117
A29121	Addison	Decorative Table & Floor Lamps	117
A29211	Paxton	Decorative Table & Floor Lamps	109
A33511	Eddie	Decorative Table & Floor Lamps	101
A34121	Prince	Decorative Table & Floor Lamps	125
A35211	Brady	Decorative Table & Floor Lamps	101
A36011	Sonya	Decorative Table & Floor Lamps	112
A37411	Bahama	Decorative Table & Floor Lamps	101
A38011	Paro	Decorative Table & Floor Lamps	100
A38111	Lucy	Task Table & Floor Lamps	139
A38511	Arizona	Decorative Table & Floor Lamps	119
A38522	Arizona	Decorative Table & Floor Lamps	119
A40211	Lottie	Decorative Table & Floor Lamps	110
A42722	Buckley	Decorative Table & Floor Lamps	128
A42822	Emilia	Decorative Table & Floor Lamps	129
A42922	Georgia	Decorative Table & Floor Lamps	128

Model #	Name	Category	Page
A43431	Verona	Pendants	89
A43433	Verona	Pendants	89
A44011T	Cube	Decorative Table & Floor Lamps	100
A45111	Thalia	Decorative Table & Floor Lamps	101
A46111	Elliot	Decorative Table & Floor Lamps	107
A46321	Logan	Decorative Table & Floor Lamps	129
A48211	Owen	Decorative Table & Floor Lamps	114
A48611	Molly	Decorative Table & Floor Lamps	114
A49721	Calico	Decorative Table & Floor Lamps	122
A49731	Calico	Pendants	75
A57211	Farrow	Decorative Table & Floor Lamps	111
A57411	Marie	Decorative Table & Floor Lamps	111
A57811	Natalia	Decorative Table & Floor Lamps	107
A71211	Harlow	Decorative Table & Floor Lamps	100
A80651BLK	Wesley	Interior Wall Lights	175
A80651GT	Wesley	Interior Wall Lights	175
A82211	Clinton	Decorative Table & Floor Lamps	116
A82222	Clinton	Decorative Table & Floor Lamps	116
A82311	Liliana	Decorative Table & Floor Lamps	106
A86321	Alfred	Decorative Table & Floor Lamps	122
A87111	Benjamin	Decorative Table & Floor Lamps	119
A87121	Benjamin	Decorative Table & Floor Lamps	119
A87411	Balmoral	Decorative Table & Floor Lamps	120
A87421	Balmoral	Decorative Table & Floor Lamps	120
A89391/3	Trax	Track Lights & Accessories	212
A89491/3	Hans	Track Lights & Accessories	213
A89491/4	Hans	Track Lights & Accessories	213
A95092	Cowley	Track Lights & Accessories	214
A96111	Jet	Task Table & Floor Lamps	134
A96611	Eugene	Task Table & Floor Lamps	133
BE170ESP	Starline LED	Exhaust Fans & Bathroom Heaters	397
BE190ESP	Starline LED	Exhaust Fans & Bathroom Heaters	397
BE220FSP	Skyline	Exhaust Fans & Bathroom Heaters	399
BE240ESP	Skyline LED	Exhaust Fans & Bathroom Heaters	398
BE3200SP	Novaline II	Exhaust Fans & Bathroom Heaters	402
BE320ESPWH	Emeline II	Exhaust Fans & Bathroom Heaters	401
BE3300SP	Novaline II	Exhaust Fans & Bathroom Heaters	402
BE330ESPWH	Emeline II	Exhaust Fans & Bathroom Heaters	401

Model #	Name	Category	Page
BE3400SP	Novaline II	Exhaust Fans & Bathroom Heaters	402
BE340ESPWH	Emeline II	Exhaust Fans & Bathroom Heaters	401
BE3500SP	Novaline II	Exhaust Fans & Bathroom Heaters	402
BE350ESPWH	Emeline II	Exhaust Fans & Bathroom Heaters	401
BE370ESP	Aceline	Exhaust Fans & Bathroom Heaters	396
BE380ESPWH	Revoline LED	Exhaust Fans & Bathroom Heaters	400
BE390ESPWH	Revoline LED	Exhaust Fans & Bathroom Heaters	400
BHI52ESW	Domino	Exhaust Fans & Bathroom Heaters	389
BHI61ESW	Domini	Exhaust Fans & Bathroom Heaters	390
BS122ESW	Ardene Duo	Exhaust Fans & Bathroom Heaters	394
BS124ESW	Ardene Quattro	Exhaust Fans & Bathroom Heaters	393
BS132ESW	Midas Duo	Exhaust Fans & Bathroom Heaters	392
BS134ESW	Midas Quattro	Exhaust Fans & Bathroom Heaters	391
BS222ESW	Lava Duo LED	Exhaust Fans & Bathroom Heaters	395
CE2131	Canterbury	Pendants	82
CE2133	Canterbury	Pendants	82
CE2134	Canterbury	Pendants	82
CE4121	Olympia	Pendants	83
CE4123	Olympia	Pendants	83
CE4124	Olympia	Pendants	83
CE9571-C	Primrose	DIY	156
FC050135	Hayman	Ceiling Fans & Accessories	332
FC1100133	Instinct	Ceiling Fans & Accessories	346
FC1108133	Instinct	Ceiling Fans & Accessories	346
FC1110143	Guardian	Ceiling Fans & Accessories	356
FC1120143	Juno	Ceiling Fans & Accessories	348
FC1128143	Juno	Ceiling Fans & Accessories	348
FC1130153	Lora	Ceiling Fans & Accessories	350
FC1138153	Lora	Ceiling Fans & Accessories	350
FC1140	Anova	Ceiling Fans & Accessories	362
FC1140BKWIFI	Anova	Mercator Ikuu	44
FC1140WHWIFI	Anova	Mercator Ikuu	44
FC1148	Anova	Ceiling Fans & Accessories	362
FC1148BKWIFI	Anova	Mercator Ikuu	45
FC1148WHWIFI	Anova	Mercator Ikuu	45
FC190135	Cooya	Ceiling Fans & Accessories	338
FC190139	Kewarra	Ceiling Fans & Accessories	334
FC250134	Caprice	Ceiling Fans & Accessories	322

Model #	Name	Category	Page
FC252128	Caprice	Ceiling Fans & Accessories	322
FC252134	Caprice	Ceiling Fans & Accessories	322
FC257134	Caprice	Ceiling Fans & Accessories	322
FC360143	Eagle	Ceiling Fans & Accessories	352
FC360163	Eagle XL	Ceiling Fans & Accessories	354
FC368143	Eagle	Ceiling Fans & Accessories	352
FC368163	Eagle XL	Ceiling Fans & Accessories	354
FC479180	Rhino 1.8M	Ceiling Fans & Accessories	358
FC47918L	Rhino 1.8M	Ceiling Fans & Accessories	358
FC479210	Rhino 2.1M	Ceiling Fans & Accessories	360
FC47921L	Rhino 2.1M	Ceiling Fans & Accessories	360
FC490135	Healey	Ceiling Fans & Accessories	336
FC580133	Airventure	Ceiling Fans & Accessories	328
FC587133	Airventure	Ceiling Fans & Accessories	328
FC620133G	Minota	Ceiling Fans & Accessories	366
FC620133GBC	Minota	Mercator Ikuu	45
FC620133GBK	Minota	Mercator Ikuu	45
FC620133GWH	Minota	Mercator Ikuu	45
FC628133G	Minota	Ceiling Fans & Accessories	366
FC628133GBC	Minota	Mercator Ikuu	45
FC628133GBK	Minota	Mercator Ikuu	45
FC628133GWH	Minota	Mercator Ikuu	45
FC660134	Clare	Ceiling Fans & Accessories	326
FC662134	Clare	Ceiling Fans & Accessories	326
FC700134	Nemoi	Ceiling Fans & Accessories	342
FC708134	Nemoi	Ceiling Fans & Accessories	342
FC760143	Clarence	Ceiling Fans & Accessories	330
FC768143	Clarence	Ceiling Fans & Accessories	330
FC770134	Airnimate	Ceiling Fans & Accessories	324
FC777134	Airnimate	Ceiling Fans & Accessories	324
FC780133	Mona	Ceiling Fans & Accessories	344
FC790133G	Casa	Ceiling Fans & Accessories	364
FC790133GWW	Casa	Mercator Ikuu	46
FC798133G	Casa	Ceiling Fans & Accessories	364
FC798133GWW	Casa	Mercator Ikuu	46
FC920124	Lonsdale	Ceiling Fans & Accessories	320
FC922124	Lonsdale	Ceiling Fans & Accessories	320
FC922124R	Lonsdale	Ceiling Fans & Accessories	320

Model #	Name	Category	Page
FF101230BK	Broome Pedestal	Portable Fans & Wall Fans	383
FF103330BK	Broome	Portable Fans & Wall Fans	382
FF52316WH	Rider	Portable Fans & Wall Fans	381
FF62230BK	Airbond DC Pedestal	Portable Fans & Wall Fans	383
FF62330BK	Airbond DC	Portable Fans & Wall Fans	382
FF71424BK	Drone	Portable Fans & Wall Fans	384
FF83320BK	Arena	Portable Fans & Wall Fans	381
FF92316WH	Ivan	Portable Fans & Wall Fans	380
FF93316WH	Ivan	Portable Fans & Wall Fans	380
FLF4781	Rhino 1.8M	Ceiling Fans & Accessories	358
FLF4781	Rhino 2.1M	Ceiling Fans & Accessories	360
FRM86	AC Fan Remote with Dimmer	Ceiling Fans & Accessories	368
FRM86G	AC Fan WIFI Remote with Dimmer	Ceiling Fans & Accessories	368
FRM86G	Universal Ceiling Fan Remote Kit	Mercator Ikuu	46
FRM87	AC Fan Remote	Ceiling Fans & Accessories	368
FRM97	AC Fan Remote	Ceiling Fans & Accessories	368
GO92093	Track Accessories	Track Lights & Accessories	215
GO92093/2	Track Accessories	Track Lights & Accessories	215
HF100120YE	Cubix	Heaters	410
HF100130YE	Cubix	Heaters	411
HT00101	Yarra	Heaters	409
HT00104	Yarra	Heaters	409
HT00107	Yarra	Heaters	409
MA1071	Anna	DIY	151
MA14	Trent	DIY	152
MA15	Trend	DIY	152
MA1806	Opal Ball	DIY	154
MA1808	Opal Ball	DIY	154
MA2418/5	Franklin	Ceiling Fixtures	162
MA2418CCT	Franklin CCT	Ceiling Fixtures	163
MA2424/5	Franklin	Ceiling Fixtures	162
MA2424CCT	Franklin CCT	Ceiling Fixtures	163
MA2436CCT	Franklin CCT	Ceiling Fixtures	163
MA2751	Astro	Ceiling Fixtures	161
MA2752	Astro	Ceiling Fixtures	161
MA2771	Astro	DIY	157
MA2772	Astro	DIY	157
MA3928/3	Jazz	Ceiling Fixtures	164

Model #	Name	Category	Page
MA3928/4	Jazz	Ceiling Fixtures	164
MA3928/6	Jazz	Ceiling Fixtures	164
MA4571	Star	DIY	157
MA4671	Jake	DIY	151
MA4724/4	Dawson	Ceiling Fixtures	163
MA4724/6	Dawson	Ceiling Fixtures	163
MA4736/4	Dawson	Ceiling Fixtures	163
MA4736/6	Dawson	Ceiling Fixtures	163
MA4918	Lovato	Ceiling Fixtures	160
MA4930	Lovato	Ceiling Fixtures	160
MA5818/4	Aero	Ceiling Fixtures	162
MA5818/5	Aero	Ceiling Fixtures	162
MA6000	Oden	Ceiling Fixtures	167
MA6815/CCT	Andre	Ceiling Fixtures	165
MA6825/CCT	Andre	Ceiling Fixtures	165
MA6835/CCT	Andre	Ceiling Fixtures	165
MA7111	Maxim	Interior Wall Lights	174
MA7851	Penta	Ceiling Fixtures	161
MA7852	Penta	Ceiling Fixtures	161
MA787IBC	Penta	DIY	157
MA906	Murano	DIY	155
MA906C	Murano	DIY	155
MA908	Murano	DIY	155
MA9371	Gwen	DIY	152
MA94	Biba	DIY	154
MA97BLK	Gypsy	DIY	156
MBL001BLK	Marshall	Outdoor	188
MBL001WHT	Marshall	Outdoor	188
MBL002BLK	Marshall	Outdoor	188
MBL002WHT	Marshall	Outdoor	188
MC1003	Ikon	Ceiling Fixtures	166
MC1004	Ikon	Ceiling Fixtures	166
MC1008	Haven	Ceiling Fixtures	167
MC1015	Clarence	Ceiling Fixtures	160
MC1016	Clarence	Ceiling Fixtures	160
MC1021	Tracy	Ceiling Fixtures	166
MC1221	Tracy	Ceiling Fixtures	166
MC8211	Autumn	Interior Wall Lights	174

Model #	Name	Category	Page
MD1571BC	Duna	DIY	153
MD1671BC	Suzy	DIY	153
MD350W-TRI	Zeke	Downlights	239
MD355W-TRI	Zeke	Downlights	239
MD380W-TRI	Mateo	Downlights	239
MD385W-TRI	Mateo	Downlights	239
MD4106W-CCT	Eko	Downlights	230
MD4119WH-TRI	Aaydan	Downlights	236
MD4129WH-TRI	Aaydan	Downlights	236
MD4209W-CCT	Eko-2	Downlights	231
MD4309W-CCT	Apollo	Downlights	232
MD4309WL-CCT	Apollo Pro	Downlights	233
MD4309WLG-CCT	Apollo Pro	Downlights	233
MD4309WP-CCT	Apollo Sense	Downlights	232
MD450S-CCT	Equinox III	Downlights	241
MD450W-CCT	Equinox III	Downlights	241
MD455S-CCT	Equinox III	Downlights	241
MD455W-CCT	Equinox III	Downlights	241
MD490B-TRI	Optica Trio Lite	Downlights	235
MD490S-TRI	Optica Trio Lite	Downlights	235
MD490W-TRI	Optica Trio Lite	Downlights	235
MD5010/3	Cooper	Downlights	243
MD5010/4	Cooper	Downlights	243
MD510B-SW	Optica Trio	Downlights	234
MD510S-SW	Optica Trio	Downlights	234
MD510W-SW	Optica Trio	Downlights	234
MD560W	Aquarius	Downlights	242
MD595B-CCT	Elais II	Downlights	238
MD595W-CCT	Elais II	Downlights	238
MD664B	Matthis	Downlights	244
MD664W	Matthis	Downlights	244
MD666B-TRI	Diaz	Downlights	245
MD666TB-TRI	Diaz	Downlights	245
MD666TW-TRI	Diaz	Downlights	245
MD666W-TRI	Diaz	Downlights	245
MD780B-CCT	Cruz	Downlights	237
MD780W-CCT	Cruz	Downlights	237
MD8209CCT	Esta	Downlights	240

Model #	Name	Category	Page
MD8213CCT	Esta	Downlights	240
MD8215CCT	Esta	Downlights	240
MD8220CCT	Esta	Downlights	240
MD92CHAIN	Zilla Panel Light	Commercial	278
MD933012	Zilla Panel Light	Commercial	278
MD933060	Zilla Panel Light	Commercial	278
MD936060	Zilla Panel Light	Commercial	278
MD9512TRI	Zilla Panel Light	Commercial	278
MD9524TRI	Zilla Panel Light	Commercial	278
MD953012S	Zilla Panel Light	Commercial	278
MD953060S	Zilla Panel Light	Commercial	278
MD9536TRI	Zilla Panel Light	Commercial	278
MD956012S	Zilla Panel Light	Commercial	278
MD956060S	Zilla Panel Light	Commercial	278
MDA001	Eko-2	Downlights	231
MDC146	Wireless Door Chime	Electrical Accessories	415
MDC650	Benson	Electrical Accessories	415
MDCS01BLK	Compact Door Chime	Electrical Accessories	414
MDCS01WHT	Compact Door Chime	Electrical Accessories	414
MDCS11	Door Chime	Electrical Accessories	414
MDCS12	Door Chime	Electrical Accessories	414
MDCS14	Door Chime	Electrical Accessories	414
MDET240	Power Outlet	Electrical Accessories	419
MDET566	AC Voltage Tester	Electrical Accessories	420
MDIY001	Webster	DIY	148
MDIY002	Winslow	DIY	148
MDIY003	Thompson	DIY	150
MDIY004	Newbury	DIY	149
MEL001	Sensory	Sensors	282
MEL001-BLK	Sensory	Sensors	282
MF35315CCT	Corvis II	Battens	251
MF35330CCT	Corvis II	Battens	251
MF3625CCT	Metro LED	Battens	252
MF3648CCT	Metro LED	Battens	252
MF4304	Lara	Battens	248
MF4309	Lara	Battens	248
MF4318	Lara	Battens	248
MF4407RGBW	Strip Light	Strip Lights	227

Model #	Name	Category	Page
MF5020CCT	Polar	Battens	249
MF5040CCT	Polar	Battens	249
MFL006	Billie	Decorative Table & Floor Lamps	116
MFL007	Lonsdale	Decorative Table & Floor Lamps	118
MFL012	Ainsley	Decorative Table & Floor Lamps	117
MFL013BLK	Sawyer	Decorative Table & Floor Lamps	123
MFL013NAT	Sawyer	Decorative Table & Floor Lamps	123
MFL017	Ester	Decorative Table & Floor Lamps	121
MFL024	Burnley	Decorative Table & Floor Lamps	118
MFL026	Luton	Decorative Table & Floor Lamps	126
MFL027	Finley	Decorative Table & Floor Lamps	124
MG1631M	Madrid	Pendants	70
MG1631S	Madrid	Pendants	70
MG2331	Belmont	Pendants	69
MG2831S	Kirby	Pendants	65
MG3961	Marilyn	Decorative Table & Floor Lamps	120
MG3981	Marilyn	Decorative Table & Floor Lamps	120
MG4031L	Moby	Pendants	62
MG4031S	Moby	Pendants	62
MG4061	Moby	Decorative Table & Floor Lamps	109
MG4131L	Kristov	Pendants	90
MG4131S	Kristov	Pendants	90
MG4231L	Peeta	Pendants	59
MG4231S	Peeta	Pendants	59
MG4931	Lois	Pendants	78
MG6031L	Morrisey	Pendants	63
MG6031S	Morrisey	Pendants	63
MG6123	Liverpool	Pendants	85
MG6124	Liverpool	Pendants	85
MG6125	Liverpool	Pendants	85
MG6221L	Manchester	Pendants	85
MG6221S	Manchester	Pendants	85
MG6223	Manchester	Pendants	85
MG6271	Manchester	Outdoor	204
MG6331	Danska	Pendants	62
MG6531L	Laya	Pendants	90
MG6531S	Laya	Pendants	90
MG7033BLK	York	Pendants	84

Model #	Name	Category	Page
MG7035BLK	York	Pendants	84
MG7136	Zappa	Pendants	97
MG8731S	Hampton	Pendants	71
MG8733L	Hampton	Pendants	71
MG9031L	Tonic	Pendants	95
MG9031S	Tonic	Pendants	95
MG9233	Rafael	Pendants	89
MG9431L	Soho	Pendants	91
MG9431S	Soho	Pendants	91
MG9531	Corby	Pendants	92
MGL010DB-D	6W A60 LED	Globes	288
MGL010DE-D	6W A60 LED	Globes	288
MGL010WB-D	6W A60 LED	Globes	288
MGL010WE-D	6W A60 LED	Globes	288
MGL020DB-D	9W A60 LED	Globes	288
MGL020DE-D	9W A60 LED	Globes	288
MGL020WB-D	9W A60 LED	Globes	288
MGL020WE-D	9W A60 LED	Globes	288
MGL030DB-D	A70 LED	Globes	289
MGL030DE-D	A70 LED	Globes	289
MGL030WB-D	A70 LED	Globes	289
MGL030WE-D	A70 LED	Globes	289
MGL040DB-D	A80 LED	Globes	289
MGL040DE-D	A80 LED	Globes	289
MGL040WB-D	A80 LED	Globes	289
MGL040WE-D	A80 LED	Globes	289
MGL060DSB-D	Candle LED	Globes	290
MGL060DSE-D	Candle LED	Globes	290
MGL060WSB-D	Candle LED	Globes	290
MGL060WSE-D	Candle LED	Globes	290
MGL062DSB-D	Fancy Round LED	Globes	290
MGL062DSE-D	Fancy Round LED	Globes	290
MGL062WSB-D	Fancy Round LED	Globes	290
MGL062WSE-D	Fancy Round LED	Globes	290
MGL068D	G4 LED	Globes	290
MGL068W	G4 LED	Globes	290
MGL069D	G9 LED	Globes	291
MGL069W	G9 LED	Globes	291

Model #	Name	Category	Page
MGL070DSE	R39 LED	Globes	291
MGL070WSE	R39 LED	Globes	291
MGL071DSE	R50 LED	Globes	291
MGL071WSE	R50 LED	Globes	291
MGL072DE	R63 LED	Globes	292
MGL072WE	R63 LED	Globes	292
MGL075DE	R80 LED	Globes	292
MGL075WE	R80 LED	Globes	292
MGL080D-D	5.5W GU10 LED	Globes	294
MGL080GD	GU10 Glass LED	Globes	293
MGL080GW	GU10 Glass LED	Globes	293
MGL080W-D	5.5W GU10 LED	Globes	294
MGL082D-D	5.5W GU10 LED	Globes	294
MGL082GD	GU10 Glass LED	Globes	293
MGL082GW	GU10 Glass LED	Globes	293
MGL082W-D	5.5W GU10 LED	Globes	294
MGL090D-D	MR16 LED	Globes	293
MGL090GD	MR16 Glass LED	Globes	293
MGL090GW	MR16 Glass LED	Globes	293
MGL090W-D	MR16 LED	Globes	293
MGL092D-D	MR16 LED	Globes	293
MGL092GD	MR16 Glass LED	Globes	293
MGL092GW	MR16 Glass LED	Globes	293
MGL092W-D	MR16 LED	Globes	293
MGL274	G125 Decorative LED	Globes	302
MGL280-D	T30 Filament	Globes	300
MGL282-D	R80 Filament	Globes	300
MGL284	ST26 Filament	Globes	300
MGL285	ST26 Filament	Globes	300
MGL288B	Classic A60 Filament- Blue	Globes	298
MGL288G	Classic A60 Filament- Green	Globes	298
MGL288O	Classic A60 Filament- Orange	Globes	299
MGL288R	Classic A60 Filament- Red	Globes	298
MGL288Y	Classic A60 Filament- Yellow	Globes	299
MGL289B	Classic A60 Filament- Blue	Globes	298
MGL289G	Classic A60 Filament- Green	Globes	298
MGL289O	Classic A60 Filament- Orange	Globes	299
MGL289R	Classic A60 Filament- Red	Globes	298

Model #	Name	Category	Page
MGL289Y	Classic A60 Filament- Yellow	Globes	299
MI57100D	Titan III	Commercial	274
MI57150D	Titan III	Commercial	274
MI57200D	Titan III	Commercial	274
MI57SEN	Titan III Sensor	Commercial	275
MI67100D	Tarzen	Commercial	276
MI67150D	Tarzen	Commercial	276
MI67200D	Tarzen	Commercial	276
MI67200QL	Tarzen	Commercial	276
MI7020CCTDP	Shaw	Battens	251
MI7040CCTDP	Shaw	Battens	251
MI7120CCTDP	Tanura	Battens	252
MI7140CCTDP	Tanura	Battens	252
MI8220TRI	Wave Pro Dual Power and Triproof	Battens	254
MI8240BAT	Wave Pro 40W	Battens	255
MI8240TRI	Wave Pro Dual Power and Triproof	Battens	254
MI8260TRI	Wave Pro Dual Power and Triproof	Battens	254
MI8320	Swell	Ceiling Fixtures	164
MI8320SEN	Swell	Ceiling Fixtures	164
MI8520TRI	Luca	Battens	253
MI8540TRI	Luca	Battens	253
MI9000	Lift Shaft	Battens	256
MI9200	Lift Shaft	Battens	256
ML10028CCT	Neo	Battens	250
ML10040CCT	Neo	Battens	250
ML320	Cody	Battens	253
ML340	Cody	Battens	253
ML5018Y	Skeeta	Battens	250
ML5036Y	Skeeta	Battens	250
ML7224	Fitzgerald	Pendants	77
ML7437	Armstrong	Pendants	76
ML7450	Armstrong	Pendants	76
MLX610	Compact Digital Lux Meter	Electrical Accessories	420
MM5471	Blasko	DIY	150
MNL001	Amaya	Night Lights	144
MNL002	Barney	Night Lights	145
MP0931WHT	Marley	Pendants	79
MPI131	Cordet	Pendants	80

Model #	Name	Category	Page
MP1631/25	Toledo	Pendants	70
MP1631/30	Toledo	Pendants	70
MP3731L	Oasis	Pendants	58
MP3731S	Oasis	Pendants	58
MP4421	Prisma	Pendants	96
MP4423	Prisma	Pendants	96
MP4931	Noel	Pendants	78
MP6937	Fiona	Pendants	94
MP7131BLK	Melba	Pendants	66
MP7131SBB	Melba	Pendants	66
MP8021	Vanessa	Pendants	87
MP9031	Industry	Pendants	92
MP9131	Gladiator	Pendants	93
MPB96U	Trodos	Electrical Accessories	421
MPC627	Mechanical Timer	Electrical Accessories	418
MPC728	Mechanical Timer	Electrical Accessories	418
MPC729	Mechanical Timer	Electrical Accessories	419
MPL505BLK	Ava	Pendants	81
MPL505BRS	Ava	Pendants	81
MPL506	Edith	Pendants	80
MPLS001BLK-L	Amar	Pendants	72
MPLS001BLK-S	Amar	Pendants	72
MPLS013BLK	Sawyer	Pendants	57
MPLS013NAT	Sawyer	Pendants	57
MPLS027	Finley	Pendants	74
MPLS502	Terrence	Pendants	88
MPLS503	Cullen	Pendants	73
MPLS503-M	Cullen	Pendants	73
MPLS504BLK-L	Tia	Pendants	60
MPLS504BLK-S	Tia	Pendants	60
MPLS504NAT-L	Tia	Pendants	60
MPLS504NAT-S	Tia	Pendants	60
MPLS508	Picton	Pendants	64
MPLS509	Milford	Pendants	64
MPLS510	Eden	Pendants	67
MPLS511	Felton	Pendants	79
MPLS512L	Sutton	Pendants	86
MPLS512S	Sutton	Pendants	86

Model #	Name	Category	Page
MPLS513	Sutton	Pendants	87
MPLS514-L	Darby	Pendants	69
MPLS514-S	Darby	Pendants	69
MPLS515	Adena	Pendants	77
MPLS516	Mackenzie	Pendants	61
MPLS519	Fallon	Pendants	68
MPLS533L	Sefina	Pendants	56
MPLS533S	Sefina	Pendants	56
MSL205	Epsilon	Commercial	277
MSL2520	Helios	Battens	257
MSL30100	Solitude	Floodlights	266
MSL3050	Solitude	Floodlights	266
MTBL001-L	Winnie	Decorative Table & Floor Lamps	103
MTBL001-S	Winnie	Decorative Table & Floor Lamps	103
MTBL002	Avery	Decorative Table & Floor Lamps	103
MTBL003	Ellie	Decorative Table & Floor Lamps	103
MTBL004CLR	Selena	Decorative Table & Floor Lamps	113
MTBL006	Billie	Decorative Table & Floor Lamps	116
MTBL007	Lonsdale	Decorative Table & Floor Lamps	118
MTBL009WHT	Mercer	Decorative Table & Floor Lamps	112
MTBL011	Annie	Decorative Table & Floor Lamps	104
MTBL012	Ainsley	Decorative Table & Floor Lamps	117
MTBL017	Ester	Decorative Table & Floor Lamps	121
MTBL018AB	Hilda	Decorative Table & Floor Lamps	115
MTBL019BLK	Belgrave	Decorative Table & Floor Lamps	108
MTBL019GRY	Belgrave	Decorative Table & Floor Lamps	108
MTBL021BLU	Jordana	Decorative Table & Floor Lamps	108
MTBL021GRY	Jordana	Decorative Table & Floor Lamps	108
MTBL022BLK	Nora	Decorative Table & Floor Lamps	104
MTBL022WHT	Nora	Decorative Table & Floor Lamps	104
MTBL023BLK	Freya	Decorative Table & Floor Lamps	102
MTBL023WHT	Freya	Decorative Table & Floor Lamps	102
MTBL024	Burnley	Decorative Table & Floor Lamps	118
MTBL025PNK	Hudson	Decorative Table & Floor Lamps	102
MTBL025WHT	Hudson	Decorative Table & Floor Lamps	102
MTBL029WHT	Chelsea	Decorative Table & Floor Lamps	105
MTBL031	Albion	Decorative Table & Floor Lamps	106
MTFL011	Colton	Task Table & Floor Lamps	138

Model #	Name	Category	Page
MTL002	Levi	Task Table & Floor Lamps	132
MTL006	Blair	Task Table & Floor Lamps	138
MTL011	Colton	Task Table & Floor Lamps	138
MTL020	Rupert	Task Table & Floor Lamps	135
MUC161	Strip Light	Strip Lights	226
MUC162	Strip Light	Strip Lights	226
MW1811RBLK	Rye	Outdoor	196
MW1811RWHT	Rye	Outdoor	196
MW1811SBLK	Rye	Outdoor	196
MW1811SWHT	Rye	Outdoor	196
MW2305BLK	Eclipse	Outdoor	185
MW2305WHT	Eclipse	Outdoor	185
MW2902BLK	Jessica	Outdoor	185
MW2902WHT	Jessica	Outdoor	185
MW4016	Tyra	Interior Wall Lights	179
MW4811CH	Mason	Interior Wall Lights	175
MW5611	Leona	Interior Wall Lights	171
MW7211	Brodie	Interior Wall Lights	171
MWL001	Lana	Interior Wall Lights	173
MWL003	Waverley	Interior Wall Lights	172
MWL004	Sylvia	Interior Wall Lights	173
MWL005BLK-3	Calvin	Interior Wall Lights	177
MWL005BLK-4	Calvin	Interior Wall Lights	177
MWL005WHT-3	Calvin	Interior Wall Lights	177
MWL005WHT-4	Calvin	Interior Wall Lights	177
MWL006BLK	Colby	Interior Wall Lights	178
MWL006WHT	Colby	Interior Wall Lights	178
MWL007BLK	Cyrus	Interior Wall Lights	178
MWL007WHT	Cyrus	Interior Wall Lights	178
MWL008BLK	Osbourne	Interior Wall Lights	176
MWL008WHT	Osbourne	Interior Wall Lights	176
MWL009	Wilshire	Interior Wall Lights	170
MX10112BLK	Raiden	Floodlights	267
MX10220BLK/SEN	Dino	Floodlights	260
MX10230BLK/SEN	Dino	Floodlights	260
MX10320BLK	Ludo II	Floodlights	260
MX10330BLK	Ludo II	Floodlights	260
MX10350BLK	Ludo II	Floodlights	260

Model #	Name	Category	Page
MX104100BLK/5	Aspect	Floodlights	264
MX104150BLK/5	Aspect	Floodlights	264
MX104200BLK/5	Aspect	Floodlights	264
MX10550	Vision	Floodlights	262
MX106120	Damian	Floodlights	262
MX106130	Damian	Floodlights	262
MX106175	Damian	Floodlights	262
MX1210O (Oval)	Fletcher	Outdoor	199
MX1210O/SEN (Oval)	Fletcher	Outdoor	199
MX1210R (Round)	Fletcher	Outdoor	198
MX1210R/SEN (Round)	Fletcher	Outdoor	198
MX1611	Eve	Outdoor	201
MX20120	Crescent	Floodlights	263
MX20120-SEN	Crescent Sensor	Floodlights	263
MX20130	Crescent	Floodlights	263
MX20130-SEN	Crescent Sensor	Floodlights	263
MX20150	Crescent	Floodlights	263
MX20150-SEN	Crescent Sensor	Floodlights	263
MX20320BLK	Baxter	Floodlights	261
MX20320BLK-SEN	Baxter Sensor	Floodlights	261
MX20330BLK	Baxter	Floodlights	261
MX20330BLK-SEN	Baxter Sensor	Floodlights	261
MX20350BLK	Baxter	Floodlights	261
MX20350BLK-SEN	Baxter Sensor	Floodlights	261
MX4011	Tilbury	Outdoor	206
MX4011/SEN	Tilbury	Outdoor	207
MX4071BLK	Tilbury	Outdoor	207
MX4911BLK	Dakota	Outdoor	205
MX4971BLK	Dakota	Outdoor	205
MX5001ISS	Kiama	Outdoor	195
MX5911CCT	Blake	Outdoor	197
MX6512BLK	Sabina	Outdoor	192
MX6712BLK	Ethan	Outdoor	192
MX7391BLK	Yarra	Outdoor	208
MX7391PBLK	Yarra	Outdoor	209
MX8801IS	Maine	Outdoor	204
MX9506BLK-CCT	Wells	Outdoor	186
MX9506WHT-CCT	Wells	Outdoor	186



Model #	Name	Category	Page
MX9512BLK-CCT	Wells	Outdoor	186
MX9512WHT-CCT	Wells	Outdoor	186
MXB1BLK	Pagoda	Outdoor	208
MXD1010	Evora	Outdoor	182
MXD1011	Evora	Outdoor	182
MXD1020	Elise	Outdoor	183
MXD1021	Elise	Outdoor	183
MXD1030	Eliza II	Outdoor	191
MXD1031	Eliza II	Outdoor	190
MXD1032	Eliza II	Outdoor	191
MXD1033	Eliza II	Outdoor	190
MXD1035	Marvin II	Outdoor	188
MXD1035-SEN	Marvin II	Outdoor	188
MXD1040	Piccolo II	Outdoor	189
MXD1041	Piccolo II	Outdoor	189
MXD1042	Piccolo II	Outdoor	189
MXD1043	Piccolo II	Outdoor	189
MXD1050BLK	Nico II	Outdoor	184
MXD1050WHT	Nico II	Outdoor	184
MXD1060BLK	Sasha II	Outdoor	193
MXD1060WHT	Sasha II	Outdoor	193
MXD4406S-BLK	Brenton	Outdoor	193
MXD6107BLK	Diego	Outdoor	195
MXD6512BLK	Cayman	Outdoor	194
MXD6512WHT	Cayman	Outdoor	194
MXD6612BLK	Sanders	Floodlights	270
MXD6612BLK-SEN	Sanders Sensor	Floodlights	270
MXD6624BLK	Sanders	Floodlights	270
MXD6624BLK-SEN	Sanders Sensor	Floodlights	270
MXD6711	Otto II	Floodlights	268
MXD6711-SEN	Otto II Sensor	Floodlights	268
MXD6712	Otto II	Floodlights	268
MXD6712-SEN	Otto II Sensor	Floodlights	268
MXD6721	Cicero	Floodlights	269
MXD6721-SEN	Cicero Sensor	Floodlights	269
MXD6722	Cicero	Floodlights	269
MXD6722-SEN	Cicero Sensor	Floodlights	269
MXD6921BLK	Onyx	Floodlights	271

Model #	Name	Category	Page
MXD6921BLK-SEN	Onyx Sensor	Floodlights	271
MXD6922BLK	Onyx	Floodlights	271
MXD6922BLK-SEN	Onyx Sensor	Floodlights	271
MXD6923BLK	Onyx	Floodlights	271
MXD6923BLK-SEN	Onyx Sensor	Floodlights	271
MXS0450	Nexa	Floodlights	267
MXS4405	Defender 5W	Floodlights	265
MXS4410	Defender 10W	Floodlights	265
MXW1010	Elan	Outdoor	203
MXW1011	Emilia	Outdoor	201
MXW1012	Elaine	Outdoor	200
MXW1013	Eva	Outdoor	200
MXW1020	Eleanor	Outdoor	203
MXW1021	Erika	Outdoor	202
MXW1040BLK	Bond II	Outdoor	187
MXW1040WHT	Bond II	Outdoor	187
MXW1050BLK	Bond II	Outdoor	187
MXW1050WHT	Bond II	Outdoor	187
MXW1060	Emma	Outdoor	184
S9B15LED12	Candle Globe	Mercator Ikuu	49
S9B15LED12-ZB	Candle Globe	Mercator Ikuu	49
S9B15LED13	Fancy Round Globe	Mercator Ikuu	49
S9B15LED13-ZB	Fancy Round Globe	Mercator Ikuu	49
S9B22LED9W	Classic Globe CCT	Mercator Ikuu	50
S9B22LED9W-4K	Classic Globe	Mercator Ikuu	50
S9B22LED9W-4K-ZB	Classic Globe	Mercator Ikuu	50
S9B22LED9W-RGB	Classic Globe RGB	Mercator Ikuu	50
S9B22LED9W-RGB-Z	Classic Globe RGB	Mercator Ikuu	50
S9B22LED9W-ZB	Classic Globe CCT	Mercator Ikuu	50
S9E14LED12	Candle Globe	Mercator Ikuu	49
S9E14LED12-ZB	Candle Globe	Mercator Ikuu	49
S9E14LED13	Fancy Round Globe	Mercator Ikuu	49
S9E14LED13-ZB	Fancy Round Globe	Mercator Ikuu	49
S9E27LED9W	Classic Globe CCT	Mercator Ikuu	50
S9E27LED9W-4K	Classic Globe	Mercator Ikuu	50
S9E27LED9W-4K-ZB	Classic Globe	Mercator Ikuu	50
S9E27LED9W-RGB	Classic Globe RGB	Mercator Ikuu	50
S9E27LED9W-RGB-Z	Classic Globe RGB	Mercator Ikuu	50

Model #	Name	Category	Page
S9E27LED9W-ZB	Classic Globe CCT	Mercator Ikuu	50
S9E27LEDP38	PAR38 Globe	Mercator Ikuu	51
S9E27LEDP38-ZB	PAR38 Globe	Mercator Ikuu	51
S9GU10LED5	GU10	Mercator Ikuu	51
S9GU10LED5-RGB	GU10 RGB	Mercator Ikuu	51
S9GU10LED5-RGB-Z	GU10 RGB	Mercator Ikuu	51
S9GU10LED5-ZB	GU11	Mercator Ikuu	51
SBIR01	Universal IR Remote	Mercator Ikuu	53
SDC8G	Video Doorbell	Mercator Ikuu	42
SISW01	Inline Switch	Mercator Ikuu	40
SISW01-WIFI	Inline Switch	Mercator Ikuu	40
SISWD01	Inline Switch	Mercator Ikuu	40
SISWD01-WIFI	Inline Switch	Mercator Ikuu	40
SMA02P	Motion Sensor Battery	Mercator Ikuu	43
SMA03P	Environmental Sensor	Mercator Ikuu	43
SMA04P	Contact Sensor	Mercator Ikuu	43
SMCL01	Nikola	Mercator Ikuu	46
SMCL01-ZB	Ikon	Mercator Ikuu	47
SMD4106W	Walter	Mercator Ikuu	47
SMD4106W-RGB	Walter RGB	Mercator Ikuu	47
SMD4106W-RGB-ZB	Walter RGB	Mercator Ikuu	47
SMD4106W-ZB	Walter	Mercator Ikuu	47
SMD4109W	Walter	Mercator Ikuu	47
SMD4109W-RGB	Walter RGB	Mercator Ikuu	47
SMD4109W-RGB-ZB	Walter RGB	Mercator Ikuu	47
SMD4109W-ZB	Walter	Mercator Ikuu	47
SMD9300	Donovan	Mercator Ikuu	48
SMFL20W	Ridley	Mercator Ikuu	49
SMFL20W-ZB	Ridley	Mercator Ikuu	49
SMI7040	Ford	Mercator Ikuu	48
SMI7040-WIFI	Ford	Mercator Ikuu	48
SMLD233	Strip Light	Mercator Ikuu	48
SMLD233-ZB	Strip Light	Mercator Ikuu	48
SMLD533	Strip Light	Mercator Ikuu	48
SMLD533-ZB	Strip Light	Mercator Ikuu	48
SPB04U	Powerboard	Mercator Ikuu	53
SPBS01G	Plug Base	Mercator Ikuu	41
SPBS01G-WIFI	Plug Base	Mercator Ikuu	41

Model #	Name	Category	Page
SPLUG02	Single Adaptor	Mercator Ikuu	52
SPLUG03	Outdoor Single Adaptor	Mercator Ikuu	52
SPLUGR01	Re-wireable Plug	Mercator Ikuu	41
SPP01-WIFI	Single Power Point	Mercator Ikuu	39
SPP01G	Single Power Point	Mercator Ikuu	39
SPP02G	Double Power Point	Mercator Ikuu	39
SPP02G-WIFI	Double Power Point	Mercator Ikuu	39
SPP02GIP	Outdoor Power Point	Mercator Ikuu	40
SPP02GIP-WIFI	Outdoor Power Point	Mercator Ikuu	40
SPP02GMBK	Double Power Point	Mercator Ikuu	39
SPP04G	Quad Power Point	Mercator Ikuu	40
SPP04G-WIFI	Quad Power Point	Mercator Ikuu	40
SPPUSB02G	Double Power Point USB	Mercator Ikuu	39
SPPUSB02G-WIFI	Double Power Point USB	Mercator Ikuu	39
SPPUSB02GMBK	Double Power Point USB	Mercator Ikuu	39
SSC009	Marion	Mercator Ikuu	42
SSC336	Gilbert	Mercator Ikuu	42
SSW01G	Single Switch	Mercator Ikuu	37
SSW01G-WIFI	Single Switch	Mercator Ikuu	37
SSW01GMBK	Single Switch	Mercator Ikuu	37
SSW02G	Double Switch	Mercator Ikuu	37
SSW02G-WIFI	Double Switch	Mercator Ikuu	37
SSW02GMBK	Double Switch	Mercator Ikuu	37
SSW03G	Triple Switch	Mercator Ikuu	37
SSW03G-WIFI	Triple Switch	Mercator Ikuu	37
SSW03GMBK	Triple Switch	Mercator Ikuu	37
SSW04-WIFI	Quad Switch	Mercator Ikuu	38
SSW04G	Quad Switch	Mercator Ikuu	38
SSW04GMBK	Quad Switch	Mercator Ikuu	38
SSWD01G	Dimmer Switch	Mercator Ikuu	38
SSWD01G-WIFI	Dimmer Switch	Mercator Ikuu	38
SSWD01GMBK	Dimmer Switch	Mercator Ikuu	38
SSWF01G	Fan Controller	Mercator Ikuu	38
SSWF01G-WIFI	Fan Controller	Mercator Ikuu	38
SSWM	Switch	Mercator Ikuu	41
SSWM-DIM	Switch	Mercator Ikuu	41
SSWM-DIMZ	Switch	Mercator Ikuu	41
SSWM-WIFI	Switch	Mercator Ikuu	41

Model #	Name	Category	Page
SXSEN002PIR	Motion Sensor	Mercator Ikuu	44
SXSEN003PIR	Motion Sensor IP65	Mercator Ikuu	44
X320ULDIM	Dimmer Mechanism	Electrical Accessories	416
X330MWDIM	Dimmer Mechanism	Electrical Accessories	416
XSEN002PIR	Surface Mount	Sensors	282
XSEN003MW	IP65 Sensor	Sensors	283
XSEN003MW-BLK	IP65 Sensor	Sensors	283
XSEN003PIR	IP65 Sensor	Sensors	283
XSEN003PIR-BLK	IP65 Sensor	Sensors	283
XSEN005MW	Recessed Gimble	Sensors	284
XSEN005PIR	Recessed Gimble	Sensors	284
XSEN006BLK	IP66 Infrared Motion	Sensors	285
XSEN006WHT	IP66 Infrared Motion	Sensors	285



 mercator.com.au

 ikuu.com.au



All items shown are available at time of printing and are available until sold out. All lights & fans other than do-it-yourself models must be installed by a qualified electrician. Products marked with globe/tube to suit product. Colours shown may vary slightly from actual product. Mercator reserves the right to correct any errors at any time.