SAFETY DATA SHEET

Revision date: 19-Mar-2024

Section 1: Identification Product identifier Actflex Ultra FC Part B **Product Name** 00000067702 Product Code(s) Other means of identification **UN number or ID number** 1993 Recommended use of the chemical and restrictions on use **Recommended use** Component of a polyaspartic system. Uses advised against No information available. Details of manufacturer or importer Supplier The Waterproofing Shop 22/872 Canterbury Road, Roselands NSW 2196 Australia Tel.: +61 2 8021 3517 https://thewaterproofingshop.com.au

Emergency telephone number

Emergency telephone number

0424 424 178 or Poisons Information 13 11 26

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

Section 2: Hazard identification

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS). Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG). **GHS Classification**

Flammable liquids	Category 3
Acute toxicity - Inhalation (Vapors)	Category 4
Skin corrosion/irritation	Category 2
Respiratory sensitization	Category 1
Skin sensitization	Category 1

Label elements Flame Exclamation mark



Revision Number 1

Health hazard



Signal word DANGER

Hazard statements

H226 - Flammable liquid and vapor

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H332 - Harmful if inhaled

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

Precautionary Statements - Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep container tightly closed.

Avoid breathing dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area.

In case of inadequate ventilation wear respiratory protection.

Wear protective gloves/clothing and eye/face protection.

Contaminated work clothing should not be allowed out of the workplace.

Ground and bond container and receiving equipment.

Use explosion-proof electrical/ventilating / lighting/ .? / equipment.

Use only non-sparking tools.

Take action to prevent static discharges.

Precautionary Statements - Response

IF exposed:.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a POISON CENTER or doctor/physician if you feel unwell. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or doctor.

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Other hazards which do not result in classification

Section 3: Composition and information on ingredients

Chemical name	CAS No.	Weight-%
Hexamethylene diisocyanate, homopolymer	28182-81-2	> 50%
Xylene	1330-20-7	10 - 40%
Hexamethylene diisocyanate	822-06-0	< 1%

Section 4: First aid measures

Description of first aid measures

General advice

For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor. Show this safety data sheet to the doctor in attendance.

Inhalation	Remove to fresh air. (Call a physician if symptoms occur). If breathing is difficult, (trained personnel should) give oxygen. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Skin contact	May cause an allergic skin reaction. Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Immediate medical attention is required.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).
Most important symptoms and effe	ects, both acute and delayed

Symptoms	Asthma-like and/ or skin allergy-like symptoms. Coughing and/ or wheezing.	
Effects of Exposure	No information available.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	May cause sensitization in susceptible persons. Treat symptomatically.	

Section 5: Firefighting measures		
Suitable Extinguishing Media		
Suitable extinguishing media	Dry chemical, CO2, sand, earth, water spray or regular foam.	
Unsuitable extinguishing media	High volume water jet.	
Specific hazards arising from the chemical		
Specific hazards arising from the chemical	Keep product and empty container away from heat and sources of ignition. Combustible material. Cool drums with water spray. Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may travel to source of ignition and flash back. May cause sensitization by skin contact. Product is or contains a sensitizer.	
Hazardous combustion products	Carbon oxides. Nitrogen oxides. Isocyanates. Hydrogen cyanide.	
Special protective actions for fire-fighters		
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.	
Hazchem code	•3Y	
Section 6: Accidental release measures		

Page 3/12

Personal precautions, protective equipment and emergency procedures

Personal precautions	Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required.
Other information	Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.
Environmental precautions	
Environmental precautions	Prevent further leakage or spillage if safe to do so.
Methods and material for contain	inment and cleaning up
Methods for containment	Stop leak if you can do it without risk. Remove ignition sources. Provide adequate ventilation. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers. Dike far ahead of spill; use dry sand to contain the flow of material.
Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Pick up and transfer to properly labeled containers. Use clean non-sparking tools to collect absorbed material. Take precautionary measures against static discharges. Decontaminant (to neutralize residues): Solution of sodium carbonate 5-10%, liquid detergent 0.2-2%, water to 100%. Decontaminate floor with decontamination solution letting stand for at least 15 minutes. After cleaning, flush away traces with water.

Section 7: Handling and storage

Precautions for safe handling

Advice on safe handling	Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash before reuse. Ground and bond all lines and equipment associated with product system. All equipment should be non-sparking and explosion proof. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges.
General hygiene considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.
Conditions for safe storage, includi	ng any incompatibilities
Storage Conditions	Store locked up. Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place.
Incompatible materials	Strong acids. Strong bases. Strong oxidizing agents. Amines. Aldehydes. Alcohols.

Section 8: Exposure controls and personal protection

Control parameters

Exposure Limits

No value assigned for this specific material by Safe Work Australia. However, Workplace Exposure Standard(s) for constituent(s):

Chemical name	Australia	New Zealand	ACGIH TLV
Xylene	TWA: 80 ppm	TWA: 50 ppm	TWA: 20 ppm
1330-20-7	TWA: 350 mg/m ³	TWA: 217 mg/m ³	

	STEL: 150 ppm STEL: 655 mg/m ³		
Hexamethylene diisocyanate 822-06-0	TWA: 0.02 mg/m ³ STEL: 0.07 mg/m ³	TWA: 0.02 mg/m ³ STEL: 0.07 mg/m ³	TWA: 0.005 ppm
Chemical name	European Union	United Kingdom	Germany DFG
Xylene	TWA: 50 ppm	TWA: 50 ppm	TWA: 50 ppm
1330-20-7	TWA: 221 mg/m ³	TWA: 220 mg/m ³	TWA: 220 mg/m ³
	STEL: 100 ppm	STEL: 100 ppm	Peak: 100 ppm
	STEL: 442 mg/m ³	STEL: 441 mg/m ³	Peak: 440 mg/m ³
	*	Sk*	Sk*
Hexamethylene diisocyanate	-	TWA: 0.02 mg/m ³	TWA: 0.005 ppm
822-06-0		STEL: 0.07 mg/m ³	TWA: 0.035 mg/m ³
		Sen+	Peak: 0.005 ppm
			Peak: 0.035 mg/m ³
			respiratory and skin sensitizer

Chemical name	Australia	ACGIH	European Union
Xylene 1330-20-7	-	1.5 g/g creatinine	-
Hexamethylene diisocyanate 822-06-0	-	15 µg/g creatinine	-

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

STEL (Short Term Exposure Limit) - the airborne concentration of a particular substance calculated as a time-weighted average over 15 minutes, which should not be exceeded at any time during a normal eight hour work day. According to current knowledge this concentration should neither impair the health of, nor cause undue discomfort to, nearly all workers.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls

Engineering controls	Showers
	Eyewash stations
	Ventilation systems.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES, RESPIRATOR.

Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing.
Hand protection	Wear suitable gloves. Impervious gloves.

Respiratory protection	If determined by a risk assessment an inhalation risk exists, wear an organic vapour respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.
Environmental exposure controls	Prevent product from entering drains.
Thermal hazards	None under normal processing.

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Appearance Color Odor Odor threshold	Liquid No information available Colourless to Slightly Yellow Aromatic No information available	
Property	Values	Remarks • Method
рН	No data available	None known
pH (as aqueous solution)	No data available	None known
Melting point / freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flash point	26°C	CC (closed cup)
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	7.1	
limits		
Lower flammability or explosive	1.0	
limits		
Vapor pressure	No data available	
Vapor density	No data available	None known
Relative density	1.09	
Water solubility	No data available Insoluble in water	
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	432 - 530°C	
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	100 cP	None known

Other information

No information available

Section 10: Stability and reactivity

Reactivity

Reactivity

No information available.

Chemical stability

Stability

Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid None known based on information supplied.

Incompatible materials

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents. Amines. Aldehydes. Alcohols.

Hazardous decomposition products

Hazardous decomposition products Carbon oxides. Nitrogen oxides.

Section 11: Toxicological information

Information on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:
Inhalation	May cause irritation of respiratory tract. May cause sensitization in susceptible persons.
Eye contact	Irritating to eyes.
Skin contact	Causes skin irritation. May cause sensitization by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Symptoms	Asthma-like and/ or skin allergy-like symptoms. Erythema (skin redness).

Acute toxicity .

Numerical measures of toxicity - Product Information No information available

Numerical measures of toxicity - Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Hexamethylene diisocyanate, homopolymer	= >2500 mg/kg (Female Rat)	= >2000 mg/kg (Rat)	= 18500 mg/m³ (Rat)1 h
Xylene	= 3500 mg/kg (Rat)	> 4350 mg/kg (Rabbit)	= 29.08 mg/L (Rat)4 h
Hexamethylene diisocyanate	= 738 mg/kg (Rat)	> 7000 mg/kg (Rat)	= 0.06 mg/L (Rat)4 h

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Irritating to skin.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization May cause sensitization by inhalation and skin contact.

Germ cell mutagenicity No information available.

Carcinogenicity Based on available data, the classification criteria are not met.

Chemical name	Australia	European Union	IARC
Xylene - 1330-20-7	-	-	Group 3

IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

Section 12: Ecological information

Ecotoxicity

Aquatic ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Xylene	-	LC50: =13.4mg/L (96h, Pimephales promelas) LC50: 2.661 - 4.093mg/L (96h, Oncorhynchus mykiss) LC50: 13.5 - 17.3mg/L (96h, Oncorhynchus mykiss) LC50: 13.1 - 16.5mg/L (96h, Lepomis macrochirus) LC50: =19mg/L (96h, Lepomis macrochirus) LC50: 23.53 - 29.97mg/L (96h, Pimephales promelas) LC50: =780mg/L (96h, Cyprinus carpio) LC50: >780mg/L (96h, Cyprinus carpio) LC50: 30.26 -	-	EC50: =3.82mg/L (48h, water flea) LC50: =0.6mg/L (48h, Gammarus lacustris)

	40.75mg/L (96h, Poecilia reticulata)
Hexamethylene diisocyanate	- LC50: =26.1mg/L (96h,
, , , , , , , , , , , , , , , , , , ,	Brachydanio rerio)
Terrestrial ecotoxicity	There is no data for this product.
Persistence and degradability	-
Persistence and degradability	No information available.
Bioaccumulative potential	
Bioaccumulation	There is no data for this product.
Component Information	nical name Partition coefficient
	Kylene 3.15
Mobility	
Mobility	No information available.
Other adverse effects	
Other adverse effects	No information available.
Section 13: Disposal co	onsiderations
Section 13: Disposal co	onsiderations
	Dispose of waste in accordance with environmental legislation.
Waste treatment methods Waste from residues/unused	
Waste treatment methods Waste from residues/unused products	Dispose of waste in accordance with environmental legislation. Dispose of contents/containers in accordance with local regulations.
Waste treatment methods Waste from residues/unused products Contaminated packaging	Dispose of waste in accordance with environmental legislation. Dispose of contents/containers in accordance with local regulations.
Waste treatment methods Waste from residues/unused products Contaminated packaging See section 8 for more informa	Dispose of waste in accordance with environmental legislation. Dispose of contents/containers in accordance with local regulations.
Waste treatment methodsWaste from residues/unused productsContaminated packagingSee section 8 for more informaSection 14: Transport inADG UN number or ID number Proper shipping name Transport hazard class(es) Packing group	Dispose of waste in accordance with environmental legislation. Dispose of contents/containers in accordance with local regulations. tion nformation Not regulated 1993 FLAMMABLE LIQUID, N.O.S. (CONTAINS XYLENE) 3 III
Waste treatment methodsWaste from residues/unused productsContaminated packagingSee section 8 for more informaSection 14: Transport inADG UN number or ID number Proper shipping name Transport hazard class(es) Packing group Hazchem code	Dispose of waste in accordance with environmental legislation. Dispose of contents/containers in accordance with local regulations. tion nformation Not regulated 1993 FLAMMABLE LIQUID, N.O.S. (CONTAINS XYLENE) 3 III •3Y Classified as Dangerous Goods by the criteria of the International Air Transport Association

Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

UN number UN proper shipping name	1993 FLAMMABLE LIQUID, N.O.S. (CONTAINS XYLENE)
Transport hazard class(es)	3
Packing group	III
IMDG EMS Fire	F-E
IMDG EMS Spill	S-E

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

<u>Australia</u>

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS). Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP) **Poison Schedule Number** 6

Australian Industrial Chemicals Introduction Scheme (AICIS)

Chemical name	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Hexamethylene diisocyanate, homopolymer - 28182-81-2	Present	-
Xylene - 1330-20-7	Present	-
Hexamethylene diisocyanate - 822-06-0	Present	-

Illicit Drug Precursors/Reagents

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

National pollutant inventory

Subject to reporting requirement

Chemical name	National pollutant inventory
Xylene - 1330-20-7	10 tonne/yr Threshold category 1 including individual or
	mixed isomers

International Inventories	
AIIC	All the constituents of this material are listed on the Australian Inventory of Industrial

Chemicals.

NZIoC	Contact supplier for inventory compliance status.
TSCA	Contact supplier for inventory compliance status.
DSL/NDSL	Contact supplier for inventory compliance status.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
IECSC	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.

Legend:

AIIC- Australian Inventory of Industrial Chemicals

NZIOC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Section 16: Other information

Supplier Safety Data Sheet 11/2023

Reason(s) For Issue:	First Issue Primary SDS
Prepared By	This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).
Issuing Date	19-Mar-2024
Revision date:	19-Mar-2024

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorization: PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances STOT: Specific Target Organ Toxicity ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration LD50: 50% Lethal Dose

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWATWA (time-weighted average)CeilingMaximum limit valueCCarcinogen	STEL *	STEL (Short Term Exposure Limit) Skin designation
---	-----------	--

Key literature references and sources for data used to compile the SDS Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) Environmental Protection Agency Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) National Institute of Technology and Evaluation (NITE) Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) U.S. National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since The Supplier cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Supplier representative or The Supplier at the contact details on page 1.

The Supplier's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

End of Safety Data Sheet

SAFETY DATA SHEET

Revision date: 19-Mar-2024

Section 1: Identification

Product identifier

Actflex Ultra FC Part A **Product Name**

00000067701 Product Code(s)

Other means of identification

Recommended use of the chemical and restrictions on use

Recommended use Component of a polyaspartic system.

Uses advised against

Details of manufacturer or importer

Supplier

The Waterproofing Shop 22/872 Canterbury Road, Roselands NSW 2196 Australia

Tel.: +61 2 8021 3517 https://thewaterproofingshop.com.au

Emergency telephone number

Emergency telephone number 0424 424 178 or Poisons Information 13 11 26

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

No information available.

Section 2: Hazard identification

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS). Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

GHS Classification	
Skin corrosion/irritation	Category 2
Skin sensitization	Category 1
Germ cell mutagenicity	Category 1A
Carcinogenicity	Category 1A
Acute aquatic toxicity	Category 3
Chronic aquatic toxicity	Category 3

Label elements Exclamation mark Health hazard



Revision Number 1



Signal word DANGER

Hazard statements

H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H340 - May cause genetic defects
H350 - May cause cancer
H412 - Harmful to aquatic life with long lasting effects

Precautionary Statements - Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapors/spray. In case of inadequate ventilation wear respiratory protection. Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves and protective clothing. Avoid release to the environment. **Precautionary Statements - Response** IF exposed or concerned: Get medical advice/attention if you feel unwell.

IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

Precautionary Statements - Storage

Store locked up.

Precautionary Statements - Disposal

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

Other hazards which do not result in classification

Section 3: Composition and information on ingredients

Chemical name	CAS No.	Weight-%
Aspartic acid,	136210-30-5	> 60%
N,N'-(methylenedi-4,1-cyclohexanediyl)bis-,		
tetraethyl ester		
Polyoxyalkylenes, amine phosphate	398475-96-2	< 5%
Alkyl (C12-14) glycidyl ether	68609-97-2	< 5%
Solvent naphtha (petroleum), light aromatic	64742-95-6	< 1%
Toluene	108-88-3	< 1%
Non-hazardous ingredients	Proprietary	Balance

Section 4: First aid measures

Description of first aid measures

General advice

For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.

Inhalation	Remove to fresh air. Medical aid is necessary if symptoms appear to be an obvious consequence of inhalation.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. If skin irritation or rash occurs: Get medical advice/attention.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention.
Most important symptoms and effec	ts, both acute and delayed
Symptoms	Itching. Rashes.

Effects of Exposure No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically. May cause sensitization by skin contact.

Section 5: Firefighting measures

Suitable Extinguishing Media

Suitable extinguishing media Dry chemical, CO2, sand, earth, water spray or regular foam.

Unsuitable extinguishing media High volume water jet.

Specific hazards arising from the chemical

Specific hazards arising from the Thermal decomposition can lead to release of irritating and toxic gases and vapors. **chemical**

Special protective actions for fire-fighters

Special protective equipment and
precautions for fire-fightersFirefighters should wear self-contained breathing apparatus and full firefighting turnout gear.
Use personal protection equipment.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Special danger of slipping by leaking/spilling product.	
Other information	Refer to protective measures listed in Sections 7 and 8.	
For emergency responders	Use personal protection recommended in Section 8.	
Environmental precautions		
Environmental precautions	Keep out of drains, sewers, ditches and waterways. Local authorities should be advised if significant spillages cannot be contained. See Section 12 for additional Ecological Information.	

Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).
Methods for cleaning up	Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.

Section 7: Handling and storage

Precautions for safe handling

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Take off contaminated clothing and wash before reuse.
General hygiene considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.
Conditions for safe storage, includ	ing any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.
Incompatible materials	Strong acids. Strong oxidizing agents.

Section 8: Exposure controls and personal protection

Control parameters

Exposure Limits

No value assigned for this specific material by Safe Work Australia. However, Workplace Exposure Standard(s) for constituent(s):

Chemical name	Australia	New Zealand	ACGIH TLV
Toluene	TWA: 50 ppm	TWA: 20 ppm	TWA: 20 ppm
108-88-3	TWA: 191 mg/m ³ STEL: 150 ppm STEL: 574 mg/m ³	TWA: 75 mg/m ³ STEL: 100 ppm STEL: 377 mg/m ³ Sk*	Ototoxicant - potential to cause hearing disorders

Chemical name	European Union	United Kingdom	Germany DFG
Toluene	TWA: 50 ppm	TWA: 50 ppm	TWA: 50 ppm
108-88-3	TWA: 192 mg/m ³	TWA: 191 mg/m ³	TWA: 190 mg/m ³
	*	STEL: 100 ppm	Peak: 100 ppm
		STEL: 384 mg/m ³	Peak: 380 mg/m ³
		Sk*	Sk*

Chemical name	Australia	ACGIH	European Union
Toluene	-	0.02 mg/L	-
108-88-3		0.03 mg/L	
		0.3 mg/g creatinine	

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

STEL (Short Term Exposure Limit) - the airborne concentration of a particular substance calculated as a time-weighted average over 15 minutes,

which should not be exceeded at any time during a normal eight hour work day. According to current knowledge this concentration should neither impair the health of, nor cause undue discomfort to, nearly all workers.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls


Engineering controls

Showers Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES.



Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Appearance Color Odor Odor threshold	Liquid No information available Various No information available No information available	
Property	Values	Remarks • Method
pH	No data available	None known
pH (as aqueous solution)	No data available	None known
Melting point / freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flash point	> 95°C	
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known

Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	1.18	
Water solubility	Miscible in water	
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	1100 cP	

Other information

No information available

Section 10: Stability and reactivity

Reactivity		
Reactivity	No information available.	
Chemical stability		
Stability	Stable under normal conditions.	
Explosion data Sensitivity to mechanical impact Sensitivity to static discharge	None. None.	
Possibility of hazardous reactions		
Possibility of hazardous reactions	None under normal processing.	
Conditions to avoid		
Conditions to avoid	Excessive heat.	
Incompatible materials		
Incompatible materials	Strong acids. Strong oxidizing agents.	
Hazardous decomposition products		
Hazardous decomposition products Carbon oxides. Nitrogen oxides.		

Section 11: Toxicological information

Information on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:
Inhalation	Inhalation of vapors in high concentration may cause irritation of respiratory system.
Eye contact	May cause irritation.

Skin contact	Causes skin irritation. May cause sensitization by skin contact.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Symptoms	Erythema (skin redness). May cause allergic skin reaction.
Acute toxicity	

Numerical measures of toxicity - Product Information

No information available

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Alkyl (C12-14) glycidyl ether	= 17100 mg/kg (Rat)	> 4000 mg/kg (Rabbit)	-
Solvent naphtha (petroleum), light aromatic	= 8400 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 3400 ppm (Rat)4 h
Toluene	= 2600 mg/kg (Rat)	= 12000 mg/kg (Rabbit)	= 12.5 mg/L (Rat)4 h

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Irritating to skin.
Serious eye damage/eye irritation	May cause slight irritation.
Respiratory or skin sensitization	May cause sensitization by skin contact.
Germ cell mutagenicity	May cause heritable genetic damage.
Carcinogenicity	Contains a known or suspected carcinogen.

Chemical name	Australia	European Union	IARC
Solvent naphtha (petroleum), light aromatic -	Carc. 1A	Carc. 1B	-
64742-95-6			
Toluene - 108-88-3	-	-	Group 3

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

Section 12: Ecological information

Ecotoxicity

Aquatic ecotoxicity

Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Solvent naphtha (petroleum),	-	LC50: =9.22mg/L (96h,	-	EC50: =6.14mg/L (48h,
light aromatic		Oncorhynchus mykiss)		Daphnia magna)
Toluene	EC50: >433mg/L (96h,	LC50: 15.22 -	-	EC50: 5.46 - 9.83mg/L
	Pseudokirchneriella	19.05mg/L (96h,		(48h, Daphnia magna)
	subcapitata)	Pimephales promelas)		EC50: =11.5mg/L (48h,
	EC50: =12.5mg/L (72h,	LC50: =12.6mg/L (96h,		Daphnia magna)
	Pseudokirchneriella	Pimephales promelas)		
	subcapitata)	LC50: 5.89 - 7.81mg/Ĺ		
		(96h, Oncorhynchus		
		mykiss)		
		LC50: 14.1 - 17.16mg/L		
		(96h, Oncorhynchus		
		mykiss)		
		LC50: =5.8mg/L (96h,		
		Oncorhynchus mykiss)		
		LC50: 11.0 - 15.0mg/L		
		(96h, Lepomis		
		macrochirus)		
		LC50: =54mg/L (96h,		
		Oryzias latipes)		
		LC50: =28.2mg/L (96h,		
		Poecilia reticulata)		
		LC50: 50.87 -		
		70.34mg/L (96h,		
		Poecilia reticulata)		

Terrestrial ecotoxicity

Chemical name	Earthworm	Avian	Honeybees
Solvent naphtha (petroleum), light	-	Acute Oral Toxicity: LD50 >	-
aromatic		2250 mg/kg (Colinus	
		virginianus)	
		Source: IUCLID	
		Dietary Toxicity: LC50 > 6500	
		ppm (Colinus virginianus 5	
		Days)	
		Source: IUCLID	

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation

There is no data for this product.

Component	Information
COMBONEIR	mormation

Component Information			
Chemical name		Partition coefficient	
Alkyl (C12-14) glycidyl ether		3.77	
Toluene 2.73		2.73	
<u>Mobility</u>			
Mobility	No information available.		
Other adverse effects			
Other adverse effects	No information available.		
Section 13: Disposal considerations			
Waste treatment methods			
Waste from residues/unused products	Dispose of waste in accordance with environmental legislation.		
Contaminated packaging	Dispose of contents/containers in accordance with local regulations.		
See section 8 for more informatio	n		
Section 14: Transport info	ormation		
ADG		ods by the criteria of the Australian Dangerous Goods Code ad and Rail; NON-DANGEROUS GOODS.	
IATA		ods by the criteria of the International Air Transport boods Regulations for transport by air; NON-DANGEROUS	
IMDG	Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.		

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS). Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

Australian Industrial Chemicals Introduction Scheme (AICIS)

Contact supplier for inventory compliance status

Chemical name	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Aspartic acid, N,N'-(methylenedi-4,1-cyclohexanediyl)bis-, tetraethyl ester - 136210-30-5	Present	Specific information requirement: Obligations to provide information apply. You must tell us within 28 days if the circumstances of your importation or manufacture (introduction) are different to those in our assessment.
Polyoxyalkylenes, amine phosphate - 398475-96-2	Present	Specific information requirement: Obligations to provide information apply. You must tell us within 28 days if the circumstances of your importation or manufacture (introduction) are different to those in our assessment.
Alkyl (C12-14) glycidyl ether - 68609-97-2	Present	-
Solvent naphtha (petroleum), light aromatic - 64742-95-6	Present	-
Toluene - 108-88-3	Present	-

Illicit Drug Precursors/Reagents

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

Chemical name	Illicit Drug Precursors/Reagents
Toluene - 108-88-3	Category 3

Chemical name	National pollutant inventory
Toluene - 108-88-3	10 tonne/yr Threshold category 1

International	Inventories
AIIC	

International inventories	
AIIC	All the constituents of this material are listed on the Australian Inventory of Industrial
	Chemicals.
NZIoC	Contact supplier for inventory compliance status.
TSCA	Contact supplier for inventory compliance status.
DSL/NDSL	Contact supplier for inventory compliance status.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
IECSC	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.

Legend:

AIIC- Australian Inventory of Industrial Chemicals

NZIOC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Section 16: Other information

Supplier Safety Data Sheet 11/2023

Reason(s) For Issue:	First Issue Primary SDS
Prepared By	This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).
Issuing Date	19-Mar-2024
Revision date:	19-Mar-2024

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorization: PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances STOT: Specific Target Organ Toxicity ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration LD50: 50% Lethal Dose

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
С	Carcinogen		

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) Environmental Protection Agency Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) National Institute of Technology and Evaluation (NITE) Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since The Supplier cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Supplier representative or The Supplier at the contact details on page 1.

The Supplier's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

End of Safety Data Sheet