BlackboardPaint

Trade name :



Supplier MagPaint Europe B.V. Street::::Rizenweg 2 Postal code/city::::7071 PR Ulft Telephone:::0315 386 473 14:::Emergency telephone number 0315 386 473 SECTION 2: Hazards identification 21:::Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP] None 22:::Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Special rules for supplemental label elements for certain mixtures EUH208 Contains REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE_AND 2- METHYL-2H -ISOTHIAZOL-3-ONE (3:1) ; 2-METHYLISOTHIAZOL-3(2H)-ONE_AND 2- METHYL-2H -ISOTHIAZOL-3-ONE (3:1) ; 2-METHYLISOTHIAZOL-3(2H)-ONE_AND 2- METHYL-2H -ISOTHIAZOL-3-ONE (3:1) ; 2-METHYLISOTHIAZOL-3(2H)-ONE_May produce an allergic reaction. EUH208 Contains REACTION MASS OF: 5-CHLORO-2-METHYLISOTHIAZOL-3(2H)-ONE_May produce an allergic reaction. EUH210 Safety data sheet available on request. EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. 23: Other hazards None Section 3: Composition/information on ingredients TTANLUM DIONDE ; EC No: : 236-675-5; CAS No. : : 13463-67-7 Weight fraction :: 25 - < 10 % Classification 1272/2008 [CLP]: Carc. 2 ; H3511 Additional information Page : 1 / 8		sion date : t date :	10-06-2021 10-06-2021	Version (Revision) :	2.0.0 (1.1.0)
BiackboardPaint (BB-PNK-M) 1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses Products Category (PC) Dye Process categories (PROC) Menual activities involving hand contact Roller application or brushing Non industrial spraying 1.3 Details of the supplier of the safety data sheet Supplier MagPaint Europe B.V. Street : Ricemweg 2 Postal code/city : 7071 PR Uft Telephone : 0315 386 473 1.4 Emergency telephone number 0315 386 473 5.5 CTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] None 2.1 Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Special rules for supplemental label elements for certain mixtures EUH208 Contains REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2- METHYL-2H-ISOTHIAZOL-3-ONE (3:1); 2-METHYL-3-ONE AND 2- METHYL-2H-ISOTHIAZOL-3-ONE (2:1); 2-METHYL-3-ONE AND 2- ME	SEC	TION 1: Iden	tification of the substance	/mixture and of the company/ un	dertaking
 1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses Products Category [PC] Dye Process categories [PROC] Manual activities involving hand contact Roller application or brushing Non industrial spraying 1.3 Details of the supplier of the safety data sheet Supplier MagPaint Europe B.V. Street: Riseenweg 2 Postal code/city: 7071 PR Ulft Telephone: 0315 386 473 1.4 Emergency telephone number 0315 386 473 5ECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP] None 2.1 Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] None 2.2 Label conder to supplemental label elements for certain mixtures EUH208 Contains REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2- METHYL-2H - ISOTHIAZOL-3-ONE (3:1) : 2-METHYLIZ-ISOTHIAZOL-3-ONE AND 2- METHYL-2H - ISOTHIAZOL-3-ONE (3:1) : 2-METHYLIZ-ISOTHIAZOL-3-ONE AND 2- METHYL-2H - ISOTHIAZOL-3-ONE (3:1) : 2-METHYLIZOL-3-ONE AND 2- METHYL-2H - ISOTHIAZOL-3-ONE (3:1) : 2-METHYLIZOL-3-ONE AND 2- METHYL-2H - ISOTHIAZOL-3-ONE (3:1) : 2-METHYL-4-ISOTHIAZOL-3-ONE end allergic reaction. EUH210 Safety data sheet available on request. EUH211 Warning Heardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. Contoin singredients None SECTION 3: Composition/Information on ingredients Additional information EUR208 [CLP]: Carc. 2 ; H3511 Additional information 	1.1				
Relevant identified uses Products Category [PC] Dye Process category [PROC] Manual activities involving hand contact Roler application or brushing Non industrial spraying 3. Details of the supplier of the safety data sheet Supplier MagPaint Europe B.V. Street :: Riezenweg 2 Postal code/city : 7071 PR Ulft Telephone :: 0315 386 473 3. Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP] None 2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Special rules for supplemental label elements for certain mixtures EUH208 EUH208 Contains REACTION MASS OF: 5-CHCRO:2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2- METHYL-3-ISOTHIAZOL-3-ONE (3:1) ; 2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2- METHYL-3-ISOTHIAZOL-3-ONE (3:1) ; 2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2- METHYL-3-ISOTHIAZOL-3-ONE (3:1) ; 2-METHYL-4-ISOTHIAZOL-3-ONE AND 2- METHYL-3-ISOTHIAZOL-3			. ,		
Products Category [PC] Dye Process categories [PROC] Manual activities involving hand contact Roller application or brushing Non industrial syraying 13 Details of the supplier of the safety data sheet Supplier MagPaint Europe B.V. Street: Rizeroweg 2 Postal code/city: 707 IPR Ufit Telephone: 0315 386 473 SECTION 2: Hazards identification 21 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP] None 2.1 Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Special rules for supplemental label elements for certain mixtures EUH208 Contains REACTION MASS 0F: 5-CHLORO-2-METHYLEOTHIAZOLIN-3-ONE AND 2-METHYLEOTHIAZOL-3(2H)-ONE.May produce an allergic reaction. EUH210 Safety data sheet available on request. EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or	1.2	Relevant ide	ntified uses of the substar	ce or mixture and uses advised a	gainst
Process categories [PROC] Manual activities involving hand contact Roller application or brushing Non industrial spraying 1.3 Details of the supplier of the safety data sheet Supplier MagPaint Europe B.V. Street :: Riezenweg 2 Postal code/city : 7071 PR Ufft Telephone :: 0315 386 473 1.4 Emergency telephone number 0315 386 473 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP] None 2.2 Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Special rules for supplemental label elements for certain mixtures EUH208 Contain Stafet7 data sheet available on request. EUH208 EVENTOM 2: Marring Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. 2.3 Other hazards None SECTION 3: Composition/information on ingredients 1.2 Mixtures Hazardous ingredients TITANUM DIOXIDE ; EC No. : 25-CAS No. : 12463-67-7 Weight fraction : 25-C AS No. : 12463-67-7 Meditional		Products Cate			
Manual activities involving hand contact Roller application or brushing Non Industrial syraying 1.3 Details of the supplier of the safety data sheet Supplier MagPaint Europe B.V. Street: Riezenweg 2 Postal code/city : 7071 PR Ulft Telephone : 0315 386 473 1.4 Emergency telephone number 0315 386 473 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP] None 2.2 Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Special rules for supplemental label elements for certain mixtures EUH208 Contains REACTION MASS 0F: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2- METHYL-2H-ISOTHIAZOL-3-ONE (3:1) ; 2-METHYLISOTHIAZOL-3-ONE AND 2- METHYL-2H-ISOTHIAZOL-3-ONE (3:1) ; 2-METHYLISOTHIAZOL-3-QH-ONE MAY produce an allergic reaction. EUH210 Safety data sheet available on request. EUH210 Safety			ories [PROC]		
Non industrial spraying 1.3 Details of the supplier of the safety data sheet Supplier MagPaint Europe B.V. Street : Riezenweg 2 Postal code/city : 7071 PR Ulft Telephone : 0315 386 473 Emergency telephone number 0315 386 473 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP] None 2.2 Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Special rules for supplemental label elements for certain mixtures EUH208 Contains REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2- METHYL-2H-ISOTHIAZOL-3-ONE (3:1); 2-METHYLISOTHIAZOL-3-QNE (AND 2- METHYL-2H-ISOTHIAZOL-3-ONE (3:1); 2-METHYLISOTHIAZOL-3-QNE (AND 2- METHYL-2H-ISOTHIAZOL-3-ONE (3:1); 2-METHYLISOTHIAZOL-3-QNE (3:1); 2-METHYLISOTHIAZOL-3-QN		-			
Supplier MagPaint Europe B.V. Street :: Riezenweg 2 Postal code/city :: 7071 PR Ufft Telephone :: 0315 386 473 1.4 Emergency telephone number 0315 386 473 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP] None 2.2 Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Special rules for supplemental label elements for certain mixtures EUH208 Contains REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2- METHYL-2H -ISOTHIAZOL-3-ONE (3:1) ; 2-METHYLISOTHIAZOL-3(2H)-ONE. AND 2- METHYL-2H -ISOTHIAZOL-3-ONE (3:1) ; 2-METHYLISOTHIAZOL-3(2H)-ONE. May produce an allergic reaction. EUH210 Safety data sheet available on request. EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. 2.3 Other hazards None SECTION 3: Composition/information on ingredients 3:3 Mixtures Hazardous ingredients TTANIUM DIXIDE ; EC No.: 226-675-5; CAS No.: 13463-67-7 Weight fraction : 25 - < 10 % Classification 1272/2008 [CLP] Carc. 2 ; H3511 Additional information Page : 1 / 8					
MagPaint Europe B.V. Street :: Rizzenweg 2 Postal code/city :: 7071 PR Ulft Telephone :: 0315 386 473 14 Emergency telephone number 0315 386 473 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP] None 2.2 Label elements Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Special rules for supplemental label elements for certain mixtures EUH208 Contains REACTION MASS OF: 5-CH.0NG-2-METHYL-4-ISOTHIAZOL-3-ONE_AND 2- METHYL-2H -ISOTHIAZOL-3-ONE (3:1) ; 2-METHYL-1SOTHIAZOL-3(2H)-ONE_AND 2- METHYL-2H -ISOTHIAZOL-3-ONE (3:1) ; 2-METHYLISOTHIAZOL-3(2H)-ONE_May produce an allergic reaction. EUH210 Safety data sheet available on request. EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. 2.3 Other hazards None SECTION 3: Composition/information on ingredients TTANLUM DIONDE ; EC No:: 236-675-5; CAS No.: : 13463-67-7 Weight fraction :: ≥ 5 - < 10 % Classification 1272/2008 [CLP] : Carc. 2 ; H3511 Additional information Page : 1 / 8	1.3	Details of the	e supplier of the safety dat	a sheet	
Street :: Rezenweg 2 Postal code/city : 7071 PR Ulft Telephone : 0315 386 473 14 Emergency telephone number 0315 386 473 SECTION 2: Hazards identification 24 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP] None 25 Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Special rules for supplemental label elements for certain mixtures EUH208 Contains REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2- METHYL-2H - ISOTHIAZOL-3-ONE (3:1); 2-METHYLLSOTHIAZOLIN-3-ONE AND 2- METHYL-2H - ISOTHIAZOL-3-ONE (3:1); 2-METHYLLSOTHIAZOLIN-3-ONE AND 2- METHYL-2H - ISOTHIAZOL-3-ONE (3:1); 2-METHYLLSOTHIAZOL-3(2H)-ONE. May produce an allergic reaction. EUH208 Contains REACTION MASS OF: 5-CHLORO-2-METHYLLSOTHIAZOL-3(2H)-ONE. May produce an allergic reaction. EUH208 Contains REACTION mass on request. EUH210 Safety data sheet available on request. EUH210 Safety data sheet available on request. EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. 23 Other hazards None SECTION 3: Composition/information on ingredients 33. Mixtures Hazardous ingredients TTANLUM DIXIDE; EC No. : 236-675-5; CAS No. : 13463-67-7; Weight fraction : 25-<10 % Classification 1272/2008 [CLP]: Carc. 2; H351i Additional information Page : 1 / 8					
Postal code/city: 7071 PR Ufft Telephone: 0315 386 473 14 Emergency telephone number 0315 386 473 SECTION 2: Hazards identification 2:1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP] None 2:2 Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Special rules for supplemental label elements for certain mixtures EUH208 Contains REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2- METHYL-2H-ISOTHIAZOL-3-ONE (3:1); 2-METHYLL5OTHIAZOLIN-3-ONE AND 2- METHYL-2H-ISOTHIAZOL-3-ONE (3:1); 2-METHYLL5OTHIAZOLIN-3-ONE AND 2- METHYL-2H-ISOTHIAZOL-3-ONE (3:1); 2-METHYLL5OTHIAZOL-3(2H)-ONE. May produce an allergic reaction. EUH210 Safety data sheet available on request. EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. 2:3 Other hazards None SECTION 3: Composition/information on ingredients 3:3 Mixtures Hazardous ingredients TITANLUM DIOXIDE; EC No.: 236-675-5; CAS No.: 13463-67-7 Weight fraction : $25 - 4 \cdot 10$ % Classification 1272/2008 [CLP] : Carc. 2; H351i Additional information Page : 1 / 8		MagPaint Europ	pe B.V.		
Telephone : 0315 386 473 1.4 Emergency telephone number 0315 386 473 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP] None 2.1 Cabel elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Special rules for supplemental label elements for certain mixtures EUH208 Contains REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2- METHYL-2H -ISOTHIAZOL-3-ONE (3:1); 2-METHYLLSOTHIAZOL-3(2H)-ONE.May produce an allergic reaction. EUH210 Safety data sheet available on request. EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. ADther hazards None SECTION 3: Composition/information on ingredients Additional information in 272/2008 [CLP]: Additional information Additional information METHYL: SOTHIAZOL-3(2H)-ONE.May produce an allergic reaction. EUH210 Safety data sheet available on request. EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. Composition/information on ingredients Additional information		Street : Rie	zenweg 2		
 Emergency telephone number 0315 386 473 SECTION 2: Hazards identification Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP] None Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Special rules for supplemental label elements for certain mixtures EUH208 Contains REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2- METHYL-2H-ISOTHIAZOL-3-ONE (3:1); 2-METHYLISOTHIAZOL-3(2H)-ONE.May produce an allergic reaction. EUH210 Safety data sheet available on request. EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. SECTION 3: Composition/information on ingredients SECTION 3: Composition/information on ingredients TITANIUM DIOXIDE; EC No. : 236-675-5; CAS No. : 13463-67-7 Weight fraction : 25-c10 % Classification 1272/2008 [CLP] : Carc. 2; H351i Additional information 		Postal code	/city: 7071 PR Ulft		
0315 386 473 SECTION 2: Hazards identification SECTION 2: Hazards identification Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP] None Special rules for supplemental label elements for certain mixtures EUH208 Contains REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2- METHYL-2H - ISOTHIAZOL-3-ONE (3:1); 2-METHYLLSOTHIAZOL-3(2H)-ONE.May produce an allergic reaction. EUH210 Safety data sheet available on request. EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. SECTION 3: Composition/information on ingredients Safety data sheet available on request. EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. SECTION 3: Composition/information on ingredients Safety data sheet available on request. EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. SECTION 3: Composition/information on ingredients Advector is 25-< 10 % Classification 1272/2008 [CLP]: Carc. 2; H351i Additional information Page : 1 / 8		Telephone :	0315 386 473		
0315 386 473 SECTION 2: Hazards identification SECTION 2: Hazards identification Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP] None Special rules for supplemental label elements for certain mixtures EUH208 Contains REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2- METHYL-2H - ISOTHIAZOL-3-ONE (3:1); 2-METHYLLSOTHIAZOL-3(2H)-ONE.May produce an allergic reaction. EUH210 Safety data sheet available on request. EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. SECTION 3: Composition/information on ingredients Safety data sheet available on request. EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. SECTION 3: Composition/information on ingredients Safety data sheet available on request. EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. SECTION 3: Composition/information on ingredients Advector is 25-< 10 % Classification 1272/2008 [CLP]: Carc. 2; H351i Additional information Page : 1 / 8	1.4	Emergency t	elephone number		
 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP] None 2.2 Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Special rules for supplemental label elements for certain mixtures EUH208 Contains REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2- METHYL-2H -ISOTHIAZOL-3-ONE (3:1) ; 2-METHYL4-ISOTHIAZOL-3(2H)-ONE.May produce an allergic reaction. EUH210 Safety data sheet available on request. EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. 2.3 Other hazards None SECTION 3: Composition/information on ingredients 3.4 Mixtures Hazardous ingredients TITANIUM DIOXIDE ; EC No. : 236-675-5; CAS No. : 13463-67-7 Weight fraction : ≥ 5-<10 % Classification 1272/2008 [CLP] : Carc. 2 ; H351i Additional information 			-		
 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP] None 2.2 Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Special rules for supplemental label elements for certain mixtures EUH208 Contains REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2- METHYL-2H -ISOTHIAZOL-3-ONE (3:1) ; 2-METHYL4-ISOTHIAZOL-3(2H)-ONE.May produce an allergic reaction. EUH210 Safety data sheet available on request. EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. 2.3 Other hazards None SECTION 3: Composition/information on ingredients 3.4 Mixtures Hazardous ingredients TITANIUM DIOXIDE ; EC No. : 236-675-5; CAS No. : 13463-67-7 Weight fraction : ≥ 5-<10 % Classification 1272/2008 [CLP] : Carc. 2 ; H351i Additional information 					
Classification according to Regulation (EC) No 1272/2008 [CLP] None 2.2 Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Special rules for supplemental label elements for certain mixtures EUH208 Contains REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2- METHYL-2H -ISOTHIAZOL-3-ONE (3:1); 2-METHYLISOTHIAZOL-3(2H)-ONE.May produce an allergic reaction. EUH210 Safety data sheet available on request. EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. 2.3 Other hazards None SECTION 3: Composition/information on ingredients 3.2 Mixtures Hazardous ingredients TITANIUM DIOXIDE ; EC No. : 236-675-5; CAS No. : 13463-67-7 Weight fraction :	SEC	TION 2: Haza	irds identification		
Classification according to Regulation (EC) No 1272/2008 [CLP] None 2.2 Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Special rules for supplemental label elements for certain mixtures EUH208 Contains REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2- METHYL-2H -ISOTHIAZOL-3-ONE (3:1); 2-METHYLISOTHIAZOL-3(2H)-ONE.May produce an allergic reaction. EUH210 Safety data sheet available on request. EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. 2.3 Other hazards None SECTION 3: Composition/information on ingredients 3.2 Mixtures Hazardous ingredients TITANIUM DIOXIDE ; EC No. : 236-675-5; CAS No. : 13463-67-7 Weight fraction :					
None 2.2 Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Special rules for supplemental label elements for certain mixtures EUH208 Contains REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2- METHYL-2H -ISOTHIAZOL-3-ONE (3:1) ; 2-METHYLISOTHIAZOL-3(2H)-ONE.May produce an allergic reaction. EUH210 Safety data sheet available on request. EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. 2.3 Other hazards None Sectorion / information on ingredients 3.2 Mixtures Hazardous ingredients TITANIUM DIOXIDE ; EC No. : 236-675-5; CAS No. : 13463-67-7 Weight fraction : 2 5 - < 10 % Classification 1272/2008 [CLP] : Carc. 2 ; H351i Additional information Page : 1 / 8 Page : 1 / 8	2.1				
 2.2 Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Special rules for supplemental label elements for certain mixtures EUH208 Contains REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2-METHYL-2H -ISOTHIAZOL-3-ONE (3:1); 2-METHYLISOTHIAZOL-3(2H)-ONE.May produce an allergic reaction. EUH210 Safety data sheet available on request. EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. 2.3 Other hazards None SECTION 3: Composition/information on ingredients 3.2 Mixtures Hazardous ingredients TITANIUM DIOXIDE; EC No.: 236-675-5; CAS No.: 13463-67-7 Weight fraction: ≥ 5 - < 10 % Classification 1272/2008 [CLP]: Carc. 2; H351i Additional information 		Classificatio	on according to Regulation	(EC) No 1272/2008 [CLP]	
Labelling according to Regulation (EC) No. 1272/2008 [CLP] Special rules for supplemental label elements for certain mixtures EUH208 Contains REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2-METHYL-2H -ISOTHIAZOL-3-ONE (3:1); 2-METHYLISOTHIAZOL-3(2H)-ONE.May produce an allergic reaction. EUH210 Safety data sheet available on request. EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. 2.3 Other hazards None Sectron 3: Composition/information on ingredients 3.2 Mixtures Hazardous ingredients TITANIUM DIOXIDE; EC No. : 236-675-5; CAS No. : 13463-67-7 Weight fraction : ≥ 5 - < 10 % Classification 1222/2008 [CLP] : Carc. 2 ; H351i Additional information Page : 1 / 8					
Special rules for supplemental label elements for certain mixtures EUH208 Contains REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2-METHYL-2H -ISOTHIAZOL-3-ONE (3:1); 2-METHYLISOTHIAZOL-3(2H)-ONE.May produce an allergic reaction. EUH210 Safety data sheet available on request. EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. 2.3 Other hazards None SECTION 3: Composition/information on ingredients Additional information ingredients Additional information Page : 1 / 8	2.2	Label eleme	nts		
$\begin{tabular}{lllllllllllllllllllllllllllllllllll$		-	for supplemental label elements	for certain mixtures	
EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. 2.3 Other hazards None SECTION 3: Composition/information on ingredients 3.2 Mixtures Hazardous ingredients TITANIUM DIOXIDE ; EC No. : 236-675-5; CAS No. : 13463-67-7 Weight fraction : ≥ 5 - < 10 % Classification 1272/2008 [CLP] : Carc. 2 ; H351i Additional information		EUH208	METHYL-2H -ISOTHIAZOL-3		
or mist. 2.3 Other hazards None SECTION 3: Composition/information on ingredients 3.2 Mixtures Hazardous ingredients TITANIUM DIOXIDE ; EC No. : 236-675-5; CAS No. : 13463-67-7 Weight fraction : $\geq 5 - < 10 \%$ Classification 1272/2008 [CLP] : Carc. 2 ; H351i Additional information Page : 1 / 8				•	
None SECTION 3: Composition/information on ingredients 3.2 Mixtures Hazardous ingredients TITANIUM DIOXIDE ; EC No. : 236-675-5; CAS No. : 13463-67-7 Weight fraction : ≥ 5 - < 10 % Classification 1272/2008 [CLP] : Carc. 2 ; H351i Additional information Page : 1 / 8			or mist.	ole droplets may be formed when sprayed. Do i	not breathe spray
3.2 Mixtures Hazardous ingredients TITANIUM DIOXIDE ; EC No. : 236-675-5; CAS No. : 13463-67-7 Weight fraction : $\geq 5 - < 10 \%$ Classification 1272/2008 [CLP] : Carc. 2 ; H351i Additional information Page : 1 / 8	2.3		us		
Hazardous ingredientsTITANIUM DIOXIDE ; EC No. : 236-675-5; CAS No. : 13463-67-7Weight fraction : $\geq 5 - < 10 \%$ Classification 1272/2008 [CLP] :Carc. 2 ; H351iAdditional informationPage : 1 / 8	SEC	TION 3: Com	position/information on in	gredients	
Hazardous ingredientsTITANIUM DIOXIDE ; EC No. : 236-675-5; CAS No. : 13463-67-7Weight fraction : $\geq 5 - < 10 \%$ Classification 1272/2008 [CLP] :Carc. 2 ; H351iAdditional informationPage : 1 / 8					
TITANIUM DIOXIDE ; EC No. : 236-675-5; CAS No. : 13463-67-7 Weight fraction : $\geq 5 - < 10 \%$ Classification 1272/2008 [CLP] : Carc. 2 ; H351i Additional information Page : 1 / 8	3.2	Mixtures			
Weight fraction : $\geq 5 - < 10 \%$ Classification 1272/2008 [CLP] :Carc. 2 ; H351iAdditional informationPage : 1 / 8					
Classification 1272/2008 [CLP] : Carc. 2 ; H351i Additional information Page : 1 / 8				463-67-7	
Additional information Page : $1 / 8$		-			
Page : 1 / 8					
		Additional info	ormation		
			-	1 / 0	
			Pag	ε: 1 / δ	(FN / NI



Trade name :	BlackboardPaint		
Revision date :	10-06-2021	Version (Revision) :	2.0.0 (1.1.0)
Print date :	10-06-2021		

Full text of H- and EUH-statements: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

Following inhalation

Remove casualty to fresh air and keep warm and at rest. In case of respiratory tract irritation, consult a physician.

In case of skin contact

Remove mechanically (e.g. dab away using wadding or cellulose material) then thoroughly wash the affected skin with a mild cleansing agent and water. In case of skin irritation, consult a physician.

After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Rinse mouth thoroughly with water. Do NOT induce vomiting.

- **4.2 Most important symptoms and effects, both acute and delayed** No information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** None

SECTION 5: Firefighting measures

5.1 Extinguishing media

Water Foam Extinguishing powder Carbon dioxide (CO2)

- 5.2 Special hazards arising from the substance or mixture In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2)
- 5.3 Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

5.4 Additional information

Do not inhale explosion and combustion gases. Do not allow run-off from fire-fighting to enter drains or water courses. Remove heat to avoid pressure rise.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear personal protection equipment (refer to section 8).
 6.2 Environmental precautions
 - Do not allow to enter into surface water or drains. Consult the appropriate authorities about waste disposal.
- 6.3 Methods and material for containment and cleaning up Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Clear spills immediately.
- 6.4 Reference to other sections SECTION 8: Exposure controls/personal protection Disposal: see section 13



Trade name : Revision date : Print date : BlackboardPaint 10-06-2021 10-06-2021

Version (Revision) :

2.0.0 (1.1.0)

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures

Wear personal protection equipment (refer to section 8). Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep/Store only in original container. Ensure adequate ventilation of the storage area. Recommended storage temperature Keep away from UV-radiation/sunlight Avoid: Frostbite

7.3 Specific end use(s)

Recommendation

Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

None

8.2 Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Personal protection equipment

Eye glasses with side protection DIN EN 166

Skin protection

Hand protection

Breakthrough time (maximum wearing time) Thickness of the glove material Suitable material NBR (Nitrile rubber) **By short-term hand contact** : In the case of wanting to use the gloves again, clean them before taking off and air them well.

Suitable material : NBR (Nitrile rubber)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Odour characteristic Odour threshold No data available

Appearance :	Liquid
Colour :	pink

PCN Colour :	pink
Odour :	characteristic

Safety characteristics

Freezing point :	(1013 hPa)	not determined
Initial boiling point and boiling range :	(1013 hPa)	not determined
Decomposition temperature :	(1013 hPa)	not determined
Flash point :		not relevant
Auto-ignition temperature :		not relevant
Lower explosion limit :		not relevant



Trade name : Revision date : Print date :	BlackboardPaint 10-06-2021 10-06-2021	Version (Re	vision) :	2.0.0 (1.1.0
Upper explosion limit		not relevant		
Vapour pressure :	(50 °C)	not determined		
Density :	(20 °C)	1,2	g/cm ³	
Solvent separation tes	t: (20 °C)	not determined		
Water solubility :	(20 °C)	not determined		
pH :		7,9 - 8,1		
log P O/W :		not determined		
Flow time :	(20 °C)	not determined		DIN-cup 4 mm
Viscosity :	(20 °C)	No data available		
Odour threshold :		not determined		
Evaporation rate :		not determined		
Oxidising liquids :	Not relevant.			
Explosive properties :	Not relevant.			
.2 Other information	1			

None

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is considered to be non-reactive under normal use conditions.

10.2 Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3 Possibility of hazardous reactions No known hazardous reactions.

- **10.4 Conditions to avoid** No data available
- 10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Respiratory or skin sensitisation

May cause an allergic skin reaction.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

11.2 Toxicokinetics, metabolism and distribution No data available

11.4 Other adverse effects

There are no data available on the preparation/mixture itself.

SECTION 12: Ecological information

12.1 Toxicity

No information available.

BlackboardPaint



Revision date : Print date :	10-06-2021 10-06-2021	Version (Revision) :	2.0.0 (1.1.0)
12.2 Persistence	and degradability		
	ponents are biodegradable.		
12.3 Bioaccumula	ative potential		
Mixture not test	ed.		
12.4 Mobility in s	soil		
No data availab	le		

No data available

Trade name :

12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6 Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Dispose according to legislation.

SECTION 14: Transport information

14.1 UN number

No dangerous good in sense of these transport regulations.

- **14.2 UN proper shipping name** No dangerous good in sense of these transport regulations.
- **14.3 Transport hazard class(es)** No dangerous good in sense of these transport regulations.
- 14.4 Packing group No dangerous good in sense of these transport regulations.
 14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

14.6 Special precautions for user

None

SECTION 15: Regulatory information

^{15.1} Safety, health and environmental regulations/legislation specific for the substance or mixture

None

15.2 Chemical safety assessment

No information available.

SECTION 16: Other information

16.1 Indication of changes

02. Label elements · 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] · 02. Special rules for supplemental label elements for certain mixtures · 03. Hazardous ingredients



Trade name :	BlackboardPaint		
Revision date :	10-06-2021	Version (Revision) :	2.0.0 (1.1.0)
Print date :	10-06-2021		

16.2 Abbreviations and acronyms

a.i. = Active ingredient ACGIH = American Conference of Governmental Industrial Hygienists (US) ADR = European Agreement concerning the International Carriage of Dangerous Goods by Road AFFF = Aqueous Film Forming Foam AISE = International Association for Soaps, Detergents and Maintenance Products (joint project of AISE and CEFIC) AOAC = AOAC International (formerly Association of Official Analytical Chemists) ag. = Agueous ASTM = American Society of Testing and Materials (US) atm = Atmosphere(s) B.V. = Beperkt Vennootschap (Limited) BCF = Bioconcentration Factor bp = Boiling point at stated pressure bw = Body weightca = (Circa) about CAS No = Chemical Abstracts Service Number (see ACS - American Chemical Society) CEFIC = European Chemical Industry Council (established 1972) CIPAC = Collaborative International Pesticides Analytical Council CLP = REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Conc = Concentration cP = CentiPoisecSt = Centistokes d = Day(s)DIN = Deutsches Institut für Normung e.V. DNEL = Derived No-Effect Level DT50 = Time for 50% loss; half-life EbC50 = Median effective concentration (biomass, e.g. of algae) EC = European Community; European Commission EC50 = Median effective concentration EINECS = European Inventory of Existing Commercial Chemical Substances (EU, outdated, now replaced by EC Number) ELINCS = European List of Notified (New) Chemicals (see Tab 7, Background - Guide) ErC50 = Median effective concentration (growth rate, e.g. of algae) EU = European Union EWC = European Waste Catalogue FAO = Food and Agriculture Organization (United Nations) GIFAP = Groupement International des Associations Nationales de Fabricants de Produits Agrochimiques (now CropLife International) h = Hour(s)hPa = HectoPascal (unit of pressure) IARC = International Agency for Research on Cancer IATA = International Air Transport Association IC50 = Concentration that produces 50% inhibition IMDG Code = International Maritime Dangerous Goods Code IMO = International Maritime Organization ISO = International Organization for Standardization IUCLID = International Uniform Chemical Information Database IUPAC = International Union of Pure and Applied Chemistry kg = Kilogram Kow = Distribution coefficient between n-octanol and water kPa = KiloPascal (unit of pressure) LC50 = Concentration required to kill 50% of test organisms LD50 = Dose required to kill 50% of test organisms LEL = Lower Explosive Limit/Lower Explosion Limit LOAEL = Lowest observed adverse effect level mg = Milligram



Trade name :	BlackboardPaint		
Revision date :	10-06-2021	Version (Revision) :	2.0.0 (1.1.0)
Print date :	10-06-2021		

min = Minute(s)ml = Milliliter mmHg = Pressure equivalent to 1 mm of mercury (133.3 Pa)mp = Melting point MRL = Maximum Residue Limit MSDS = Material Safety Data Sheet n.o.s. = Not Otherwise Specified NIOSH = National Institute for Occupational Safety and Health (US) NOAEL = No Observed Adverse Effect Level NOEC = No observed effect concentration NOEL = No Observable Effect Level NOx = Oxides of Nitrogen OECD = Organization for Economic Cooperation and Development OEL = Occupational Exposure Limits Pa = Pascal (unit of pressure) PBT = Persistent, Bioaccumulative or Toxic pH = -log10 hydrogen ion concentration pKa = -log10 acid dissociation constant PNEC = Previsible Non Effect Concentration POPs = Persistent Organic Pollutants ppb = Parts per billion PPE = Personal Protection Equipment ppm = Parts per million ppt = Parts per trillion PVC = Polyvinyl Chloride QSAR = Quantitative Structure-Activity Relationship REACH = Registration, Evaluation and Authorization of CHemicals (EU, see NCP) SI = International System of Units STEL = Short-Term Exposure Limit tech. = Technical grade TSCA = Toxic Substances Control Act (US) TWA = Time-Weighted Average vPvB = Verv Persistent and Verv Bioacccumulative WHO = World Health Organization = OMS y = Year(s)16.3 Key literature references and sources for data

None

^{16.4} Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

16.5 Relevant H- and EUH-phrases (Number and full text)

Suspected of causing cancer if inhaled.

16.6 Training advice

None

H351i

16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.



Trade name : Revision date : Print date : BlackboardPaint 10-06-2021 10-06-2021

Version (Revision) :

2.0.0 (1.1.0)