



# Product Catalogue



TARAGATE Ltd. RD2 Hamilton, New Zealand.

T: +64-7-843 3859 F: +64-7-843 3952

Email: [info@taragate.co.nz](mailto:info@taragate.co.nz)

[www.taragate.co.nz](http://www.taragate.co.nz)



### Total Solution to Gateways

The original Taragate™ is an award winning multi strand electric gate. Invented and developed by kiwi dairy farmer Kerry Powell the original TARAGATE is a proven performer and the preferred choice for NZ farmers for over twenty years. Made of permanent materials, the Taragate™ is compatible with all electric fence systems with the multi strands operated by the one handle for ease of use. All plastic componentry is UV stabilised. There is a gate to suit all types of stock; 2 - strand for cattle and horses, 4 - strand for sheep and smaller animals.

Quick and easy to install, the Taragate™ comes in kit form with all componentry required to install except tape. This allows flexibility in the type of tape used as well as the ability to make up the gate to fit individual gateway widths. The Taragate™ is designed to maintain its tension over long spans, particularly the 2 strand, with the simple and durable polybow effective and maintenance free. The Taragate™ is designed to transfer any stress on to the springs (4 strand and 4 strand Lifestyler) and polybow (2 strand) or the tape. This protects the main body of the gate leaving it intact and permanent.

### Taragate™ Multi Strand Electric Gate Systems

**Features:**


- Three standard models - 2 & 4 strand kits; 4 strand Lifestyler (this includes 25m of our own 20mm Taratape Gate tape)
- Tread in foot - for drafting, ease of use
- Universal powering system - takes all width of tapes or mesh
- Fibreglass Rod - for added strength
- Ring Circuit - Taragate™ - ensures full power through whole gate when a conductor is damaged
- Full spare parts back up



Taragate™ 2 Strand  
TA001 Components




Taragate™ 4 Strand  
TA002 Components



Taragate™ 4 Strand  
'Lifestyler'  
TA002 LS Components



### Gate Handles



**TA037 Taragate™ Heavy Duty 'Clip-Away' Handle**

**Features:**

- The gold standard in gate handles
- Clips away onto the wire with unique second hook
- Less damage to handles
- Tape polywire remains 'live' - less damage
- Extra heavy duty



**TA022 BudgetBreak Economy Gate Break Handle**

**Features:**

- Replaceable Spring
- Robust design
- Highly visible in white
- Fully insulated and UV stabilised



**TA085 Insul-Hook**

**Features:**

- Insulated hook for quick attachment of portable power fences
- Features unique double hook option - additional smaller hook to snap securely onto fencewire

### Gate Kits

All gate kits come with our unique TA037 Clip-Away handle and TA005 Heavy Duty Activator



**TA036-5 Tarabungy Gate**

**Features:**

- High Conductivity double skinned stretch shock cord
- Unique 'Taraconnect' spring connector device - supports and protects shock
- Best single strand option available
- Two sizes 5m (16") & 6m (19')



**TA036-K Tarabungy Gate Kit**

**Features:**


- Easy to install to fit any width gateway
- Use with Tarabungy high conductivity double skinned stretch shock cord (TA058)
- Complete with unique 'Taraconnect' spring connector device



**TA007 Taratape Gate 20mm**

**Features:**

- Single strand electric gate
- White 20mm (3/4") gate tape for high visibility and reduced windage
- Quality with economy 5m/16" gateway



**TA077 Taratape Gate 40mm**

**Features:**

- Single strand electric gate
- White 40mm (1 1/2") gate tape for high visibility
- 5m/16" gateway



**TA017 Taratape Gate Kit 40mm**

**Features:**

- Single strand electric gate
- Complete set of componentry to make a tape or braid gateway of any size




**TA063-5W Taraspring Gate**

**Features:**

- Single strand electric gate
- large 50mm white spring for high visibility
- 5m/16" gateway


## Gate Accessories



**TA005 Taravator Heavy Duty activator**

**Features:**

- Extra strength purpose built activator
- Only activator with four point fixing
- Works horizontally or vertically
- Wide strong easy latching point for multi fixing
- Hard wearing S S contact point - won't short out
- Power connects between washers at base of bolt



**TA066 Taraconnect Spring Connector System**

**Features:**

- Unique connector system designed for use with our Tarabungy electrified stretch shock cord (TA058)
- Protects and supports electrical connection as its flexibility allows it to flex with the cord providing a strong connecting point



**TA04190 Tarabuckle 40mm 90 degree**

**Features:**

- For end connections for 40mm tape
- Fits directly to Wooden Post Pinlock insulator (TA011)



**TA041 Tarabuckle 40mm Flat**

**Features:**

- For end connections for 40mm tape
- Can be used as end buckle for Taragate™ Multi Strand Gate System (TA002) to attach 40mm tape to tension spring



**TA006 Tarabuckle White 40mm**

**Features:**

- UV stabilised non chafing light weight buckle
- Can be used as buckle for Taragate™ Multi Strand Gate System (TA002) to attach 40mm tape to gate handle end
- Can also be used as 40mm Tape Joiner




**TA083 Tarabuckle 20mm Flat**

**Features:**

- 20mm metal buckle for optional use with our TA026 Taratape Gate Tape 20mm
- Can also be used as 20mm Tape Joiner




# TARAGATE GATE RANGE



**TA004 Tension Spring**  
Taragate™ 4 strand

**Features:**

- Replacement spring for Taragate™ Multi strand and Taragate Lifestyler Multi Strand gates TA002, TA002LS
- Pregalvanised spring wire



**TA028 Tension Spring Budget Break**

**Features:**

- Replacement spring for TA022 Budget Break
- Pregalvanised spring wire



**TA079 SpringGate Spring**

**Features:**

- Replacement spring for our TA063 - 5W Taraspring Gate

# TARAGATE INSULATORS

Taragate™ insulators offer quality without compromise. All Taragate™ insulators are manufactured from a high UV resistant compound and are designed to perform to today's high energy outputs. Many Taragate™ insulators feature extra long tracking distances and extra deep body to hold wire further off the post as well as a double shield system. Made to last.



**TA090 Double D™ Hi-Wire**  
**Wooden Post Claw Insulator**

**Features:**

- Highest spec insulator available
- All new robust design, huge meaty claws
- Double Shield at post plus extra large protection plate behind the wire
- Greatest tracking distance, extra deep body stands wire further off post
- Suitable permanent applications



**TA011 Tarapin**  
**Wooden Post Pinlock Insulator**

**Features:**

- Highest spec insulator available
- Robust design with heavy duty pin
- Suitable for permanent or semi-permanent applications
- Shield at post plus extra large protection plate behind the wire
- Greatest tracking distance, extra deep body stands wire further off the post



**TA059 Taragate™ Space-Link**  
Shown here with Double D™ Hi-Wire W/P Insulator

**Features:**

- Innovative new 'outrigger' - takes your fence wire to new heights
- Easy fit, very stable and solid anchor
- Attaches directly to Double D™ or Tarapin Insulator
- Fits round or flat post
- Suitable wood or concrete post
- Cost effective superior insulation
- Available in duo packs 25 with Double D™ or Tarapin or Pkts 25



**TA050 Taratac  
Wooden Post Single Nail**

**Features:**

- Claw type
- Easy to use
- Secure and robust
- Comes complete with nail



**TA051 Tararod  
Rod Insulator**

**Features:**

- Quick fit - up to 15mm (5/8') rod
- Double Shield - long tracking distance
- Deep body - stands wire further off post
- Sleek open design - won't trap dirt or water
- Easy tightening - longer nut lugs with robust thread that won't strip
- Superior UV stabilised compound



**TA044 High Strain End &  
Corner Insulator**

**Features:**

- Made from UV resistant polycarbonate for extra strength to take high tensions
- Improved installation featuring longer tongue for perfect centering every time
- Suitable for long strains/permanent fence



**TA032 Low Strain End &  
Corner Insulator**

**Features:**


- Improved installation featuring longer tongue for perfect centering every time
- Suitable short strains/semi permanent



**TA013 Tarastaple  
Wooden Post**

**Features:**


- Versatile staple insulator for simple electric fencing systems
- Heavy duty with wider and deeper construction than comparable products



**TA067 Multi Purpose 20mm  
insulator**

**Features:**

- Use with our TA026 20mm tape
- Use with heavy polybraids & rope
- Very versatile



**TA061 Tarasleeve  
5mm x 120mm**

**Features:**

- Suitable wooden or concrete post
- Economical



**TA018 Taratube  
5mm x 30m roll**

**Features:**

- Economical and versatile



**TA093 Insulator/Wedge for  
Tread Ins**

**Features:**

- Nylon for strength and insulation
- Holds wire securely
- For use with our TA091, TA092 fibreglass tread-ins
- Fits 8.5mm and 9mm rod



Grid, strip or block grazing is a vital component in ensuring New Zealand farmers are the most efficient grassland farmers in the world. Portable fencing is central to subdividing paddocks quickly and easily. Taragate™ brings the best of accessories to this system and extends the range, thereby creating new solutions to old problems

## Geared Reels and Reel Accessories

A reel is an essential requirement for setting up portable electric fences with ease and effectiveness. A geared reel enables this to be done with additional speed. The TARAGATE GEARED REEL has a genuine 3:1 ratio considered the benchmark for all Geared Reels. In keeping with our long history of creating products with points of difference, The TARAGATE GEARED REEL does just that. We have improved on this classic by adding several unique features. The TARAGATE GEARED REEL has a 5 year UV guarantee on plastics (applies to specific farm use only).


### TA064 Geared Reel

#### Features:


- SPOOL – Strengthened spool moulded in a new & improved polymer = extra durability.
- GEARBOX – Genuine 3:1 ratio = speed.
- Designed for trouble free winding & long life.
- METAL PARTS – all coated in high quality Dacromet for long term protection
- CARRY HANDLE – non slip plastic fixed with nyloc nut for strength. Hook on carry handle shaped to make more secure when hanging on fence or Tarapost.
- WIRE GUIDE – Patented and attached to the front of the reel for extra strength and stability.
- CRANK HANDLE – extra long to ensure comfortable and easy winding



- METAL SPOOL LOCK – unique and robust spool lock will not fall forward when reeling out fence, gives the user total control
- INSULATED HOOK – unique new insulated double hook offers additional smaller hook to snap securely on to fence wire.
- Takes 500m (1640') polywire or 200m (656') polytape
- Prewound options:
  - TA064P - 500m (1640') polywire strand stainless steel conductors
  - TA064T - 200m (656') 12mm 6 strand stainless steel conductors



TA035 Reel Bracket



### TA084 Corner Post Insulator

#### Features:

- For use with our Tarapost (TA034)
- Heavy duty modified end insulator with wireform attachment
- Use to create corners and multi strands with Tarapost
- Provides versatility and options when setting up paddocks for grid grazing
- A temporary fencing solution

### TA034 Tarapost

Our unique free standing reel anchor simplifies grid grazing allowing unlimited options when subdividing paddocks

#### Features:

- High tensile steel shaft galvanised to last
- Very easy to tread in
- Dual purpose attachments for reel & insulhook
- Totally freestanding - no tieback needed
- Instantly attach/detach reels
- Save time - front and back fence simultaneously
- To create multi reel option simply purchase additional Reel Bracket TA035
- To create corners simply purchase Tarapost Corner End insulator TA084


### Portable Fence Posts



**TA010 Pigtail Standard**

**Features:**

- Standard weight - height from foot 0.70m
- White powder coated spring steel
- Longer insulation



**TA091-TA092 Fibreglass Tread In Single / Triple**

**Features:**

- Lightweight - less than half the weight of many pigtails
- Fully insulated
- Easy to carry / no tangling
- Strong secure foot firmly holds the ground
- Three options; single or multi or totally flexible, simply position insulator and foot on the rod to suit own requirements
- Height from foot: 100mm
- Rod diameter 8.5mm



**Tararod**

**Features:**

- TA046 - 9mm x 1.0m - white
- TA047 - 9mm x 1.2m - white
- TA048 - 10mm x 1.2m - white
- TA046 - 10mm x 1.5m - white
- White fibreglass rod


### Carrier and Auto Fencer



**TA094 Auto Fencer**

**Features:**

Multi purpose carrier and auto fencer fits easily to front of quad bike. Carries large load of standards plus other equipment (spades, spare reels etc) securely and safely. Enables operator to erect single or multi strand fence from seat of quad bike making break feeding easier and faster.



**TA095 3 x Wire Extension Bracket**

**Features:**

- Extension bracket converts Auto Fencer to multi strand option
- Bracket fits directly on to Auto Fencer and fits conventional reel stand





### Tapes



**TA023 Taratape Power**

**Features:**

- 6 stainless steel strands
- 3940 ohms/km
- 12mm x 200m, 400m rolls



**TA024 Terror Tape**

**Features:**

- 10 stainless steel strands
- 2340 ohms/km
- 12mm x 200m, 400m rolls



**TA026 Taratape Megagate**

**Features:**

- 10 stainless steel strands
- 2430 ohms/km
- 20mm x 100m roll
- Recommended gate tape designed for use with our TA001 & TA002 TARAGATE MULTI STRAND ELECTRIC GATE SYSTEMS



**TA030 Taratape Megahorse**

**Features:**

- 15 stainless steel strands
- 1610 ohms/km
- 40mm x 100m roll

### Braids, Wires



**TA053 Tarawire Power**

**Features:**

- 6 stainless steel strands
- 5000 ohms/km
- 200m & 500m rolls



**TA014 Tarabraid Mega**

**Features:**

- True braided wire
- 9 stainless steel strands
- 2795 ohms/km
- 4mm x 200m, 500m rolls



**TA021 Tarabraid Horserope**

**Features:**

- 7mm braided horserope
- 4 x 2 stainless steel strands
- 3195 ohms/km
- 100m roll



**TA058 Tarabungy Cord**

**Features:**

- 6 stainless steel strands
- Stretch shock cord for gateways
- 3624 ohms/km
- 50m roll



### TA043 Tarasub Underground Cable

#### Features:

- Heavy duty double insulated polyethylene
- 1.6mm or 2.5mm
- 50m and 100m rolls



### TA038 Taratite - Nylon In line wire strainer

#### Features:


- Lightweight and cost effective
- Easy to use
- Made from ultra strong compound



### TA052 Taraclamp Joint Clamp

#### Features:

- Quick and easy to use
- Secure fixing - improved contact
- Cast with No. 5 alloy



### TA073 - TA074 Outriggers

#### Features:

- Strong, visible, economical pigtail type
- Secures and stands hot wire off fence
- Protects fence and stock

TA071 - 150mm Steel Outrigger - Plain  
 TA072 - 150mm Steel Outrigger - Z  
 TA073 - 250mm Steel Outrigger - Plain  
 TA074 - 250mm Steel Outrigger - Z



### TA099 Trouble Shooter Electric Fence Directional Fault Finder

#### Features:

The Taragate™ 'Troubleshooter' will take you right to the fault with complete accuracy. The 'Troubleshooter' displays direction to a 'high load' fault, not just current flow. No calibration required, straight from the box to finding faults.

- Waterproof
- Longer battery life - takes standard batteries
- Simple to use - one touch operation
- Highly visible LED direction arrows clearly indicates direction of fault
- No earth wires or clips means no shocks!
- Integrated (and removable) belt clip
- Easy to carry - Pocket size
- One year limited warranty



### TA100 Taragate™ 'Lifestyler' Electric Fence Mains Energiser

#### Features:

The Taragate™ 'Lifestyler' mains energiser offers exceptional value and optimum performance. The Taragate™ 'Lifestyler' is perfect for properties up to 20ha. An important feature of the 'Lifestyler' is the 'Power on Demand' function. This allows the energiser to automatically increase power output when a heavy load is applied and reduce the power when the load is light. This extends the life of the energiser, while saving you power.

- Digital control
- Power on demand
- Fence indicator
- Ant and moisture protection
- Lightning protection
- AC surge protection
- Large easy to use controls

#### SPECIFICATIONS

Model TA100 - LS4.5

4.5 Joule output

7.5 Joule stored

Suit 0 - 20ha

One year limited warranty