



ENCLOSURE RECOMMENDATIONS






MODEL: HCCA102 / HCCA104					
SPEAKER TYPE: SUB WOOFER					
BOX AREA:	61 LTS.	2,1	FT ³		
PORT AREA:					
Suggested frequency to set speaker on amplifier and or crossover.		120-80 Hz			
Mode to set frequency on amplifier and or crossover.		LOW PASS			
Suggested Material.		MDF			
thickness of Material.	15 mm		5/8′		



MODEL: HCCA102 / HCCA104					
SPEAKER TYPE: SUB WOOFER					
BOX AREA:	64,8 LTS.	2,3	FT³		
PORT AREA:	2,24 LTS.	0,07	'9 FT³		
Suggested frequency to set speaker on amplifier and or crossover.		100-80 Hz			
Mode to set frequency on amplifier and or crossover.		LOW PASS			
Suggested Material.	d Material. MDF		/IDF		
thickness of Material.	15 mm		5/8´		



MODEL: HCCA102 / HCCA104					
SPEAKER TYPE: SUB WOOFER					
BOX AREA:	59 LTS.	2,1	FT³		
PORT AREA:	8 LTS.	0,2	B FT³		
Suggested frequency to set speaker on amplifier and or crossover.		100-80 Hz			
Mode to set frequency on amplifier and or crossover.		LOW PASS			
Suggested Material.		MDF			
thickness of Material.	15 mm		5/8′		