

Prepared for:
Partnered Process LLC

402 Travis Ln Ste 64
Waukesha, WI USA 53189

2500mg CBD per 30mL Org T-Free BS Dist Nat

Batch ID or Lot Number: OT31122-2	Test: Potency	Reported: 15Nov2022	USDA License: N/A
Matrix: Solution	Test ID: T000227294	Started: 14Nov2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 10Nov2022	Status: N/A

Cannabinoids

	LOD (mg/mL)	LOQ (mg/mL)	Result (mg/mL)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.063	0.179	4.120	4.30	Density = 0.9539g/mL
Cannabichromenic Acid (CBCA)	0.058	0.164	ND	ND	
Cannabidiol (CBD)	0.148	0.463	89.490	93.80	
Cannabidiolic Acid (CBDA)	0.151	0.475	ND	ND	
Cannabidivarin (CBDV)	0.035	0.110	0.110	0.10	
Cannabidivarinic Acid (CBDVA)	0.063	0.198	ND	ND	
Cannabigerol (CBG)	0.036	0.102	1.230	1.30	
Cannabigerolic Acid (CBGA)	0.150	0.425	ND	ND	
Cannabinol (CBN)	0.047	0.133	1.390	1.50	
Cannabinolic Acid (CBNA)	0.102	0.290	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.179	0.506	<LOQ	<LOQ	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.162	0.460	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.144	0.407	ND	ND	
Tetrahydrocannabivarin (THCV)	0.033	0.092	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.127	0.359	ND	ND	
Total Cannabinoids			96.340	101.00	
Total Potential THC			ND	ND	
Total Potential CBD			89.490	93.80	

Final Approval



Sam Smith
16Nov2022
05:21:00 PM MST

PREPARED BY / DATE



Karen Winternheimer
16Nov2022
05:26:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/24158704-f31e-4dbd-923a-cee619eb3516>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
24158704f31e4dbd923acee619eb3516.1