

Prepared for:
Partnered Process LLC

402 Travis Ln Ste 64
Waukesha, WI USA 53189

2,000mg Focus Tincture

Batch ID or Lot Number: T32522-3	Test: Potency	Reported: 02Dec2022	USDA License: N/A
Matrix: Solution	Test ID: T000228753	Started: 30Nov2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 28Nov2022	Status: N/A

Cannabinoids

	LOD (mg/mL)	LOQ (mg/mL)	Result (mg/mL)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.296	0.982	<LOQ	<LOQ	Density = 0.95g/mL
Cannabichromenic Acid (CBCA)	0.271	0.898	ND	ND	
Cannabidiol (CBD)	1.016	2.663	35.890	37.80	
Cannabidiolic Acid (CBDA)	1.042	2.731	ND	ND	
Cannabidivarin (CBDV)	0.240	0.630	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.435	1.139	ND	ND	
Cannabigerol (CBG)	0.168	0.558	32.630	34.30	
Cannabigerolic Acid (CBGA)	0.703	2.331	ND	ND	
Cannabinol (CBN)	0.219	0.728	ND	ND	
Cannabinolic Acid (CBNA)	0.480	1.591	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.838	2.777	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.761	2.522	<LOQ	<LOQ	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.674	2.235	ND	ND	
Tetrahydrocannabivarin (THCV)	0.153	0.507	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.595	1.971	ND	ND	
Total Cannabinoids			68.520	72.10	
Total Potential THC			0.000	0.00	
Total Potential CBD			35.890	37.80	

Final Approval



Sam Smith
02Dec2022
08:11:00 AM MST

PREPARED BY / DATE



Karen Winternheimer
02Dec2022
08:19:00 AM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/6805380f-3da8-4aa6-86b3-1a0753408f8a>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
6805380f3da84aa686b31a0753408f8a.1