Electric height adjustable frames | ConSet.US



ConSet America

501-19

Stand-alone or in a group

- 501-19 Center is sturdy and compact with a symmetrical design that allows access from all sides. Add the optional 3" heavy duty locking casters and rechargeable battery and you have complete mobility without any wires.
- 501-19 Basic is excellent for grouping tables together. With 176 lbs. as maximum load it can be used with a variety of tabletops.
Add casters and a rechargeable battery for additional flexibility.
- 501-19 Design lends unique style to this series with an attractive crescent shaped base, and well suited to be arranged in groups.

原源

Visit www.conset.us for information on available products not shown. 3

501-23

Strong and stylish

501-23 is strong and stylish with integrated cable management. Its expandable length makes it well suited for many top sizes. The symmetrical design makes the frame excellent for conference tables and large work surfaces.

Optional 3-column versions accommodate extra long tables and L-shaped configurations. Maximum load is 386 lbs.

501-33

Versatile and stylish

An elegant and stylish desk designed with a single telescopic open frame. The square columns gives this desk a modern look, which makes it suitable for all kinds of office environments. The 501-33 is available in Silver and Black. Quick and easy to assemble - It's that easy!! The 501-33 is ANSI/BIFMA X5.5-2014 tested and approved.



501-37

÷

÷

Striking open design

Striking open design defines 501-37. The three stage frame is tested and approved according to ANSI/BIFMA x5.5-2014. The frame is available in three different colors; silver, black and white. Choose from fixed widths or an expandable bracket for more flexibility.

Easily assembled in a few quick steps.

mmmu

501-49

A minimalistic and elegant look

The 501-49 is an elegant desk designed in a minimalistic look, which will compliment any office environment. The round columns are designed with a double telescopic mechanism which allows more overlap between the tubes, resulting in improved travel and stability.

The 501-49 is easy to assemble and offers an impressive timeless design.

Product photo * featured image	Dimensional drawing * featured image	ltem no.	Frame width (inch)	Color	Frame height min/max (") incl. tabletop	Max. speed ("/sec.)	Maximum load (lbs)	Price (\$)
T	[90cm] 35 3/8"	501-19 8SW 501-19 8BW *	90 90 *	Silver Black	27-47	1.1	176	439 439
T	23 5/8* [60cm] [50cm] [50cm] [50cm] [50cm]	501-19 8S060 501-19 8B060 *	23 5/8 23 5/8 *	Silver Black	27-47	1.1	176	527 527
L	37 1/4" [95cm] .8(2 0) 8(2 0)	501-19 8S095 501-19 8B095 *	37 3/8 37 3/8 *	Silver Black	27-47	1.1	176	550 550
I	47 1/8" [120cm] %E 02 25	501-19 8S120 501-19 8B120 *	47 1/8 47 1/8 *	Silver Black	27-47	1.1	176	625 625
[]	52" - 75 5/8" [132cm] - [192cm]	501-23 8S200 501-23 8B200 *	78 3/4 78 3/4 *	Silver Black	27-47	0.9	386	923 923
LIJ	55 7/8°-75 5/8° **/2 06 15 3/4*	501-23 8S190-190A 501-23 8B190-190A *	74 3/4 74 3/4 *	Silver Black	27-47	0.9	386	1297 1297

Product photo * featured image	Dimensional drawing * featured image	ltem no.	Frame width (inch)	Color	Frame height min/max (") incl. tabletop	Max. speed ("/sec.)	Maximum load (lbs)	Price (\$)
		501-33 8W082	33 1/8	White	27-47	1	176	505
		501-33 8W092	37 1/8	White				505
		501-33 8W112	44 1/8	White				505
		501-33 8W129	50 7/8	White				505
		501-33 8W142	56 3/4	White				505
		501-33 8W152	59 7/8 67 3/4	White				505
		501-33 8W172 501-33 8S082	33 1/8	White Silver				505 505
-		501-33 8S092	37 1/8	Silver				505
	67 3/4" [172cm]	501-33 8S112	44 1/8	Silver				505
		501-33 8S129	50 7/8	Silver				505
	68cm]	501-33 8S142	56 3/4	Silver				505
	و ج ا	501-33 8S152	59 7/8	Silver				505
- C		501-33 8S172	67 3/4	Silver				505
		501-33 8B082	33 1/8	Black				505
		501-33 8B092	37 1/8	Black				505
		501-33 8B112	44 1/8	Black				505
		501-33 8B129	50 7/8	Black				505
		501-33 8B142	56 3/4	Black				505
		501-33 8B152	59 7/8	Black				505
		501-33 8B172 *	67 3/4 *	Black				505
		501-33 8W112-152	44 1/8-59 7/8	White	27-47	1	176	526
T	44 1/8" - 59 7/8"	501-33 8S112-152	44 1/8-59 7/8	Silver				526
ΙL	[112cm] -[152cm]	501-33 8B112-152 *	44 1/8-59 7/8 *	Black				526
	[ess]							
		501-37 8W082	33 1/8	White	22-48	1.2	220	560
		501-37 8W092	37 1/8	White				560
		501-37 8W112	44 1/8	White				560
		501-37 8W129 501-37 8W142	50 7/8 56 3/4	White White				560 560
		501-37 8W142 501-37 8W152	50 3/4 59 7/8	White				560 560
		501-37 8W172	67 3/4	White				560
		501-37 8S082	33 1/8	Silver				560
-	67 3/4"	501-37 8S092	37 1/8	Silver				560
	[172cm]	501-37 8S112	44 1/8	Silver				560
T I	h E	501-37 8S129	50 7/8	Silver				560
	28cm] 22	501-37 8S142	56 3/4	Silver				560
1	0 0 2	501-37 8S152	59 7/8	Silver				560
		501-37 8S172	67 3/4	Silver				560
		501-37 8B082	33 1/8	Black				560
		501-37 8B092	37 1/8	Black				560
		501-37 8B112	44 1/8	Black				560
		501-37 8B129	50 7/8	Black				560
		501-37 8B142	56 3/4	Black				560
		501-37 8B152	59 7/8	Black				560
		501-37 8B172 *	67 3/4 *	Black				560

Product photo * featured image	Dimensional drawing * featured image	ltem no.	Frame width (inch)	Color	Frame height min/max (") incl. tabletop	Max. speed ("/sec.)	Maximum load (lbs)	Price (\$)
\mathcal{L}_1	41 1/8" - 59 7/8" [112cm] -[152cm] المجلي المجلي الم	501-37 8W112-152 501-37 8S112-152 501-37 8B112-152 *	44 1/8-59 7/8 44 1/8-59 7/8 44 1/8-59 7/8 *	White Silver Black	22-48	1.2	220	581 581 581
M	8 67 3/4" 18 7/8"	501-37 8W112-091C 501-37 8W142-115A 501-37 8W142-115A 501-37 8W152-091C 501-37 8W172-115A 501-37 8W172-115A 501-37 8W172-172A 501-37 8S142-091C 501-37 8S142-115A 501-37 8S152-091C 501-37 8S172-115A 501-37 8S172-115A 501-37 8B142-091C 501-37 8B142-091C 501-37 8B142-115A 501-37 8B152-091C 501-37 8B152-091C 501-37 8B172-115A 501-37 8B172-115A 501-37 8B172-115A 501-37 8B172-112A *	44 1/8 56 3/4 59 7/8 67 3/4 67 3/4 67 3/4 44 1/8 56 3/4 56 3/4 57 3/4 67 3/4 67 3/4 67 3/4 67 3/4 67 3/4 56 3/4 56 3/4 56 3/4 57 8 67 3/4 67 3/4 67 3/4 67 3/4 67 3/4	White White White White White Silver Silver Silver Silver Silver Silver Silver Black Black Black Black Black	22-48	1.2	220	865 952 880 965 965 965 952 952 880 965 965 865 965 965 965 965
Į	68 5/8" [174cm] \$74cm] \$2 3/4" \$2 3/4"	501-49 8W082 501-49 8W092 501-49 8W129 501-49 8W129 501-49 8W142 501-49 8W152 501-49 8W152 501-49 8W172 501-49 8W172 501-49 8S082 501-49 8S129 501-49 8S12 501-49 8S12 501-49 8S152 501-49 8S172 501-49 8B082 501-49 8B129 501-49 8B129 501-49 8B122 501-49 8B122 501-49 8B122	33 1/8 37 1/8 45 51 5/8 56 3/4 60 3/4 68 5/8 33 1/8 37 1/8 45 51 5/8 56 3/4 60 3/4 68 5/8 33 1/8 37 1/8 45 51 5/8 56 3/4 60 3/4 60 3/4 68 5/8 *	White White White White White Silver Silver Silver Silver Silver Silver Silver Black Black Black Black Black Black	26-50	1.2	220	622 622 622 622 622 622 622 622 622 622

Product photo * featured image	Dimensional drawing * featured image	ltem no.	Frame width (inch)	Color	Frame height min/max (") incl. tabletop	Max. speed ("/sec.)	Maximum load (lbs)	Price (\$)
		501-49 8W112-152	116-60 3/4	White	26-50	1.2	220	643
	45" - 60 3/4"	501-49 8S112-152	116-60 3/4	Silver				643
[]	[114] - [154cm] ************************************	501-49 8B112-152 *	116-60 3/4 *	Black				643

Top Details (USD)

Item no.	Maple mel.	Walnut mel.	Item no.	Maple mel.	Walnut mel.
117H3			150-60S3		
46 1/8" [117cm] ••••••••••••••••••••••••••••••••••••	120	120	59* [150cm] 82 20 53 53 59 59 59 50 50 50 50 50 50 50 50 50 50 50 50 50	131	99
120-60S3			150-80S3		
47 1/4" [120cm] * E \$\$	130	130	59" [150cm] *7/1 16 [1508]	161	118
120-80S3			180-60S3		
47 1/4" [120cm] *2 [[2008] 16	153	153	70 7/8" [180cm] * [100 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	102	102
140H3			180-80S3		
55 1/8" [140cm] *8/£ 56 56	139	139	70 7/8* [180cm] .2,1 12 .2,1 1	237	158

Electric height adjustable frames Accessories

Product photo	Dimensional drawing		ltem no.	Price (\$)
****		Programmable handset	139250	102
,^	U	Castorset, 501-(37,19)	501-19 HXXX	57
	205 345	501-19 - Manuel tilt full top	501-19 V-HEL	89
C.	12,8	Universal cable-tray, Black	501-XX CB096-166	55
	12,8	Universal cable-tray, Silver	501-XX CS096-166	55
	12,8	Universal cable-tray, White	501-XX CW096-166	55
с с с с	ð ^ð ð	Castorset, 501-37	501-XX HXX1	68
5 T	5 \$ \$	Castorset, 501-33	501-XX HXXX	68
	t	Battery pack, ConSet Frame	BAT-24-1,7	155

ONE MOTOR THAT DOES IT ALL

Electric height adjustable desks also create an adaptive workspace for wheelchair accessibility and ergonomic comfort. We offer a wide selection of bases that allow wheelchair access for ADA compliance.

Prolonged sitting has become part of everyday life for many office employees. When you're sitting still in front of a computer for hours every day, the risk of injury increases and it influences your level of energy. A height adjustable desk from ConSet gives you the ability to go from the sitting to the standing position whenever you wish at the push of a button. The engineering in and around the motor is the heart of the desk.It ensures calm and gentle movements when you wish to move the table top either up or down and it ensures that the table top is always evenly adjusted.

With ConSet you get a one-motor-desk that does it all.

- Reliable
- High quality
- Great lifting capacity
- High construction strength
- Affordable prices

STRENGTH & STABILITY

Stability means everything when you're choosing an office desk. Every height adjustable desk from ConSet is made from quality materials and meet both the EU and Danish working environment authority's demands on a flexible and ergonomic workplace. This ensures you a stable and long lasting desk – and greater employee well-being. Unlike many tables that have two motors, a ConSet table withstands an uneven load. This means that you can place your office equipment anywhere on the table top. The total load on the desk frame must always be within the maximum working load that is specified for each ConSet product.

ENVIRONMENT

At ConSet we think it is important to minimize environmental impacts. We want to take responsibility for ensuring that our products are made respecting the environment. We do this in several ways:

- All electronic components meet RoHS framework for the reduction of hazardous substances in electronics, whereby the environmental impact is minimized.
- Through Elretur (Denmark), we ensure that electronic waste is managed environmentally under the WEEE directive.

CE MARKING & PRODUCT APPROVALS


All ConSet electric height adjustable desk frames are CE marked in collaboration with the Technological Institute in Denmark. CE marking is a requirement for height adjustable desk frames and it allows you to be sure that the producer has been through all aspects of security risks. Furthermore, all our main power units are GS-marked (German standard) and UL listed for USA and Canada.

EN 527-1/2/3: Dimensions / Mechanical safety requirements / Methods of Test for the Determination of Stability and Strength of the structure. DS/EN 12720-21-22: Furniture - Assessment of surface resistance to cold liquids, wet and dry heat.

CONSET - A DANISH COMPANY

ConSet was founded in 2000 in Denmark, and our basic philosophy was that ergonomics should not be expensive. We began with the idea to develop and manufacture high quality electric height adjustable desks and to make them affordable so more people could experience the benefits of sit-stand desks. The company has succeeded well and now has distribution and subsidiaries throughout the world.







Electric height adjustable frames Combination chart

Frames	Tops	117H3	120-6053	120-8053	140H3	150-6053	150-8053	180-6053	180-80S3	180-6053 + 120-6053						
501-19 8X095		•		•	•											
501-19 8X120		•	•	•	•											
501-23 8X200							•		•							
501-33 8X112				•												
501-33 8X142							•									
501-33 8X172									•							
501-37 8X112			٠	٠												
501-37 8X142						•	•									
501-37 8X172								•	•							
501-37 8X172-172A										٠						
501-49 8X112				•												
501-49 8X142							•									
501-49 8X172									•							

ConSet America PO Box 1216 1089A East Street Pittsboro NC 27312 USA

Phone: 800-293-9051 or 919-542-6145 NC Fax: 919-542-4923

info@conset.us www.conset.us

ConSet America