



FRESH DESIGN FOR EVERYONE

POPULAS is where comfort meets productivity, for the whole scope of humanity. We build the best-looking, most durable adjustable ergonomic furniture on the market and we support it with a Lifetime Warranty.




ADJUSTABLE DESKS • TABLES • WORKSTATIONS • THERAPY TABLES • KITCHEN & BATH COMPONENTS • WORKBENCHES

Special Needs Computer Solutions, Inc.
2B - 300 Welland Ave.
St. Catharines, ON L2R 7L9
T: 1-877-724-4922 | 1-905-641-4922
E: sales@specialneedscomputers.ca

Ergonomic for the people.

ERGONOMIC FOR THE PEOPLE



POPULAS builds the best-looking, most durable adjustable furniture on the market and we support it with a Lifetime Warranty.

This is American engineering and craftsmanship, backed by realtime phone-based customer service. And every product we make complies with the ADA.

We are the first generation to spend half our waking hours in front of a computer—a workstation is like a second home, and it should be worthy. Kitchen and bath must be beautiful

and functional for all, and therapy furniture must work as hard as therapists do—and look great, too.


POPULAS design is a love letter to everyone in the population who works, goes to school, or protects our country.

Whatever your life's work, cause, pursuit or passion, somewhere in our product line awaits your perfect match. We invite you to find it.

populasfurniture.com

TABLE OF CONTENTS

MADE IN THE USA	1
LIFETIME WARRANTY	1
LEEDS/ENVIRONMENTAL STATEMENT	2
ERGONOMICS & ADA	3
EQUITY™ Hand-Crank Adjusted Workstations	4
ACCELLA™ Hydraulic Hand-Crank Adjusted Workstations, Desks, & Tables	6
INFINITY™ Power Adjusted Workstations, Desks, & Tables	8
VOX™ Power Adjusted Workstations & Desks	10
KNOB ADJUST Knob Adjusted Desks, Tables & Therapy Tables	12
PROGRESSION™ Furniture & Equipment for Rehab Professionals	14
WORKBENCHES Ergonomic Industrial Workbenches	16
APPROACH™ Powered Components for Sinks, Cooktops & Cabinetry	17
WORKSPACE ACCESSORIES ..	18
WORKBENCH ACCESSORIES ...	19
FINISH OPTIONS	20
ORDER FORM	21
TERMS & CONDITIONS	22



MADE IN THE U.S.A.



POPULAS PRODUCTS ARE PROUDLY BUILT IN THE NORTHWEST UNITED STATES. CUSTOMER SERVICE STAFF ALL LIVE HERE, TOO.



WE STAND BY OUR PRODUCTS.
IF YOU NEED US, WE'RE HERE:
1.800.957.2720

or email
customerservice@populasfurniture.com

LIFETIME WARRANTY

At POPULAS we love making high quality furniture for our customers. All of our environmentally-friendly manufacturing processes happen in the United States, and our products are built with durable US made steel, aluminum and wood products. To back up our pledge of quality, we offer a Lifetime Warranty on many of our products.

The POPULAS Furniture Lifetime Warranty covers defects in materials and workmanship in selected products that are sold to POPULAS Furniture customers. The warranty period lasts for the lifetime of the product after receipt. We will repair or replace any product component or product that is deemed to be defective by a POPULAS representative.

Lifetime Warranty does not cover:

Damage to any product caused by improper use, application or installation; changes in the look of any finish over time due to normal aging; damage to any finish caused by improper cleaning, maintenance or exposure to corrosive elements; normal wear and tear, which includes scuffs and areas of heavy wear; incidental or consequential damages, including labor to replace parts or products, repair of hydraulic hoses or recharge of hydraulic fluid for the Accella™ and Infinity™ series products.

Products not covered by the Lifetime Warranty:

- Motorized and electrical components included in the Vox™, Infinity™ and Approach™ brand of products are covered by a Five (5) Year Limited Warranty.
- The gas piston included in the GPP models is covered by a Five (5) Year Limited Warranty.



LEED & ENVIRONMENTAL STATEMENT



ENVIRONMENTAL STEWARDSHIP IS IMPORTANT. POPULAS PRODUCTS ARE ELIGIBLE FOR LEED CERTIFICATION POINTS.



Heavy use, light impact.

POPULAS recognizes the importance of protecting the environment and using resources intelligently. We continuously evaluate our products to maximize usability for end users, evolve our use of raw materials, and improve packaging to incorporate more recycled and sustainable products, thereby reducing our environmental footprint. Our manufacturing facility emits no particulates, waste water or air pollution.

Our products utilize green core panels that comprise 100% recycled fiber, carry no added urea-formaldehyde, are EPP™ certified, moisture resistant, and contribute to achieving LEED Credits.

We are focused on environmental stewardship and evaluate our actions, looking for opportunities to improve when and where possible.

LEED CATEGORY REQUIREMENTS AND POSSIBLE CREDITS/POINTS FOR POPULAS FURNITURE AND ACCESSORIES:

Packaging of all POPULAS products consists of corrugated fiberboard with 85%-100% post consumer recycled content; boxes used for shipping have 40% recycled content with 15% of that from post consumer waste. When packaging requires foam we use environmentally friendly foams such as Green Cell, made from high-grade cornstarch that is biodegradable, or Re-Grind Recycled Polyurethane foam, which is made of recycled polyurethane that has been reclaimed.

Indoor Environmental

- Quality IEQ 4.4: Composite wood products used on the interior of the building shall contain no added urea-formaldehyde resins, 1 point

Materials & Resources:

- MR 4.1: Materials with recycled content constitutes at least 10% of the materials in the project, 1 point
- EPP™ certified 100% recycled fiber***

Materials & Resources:

- MR 4.2: Materials with recycled content constitutes at least 20% of the materials in the project, 1 point in addition to MR 4.1
- EPP™ certified 100% recycled fiber***

Materials & Resources:

- MR 7: Certified Wood, based on 50% (min) of all wood must be Forest Stewardship Council Certified.
- Available FSC® certified upon request, 1 point mixed credit

*Finished panel embodies an Environmentally Preferred Product (EPP™)

**100% recycled fiber refers to ECO-Certified Composite (ECC) Sustainability Standard CPA 4-11 Oct 2011

FURNITURE THAT ADAPTS TO PEOPLE



POPULAS ADHERES TO HUMAN FACTOR ERGONOMIC STANDARDS, AND THE ADA IS AN INSPIRATION FOR OUR DESIGN.

Ergonomic and ADA Compliant—always.

If it doesn't comply with the ADA, we don't make it. And if it doesn't follow best ergonomic practices, why even use it? Given the wide variation in physical size and ability level among the working population, POPULAS furniture is designed to adapt to all people. Our products directly impact your work style and allow you to perform at your personal best.

ANSI HFES requirements and recommendations are based on accepted human factors, ergonomics research and established professional practices. The standards' goal is to match the user to the proper equipment when it comes to work styles, fluctuation in task content, and worker physiology.

POPULAS designs meet the ANSI/HFES100-2007 standards for the configurations of computer workstations, and allows the user to adjust his/her posture easily and often.

POPULAS hand-crank, powered, and knob adjustment systems are easy to identify, manipulate, and access from reclined, upright, declined and standing postures. Each mode allows quick, smooth height adjustment without intruding into leg and foot clearance spaces when not in use.

POPULAS products have a fail-safe and control locking mechanisms to prevent inadvertent movement. Our desks, computer workstations, and tables provide adequate leg and foot clearance and do not hinder the foot, leg, or knee as you change posture throughout your workday.

For more information on ergonomic and ADA standards, click on About POPULAS at populasfurniture.com



EQUITY™ SERIES



HAND-CRANK ADJUSTED WORKSTATIONS


- Clean modern look, smooth hand-crank adjustment, and many shapes and sizes of work surfaces
- Meets ADA requirements and offers maximum knee space
- Adheres to Human Factor Ergonomic Standards
- Accepts a broad range of ergonomic accessories

SPECIFICATIONS:

- Adjusts from 24–38 inches
- Hand-crank actuated 7 turns per inch, precision gear-driven system
- Available with top mounted (TC) or undermounted (UC) hand-crank
- Base finish Graphite Silver
- Load Capacity 200 lbs
- Six standard laminate finishes, two optional veneer finishes
- Lead time 15 days

The Equity™ Series has a clean modern look, smooth hand-crank adjustment, and many shapes and sizes of work surfaces. With a starting height as low as 24 inches, Equity™ models can be used by the youngest members of our population, all the way up to college, the military, corporate environments, and the public service sector. Meets ADA requirements and offers maximum knee space. Accepts a broad range of ergonomic accessories.























TOP SHAPES & FINISHES: (Custom sizes & finishes are available, contact us for a quote.)



*Indicates surcharge

HOW TO ORDER: Please identify the *Model#*, *Top Shape* & *Finish* on your Populus order form. (Example: EQ3624UC-01-L3)

EQUITY™ SERIES HEIGHT ADJUSTABLE WORKSTATIONS

	MODEL #	SHAPES	DIMENSIONS			FINISH	SHIP WEIGHT LBS	LIST PRICE	NOTES:
			L	W	D				
	EQ 3624 UC	01, 02*, 03*	36	24		ALL	55	928	
	EQ 3630 UC	01, 02*, 03*	36	30		ALL	63	933	
	EQ 4824 UC	01, 02*, 03*	48	24		ALL	65	957	
	EQ 4830 UC	01, 02*, 03*	48	30		ALL	75	978	
	EQ 6024 UC	01, 02*, 03*	60	24		ALL	75	1008	
	EQ 6030 UC	01, 02*, 03*	60	30		ALL	88	1014	
	EQ 3624 TC	01, 02*, 03*	36	24		ALL	55	853	
	EQ 3630 TC	01, 02*, 03*	36	30		ALL	63	858	
	EQ 4824 TC	01, 02*, 03*	48	24		ALL	65	881	
	EQ 4830 TC	01, 02*, 03*	48	30		ALL	75	901	
	EQ 6024 TC	01, 02*, 03*	60	24		ALL	75	928	
	EQ 6030 TC	01, 02*, 03*	60	30		ALL	88	933	
	EQ 361416	05	36	14; 16	31	ALL	74	1397	
	EQ 481416	05	48	14; 16	31	ALL	87	1414	
	EQ 601416	05	60	14; 16	31	ALL	100	1431	
	EQ 4230 CBL	06	42	30		LI—L6	95	1431	
	EQ 361416 KBL	05	36	14; 16	31	ALL	79	1042	
	EQ 481416 KBL	05	48	14; 16	31	ALL	92	1079	
	EQ 601416 KBL	05	60	14; 16	31	ALL	105	1120	
	EQ 4230 CKBL	06	42	30		ALL	86	1120	
	EQ 4230 UC	04	42	30		LI—L6	69	1015	
	EQ 4230 TC	04	42	30		LI—L6	69	935	
	* EASED & COMFORT RECESS SURCHARGE	02, 03	—	—	—	—	—	25	
	MAPLE VENEER SURCHARGE	—	—	—	—	V1	—	385	
	CHERRY VENEER SURCHARGE	—	—	—	—	V2	—	385	

ACCELLA™ SERIES



HYDRAULIC HAND-CRANK ADJUSTED WORKSTATIONS, DESKS & TABLES


- Smoothest hydraulic hand-crank adjustment, with the highest weight-lifting capacity, sit-to-stand functionality and a discreet fold-away crank
- Meets ADA requirements and offers maximum knee space
- Adheres to Human Factor Ergonomic Standards
- Accepts a broad range of ergonomic accessories

SPECIFICATIONS:

- Adjusts from 27–39 inches
- Hand-crank actuated 5 turns per inch, hydraulic driven system
- Base finish Graphite Silver
- Load Capacity 500 lbs
- Six standard laminate finishes, two optional veneer finishes
- Lead time 15 days

The Accella™ Series offers our smoothest hand-crank adjustment, with the highest weight-lifting capacity, sit-to-stand functionality and a discreet fold-away crank. Accella™ models are used in universities, non-profits, public service, healthcare and for corporate and industrial ergonomics. Meets and exceeds ADA requirements and adheres to Human Factor Ergonomic Standards.























TOP SHAPES & FINISHES: (Custom sizes & finishes are available, contact us for a quote.)



*Indicates surcharge

HOW TO ORDER: Please identify the **Model#**, **Top Shape** & **Finish** on your Populus order form. (Example: AC4830-01-L3)

ACCELLA™ SERIES HEIGHT ADJUSTABLE WORKSTATIONS, DESKS & TABLES

	MODEL #	SHAPES	DIMENSIONS			FINISH	SHIP WEIGHT LBS	LIST PRICE	NOTES:
			L	W	D				
	AC 3624	01, 02*, 03*	36	24		ALL	63	1115	
	AC 3630	01, 02*, 03*	36	30		ALL	71	1128	
	AC 4824	01, 02*, 03*	48	24		ALL	73	1204	
	AC 4830	01, 02*, 03*	48	30		ALL	83	1225	
	AC 4836	01, 02*, 03*	48	36		ALL	95	1244	
	AC 4836L	01	48	36		ALL	140	1487	Adjustment range 24–36 inches
	AC 4848L	01	48	48		ALL	140	1517	Adjustment range 24–36 inches
	AC 6024	01, 02*, 03*	60	24		ALL	90	1264	
	AC 6030	01, 02*, 03*	60	30		ALL	100	1264	
	AC 6036	01, 02*, 03*	60	36		ALL	113	1283	
	AC 7224	01, 02*, 03*	72	24		ALL	100	1281	
	AC 7230	01, 02*, 03*	72	30		ALL	113	1281	
	AC 7236	01	72	36		ALL	142	1674	
	AC 4836 GT	01	48	36		ALL	120	1384	
	AC 6648	01	66	48		ALL	167	2027	
	AC 7230 L	07	72	70	30,20	ALL	170	1795	Specify right-side or left-side return
	AC 727230 PC	08	72	72	28	ALL	180	1935	
	AC 727224 PC	08	72	72	24	ALL	180	1917	
	AC 727230 WC	09	72	72	28	ALL	180	1935	
	AC 727224 WC	09	72	72	24	ALL	180	1917	
	AC KEEL	10	60	30,24		ALL	100	1264	
	AC ENDZONE	11	60	30,24		ALL	100	1264	
	* EASED & COMFORT RECESS SURCHARGE	2, 3		—		—	—	25	
	MAPLE VENEER SURCHARGE	—		—		VI	—	385	
	CHERRY VENEER SURCHARGE	—		—		V2	—	385	

INFINITY™ SERIES



POWER ADJUSTED WORKSTATIONS, DESKS & TABLES


- Quiet adjustment at the touch of a button. The Infinity™ Series brings the desirable convenience of powered adjustment to everyone
- UL listed and CSA recognized
- Meets ADA requirements and offers maximum knee space
- Adheres to Human Factor Ergonomic Standards
- Accepts a broad range of ergonomic accessories

SPECIFICATIONS:

- Adjusts from 27–39 inches
- Powered adjustment, 110 v., electric motor UL listed
- Base finish Graphite Silver
- Load Capacity 500 lbs
- Six standard laminate finishes, two optional veneer finishes
- Lead time 15 days

Quiet adjustment at the touch of a button. The Infinity™ Series brings the desirable convenience of powered adjustment to everyone. Each of our versatile powered Infinity™ models offers a high weight-lifting capacity and impressive durability for users of all sizes in every industry. Meets and exceeds ADA requirements and adheres to Human Factor Ergonomic Standards. UL listed and CSA recognized.



































TOP SHAPES & FINISHES: (Custom sizes & finishes are available, contact us for a quote.)



*Indicates surcharge

HOW TO ORDER: Please identify the *Model#*, *Top Shape* & *Finish* on your Populus order form. (Example: IN6030-01-L3)

INFINITY™ SERIES HEIGHT ADJUSTABLE WORKSTATIONS, DESKS & TABLES

	MODEL #	SHAPES	DIMENSIONS			FINISH	SHIP WEIGHT LBS	LIST PRICE	NOTES:
			L	W	D				
	IN 3624	01, 02*, 03*	36	24		ALL	81	1526	
	IN 3630	01, 02*, 03*	36	30		ALL	89	1539	
	IN 4824	01, 02*, 03*	48	24		ALL	91	1618	
	IN 4830	01, 02*, 03*	8	30		ALL	101	1641	
	IN 4836	01, 02*, 03*	48	36		ALL	113	1641	
	IN 4836L	01	48	36		ALL	155	2747	Adjustment range 24–36 inches
	IN 4848L	01	48	48		ALL	155	2792	Adjustment range 24–36 inches
	IN 6024	01, 02*, 03*	60	24		ALL	108	1640	
	IN 6030	01, 02*, 03*	60	30		ALL	118	1679	
	IN 6036	01, 02*, 03*	60	36		ALL	131	1698	
	IN 7224	01, 02*, 03*	72	24		ALL	116	2033	
	IN 7230	01, 02*, 03*	72	30		ALL	131	2089	
	IN 7236	01	72	36		ALL	159	2440	
	IN 4836 GT	01	48	36		ALL	138	2079	
	IN 6648	01	66	48		ALL	185	3069	
	IN 361416 BL	05	36	14; 16	31	ALL	113	2040	
	IN 481416 BL	05	48	14; 16	31	ALL	126	2159	
	IN 601416 BL	05	60	14; 16	31	ALL	139	2267	
	IN 4230	04	42	30		L1—L6	120	1679	
	IN 4230 CBL	06	42	30		L1—L6	135	2160	
	IN 7230 L	07	72	70	30,20	ALL	180	2547	Specify right-side or left-side return
	IN 727230 PC	08	72	72	28	ALL	190	2659	
	IN 727224 PC	08	72	72	24	ALL	190	2659	
	IN 727230 WC	09	72	72	28	ALL	190	2581	
	IN 727224 WC	09	72	72	24	ALL	190	2568	
	IN KEEL	10	60	30,24		ALL	118	1640	
	IN ENDZONE	11	60	30,24		ALL	118	1640	
	IN CC	—	72	12;20	33	ALL	180	2601	
	IN CC 6040CR	—	60	40		ALL	165	2420	
	IN CC 7234	—	72	34		ALL	165	2425	
	IN CC 7234BL	—	72	12; 20	33	ALL	185	2601	
	IN CC ARCH	—	72	23;19	44	ALL	240	5234	
	IN CC ORBIT	—	104	24;20	45	ALL	300	6394	
	* EASED & COMFORT RECESS SURCHARGE	02,03	—	—	—	—	—	25	
	MAPLE VENEER SURCHARGE	—	—	—	—	VI	—	385	
	CHERRY VENEER SURCHARGE	—	—	—	—	V2	—	385	

NEW VOX™ SERIES



POWER HEIGHT ADJUSTED WORKSTATIONS & DESKS


- Clean modern look, smooth powered adjustment, and many shapes and sizes of work surfaces
- Meets ADA requirements and offers maximum knee space
- Adheres to Human Factor Ergonomic Standards
- Accepts a broad range of ergonomic accessories

SPECIFICATIONS:

- Adjusts from 24–50 inches
- Electric adjustment at 1.77 inches/second
- Base finish Graphite Silver
- Load Capacity 265 lbs
- UL Listed and CSA Recognized
- Optional Programmable Switch with Digital Display
- Six standard laminate finishes, two optional veneer finishes
- Lead time 15 days

The new Vox™ Series features an extra-low and extra-high range of adjustment, sleek design and amazing durability. No crossbrace means ultimate knee space and complete freedom of movement. The Vox™ Series by POPULAS delivers sit-to-stand workstyle benefits for the masses: perfect work height for people of all sizes in every industry, increased circulation, spine health, user productivity and interpersonal niceness.

























TOP SHAPES & FINISHES: (Custom sizes & finishes are available, contact us for a quote.)



*Indicates surcharge

HOW TO ORDER: Please identify the *Model#*, *Top Shape* & *Finish* on your Populas order form. (Example: VX361416BL-05-L4)

VOX™ SERIES HEIGHT ADJUSTABLE WORKSTATIONS & DESKS

	MODEL #	SHAPES	DIMENSIONS			FINISH	SHIP WEIGHT LBS	LIST PRICE	NOTES:
			L	W	D				
	VX 3624	01, 02*, 03*	36	24		ALL	100	1863	
	VX 3630	01, 02*, 03*	36	30		ALL	108	1868	
	VX 4824	01, 02*, 03*	48	24		ALL	110	2066	
	VX 4830	01, 02*, 03*	48	30		ALL	120	2085	
	VX 6024	01, 02*, 03*	60	24		ALL	120	2225	
	VX 6030	01, 02*, 03*	60	30		ALL	133	2242	
	VX 361416 BL	05	36	14; 16		ALL	124	2465	
	VX 481416 BL	05	48	14; 16		ALL	137	2480	
	VX 601416 BL	05	60	14; 16		ALL	150	2827	
	VX 4230	04	42	30		LI—L6	114	2261	
	VX 4230 CBL	06	42	30		LI—L6	131	2909	
	VX 7230 L	07	72	70	30,20	ALL	210	3534	Specify right-side or left-side return
	VX 606030 PC	08	60	60	28	ALL	197	3224	
	VX 727230 PC	08	72	72	28	ALL	220	3581	
	VX 606024 PC	08	60	60	24	ALL	191	3205	
	VX 727224 PC	08	72	72	24	ALL	220	3562	
	VX 606030 WC	09	60	60	28	ALL	197	3239	
	VX 727230 WC	09	72	72	28	ALL	220	3600	
	VX 606024 WC	09	60	60	24	ALL	191	3231	
	VX 727224 WC	09	72	72	24	ALL	220	3590	
	VX KEEL	10	60	30,24		ALL	150	2408	
	VX ENDZONE	11	60	30,24		ALL	150	2408	
	VX PRESET SWITCH	—	—	—	—	—	2	92	Programmable switch with four memory height pre-sets
	* EASED & COMFORT RECESS SURCHARGE	02,03	—	—	—	—	—	25	
	MAPLE VENEER SURCHARGE	—	—	—	—	V1	—	385	
	CHERRY VENEER SURCHARGE	—	—	—	—	V2	—	385	

KNOB ADJUST™ SERIES



KNOB ADJUSTED DESKS, TABLES, & THERAPY TABLES

- *Spring-loaded plunge knob makes adjustment a snap—each leg can be adjusted in less than three seconds with no tools*
- *Custom-designed extruded metal columns provide precision movement and exact alignment*
- *Select models offer book storage and tilt functionality*

SPECIFICATIONS:

- *Adjusts from 23–33 inches*
- *Easy to use knob style column lock*
- *Standard base color: Almond (B1) or Graphite Silver (B2)*
- *Load Capacity 150 lbs*
- *Six standard laminate finishes*
- *Two standard base colors*
- *Lead time 15 days*

Teachers and therapists said they wanted to be able to adjust their tables on-the-fly without help from anyone. Our spring-loaded plunge knob makes adjustment a snap—each leg can be adjusted in less than three seconds with no tools. The secret of our fast, simple knob-adjustment? Custom-designed extruded metal columns that provide precision movement, taking out the wobble and inexact alignment that plagues cheaply made knob-adjusted tables. Simple, affordable and convenient for everyone.

TOP FINISHES & BASE COLORS: *(Custom sizes & finishes are available, contact us for a quote.)*













L1 URBAN WALNUT **L2** LIVING TEAK **L3** AMERICAN MAPLE **L4** DOVE GREY **L5** FRESH CANVAS **L6** DIGITAL STORM



B1—BASE COLOR ALMOND **B2—BASE COLOR** GRAPHITE SILVER

HOW TO ORDER: Please identify the *Model#, Top Finish & Base Color* on your Populus order form. (Example: KA3630-L3-B2)

KNOB ADJUST™ SERIES HEIGHT ADJUSTABLE DESKS, TABLES & THERAPY TABLES

	MODEL #	PRODUCT DESCRIPTION:	TOP FINISH / BASE COLOR	DIMENSIONS			SHIP WEIGHT LBS	LIST PRICE
				L	W	D		
	KA-3630	Adjustable worktable	ALL	36	30		55	404
	KA-3630-T	Adjustable worktable with tilt. Tilting table top from 0° to 50°	ALL	36	30		76	482
	KA-4024CR	Adjustable student desk with storage	ALL	40	24		65	419
	KA-4024CR-T	Adjustable student desk w/ storage and tilt. Tilting table top from 0° to 50°	ALL	40	24		76	482
	KA-3316	Hand therapy table with knob adjustment	ALL	33	16		40	411
	KA-8546	Quarter-round Therashape™ table with knob adjustment	ALL	85	46	28	110	731
	KA-8546CR	Quarter-round Therashape™ table with knob adjustment & Comfort Curves	ALL	91	42	29	115	737
	KA-7248	Therawrap™ table with knob adjustment	ALL	72	48	18	107	737
	KA-5935CR	Therapy/Powder board table with knob adjustment	ALL	59	35		83	496



PROGRESSION™ SERIES



FURNITURE & EQUIPMENT FOR REHAB PROFESSIONALS

- Clean design facilitates procedures such as hand therapy, restorative therapy and powder therapy with ease
- Exceptional durability
- Quick, easy height-adjustment
- Meets ADA requirements and offers maximum knee space

SPECIFICATIONS:

- Knob adjustment range 23–33 inches
- Hand-crank adjustment range 27–39 inches
- Powered adjustment range 27–39 inches
- Gas assist adjustment range 24–36 inches
- Six standard laminate finishes
- Two standard base colors
- Lead time 15 days

The best part of your job is seeing people make progress. And no matter what kind of patient comes through your door, you've got to be ready. POPULAS Progression™ tables improve the interface between the therapist and client with designs that are clean, never clunky, so you can perform procedures such as hand therapy, restorative therapy and powder therapy with ease. With a wide array of top shapes, all built with the therapist in mind, Progression™ helps you and your clients make progress—comfortably. Lifetime warranty.

TOP FINISHES & BASE COLORS: *(Custom sizes & finishes are available, contact us for a quote.)*
























L1 URBAN WALNUT **L2** LIVING TEAK **L3** AMERICAN MAPLE **L4** DOVE GREY **L5** FRESH CANVAS **L6** DIGITAL STORM



B1—BASE COLOR ALMOND **B2**—BASE COLOR GRAPHITE SILVER

HOW TO ORDER: Please identify the *Model#, Top Finish & Base Color* on your Populas order form. (Example: IN6648-L5-B2)

PROGRESSION™ SERIES FOR REHAB

	MODEL #	PRODUCT DESCRIPTION:	TOP FINISH — BASE COLOR	DIMENSIONS			SHIP WEIGHT LBS	LIST PRICE
				L	W	D		
	IN MC 6027	Mobile powered height-adj table for changing & treatment	Dove Gray Vinyl — B2	60	27		220	3222
	IN MC 7227	Mobile powered height-adj table for changing & treatment	Dove Gray Vinyl — B2	72	27		225	3367
	IN MC 7234	Mobile powered height-adj table for changing & treatment	Dove Gray Vinyl — B2	72	34		285	3925
	IN MC 7240	Mobile powered height-adj table for changing & treatment	Dove Gray Vinyl — B2	72	40		305	4135
	AC 7236	Group therapy table with hand-crank adjustment	L1, L2, L3, L4, L5, L6 — B2	72	36		142	1674
	AC 4836GT	Group therapy table with hand-crank adjustment	L1, L2, L3, L4, L5, L6 — B2	48	36		120	1348
	AC 6648	Group therapy table with hand-crank adjustment	L1, L2, L3, L4, L5, L6 — B2	66	48		167	2027
	IN 7236	Group therapy table with powered adjustment	L1, L2, L3, L4, L5, L6 — B2	72	36		165	2440
	IN 4836GT	Group therapy table with powered adjustment	L1, L2, L3, L4, L5, L6 — B2	48	36		138	2079
	IN 6648	Group therapy table with powered adjustment	L1, L2, L3, L4, L5, L6 — B2	66	48		185	3069
	GPP-3636	Hand therapy table with gas assist adjustment	L3, L4, L5 — B1	36	36		75	668
	GPP-360	Round "float" table with gas assist adjustment	L3, L4, L5 — B1	36 DIAMETER			72	668
	MP-470	Power adjustment large round table	L1, L2, L3, L4, L5, L6 — B2	47 DIAMETER			130	1346
	HCP-470	Hand-crank adjustment large round table	L1, L2, L3, L4, L5, L6 — B2	47 DIAMETER			120	972
	KA-3316	Hand therapy table with knob adjustment	ALL	33	16		40	411
	KA-8546	Quarter-round Therashape™ table with knob adjustment	ALL	85	46	28	110	731
	KA-8546CR	Quarter-round Therashape™ table with knob adjustment & Comfort Curves	ALL	91	42	29	115	737
	KA-7248	Therawrap™ table with knob adjustment	ALL	72	48		107	737
	KA-5935CR	Therapy/Powder board table with knob adjustment	ALL	59	35		83	496
	AC 6030 TT	Treatment table, hand-crank adjustment	Dove Gray Vinyl — B2	60	30		145	2547
	IN 6030 TT	Treatment table, powered adjustment	Dove Gray Vinyl — B2	60	30		145	2928
	IN 8436 TT	Treatment table, powered adjustment	Dove Gray Vinyl — B2	84	36		185	4372
	AFS-HC CST	Adds 2 inches of height	—	—			—	42

WORKBENCH SERIES



ERGONOMIC INDUSTRIAL WORKBENCHES

- Durable steel workbenches allow optimal work posture for people of very small stature to the very large—using a chair, stool, or standing position
- Work smart and keep organized with added accessories: a tool rack, shelves, lighting, and/or wire spool holders.
- Available in powered and hand-crank adjustment
- Heavy duty 500–750 LB lift capacity

SPECIFICATIONS:

- Adjusts from 30–42 inches
- Available in powered and hand-crank adjustment
- Base finish Graphite Silver
- Load Capacity 500–750 lbs
- Three standard laminate finishes
- Lead time 15 days

Keep your workforce safe and productive with height-adjustable ergonomic products from POPULAS. Our innovative industrial work benches reduce risk factors for overuse and cumulative trauma disorders, and allow optimal work posture for people who are very large or very small in stature, allowing infinite adjustments throughout the day.



TOP FINISHES & BASE COLORS:

(Custom sizes & finishes are available, contact us for a quote.)



L3 AMERICAN MAPLE **L4** DOVE GREY **L5** FRESH CANVAS

	MODEL #	FINISH	DIMENSIONS		SHIP WEIGHT	LIST PRICE
			L	D	LBS	
	IN IWB-2L6030	L3, L4, L5	60	30	205	2201
	IN IWB-2L6036	L3, L4, L5	60	36	215	2419
	IN IWB-2L7230	L3, L4, L5	72	30	215	2419
	IN IWB-2L7236	L3, L4, L5	72	36	225	2662
	IN IWB-4L6030	L3, L4, L5	60	30	145	2703
	IN IWB-4L6036	L3, L4, L5	60	36	165	2972
	IN IWB-4L7230	L3, L4, L5	72	30	165	2972
	IN IWB-4L7236	L3, L4, L5	72	36	185	3269
	AC IWB-2L6030	L3, L4, L5	60	30	195	1753
	AC IWB-2L6036	L3, L4, L5	60	36	205	1770
	AC IWB-2L7230	L3, L4, L5	72	30	205	1770
	AC IWB-2L7236	L3, L4, L5	72	36	215	2033
	AC IWB-4L6030	L3, L4, L5	60	30	135	1726
	AC IWB-4L6036	L3, L4, L5	60	36	155	1899
	AC IWB-4L7230	L3, L4, L5	72	30	155	1899
	AC IWB-4L7236	L3, L4, L5	72	36	175	2201

HOW TO ORDER: Please identify the *Model#* & *Top Finish* on your Populas order form. (Example: INIWB-2L6030-L3)

APPROACH™ SERIES



POWERED COMPONENTS FOR SINKS, COOKTOPS & CABINETS

- Approach™ products are hidden powered components for your own sink, cabinets, and cooktop that bring them into reach with the push of a button
- The Approach™ lift systems are designed to allow vertical height adjustment
- Each system features an automatic shut-off when encountering an object during downward travel




Don't settle for an institutional-looking kitchen or bath. Approach™ products are hidden powered components for your own sink, cabinets, and cooktop that bring them into reach with the push of a button. With these universal design elements, your contractor can make any kitchen not just accessible, but beautiful. Approach™ elements integrate seamlessly into residences, assisted living, schools, and care facilities of every kind. No hard wiring required.



APPROACH™ ADJUSTABLE SINK

SPECIFICATIONS:

- Approach™ Drain Kit required
- Height adjustment 28" - 36"
- Accommodates counter widths ranging from 36" - 48"
- For increased workspace, the sink can be offset in a 48" counter section
- Safety shut-off device automatically stops the counter if it senses any barrier to its downward travel
- 5 year Limited Warranty



APPROACH™ ADJUSTABLE CABINET

SPECIFICATIONS:

- Works with any face frame or European cabinet style, from W3030 to W4830
- Safety shutoff platen matched to cabinet dimensions
- For design considerations, cabinets are 4" (proud) of the wall
- 5 year Limited Warranty



APPROACH™ ADJUSTABLE COOKTOP

SPECIFICATIONS:

- Height adjustment 28" - 36"
- Accommodates counter widths ranging from 36" - 48"
- 36" wide counter accommodates most cooktops
- Choose your own gas or electric cooktop
- Safety shut-off device automatically stops the counter if it senses any barrier to its downward travel
- 5 year Limited Warranty















MODEL #	SHIP WEIGHT LBS	LIST PRICE	MODEL #	SHIP WEIGHT LBS	LIST PRICE	MODEL #	SHIP WEIGHT LBS	LIST PRICE
APPROACH SINK	58	3845	APPROACH CABINET	77	2603	APPROACH COOKTOP	58	3845
APPROACH DRAIN KIT	2	53						

HOW TO ORDER: Please identify the *Model#* on your Populas order form. (Example: APPROACH SINK)

WORKSPACE ACCESSORIES & OPTIONS

	MODEL #	PRODUCT DESCRIPTION:	LIST PRICE
	AFS-SMA	Single monitor arm: 21" vertical height adjustment; 23" reach adjustment; 145° tilt range, 360° rotation at base mount; 180° monitor rotation; 4" stored depth; supports up to 25 lbs; 75mm/100mm VESA Mount	457
	AFS-DMA	Dual monitor arm: 21" vertical height adjustment; 23" reach adjustment; 145° tilt range, 360° rotation at base mount; 180° monitor rotation; 4" stored depth; supports up to 25 lbs; 75mm/100mm VESA Mount	593
	AFS-AKA	Articulating keyboard tray with mouse tray: 360° swivel; 15° +/- tilt adjustment; height adjustment 7"; 2½" track profile; 8" horizontal travel; 20" keyboard tray; recycled component materials	417
	AFS-AKA2	Fully articulating keyboard tray with mouse tray: 360° swivel; 15° +/- tilt adjustment; height adjustment 6"; 2½" track profile; 13" horizontal travel; 20" keyboard tray; lever free, spring assist adjustment	417
	AFS-EKU	Extending keyboard tray: ball bearing full extension drawer slides plastic stops prevent tray moving once extended, sloped edge functions as wrist rest, dimensions: 25"w x 13"d x 3"h, installed depth (below worksurface) 17", extended tray depth 13"	157
	AFS-HKS	Retractable keyboard tray with mouse tray: Ball bearing slides and adjustable keyboard clamp retract and extend the keyboard tray, Mouse tray included (mounts right/left side), sloped edge wrist rest, dimensions 22"w x 10"d x 3"h, extended tray depth 26"	145
	AFS-CPU	CPU under-desk holder: adjusts to accommodate most CPUs, securely mounts under, height adjustment 13" – 20", width adjustment 5" – 9" and 2" – 5", load rating 55lbs	100
	AFS-CPU2	CPU under-desk holder with slide and swivel: adjusts to support most CPU sizes, 16" track length provides 11" of in/out adjustment range, 360° swivel for easy access to back panel, stores CPU vertically below work surface securely "clamps" the CPU in position, height adjustment 17" to 24", width adjustment 4" to 10", weight capacity 50lbs	205
	AFS-CPU3	CPU cart: elevates your CPU off the floor and makes it mobile for easy access to cables, four angles: 0°, 15°, 30°, and 45°. Casters, 2 with and 2 without brakes. Material: steel, epoxy-coated	79
	AFS-GRM	Cable management grommet positioned center back to route your computer cables out of the way, diameter 1-7/8"	15
	AFS-CCF	Cable control freeway: a J-tray, factory mounted underneath your workstation, that lets you tuck wires in and route them in an organized fashion	20
	AFS-Vert CCF	Vertical cable control: unique vertebrae cord holds cables to neatly guide them from the underside of the work surface to the floor, weighted base and table attachment plate	163
	AFS-PDK	Flip-up power dock, electrical management: provides desktop access to electrical outlets and data ports, dimensions 13"x6", 2 outlets and 2 data modules, color is grey	266
	AFS-USB	In-desk USB solution: quick and convenient connections, factory installed USB hub connects directly to your computer with the included USB cable, diameter 3", USB 2.0 cable included	84
	AFS-PD	Storage drawer: organize miscellaneous desk items, dimensions 22"x 15" x 1-5/8", 6 compartments	145
	AFS-PS	Under-mount pedestal with file drawer and box drawer: a steel file drawer mounts underneath workstation, includes 6" box drawer, standard file drawer	533
	AFS-ADA	Universal ADA signage lets you notify your students or patrons of accessible space, measures 3" x 3"	13
	AFS-CST	Locking casters: mobility and portability, each lock for stability and retro fit easily with the standard floor levers provided, adds 2" to height	23
	AFS-CR	Comfort recess: allows user to get closer to the task at hand, recess dimensions 18"w x 5"d	28
	Maple Veneer Surcharge (V1)	Solid Maple wood veneer worksurface with veneer edge treatment	385
	Cherry Veneer Surcharge (V2)	Solid Cherry wood veneer worksurface with veneer edge treatment	385

WORKBENCH ACCESSORIES

	MODEL #	PRODUCT DESCRIPTION:	SHIP WEIGHT LBS	LIST PRICE
	IWB-Rack	Industrial bench rack uprights. Provides the framework to support accessories for the workbench	30	206
	IWB-Bin rail	Industrial bench bin rails. Bin rails that span across half of the bench uprights to hold parts and bins of different sizes. Bins not included	5	90
	IWB-Light bar	Industrial bench light bar. Suspends from the bench uprights, then from a light bar and includes a fluorescent light fixture	20	494
	IWB-Shelf	Industrial bench shelf. A 12" deep storage shelf that spans across half of the bench uprights, shelf height adjusts vertically	20	114
	IWB-Power strip	Industrial bench power strip. Power strip mounts to the bench uprights and spans across half of the bench. The power strip includes six outlets and an on/off switch	5	202
	IWB-Tool balancer	Industrial bench balancer. The tool balancer is an ergonomic choice for balancing tools up to 5 lbs. The tool balancer utilizes a spring tension adjustment so each user can easily adjust the tension based on individual preference for "working zone" or tool weight	5	123
	IWB-Tool bar	Industrial bench tool bar with trolley	15	82
	IWB-Trolley	Industrial bench extra trolley	10	21
	IWB-Spool	Industrial bench wire spool holder – 1/2 length. This wire spool holder spans across half of the bench, adjusts vertically along the bench uprights and fore and aft to position wire spools within optimum reach	10	209
	IWB-SMA	Industrial bench flat panel monitor arm. A pivoting flat panel monitor arm that provides vertical and horizontal adjustment and tilting for optimal positioning of the monitor. Can be adjusted up and down the bench uprights	20	466
	IWB-File drawer	Industrial bench file drawer. File drawer mounts on the left side	15	247
	IWB-CST	Industrial bench casters. Four "Total Lock" casters that provide mobility for clean-up or reconfiguring work areas. The total lock feature locks the wheel and the swivel to maintain a stable workbench. The 4 inch tread caster offers resistance free mobility and supports 900 lbs	15	410
	IWB-Stops	Industrial bench back and side stops, extends 3" above the worksurface	5	135
	IWB-ESD	ESD Laminate protects against electrostatic discharge	—	Quote



FINISH OPTIONS

STANDARD TOP FINISHES WITH EDGE TREATMENTS & BASE COLORS




URBAN WALNUT with MEDIUM BROWN



LIVING TEAK with MEDIUM BROWN




AMERICAN MAPLE with ALMOND



DOVE GRAY with GRAY



FRESH CANVAS with MEDIUM BROWN



DIGITAL STORM with CHARCOAL



(OPTION) MAPLE VENEER with MAPLE WOOD



(OPTION) CHERRY VENEER with CHERRY WOOD



(BASE COLOR) ALMOND



(BASE COLOR) GRAPHITE SILVER

TERMS & CONDITIONS

PAYMENT AND TERMS

We extend Net 30 Credit to Public Schools, Public Libraries, Hospitals, and Government Agencies. All others please prepay by check, money order, MasterCard or Visa. All prices are FOB POPULAS warehouse. A finance charge of 1-1/2% per month – annual rate of 18% will be added to past due accounts.

DELIVERY

Furniture is shipped via common carrier, or UPS Ground when possible, allowing us to track your purchase en route. Unless otherwise specified, all orders are shipped with charges prepaid and added to your invoice. Your order will be packed flat in durable cardboard boxes and stacked on a pallet.

DELIVERY TIMES

Many items are built to order with lead times of 1–4 weeks after receipt of official Purchase Order. Custom orders may take longer.

DELIVERY CHARGES

Delivery charges cover the exact freight costs of shipping your order from our factory. We never mark up or profit from furniture delivery charges—rather we pass along our volume freight discounts to keep costs down for the customer. POPULAS takes great pride in our competitive shipping charges, which are tough to beat.

RETURNS

All returns are subject to a 25% restocking fee with customer responsible for return shipping, unless covered under warranty. Returns are accepted when properly packed in original packaging only. Please understand that we cannot cancel or accept returns of custom-made orders once in production. No returns after 30 days.

NON-COMMERCIAL / RESIDENTIAL DELIVERY

If your order is shipped to a residence or non-commercial location, there is a \$20.00 surcharge added by the common carrier. If you require assistance with an inside delivery, there

is a minimum \$20.00 surcharge added by the common carrier. Depending on your location, some common carriers offer a lift gate service.

LOST OR DAMAGED MERCHANDISE

Customer is responsible for reporting loss or damage in shipment. Check your order against the Packing Slip to be sure you receive all cartons. Inspect for visible damage to cartons and note damage on delivery receipt. Open the cartons after delivery and inspect for concealed damage. If you find damage, please contact POPULAS immediately and do not discard the packaging.

CANADIAN DELIVERIES

Shipments to Canada require a customs broker. We can use our customs broker and quote fees or will use your specified broker.

NOTES
