

# Nouvel® Dome Tactile Indicator


The Nouvel® Dome is provided as a handrail based sensory cue for situations where tactile navigation is required, but TGSIs are not suitable or applicable. As stated in AS/NZ 1428.4.1:2021




“Where the Building Code of Australia (BCA) does not require the installation of TGSIs, handrails shall have a raised tactile warning in the form of a domed button 4mm to 5mm in height and 10mm to 12mm in diameter.”

The dome button is to be positioned on top of the stair or ramp handrail 150mm from the end of the handrail.

## Nouvel® Dome Warning



**Note** Handrail must be compliant



**Dome button location on top of handrail** - Configuration applicable to stairway or ramp

Dome buttons are to be used on specified stairway and ramp handrails when a facility is exempt from the provision of TGSIs in those locations. The facilities listed as exempt in BCA, D3.8(c) include:

- Hostels for the aged.
- Nursing homes for the aged.
- Residential aged care building Class 3 accommodation for the aged.
- A class 9a health-care building or a class 9c building

**Note** TGSIs remain required for other areas in these facilities.

The Nouvel® Dome is provided in high quality stainless steel, and it can be installed on any compliant handrail.

Infix Product Code	119113
Tactile Colour	Stainless Steel
Product Warranty	5 Years

Check it out on our new site!



NATIONAL (Head Office)  
T 1300 00 KORB (5672)  
E info@korb.au

MELBOURNE  
17 Anderson Road, Thornbury VIC 3071  
T +61 3 8506 0106  
E melbourne@korb.au

ADELAIDE  
71 Maria Street, Thebarton SA 5031  
T +61 8 7081 9811  
E adelaide@korb.au