1.   Remove your OEM badges by pulling out of the truck body. They are held in with clips that will release when pried out.

2.   Connect the power to your emblems by splicing the RECON red wire to your parking light power wire and the RECON green wire to any ground wire. This will enable your lights to operate with your parking lights. If you prefer to manually turn them on and off, you can also connect them directly to the battery.

3.   Once installed, scan the QR code on the wire harness(or below) and download the app which will enable you to control the multiple colors and functions of your new RECON RGB emblem lights*.

*App instructions are attached.

THANK YOU FOR PURCHASING FROM
GORECON.COM
AND ENJOY YOUR NEW LIGHTS!

**Step 1:** Install the "BanlanX" app using the QR code on the back of the control module

Step 2: Slide to the right and tap "Get Started"

Step 3: Create an account or click "Sign in without account"

Step 4: Click "Continue"

‹

Sign up

BanlanX

Your account

Password 👁️‍🗨️

Forget password?

Sign in

Sign in without account ›

No account mode

Without an account, the following functions will not be available.

Data synchronization
After registration, your device data will be uploaded to and stored in the cloud to improve information synchronization.

Third-party voice control
Access to other third-party voice assistants,such as Amazon Alexa, Google Home, etc.

Continue

Sign up

Step 5: Click "Add Device"

Step 6: Select "SP614E" – Make sure you have Bluetooth enabled on your device

Guest

Devices   Groups

No devices

Add device

Home   Me

‹   Add device   Manually

SP614E   SP614E
ID: 001C92

Rescan

Step 7: Wait for device to connect

Step 8: Click the paint palette icon at the bottom of the screen (see red arrow below)

Add device — Manually

SP614E — SP614E
ID: 001C92

Connecting to SP614E ...

Seven Color Gradient

1

Speed

− + 1

Dynamic

Step 9: Choose your color