



### ORNAMENT MARBLE CEMENT STONE WOOD OPUS

TERRA STONE





There is no denying the grandeur of stone.
Be inspired by our collection of stone designs,
exclusively created to bring elegance and
beauty to your home.






100.00








#### **Top Profile - Terra Stone Bullnose Paver**


# 6CM Length of drop

**Bullnose Paver** 40x60x6CM **■** 2CM

#### Side Profile - Terra Stone Bullnose Paver



Bullnose Paver 40x60x6CM 2CM






#### **SURFACES**

#### **APPLICATIONS**





Please note: tile patterns are random and may not represent exactly as shown in the photo.



Please note: tile patterns are random and may not represent exactly as shown in the photo.




#### SURFACES

#### **APPLICATIONS**

Exterior Wall







Please note: tile patterns are random and may not represent exactly as shown in the photo.

TERRA STONE
LIGHT

FORMATS 60x120CM 60x60CM 30x60CM 30x30CM

**SURFACES**Matt

APPLICATIONS
Interior
Exterior
Wall
Floor
Residential

66 48 FORTY-EIGHT RANDOM FACES 30x60cm 66
TERRASTONE
LIGHT

FORMATS 60x120CM 60x60CM 30x60CM 30x30CM


**SURFACES**Matt


APPLICATIONS
Interior
Exterior
Wall
Floor

66 96 NINETY-SIX RANDOM FACES 30x30cm




Please note: tile patterns are random and may not represent exactly as shown in the photo.










M3142

30 x 30 CM ▼

#### **Top Profile - Terra Stone Bullnose Paver**




**Bullnose Paver** 40x60x6CM **■** 2CM


#### Side Profile – Terra Stone Bullnose Paver


**Terra Stone Mosaic** 

29.8x29.8CM V



Bullnose Paver 40x60x6CM 2CM





Please note: tile patterns are random and may not represent exactly as shown in the photo.





**SURFACES**Matt

**APPLICATIONS** Interior

Exterior Wall Floor Residential









**SURFACES**Matt

#### **APPLICATIONS**

Interior Exterior Wall Floor Residential





Please note: tile patterns are random and may not represent exactly as shown in the photo.



Please note: tile patterns are random and may not represent exactly as shown in the photo.

TERRA STONE IVORY

FORMATS 60x120CM 60x60CM 30x60CM 30x30CM

**SURFACES**Matt

APPLICATIONS
Interior
Exterior
Wall
Floor
Residential


66 48 FORTY-EIGHT RANDOM FACES 30x60cm TERRASTONE IVORY

FORMATS 60x120CM 60x60CM 30x60CM 30x30CM


**SURFACES**Matt

APPLICATIONS
Interior
Exterior
Wall
Floor
Residential





Please note: tile patterns are random and may not represent exactly as shown in the photo.




FLOOR/WALL TERRA STONE IVORY 30 X 60cm 60 X 60cm




TERRA STONE


IVORY

Residue derived from the combustion of organic substances with different neutral colours.



FLOOR TERRA STONE IVORY 60 X 120cm






#### **Top Profile - Terra Stone Bullnose Paver**


# 6CM I 2CM Thickness 6CM Length of drop

Bullnose Paver 40x60x6CM **€** 2CM

#### Side Profile - Terra Stone Bullnose Paver



Bullnose Paver 40x60x6CM 2CM





#### FORMATS

60x120CM 60x60CM 30x60CM 30x30CM

#### SURFACES

Mat

#### APPLICATIONS

Interior
Exterior
Wall
Floor
Residential





Please note: tile patterns are random and may not represent exactly as shown in the photo.



Please note: tile patterns are random and may not represent exactly as shown in the photo.



**FORMATS** 

60x60CM 30x60CM 30x30CM


SURFACES

Matt

APPLICATIONS

Interior Exterior Wall Floor Residential





Please note: tile patterns are random and may not represent exactly as shown in the photo.

66
TERRASTONE
CINDER

FORMATS 60x120CM 60x60CM 30x60CM 30x30CM

SURFACES

APPLICATIONS
Interior
Exterior
Wall
Floor
Residential

66 48 FORTY-EIGHT RANDOM FACES

66 96 NINETY-SIX RANDOM FACES


66
TERRA STONE
CINDER

FORMATS 60x120CM 60x60CM 30x60CM 30x30CM

SURFACES

APPLICATIONS
Interior
Exterior

Exterior Wall Floor Residential





Please note: tile patterns are random and may not represent exactly as shown in the photo.




## TERRA STONE CINDER

Sedimentary rock made up of minute fragments of mineral rock whose colouring is linked to the typical elements of an area.










**M3146** 30 x 30CM ▲ Terra Stone Mosaic 29.8x29.8CM ▲



**Top Profile - Terra Stone Bullnose Paver** 




Bullnose Paver 40x60x6CM **□** 2CM Side Profile – Terra Stone Bullnose Paver


M36146 30 x 60CM ▲

M126146 60 x 120CM ◀

M6146 60 x 60CM ▼



Bullnose Paver 40x60x6CM 2CM





Please note: tile patterns are random and may not represent exactly as shown in the photo.




SURFACES

APPLICATIONS

Interior Exterior Wall Floor Residential









SURFACES

Matt

APPLICATIONS
Interior
Exterior
Wall
Floor
Residential

66 24 TWENTY-FOUR RANDOM FACES 60x60cm



Please note: tile patterns are random and may not represent exactly as shown in the photo.



Please note: tile patterns are random and may not represent exactly as shown in the photo.



TERRA STONE

**GRAPHITE** 

FORMATS

60x120CM 60x60CM 30x60CM 30x30CM

SURFACES

Matt

APPLICATIONS

Interior
Exterior
Wall
Floor
Residential

**66**TERRA STONE

**GRAPHITE** 

FORMATS

60x120CM 60x60CM 30x60CM 30x30CM

SURFACES

Matt

APPLICATIONS


nterior Exterior Vall Floor Residential

66 48 FORTY-EIGHT RANDOM FACES 30x60cm

66
96
NINETY-SIX
RANDOM FACES
30x30cm



Please note: tile patterns are random and may not represent exactly as shown in the photo.



#### **TECHNICAL SPECIFICATIONS**

TECHNICAL CHARACTERISTIC	STANDARD TEST METHOD	PRESCRIBED VALUES	MANUFACTURER VALUES					
MEASUREMENT & SURFACE APPEARANCE								
LENGTH	EN ISO 10545-2	±0.6%	±0.1%					
WIDTH	EN ISO 10545-2	±0.6%	±0.1%					
THICKNESS	EN ISO 10545-2	±5%	±3%					
TRANSMUTATION	EN ISO 10545-2	±0.5%	±0.2%					
PHYSICAL PROPERTIES								
WATER ABSORPTION	EN ISO 10545-3	≤0.5%	≤0.5%					
BREAKING STRENGTH	EN ISO 10545-4	≥1300N	≥1300N					
MODULUS OF RUPTURE	EN ISO 10545-4	≥35N/mm²	≥35N/mm²					
RESISTANCE TO ABRASION	EN ISO 10545-7	≤205mm³	≤160mm³					
THERMAL EXPANSION COEFFICIENT	EN ISO 10545-8	≤9MK-1	≤7MK-1					
TEMPERATURE SHOCK RESISTANCE	EN ISO 10545-9	NO VISIBLE EFFECT	DURABLE					
FROST RESISTANCE	EN ISO 10545-12	NO VISIBLE EFFECT	ANTI-ICE					
SLIP RESISTANCE, WET PENDULUM TEST METHOD, SLIDER 96	AS 4586-2013/AMDT 1-2017 APPENDIX A	N/A	P4					
CHEMICAL PROPERTIES								
RESISTANCE TO CHEMICALS RESISTANCE TO HOUSEHOLD CHEMICALS AND SWIMMING POOL SALTS	EN ISO 10545-13	MINIMUM GB	PASS					
RESISTANCE TO STAINING	EN ISO 10545-14 when subjected to chemicals	MINIMUM CLASS 3	PASS					

### **PACKING SPECIFICATIONS**

SERIES	SIZES	PCS / CTN	M <sup>2</sup> /CTN	M <sup>2</sup> /PLT	CTN / PLT	KG/PLT
TERRA STONE	60x120CM	2	1.44	86.4	60	2070
	60x60CM	4	1.44	57.6	40	1240
	30x60CM	8	1.44	57.6	40	1240
	30x30CM	11	0.99	55.44	56	1232
	40x60x6CM	2	0.48	17.28	36	1000
	60x60x2CM	2	0.72	28.8	40	1360
	29.8x29.8CM MOSAIC	11	0.99	51.48	52	1144











