

GAMING PRODUCT — CONTENTS —

GAMING HEADPHONES

GAMING KEYBOARD

GAMING MOUSE

GAMING SPEAKER

GAMING COOLING PAD

GAMING MOUSEPAD

GAMING LIVE MIC

GAMING SCREEN

GAMING HOLDER

GAMING CHAIR

PC KEYBOARD

PC MOUSE

IP CAMERA

PC OTHER CATEGORIES

COMPANY PROFILE

Hi! We are HAVIT, a global smart consumer electronics technology company founded in 1998, that specializes in the audio field.


Our products encompass four main categories: audio devices, gaming peripherals, mobile accessories, and smart life electronic products.

With our globalization strategy and omni-channel marketing, our products are sold in over 140 countries and regions, earning recognition and love from over 100 million users.

We have obtained trademark protection through the WIPO Madrid System, empowering the expansion into international markets. Additionally, we integrate the global value chain and resource network with comprehensive business capabilities to create value and improve experiences for customers and consumers.

Mission: applying innovative technology to empower everyone to become fun creators of a better life.

Vision: exploring innovative technology and providing smart, aesthetic, and practical products to service users globally.





countries

Qualifications and Awards

DESIGN AWARD























enterprise qualifications

HAVIT Gaming Series Showcase & Distributors

Over the years, HAVIT has been insisting on participating in international electronics trade shows to showcase its latest products. HAVIT agents cover more than 100 countries and regions globally.



























HOODIE



T-SHIRT



FULL-AUTOMATIC UMBRELLA



VACUUM FLASK

GAMING BILL OF MATERIALS



SUITCASES



CAP



SLEEVE PROTECTOR



FITNESS BAG



FABRIC BAG



SATCHEL



BACKPACK







Fuxi-H7

Product Information

Connection: quad-mode Speaker: Φ40mm Impedance: 17Ω±15% Sensitivity: 106±3dB

Frequency Response: 20Hz to 20kHz Microphone: Ø6.0×2.7mm Microphone Sensitivity: -42±2dB

Wireless Distance: 10m

Plug: 2.4GHz+BT+audio cable (Type-C to 3.5mm*1 / Type-C to USB*1) Lithium Battery: 600mAh 3.7V 2.4G Working Hours: 23 hours Wireless Working Hours: 26 hours Charging Time: about 3h

Charging Method: (Type-C) USB 5V

Low Latency 24ms





Fuxi-H3

Product Information

Connection: quad-mode Speaker: Ф40mm Impedance: 170±15% Sensitivity: 106±3dB

Frequency Response: 20Hz to 20kHz Microphone: Ø6.0×2.7mm Microphone Sensitivity: -42±2dB Wireless Distance: 10m Plug: 2.4GHz+BT+plug cable Lithium Battery Capacity: 600mAh 3,7V 2.4G Working Hours: 23 hours Wireless Working Hours: 26 hours Charging Time: about 3h

Charging Method: (Type-C) USB 5V 2.4G Low Latency 24ms





Fuxi-H5

Product Information

Connection: tri-mode Speaker: Φ50mm Impedance: 320±15% Sensitivity: 78±3dB

Frequency Response: 20Hz to 20KHz

Microphone: Ø6.0×2.7mm Microphone Sensitivity: -38±2dB

Wireless Distance: 10m

Plug: 2,4GHz+BT 5,3+3,5mm audio cable

Lithium Battery: 400mAh 3,7V 2.4G Working Hours: 17 hours Wireless Working Hours: 20 hours Charging Time: about 2h

Charging Method: (Type-C) USB 5V

Low Latency 30ms

Fuxi-H4

Product Information

Connection: tri-mode Speaker: Ф40mm Impedance: 17Ω±15% Sensitivity: 93±3dB Frequency Response: 20Hz to 20kHz

Microphone: Ø6.0×2.7mm Microphone Sensitivity: -42±2dB Wireless Distance: 10m Plug: 2.4GHz+BT+plug cable Lithium Battery Capacity: 400mAh 3.7V 2.4G Working Hours: 18 hours Wireless Working Hours: 24 hours

Charging Time: about 2.5h Charging Method: (Type-C) USB 5V

2.4G Low Latency 28ms







Fuxi-H6

Product Information

Connection: tri-mode Speaker: Ф40mm Impedance: 17Ω±15% Sensitivity: 106±3dB

Frequency Response: 20Hz to 20kHz Microphone: Ø6.0×2.7mm

Microphone Sensitivity: -42±2dB Wireless Distance: 10m Plug: 2.4GHz+BT+audio cable Lithium Battery: 400mAh 3.7V 2.4G Working Hours: 20 hours Wireless Working Hours: 24 hours Charging Time: about 2h

Charging Method: (Type-C) USB 5V

Low Latency 24ms





FASHIONABLE GAMING HEADPHONES SERIES



THE EVOLUTION OF HAVIT



H2002d

Product Information

Speaker: Φ53mm Impedance: 64Ω±15% Sensitivity: 110dB±3dB

Frequency Response: 20Hz to 20kHz

Microphone: Ø6.0×2.7mm Microphone Sensitivity: -42±3dB

Cord Length: 2.0m Plug: 1X3.5mm

Compatible With PS4, Xbox Composite Membrane Detachable Microphone



H2002Y

Product Information

Speaker: Φ50mm Impedance: 32Ω±15% Sensitivity: 96dB±3dB

Frequency Response: 20Hz to 20kHz

Microphone: Ø6.0×2.7mm Microphone Sensitivity: -42±3dB Cord Length: 2.0m±10%

Plua: 1X3.5mm

Compatible With PS4, Xbox Detachable Microphone

H2002E

Product Information

Speaker: Φ50mm Impedance: 32Ω±15% Sensitivity: 114dB±3dB

Frequency Response: 20Hz to 20kHz

Microphone: Ø6.0×2.7mm Microphone Sensitivity: -42±3dB Cord Length: 2.0m±10%

Plug: 1X3.5mm

Compatible With PS4, Xbox Detachable Microphone



H2002C

Product Information

Speaker: Φ53mm Impedance: 64Ω±15% Sensitivity: 110dB±3dB

Frequency Response: 20Hz to 20kHz

Microphone: Ø6.0×2.7mm Microphone Sensitivity: -42±3dB

Cord Length: 1.7m Plug: 1X3,5mm Compatible With PS4, Xbox Composite Membrane Detachable Microphone





H2002E PRO

Product Information

Speaker: Φ60mm Impedance: 32Ω±15% Sensitivity: 114dB±3dB

Frequency Response: 20Hz to 20kHz

Microphone: Ø6.0×2.7mm Microphone Sensitivity: -42±3dB Cord Length: 2.0m±10%

Plug: 1X3.5mm

Compatible With PS4, Xbox Detachable Microphone



H2002P

Product Information

Speaker: Φ53mm Impedance: 64Ω±15% Sensitivity: 98dB±3dB Frequency Response: 20Hz to 20kHz

Microphone: Ø6.0*2.7mm
Microphone Sensitivity: -42±3dB

Cord Length: 2.1m±10% Plug: 7.1 USB plug

Cool RGB Streamer Lighting Effect



H2030S

Product Information

Speaker: Φ50mm Impedance: 24Ω±15% Sensitivity: 116dB±3dB

Frequency Response: 20Hz to 20kHz

Microphone: Ø6.0×2.7mm Microphone Sensitivity: -42±3dB Cord Length: 1.7m±10%

Plua: 1X3.5mm

Compatible With PS4, Xbox Detachable Microphone



H2039BG

Product Information

Connection: tri-mode Speaker: Φ50mm Impedance: 32Ω±15% Sensitivity: 111dB±3dB

Frequency Response: 20Hz to 20kHz Microphone: Ø6.0x5.0mm

Microphone: 96.0x5.0mm
Microphone Sensitivity: -42±3dB
Wireless Distance: 10m

Plug: 2.4GHz+BT+3.5mm audio cable

Lithium Battery: 1050mAh Charging Time: about 3h

Charging Method: (Type-C) USB 5V

Low Latency 25ms

H2030E

Product Information

Speaker: Φ50mm Impedance: 32Ω±15% Sensitivity: 97dB±3dB

Frequency Response: 20Hz to 20kHz

Microphone: Ø6.0×2.7mm Microphone Sensitivity: -42±3dB Cord Length: 2.0m±10%

Plua: 1X3.5mm

Compatible With PS4, Xbox Detachable Microphone



H2039EG

Product Information

Speaker: Φ50mm Impedance: 32Ω±15% Sensitivity: 111dB±3dB

Frequency Response: 20Hz to 20KHz Microphone: Ø6.0x5.0mm

Microphone: Ø6.0x5.0mm Microphone Sensitivity: -42±2dB Wireless Distance: 10m Plug: 2.4GHz+BT5.3+3.5mm

(Type-C to USB cable for charging only) Lithium Battery: 1050mAh 3,7V

Charging Time: about 3h

Charging Method: (Type-C) USB 5V

Low Latency 25ms





H2015E

Product Information

Speaker: Φ53mm Impedance: 32Ω±15% Sensitivity: 120dB±3dB

Frequency Response: 20Hz to 20kHz

Microphone: Ø6.0×5.0mm Microphone Sensitivity: -38±3dB Cord Length: 2.1m±10%

Plug: 1X3.5mm

Compatible With PS4/PS5, Xbox Detachable Microphone



H2039DG

Product Information

Speaker: Φ 50mm Impedance: $32\Omega\pm15\%$ Sensitivity: $111dB\pm3dB$

Frequency Response: 20Hz to 20KHz Microphone: Ø4.0x1.5mm Microphone Sensitivity: -42±2dB Wireless Distance: 10m

Plug: 2.4GHz+BT 5.3+3.5mm (Type-C to USB cable for charging only)

Lithium Battery: 1050mAh 3.7V Charging Time: about 3h

Charging Method: (Type-C) USB 5V

Low Latency 30ms



H2002BG

Product Information

Connection: tri-mode Speaker: Φ 53mm Impedance: $64\Omega\pm15\%$ Sensitivity: $111dB\pm3dB$

Frequency Response: 20Hz to 20kHz

Microphone: Ø6.0×2.7mm Microphone Sensitivity: -42±3dB Wireless Distance: 10m

Plug:2.4GHz+BT+Type-C audio cable

Lithium Battery: 750mAh Charging Time: about 3h

Charging Method: (Type-C) USB 5V

Low Latency 25ms



H2007U

Product Information

Speaker: Φ50mm Impedance: 20Ω±15% Sensitivity: 121dB±3dB

Frequency Response: 20Hz to 20kHz

Microphone: Φ6.0*2.7mm Operating Current: ≤153mA Cord Length: 2.1m

Plug: 7.1 USB plug (108B)
RGB Gaming Headphones

H2033D

Product Information

Speaker: Φ50mm Impedance: 20Ω±15% Sensitivity: 121dB±3dB

Frequency Response: 20Hz to 20kHz Microphone: Ø6.0×5.0mm

Microphone Sensitivity: -38±3dB Cord Length: 2.2m±10%

Plug: 1X3.5mm

Compatible With PS4/PS5, Xbox



H2018U

Product Information

Speaker: Φ50mm Impedance: 16Ω±15% Sensitivity: 106dB±3dB

Frequency Response: 20Hz to 20kHz

Microphone: Φ4.0*1.5mm Operating Current: ≤165mA Cord Length: 2.2m

Plug: 7.1 USB plug





H2034BG

Product Information

Connection: tri-mode Speaker: Φ 50mm Impedance: $32\Omega\pm15\%$ Sensitivity: $118dB\pm3dB$

Frequency Response: 20Hz to 20kHz

Microphone: Ø4.0×1.5mm Microphone Sensitivity: -42±3dB

Connection: 2.4GHz+BT+3.5mm audio cable

Lithium Battery: 1050mAh 3.7V Charging Time: about 3h

Charging Method: (Type-C) USB 5V

Detachable Microphone Low Latency 25ms



H2034d

Product Information

Speaker: Φ50 mm Impedance: 32Ω±15% Sensitivity: 118dB±3dB

Frequency Response: 20Hz to 20kHz Microphone: Ø4.0×1.5mm

Microphone Sensitivity: -38±3dB Cord Length: 2.2m±10% Plug: 2X3,5mm+USB (1X3,5mm)

RGB Gaming Headphones



H2230d

Product Information

Speaker: Φ50mm Impedance: 32Ω±15% Sensitivity: 116dB±3dB

Frequency Response: 20Hz to 20kHz

Microphone: Φ6.0*2.7mm Microphone Sensitivity: -38±3dB

Cord Length: 1.8m Plug: 1x3.5mm

H2042d

Product Information

Speaker: Φ50mm Impedance: 20Ω±15% Sensitivity: 114dB±3dB

Frequency Response: 20Hz to 20kHz Microphone: Ø6.0×2.7mm Microphone Sensitivity: -38±3dB

Cord Length: 2.1m Plug: 2X3.5mm+USB RGB Gaming Headphones





HV-H2232d


Product Information

Speaker: Φ50mm Impedance: 21Ω±15% Sensitivity: 109dB±3dB

Frequency Response: 20Hz to 20kHz

Microphone: Φ4.0*1.5mm Cord Length: 2.2m Plug: 2X3.5mm+USB





KB885L

Product Information

Interface Type: USB
Size: 386.6*139.9*44.8mm
Key Number: 95
Operating Voltage: 5V
Operating Current: ≤350mA
Key Life: 50,000,000 times
Cable Length: 1800mm

Gasket Structure, Hot-Swappable





KB875L

Product Information

Interface Type: USB
Size: 388*140*44mm
Key Number: 98
Operating Voltage: 5V±0.5V
Operating Current: 350mA
Key Life: 50,000,000 times
Cable Length: 1800mm
Gasket Structure. Hot-Swappable

KB884L

Product Information

Interface Type: USB Size: 348*140*45mm Key Number: 83 Operating Voltage: 5V±0.5V Operating Current: 280mA Key Life: 50,000,000 times Cable Length: 1800mm Gasket Structure, Hot-Swappable



KB874L

Product Information

Interface Type: USB Switch: content red switch Size: 321*113*40mm Key Number: 67 Operating Voltage: 5V Operating Current: ≤350mA Key Life: 50,000,000 times Cable Length: 1.5m Product Weight: 540g All-Key Roll-Over





KB877L

Product Information

Light Type: RGB Interface Type: USB Switch: content red switch Size: 291*102*40mm Key Number: 61 Operating Voltage: 5V±0.5V Operating Current: ≤350mA Key Life: 50,000,000 times Cable Length: 1.8m Product Weight: 529g All-Key Roll-Over With Software









27 _______ 2

KB838L

Product Information

Interface Type: USB
Size: 464*276*37mm
Key Number: 104
Operating Voltage: 5V±0.5V
Operating Current: ≤300mA
Key Life: 8,000,000 times
Cable Length: 1500mm





KB866L

Product Information

Interface Type: USB
Size: 462*147*29mm
Key Number: 104
Operating Voltage: 5V
Operating Current: ≤300mA
Key Life: 5,000,000 times
Cable Length: 1400mm
19 Anti-Ghosting Key

KB488L

Product Information

Interface Type: USB Size: 439*203*26mm Key Number: 108 Operating Voltage: 5V Operating Current: ≤300mA Key Life: 5,000,000 times Cable Length: 1500mm



KB866CM(2IN1)

Product Information

Keyboard

Interface Type: USB
Size: 462*147*29mm
Key Number: 104
Operating Voltage: 5V
Operating Current: ≤300mA
Key Life: 5,000,000 times
Cable Length: 1400mm
19 anti-qhosting key



Mouse

Size: 123*64*39mm Key Number: 6 Resolution: 1200-1800-2400-3600DPI

Operating Voltage: 5V±0.5V Key Life: 3,000,000times Cable Length: 1500mm

KB889CM(3IN1)

Product Information

Keyboard

Interface Type: USB Size: 439*203*26mm Key Number: 108 Operating Voltage: 5V Operating Current: ≤300mA Key Life: 5,000,000 times Cable Length: 1500mm 19 Anti-Ghosting Key

Mouse

Size: 123*65*40mm
Key Number: 7
Resolution: 1200-1800-2400-3600DPI
Operating Voltage: 5V±10%
Key life: 3.000.000times

Cable Length: 1500mm

Mousepad

250*210*2mm Fine Mesh Cloth Texture

KB501CM(4IN1)

Product Information

Mouse

Size: 117*64*38.6mm Key Number: 6 Resolution: 1200-1800-2400-3600DPI Operating Voltage: 5V Key Life: 3,000,000 times Cable Lendth: 1500mm

Mousepad

250*210*2mm Cloth Texture Surface With Serging Rubber Finish



Keyboard

Interface Type: USB Size: 493*202*40mm Key Number: 114 Operating Voltage: 5V Operating Current: 100mA Key Life: 5,000,000 times Cable Length: 1500mm 19 Anti-Ghosting Key

Headphone

Speaker: 40mm Impedance: 32Ω±10% Sensitivity: 108dB±3dB Frequency Response: 20Hz to 20kHz Microphone: 6*5.0mm Cord Length: 1.8m Plug: 3.5mm



MS969WB

Product Information

Connection: wired+2.4G+BT5.1 Wireless Distance: 10m Size: 123*63*39mm Key Number: 6 Chip: PAW3395 Resolution: 1000-2000-3000-5000-10000-16000DPI Operating Voltage: 5V/3.7V Capacity: 500mAh

Standard: 80,000,000 times Cable Length: 1.6m





Charging Dock Interface Type: USB / Size: 70*49*44mm Operating Voltage: 5V / Operating Current: 100mA Cable Length: 1.6m

MS979WB

Product Information

Connection: wired+2.4G+BT5.1 Wireless Distance: 8-10m Size: 120*62*40mm Key Number: 6 Chip: PAW3395 Resolution: 800-1600-2400-4800-10000-19000DPI Operating Voltage: 5V/3.7V Capacity: 300mAh Key Life: 80,000,000 Times Cable Length: 1.6m

MS970WB

Product Information

Three Mode Gaming Mouse Connection Wired(Type-C) +2.4G+BT5.0 Wireless Distance: 8-10m Size: 120*62*40mm Key Number: 6 Chip: PMW3325 Resolution: 1000-2400-3600-

5000-7000-10000DPI Operating Voltage: 5V/3,7V Capacity: 400mAh Key Life: 20,000,000 times

Key Life: 20,000,000 to Cable Length: 1.6m









MS965

Product Information

Interface Type: USB Size Small: 109*61*41mm Size Middle: 123*64*41mm Size Large: 125*75*41mm Key Number: 7 Resolution: 1200-2400-3200-4800-6400-12000DPI Operating Voltage: 5V Operating Current: 150mA Key Life: 10,000,000 times

Cable Length: 1.6m



MS1033

Product Information

Interface Type: USB Size: 121*64*42mm Key Number: 9 Resolution: 800-1600-2400-3200-4800-8000DPI

Voltage: 5V Current: 120mA

Key Life: 3,000,000 times Cable Length: 1.6m





MS959WB

Product Information

Connection: wired+2.4G+BT5.1 Size: 128*72*41mm Key Number: 8 Chip: PMW3325 Resolution: 800-1600-2400-3600-5000-10000DPI Operating Voltage: 5V/3.7V Capacity: 600mAh Key Life: 20,000,000 times Cable Length: 1,6m



MS1034

Product Information

Interface Type: USB Size: 132*68*42.5mm Key Number: 7 Resolution: 800-1600-2400-3200-4000-4800DPI

Voltage: 5V Current: 150mA

Key Life: 3,000,000 times Cable Length: 1,6m

MS1036

Product Information

RGB Backlit Gaming Mouse Interface Type: USB Size: 121*64*42mm Key Number: 7 Chip: A725F Resolution: 1200-1600-2400-4800-6400-7200DPI Key Life: 3,000,000 times Operating Voltage: 5V Operating Current: 150mA Cable Length: 1,6m



MS966

Product Information

Interface Type: USB Size: 122*63*40mm Key Number: 7 Chip: PAW3327 Resolution: 800-1600-3200-6400-8000-12000DPI Key Life: 20,000,000 times Cable Length: 1.5m



MS1030

Product Information

RGB Backlit Gaming Mouse Interface Type: USB Size: 122*63*39mm Key Number: 6 Chip: A603EP

Resolution: 1200-1800-2400-3600DPI

Key Life: 3,000,000 times Operating Voltage: 5V Operating Current: 60mA Cable Length: 1.5m





MS1029

Product Information

Interface Type: USB Size: 128*66*41mm Key Number: 6 Chip: A603FP Resolution:1200-1800-2400-3600-4800-7200DPI Operating Voltage: 5V±10% Key Life: 5,000,000 times Cable Length: 1,5m

MS1035

Product Information

Interface Type: USB Size: 122*64*40mm Key Number: 9 Resolution: 1000-2000-3200-4800-6400-12800DPI Operating Voltage: 5V Operating Current: 100mA Key Life: 5,000,000 times Cable Length: 1,6m



GAMING LIVE MIC







GAMING CHAIR

GAMING CHAIR






























GAMING MOUSEPAD







- 4

GAMING COOLING PAD

GAMING COOLING PAD







F2069

F2070 Pro







MORE MEMBERS OF GAMING FAMILY





GSC102





MORE MEMBERS OF GAMING FAMILY







MORE MEMBERS OF GAMING FAMILY









MULTI-MEDIA KEYBOARD

MULTI-MEDIA KEYBOARD







KB830WB

KB832GCM









KB277GCM

KB258WB







KB836WB

KB835WB









KB2006

KB660L

KB240



KB831WB













KB274

KB253

2.4G WIRELESS MOUSE







MS61WB



MS76GT plus



MS78GT



HV-MS989GT



MS66GT



MS858GT



MS626GT



HV-MS56GT



MS622GT



MS63GT



MS550GT







MS72



MS70







MS851



HV-MS753







HV-MS689



H.KRAKEN





Supernova-1

Product Information

Speaker: Φ53mm Impedance: 64Ω±15% Sensitivity: 96dB±3dB

Frequency Response: 20Hz to 20KHz Microphone: φ6.0x2,7mm Microphone Sensitivity: -42±3dB Plug: 2.4GHz+BT+3,5mm audio cable

Wireless Distance: 10m Battery Capacity: 750mAh 3.7V Working Hours: max.18h Charging Time: about 2.5h

Charging Method: Type-C to USB 5V 370mA

Cord Length: 1.8m±5cm



Astralforce-1

Product Information

Interface Type: USB Size: 322*140*49mm Key Number: 81

Operating Voltage: 5V±0.5V Operating Current: 350mA Key Life: 50,000,000 times Cable Length: 1200mm (2.6m after stretching)

StarBlaze-2

Product Information

Connection: wired+2.4GHz+BT5.1

Wireless Distance: 10m Size: 120*62*40mm Key Number: 6

Chip: PAW3395 (2.4G, 4K) Resolution: 800-1600-2400-4800-10000-26000DPI

Operating Voltage: 5V/3.7V Capacity: 300mAh Key Life: 80,000,000 times

Cable Length: 1.6m

Charging dock Interface Type: USB Size: 70*49*44mm Operating Voltage: 5V Operating Current: 100mA Cable Length: 1.6m



Astralforce-2

Product Information

Interface Type: USB Size: 327*118*39mm Kev Number: 67

Operating Voltage: 5V±0.5V Operating Current: 350mA Key Life: 50,000,000 times Cable Length: 1200mm (2.6m after stretching)



Stellarisforce-1

Product Information

Ultra smooth surface Non-slip rubber base Extra thick





Meteor-1

Product Information

Iron Frame: 1.5mm thickness

Material: density cotton (back) + styling cotton (seat)

Fabric: semi-PU cotton

Iron foot

Armrest: 4D lift armrest

Angle Adjuster/Back Lever: 515 adjuster

Gas Rod: Level 4 Chassis:19#mechanism

N.W.: 29kg-31kg

Carton Size: 83*73*36cm

Cushion Size: width 40cm, depth 55cm Pneumatic Adjustable Backrest

57 _______ 5

HAVIT

广州海葳特科技有限公司

GUANGZHOU HAVIT TECHNOLOGY CO., LTD.

Room 1305-1307, Poly World Trade Center, Block C, Unit 2, No.1000 Xingang Dong Road, Haizhu District, Guangzhou, Guangdong, China

CONTACT US

Europe/Africa/Asia: havit01@havit.com.cn North America/ South America/ Asia: havit03@havit.com.cn

Tel: 020-66820253

Web: www.havitsmart.com

