

Sunmaster

Solar Systems

Rinnai

Relax. It's a Rinnai.



Rinnai draws from over 40 years experience in designing and manufacturing Hot Water Systems. The Rinnai Sunmaster range of Solar Hot Water Systems have been designed specifically to make the most out of harvesting free energy from the sun with an affordable outlay.

Close Coupled Systems

A close coupled solar system is where the storage tank and the Solar Collectors are coupled together and the installation is on the roof.

Rinnai Sunmaster close coupled solar systems use the thermo-syphoning principle (i.e. hot water rises because it is less dense) to circulate the water through the Collectors and then to the storage cylinder without the need for a pump.

Supplementary heat is available from an electric element or a Rinnai gas booster if insufficient heat is available from the sun (such as during cloudy or rainy weather or during winter months).

Features and Benefits

- > Low heat loss due to greater insulation
- > Gas or electric booster options
- > Carbon steel tank with a vitreous enamel glass lining to protect against corrosion
- > Thermal Arrestor valve reduces stress on the tank by preventing excessive hot water temperature stored in the tank
- > Technically very efficient, economical to install and low maintenance
- > No electricity is required to operate pumps to recirculate the water through the collectors
- > Saves space on your land as there is no ground mounted tank
- > High performance resulting in high Small Scale Certificates awarded



						System Selection No of people	
Description	Order code	Size	Booster	Collectors	Boost capacity	Average usage	High usage
Close coupled electric	System 9	200	2.4 kW	1	100	3	2
	System 10	330	3.6 kW	2	180	6	4
Close Coupled gas	System 11	200	S20	1	20L/min	3	2
	System 12	330	S26	2	26L/min	6	4