

# Product leaflet

Product	Model No.	Ordering No.
Battery, STD	SR 501	R06-0108
Battery, STD	SR 701	R06-0708
Battery, HD	SR 502	T06-0101
Battery, HD	SR 702	T06-0701
Battery, EX	SR 501 EX	R06-2002


## Product description

Sundström's battery-powered SR 500 and SR 700 fans use lithium-ion batteries. The SR 500 and SR 700 are available with two battery options, a standard (STD) battery and a heavy duty (HD) battery. Sundström's battery-powered SR 500 EX fans use a nickel-metal hydride battery. These batteries are rechargeable and can be fully charged in approx. 2 hours.


Discard used batteries at a recycling station.

## Technical specification


	SR 501, SR 701	SR 502, SR 702	SR 501 EX
Cell type	Lithium-ion	Lithium-ion	Nickel-metal hydride
Nominal cell voltage	14.4 V	14.4 V	13.5 V
Capacity	2.25 Ah	3.5 Ah	2.1 Ah
Energy density	30.4 Wh	50.88 Wh	28 Wh
Energy density/cell	7.6 Wh	12.72 Wh	2.6 Wh
No. of cells per battery	4	4	11
Weight	SR 501: 320 g SR 701: 270 g	SR 502: 320 g SR 702: 270 g	605 g
Service temperature	-10 - +55°C, < 90% RH	-10 - +55°C, < 90% RH	-10 - +40°C, < 90% RH
Storage temperature	-20 - +40°C, < 90% RH	-20 - +40°C, < 90% RH	-20 - +40°C, < 90% RH



SR 701/SR 702



SR 501/SR 502



SR 501 EX



Sundström Safety AB

Tel: +46 10 484 87 00  
Västergatan 4  
SE-341 50 Lagan

P06T-010218 Rev 13 20230101

**Sundström**   
www.srsafety.com

# Product leaflet

Product	Model No.	Ordering No.
Battery, STD	SR 501	R06-0108
Battery, STD	SR 701	R06-0708
Battery, HD	SR 502	T06-0101
Battery, HD	SR 702	T06-0701
Battery, EX	SR 501 EX	R06-2002

## Transport

Batteries are transported either together with the fans or as spare parts.

### Transport of lithium-ion batteries

	Lithium-ion batteries in equipment	Lithium-ion batteries
<b>Road</b>	UN 3481 Special provision 188, ADR/ADR-S 2023	UN 3480 Special provision 188, ADR/ADR-S 2023
<b>Sea</b>	UN 3481 Special provision 188, IMDG Code 41-22	UN 3480 Special provision 188, IMDG Code 41-22
<b>Air</b>	UN 3481 Packaging instruction 967, Section II, DGR 64	UN 3480 Packaging instruction 965, Section IB, DGR 64

We guarantee and can demonstrate that each battery/cell is compliant with the requirements and criteria of the UN (United Nations) test manual, Part III, Section 38.3, Revision 6, Amendment 1.

### Transport of nickel-metal hydride batteries

	Nickel-metal hydride in equipment	Nickel-metal hydride batteries
<b>Road</b>	Not covered by ADR	Not covered by ADR
<b>Sea</b>	UN 3496 Special provision 963, IMDG Code 41-22 (Only Hazardous Goods if more than 100 kg)	UN 3496 Special provision 963, IMDG Code 41-22 (Only Hazardous Goods if more than 100 kg)
<b>Air</b>	"Not Restricted" Special provision A199, DGR 64	"Not Restricted" Special provision A199, DGR 64



**Sundström Safety AB**

Tel: +46 10 484 87 00  
Västergatan 4  
SE-341 50 Lagan

**Sundström**   
www.srsafety.com