

Double Wood LLC  
3510 Scotts Ln  
Philadelphia, PA 19129

**Glycine**

Lot #: 310830209  
Product ID: 10830

Country of Manufacture: USA  
Expiration: 08/2025

Test	Method	Specifications	Results	UOM
<b>Physical</b>				
Average Weight	USP <2091>	700mg ±10%	744.2	mg
Weight Variation	USP <2091>	Average Weight ±20%	Conforms	N/A
Fill Appearance	Organoleptic	Free-flowing Powder	Conforms	N/A
Color	Organoleptic	Yellow Brown	Conforms	N/A
Capsule Size	Gauge	"0"	Conforms	N/A
Capsule Color	Organoleptic	Clear	Conforms	N/A
Disintegration	USP <701>	≤30 min	<30	min
<b>Limits of Contaminant/Impurities</b>				
Total Aerobic Plate Counts	AOAC 990.12	≤1000 cfu/g	<10	cfu/g
Yeast and Mold	AOAC 997.02	≤100 cfu/g	<10	cfu/g
Coliforms	AOAC 991.14	≤100 cfu/g	<10	cfu/g
E. coli	AOAC 991.14	Absent	Absent	cfu/g
Salmonella	AOAC 2014.01	Absent	Absent	cfu/10g
<b>Heavy Metals</b>				
Arsenic	ICP	<10mcg/day	<0.001	ppm
Cadmium	ICP	<4.1mcg/day	<0.001	ppm
Lead	ICP	<0.5mcg/day	0.028	ppm
Mercury	ICP	<2mcg/day	<0.001	ppm
<b>Active Ingredients</b>				
Glycine	By Input	1000mg/serving ±10%	1063.1	mg/serving

**Other Ingredients:** Microcrystalline Cellulose, Silica Dioxide, Magnesium Stereate, Gelatin (capsule).

*Corbin Myers* 01 Sep 23

Analysis Completed by: Corbin Myers  
QC Chemist

*Sunil Kumar* 01 Sept 23

Approved by: Sunil Kumar  
Director of Quality

This report is provided for the exclusive use of the addressee and the laboratory accepts no responsibility/liability except for the due performance of inspection and/or analysis in good faith.

The above results relate only to the stated material. This includes any action of testing, calibrating, or sampling.

This certificate shall not be reproduced except in full, without the written approval of Vitalpax.

98 South State St. La Verkin, UT 84745 | <https://vitalpax.com> | 435-635-9715 | [info@vitalpax.com](mailto:info@vitalpax.com)