

Double Wood LLC
3510 Scotts Ln
Philadelphia, PA 19129

Chlorophyll Drops

Lot #: 3310198095
Product ID: 310198

Country of Manufacture: USA
Expiration: 04/2025

Test	Method	Specifications	Results	UOM
Physical				
Average Fill by Volume	USP <2091>	60ml ±5%	60.5	ml
Fill Appearance	Organoleptic	2 oz. Liquid	Conforms	N/A
Taste	Organoleptic	Characteristic	Conforms	N/A
Odor	Organoleptic	Characteristic	Conforms	N/A
Color	Organoleptic	Green	Conforms	N/A
Water Activity	wA Meter	<0.85	0.8	wA
Density	VL-SOPLAB20	~1.12g/ml±0.10	1.14	g/ml
Limits of Contaminant/Impurities				
Total Aerobic Plate Count	AOAC 990.12	≤100,000 cfu/g	300	cfu/g
Yeast and Mold	AOAC 997.02	≤10,000 cfu/g	<10	cfu/g
Coliforms	AOAC 991.14	≤1000 cfu/g	<10	cfu/g
E. coli	AOAC 991.14	Absent	Absent	cfu/g
Salmonella	AOAC 2014.01	Absent	Absent	cfu/10g
Heavy Metals				
Arsenic	ICP	Report Only	0.018	ppm
Cadmium	ICP	Report Only	<0.001	ppm
Lead	ICP	Report Only	0.005	ppm
Mercury	ICP	Report Only	0.007	ppm
Active Ingredients				
Sodium Copper Chlorophyllin	By Input	≥50mg	60.5	mg/serving

Other Ingredients: Organic Non-GMO Vegetable Glycerine, Reverse Osmosis Water, Organic Peppermint Oil

Corbin Myers 04 May 23

Analysis Completed by: Corbin Myers
QC Chemist

Sunil Kumar 04 May 23

Approved by: Sunil Kumar
Director of Quality

This report is provided for the exclusive use of the addressee and the laboratory accepts no responsibility/liability except for the due performance of inspection and/or analysis in good faith.

The above results relate only to the stated material. This includes any action of testing, calibrating, or sampling.

This certificate shall not be reproduced except in full, without the written approval of Vitalpax.

98 South State St. La Verkin, UT 84745 | <https://vitalpax.com> | 435-635-9715 | info@vitalpax.com