

Certificate of Analysis

Double Wood LLC 3510 Scotts Ln Philadelphia, PA 19129

Adrenal and Focus

Lot #: 3310266004 **Product ID: 310266**

Received: 05 January 2023

Reported: 18 January 2023

Country of Manufacture: USA

Expiration: January 2025

Test	Method	Specifications	Results	UOM
nysical				
Average Fill by Volume	USP <2091>	30ml ±5%	30.0	mL
Fill Appearance	Organoleptic	1 oz. Liquid	Conforms	N/A
Taste	Organoleptic	Characteristic	Conforms	N/A
Odor	Organoleptic	Characteristic	Conforms	N/A
Color	Organoleptic	Clear to Brown	Conforms	N/A
Water Activity	wA Meter	<0.6	0.538	N/A
Density	VL-SOPLAB20	~1.12g/ml±0.10	1.21	N/A
Limits of Contaminant/Impurities	Method	Specifications	Results	MOU
Total Aerobic Plate Count	AOAC 990.12	≤10,000,000 cfu/g	<10	cfu/g
Yeast and Mold	AOAC 997.02	≤100,000 cfu/g	<10	cfu/g
Coliforms	AOAC 991.14	≤10,000 cfu/g	<10	cfu/g
E. coli	AOAC 991.14	Absent	Absent	cfu/g
Salmonella	AOAC 2014.01	Absent	Absent	cfu/10g
Heavy Metals	Method	Specifications	Results	UOM
Arsenic	ICP	Report Only	<0.001	ppm
Cadmium	ICP	Report Only	0.002	ppm
Lead	ICP	Report Only	0.008	ppm
Mercury	ICP	Report Only	<0.001	ppm

Ingredients: Organic Non-GMO Vegetable Glycerin, Purified Water, Organic Astragalus Membranaceus (Astragalus Root),

Organic Stachys Officinalis (Wood Bethony), Organic Ginkgo Biloba (Ginkgo), Organic Eleutherococcus Senticosus (Eleuthero Root Organic Centella Asiatica (Gotu Kola Herb), Organic Rhodiola Rosea (Rhodiola Rost), Organic Glycyrrhiza Glabra (Licorice Rost), Organic Lavandula Angustifolia (Lavender Flower), Organic Mentha X Spicata (Spearmint Leaf), and Organic Passiflora Incarnata (Passionflower Leaf).

19 Jan 23. Analysis Completed by: Katherine Solis

QC Technician

Approved by: Sunil Kumar Director of Quality

This report is provided for the exclusive use of the addressee and the laboratory accepts no responsibility/liability except for the due performance of inspection and/or analysis in good faith.

The above results relate only to the stated material. This includes any action of testing, calibrating, or sampling. This certificate shall not be reproduced except in full, without the written approval of Vitalpax. 98 South State St. La Verkin, UT 84745 | https://vitalpax.com | 435-635-9715 | info@Vitalpax.com