

## Certificate of Analysis

Double Wood LLC 3510 Scotts Ln Philadelphia, PA 19129

Lemon Balm Liquid Drops

Product ID:

3311017254 311017

Country of Manufacture: USA

Manufactured: 10/2023 Expiration:

10/2025

	10/2025			
Test	Method	Specifications	Results	UOM
Physical				00111
Average Fill by Volume	VL-SOPLAB20	60mL ±5%	58.2	mL
Fill Appearance	Organoleptic	2oz Liquid	Conforms	N/A
Taste	Organoleptic	Characteristic	Conforms	N/A
Odor	Organoleptic	Characteristic	Conforms	N/A
Color	Organoleptic	Golden	Conforms	N/A
Density	In House	1.18g/mL±10%	1.22	g/mL
wA	wA Meter	≤0.6	0.572	N/A
mit of Contaminants/Impurities			0.072	
Total Aerobic Plate Counts	AOAC 990.12	≤10,000,000 cfu/g	12,500	cfu/g
Total Yeast and Mold	AOAC 997.02	≤100,000 cfu/g	<10	cfu/g
Coliforms	AOAC 991.14	≤10,000 cfu/g	<10	cfu/g
E. coli	AOAC 991.14	Absent	Absent	cfu/g
Salmonelia	AOAC 2014.01	Absent	Absent	cfu/10g
eavy Metals			7 10 3 0 1 11	
Arsenic	ICPMS*	Report Only	0.025	nnm
Cadmium	ICPMS*	Report Only	<0.001	ppm
Lead	ICPMS*	Report Only	0.020	ppm
Mercury	ICPMS*	Report Only	0.001	ppm

Ingredients:

Organic Non-GMO Vegetable Glycerin, RO Water, Organic Lemon Balm Leaf\*\*

\*\*Extraction Rate: 42mg dry herb per 0.5mL

\*All subcontract testing methods come from an ISO/IEC 17025:2017 accredited laboratory.

Analysis Completed by: Corbin Myers

QC Chemist

Approved by: Sunil Kumar

Director of Quality

This report is provided for the exclusive use of the addressee and the laboratory accepts no responsibility/liability except for the due performance of inspection and/or analysis in good faith.

The above results relate only to the stated material. This includes any action of testing, calibrating, or sampling. This certificate shall not be reproduced except in full, without the written approval of Vitalpax.

98 South State St. La Verkin, UT 84745 | https://vitalpax.com | 435-635-9715 | info@Vitalpax.com