

Certificate of Analysis

Double Wood LLC 3510 Scotts Ln Philadelphia, PA 19129

5-HTP

Lot #: Product ID: 4310396027 310396

Country of Manufacture:

USA

Best By:

02/2026

Test	Method	Specifications	Results	UOM
Physical			Kesons	OOM
Fill Apperance	Organoleptic	2oz Liquid	Conforms	N/A
Color	Organoleptic	Yellow	Conforms	N/A
Taste	Organoleptic	Characteristic	Conforms	N/A
Odor	Organoleptic	Characteristic	Conforms	N/A
wA	wA meter	≤0.6	0.534	N/A
Average Product Fill by Volume	VL-SOPLAB20	60mL±5%	58.5	mL
imits of Contaminant/Impurities				THE
Total Aerobic Plate Count	USP <2021>*	≤10,000 cfu/g	133	cfu/g
Total Yeast and Mold	AOAC 997.02	≤1,000 cfu/g	<10	cfu/g
Coliforms	AOAC 991.14	≤100 cfu/g	<10	cfu/g
E. coli	AOAC 991.14	Absent	Absent	cfu/g
Salmonella	AOAC 2014.01	Absent	Absent	cfu/10g
eavy Metals	West of the second		7 1000111	C10710g
Arsenic	ICP*	Report Only	0.025	ppm
Cadmium	ICP*	Report Only	<0.001	
Lead	ICP*	Report Only	0.002	ppm
Mercury	ICP*	Report Only	<0.001	ppm
active Ingredients			10.001	ppm
5-HTP	By Input	50mg≥90%	48.8	mg/servin

Other Ingredients: Glycerin, Water, and Natural Flavors.

*All subcontract testing methods come from an ISO/IEC 17025:2017 accredited laboratory.

Cerlin Mm 16 Jan 24
Analysis Completed by: Corbin Myers

QC Chemist

Approved by: Sunil Kumar Director of Quality

This report is provided for the exclusive use of the addressee and the laboratory accepts no responsibility/liability except for the due performance of inspection and/or analysis in good faith.

The above results relate only to the stated material. This includes any action of testing, calibrating, or sampling.

This certificate shall not be reproduced except in full, without the written approval of Vitalpax.

98 South State St. La Verkin, UT 84745 | https://vitalpax.com | 435-635-9715 | info@Vitalpax.com