



1945 S Fremont Drive
 Salt Lake City, Utah 84104
 Phone: 801.973.8824
 www.dyadlabs.com

Certificate Of Analysis

Intermountain Nutrition
 1851 W Utah Ave
 Payson, Utah 84651

Certificate ID 151960
 Report Date 07-26-2021
 Customer PO
 Receipt Date 07-23-2021
 Test Completion Date 07-26-2021

Analytical Testing Results

Customer Lot 2107015A
 Description Double Wood Boswellia-240ct R0

Lab Sample ID 625106
 Serving Size 500 Milligrams

Method ^ AOAC 2014.05/GL-451
 Analysis
 Yeasts and Molds

Test Type	Specification	Result	U/M
Yeasts and Molds	<= 1000	<10	cfu/g

Method ^ USP <2022>/GL-461
 Analysis
 Salmonella

Test Type	Specification	Result	U/M
Salmonella	Negative	Negative	/25g

Method ^ USP <2022>/GL-441
 Analysis
 Staphylococcus aureus

Test Type	Specification	Result	U/M
Staphylococcus aureus	Negative	Negative	/10g

Method ^ USP <2022>/GL-423
 Analysis
 E. coli

Test Type	Specification	Result	U/M
E. coli	Negative	Negative	/10g

Method ^ AOAC 991.14/GL-420
 Analysis
 Coliforms

Test Type	Specification	Result	U/M
Coliforms	<= 100	<10	cfu/g

Method ^ USP <2021>/GL-411
 Analysis
 Aerobic Plate Count

Test Type	Specification	Result	U/M
Aerobic Plate Count	<= 10000	<10	cfu/g



1945 S. Fremont Drive
Salt Lake City, Utah 84104
Phone: 801.973.8824
www.dyadlabs.com

Laboratory Comments:

Certificate ID#: 151960

Reviewed By: Luis Remes

Approved By: 

Edgar Grigorian, VP of Technical Affairs
On Behalf of Dyad Labs

Laboratory Notes:

Samples were received in acceptable condition unless otherwise noted in the laboratory comments section. This report may not be distributed or reproduced except in full, without written permission from Dyad Labs. Client shall not at any time misrepresent or alter the contents of this report. Any violation of these conditions voids this report. Dyad Labs assumes no responsibility, and client hereby waives all claims against Dyad Labs, for interpretation of such results. The results apply only to the sample(s) provided by the client. All work is done in accordance with Dyad Labs Terms and Conditions of Sale. Full text available on www.dyadlabs.com/Terms

Result Symbol Definitions:

^ = ISO 17025 certified method

* = Analysis performed at a subcontract location