

Double Wood LLC  
3510 Scotts Ln  
Philadelphia, PA 19129

**Valerian Root Tincture 1oz**

Lot #: 3310666190  
Product ID: 310666

Country of Manufacture: USA  
Manufactured: 08/2023  
Expires: 08/2025

Test	Method	Specifications	Results	UOM
<b>Physical</b>				
Fill Appearance	Organoleptic	1oz Liquid	Conforms	N/A
Color	Organoleptic	Brown to Clear	Conforms	N/A
Taste	Organoleptic	Characteristic	Conforms	N/A
Odor	Organoleptic	Characteristic	Conforms	N/A
wA	wA meter	≤0.6	0.580	N/A
Density	In house	~1.17g/1mL±0.1g/1mL	1.19	g/mL
Average Product Fill by Volume	VL-SOPLAB20	30mL ±5%	30.1	mL
<b>Limits of Contaminant/Impurities</b>				
Total Aerobic Plate Counts	AOAC 990.12	≤10,000,000 cfu/g	200	cfu/g
Yeast and Mold	AOAC 997.02	≤100,000 cfu/g	<10	cfu/g
Coliforms	AOAC 991.14	≤10,000 cfu/g	<10	cfu/g
E. coli	AOAC 991.14	Absent	Absent	cfu/g
Salmonella	AOAC 2014.01	Absent	Absent	cfu/10g
<b>Heavy Metals</b>				
Arsenic	*ICPMS	Report Only	0.014	ppm
Cadmium	*ICPMS	Report Only	<0.001	ppm
Lead	*ICPMS	Report Only	0.008	ppm
Mercury	*ICPMS	Report Only	<0.001	ppm

**Ingredients:** Organic Non-GMO Vegetable Glycerin, Purified Water, Organic *Valeriana officinalis* (Valerian Root).

\*All subcontract testing methods come from an ISO/IEC 17025:2017 accredited laboratory.

*Corbin Myers* 28 Aug 23

Analysis Completed by: Corbin Myers  
QC Chemist

*Sunil Kumar* 28 Aug 23

Approved by: Sunil Kumar  
Director of Quality

This report is provided for the exclusive use of the addressee and the laboratory accepts no responsibility/liability except for the due performance of inspection and/or analysis in good faith.

The above results relate only to the stated material. This includes any action of testing, calibrating, or sampling.

This certificate shall not be reproduced except in full, without the written approval of Vitalpax.

98 South State St. La Verkin, UT 84745 | <https://vitalpax.com> | 435-635-9715 | [info@Vitalpax.com](mailto:info@Vitalpax.com)