

Mobile marking devices for diverse use.



- -

0

0

## MOBILE MARKING TECHNOLOGY







New technologies and cutting-edge production facilities permit economic and highly precise production. With national company headquartered in and international offices, the three subsidiaries REINERSCT,









Precision parts

## YOUR CHOICE, YOUR INDIVIDUAL SOLUTION...





There is an industrywide demand for functional marking solutions. They are needed to comply with laws or internal specifications, to permit tracking, or to monitor serial production. The handy REINER marking devices are characterised by their diverse usage options and long service lives. The print images can be easily made to individual requirements. They are smear-resistant and will adhere to many different surfaces. Data transfer is possible through various systems.

# PRINTABLE MATERIALS...

 $\bigcirc$ 

6 |

#### ABSORBENT **SURFACES**

Due to the REINER ink quality, very durable print images can be created on absorbent surfaces, such as wood, paper, pallets, or cardboard. The marking always remains optimally legible and thereby ensures smooth processes.

Beyond that, there is no longer any need for the elaborate use of labels. Printing protects the environment.

No smearing, no detachment. REINER marking devices produce good results on non-absorbent surfaces, such as glass, plastics, or metal.

NON-

**ABSORBENT** 

**SURFACES** 

The print images are made in the highest quality and adhere permanently - even if the external influences are detrimental. Inks are also available to match any task at hand: black for light- and yellow for dark-coloured surfaces, as well as UV ink for invisible imprints.

**THE REINER** INKS

REINER inkjet printing cartridges have an high yield. They produce perfect print images and are suitable for the application areas of wood, paper, cardboard, metal and plastic, as well as glass. An UV version is available. The cartridges can be replaced in a few simple steps.

> Are you looking for the matching cartridge for your device? The printing cartridge finder will help you at once: www.reiner.de/ink

Would you like a sample print on your product? Contact you dealer www.reiner.de/representation


## WHAT TO PRINT...

**T⊡** ∎■■3

The REINER marking devices make it easy to produce desired and required imprints with great freedom of design. The inkjet create imprints in resolutions of up to 300 dpi.

This permits a near-unlimited imprint range in the highest quality - even machine-readable.

- - **1D CODE**





## WHICH INDUSTRIES BENEFIT...



8 |

ging industry, product marking, labelling of construction parts, further downstream in producdocument marking, print images tion, and the more quickly logison plastics, integration in pro- tics will be able to act efficientpallets, or marking onto stainless steels – nearly all industry Direct printing with the REINER needed easy marking solutions.

Cardboard marking in the packa- The simpler printing on the marking is, the less time is needed duction lines, logo printing on ly, quickly and without defects.

> marking devices will noticeably simplify your work processes.

- Mobile at the workplaces where they are needed, thanks to high-performance rechargeable batteries.
- For optimal printing results thanks to high-guality ink.
- No extensive training needed thanks to intuitive handling.

## INBOUND GOODS OUTBOUND GOODS

## WHICH SYSTEMS CAN BE USED FOR PRINTING...



The PCset graphic software was developed for REINER products and is enclosed free of charge. It is intuitive to use and easy to operate.

**PC-SET** 

**GRAPHIC** 

Set out right away without any great configuration effort. Create your desired print images in the blink of an eye.

**EXCEL** 

## GOODS MARKING


DOCUMENT MANAGEMENT

# **ADMINISTRATION**

PRODUCTION

LOGISTICS

WORD



Mark your products easily X with data previously created

transfer and direct printing from Excel (in some cases, installation The mobile REINER printers of Excel add-ins will be necessary). have an integrated interface to permit transfer of Word You can create numbers, letters,

contents, such as serial print 1D and 2D codes in Excel and data, by direct printing.

create marking templates? REINER permits simple data

Do you use Excel to

print them on easily.



#### **MOBILE-SET GRAPHIC**



The free app permits the creation of print images and texts, as well as

transfer to the jetStamp<sup>®</sup> 1025, jetStamp<sup>®</sup> graphic 970 and REINER 940 marking devices via an Android Smartphone.

Load the images right from your files, enjoy the ability to enter texts freely, and comfortably adjust the desired print sizes.

#### LABEL **SOFTWARE**



The enclosed Windows printer driver will install the mo-

bile *jetStamp*<sup>®</sup> inkjet printer as a "normal" printer in your system environment.

Continue working with the label software you have always used. All existing templates can be used and easily sent to the marking device.

# ERP/WWS SYSTEMS



The network-capable, mobile REINER inkjet printers can be easily integrated into existing ERP or

goods management systems. They only need to have their programming custom-expanded.



Then the desired data can be transferred without delay. Processes and

demand planning ensured by ERP or WWS are preserved.

# REINER MARKING SYSTEMS FOR ANY APPLICATION...

## Are you looking for the device to match your demand?

**Choose** just the REINER marking device to meet your requirements.

 Marking device	Impri	nt		Material			Print size	Print colour	Data transfer	Prints f	rom				Storable print images	Power supply	Dis- play	Print resolution	Features	Germany
	Numbers, date, time, text	1D sequential and 2D print, graphics capable Sequential 1D and 2D	print, graphics capable	Paper, cardboard, wood, stone/ Brick, fabric/ textiles	Metal, plastics	Glass				REINER software PCset/PCset easy/ PCset graphic	MOBILEset graphic APP	Word, Excel	Label software	ERP systems such as Oracle, Microsoft Dynamics, Lexware						
jetStamp® 1025	-	•		-	-	-	Multiple lines Height: max. 25 mm Width: max. 85 mm	Black Yellow	USB, Bluetooth	-					255	Recharge- able battery (approx. 1,000 im- prints)	-	300 dpi	<ul> <li>100% mobile</li> <li>Large imprint area</li> <li>Ideal for small and large objects</li> <li>Display-guided operation</li> <li>Large imprint storage</li> </ul>	
jetStamp® graphic 970		•		-			Multiple lines Height: max. 12.7 mm Width: max. 65 mm	Black Red UV	USB, Bluetooth	•					4	Recharge- able battery (approx. 1,000 im- prints)		300 dpi	<ul> <li>Ideal for medium to small imprint areas</li> <li>Diverse imprint options</li> <li>Lightweight device</li> <li>The station places the device well and securely</li> <li>Quick print image change</li> </ul>	stored
jetStamp® 990				-	-	-	2-lines, 20 cha- racters per line Height: max. 3.2 mm Width: max. 42 mm	Black Red Yellow	USB, Bluetooth	•		-			25	Recharge- able battery (approx. 1,000 im- prints)	•	96 dpi	<ul> <li>Ideal for small areas</li> <li>Prints on curved and irregular surfaces</li> <li>Operator-friendly</li> <li>Beginners' model</li> <li>Fast imprint</li> </ul>	
REINER 940		•		-	-	-	Multiple lines Height: max. 12.7 mm Width: max. 140 mm	Black Red UV	USB, Bluetooth		•	-	-		4	Recharge- able battery (approx. 1,000 im- prints)		300 dpi	<ul> <li>Ideal for large and curved surfaces</li> <li>Long imprint area</li> <li>100% mobile and stationary marking</li> <li>Imprint by pulling motion</li> <li>Suitable for left- and right-handed users</li> </ul>	
speed-i-jet 798							1-line Height: max. 3.2 mm Width: 40 characters	Black	USB	•					1	Recharge- able battery (approx. 1,000 im- prints)		96 dpi	<ul> <li>Handy pocket format</li> <li>100% mobile</li> <li>User-friendly</li> <li>Easy handling</li> <li>Suitable for left- and right-handed users</li> </ul>	





# *jetStamp*® 1025 The All-IN-ONE SOLUTION



12 |

0

۲

6

The large one: The mobile marking device *jetStamp®* 1025 is the ideal solution for printing on large areas, such as pallets, cardboard or packaging.

Entirely without cables or a fixed location, the *jetStamp*® 1025 can be used where it is needed. Integrated capping to seal the print head keeps ink from drying out even with longer breaks between uses.

The *jetStamp*<sup>®</sup> 1025 makes work easier in many ways. The integrated display shows the set print image easily legible at all times.

The print images can be transferred to the mobile marking device by Bluetooth or USB.


With its integrated multi-triggering, placed both on the side and at the centre of the handle, the device can be handled ergonomically and comfortably. The *jetStamp*<sup>®</sup> 1025 prints date, time, texts, numbers, graphics, sequential 1D and 2D codes, multiline imprints

- 100% mobile
- Large imprint area
- Ideal for small and large objects
- Display-guided operation
- Large imprint memory



#### Technical details

Dimensions (L x W x H):	194 x 200 x 98 mm
Weight:	approx. 950 g
Printing technology:	Inkjet
Max. imprint size (W x H):	85 x 25 mm
Max. print speed:	< 0.9 s/imprint
Print resolution:	300 dpi
Battery capacity:	up to 1,000 imprints
Order number:	1030 000-000   jetStamp
	1030 000-010   jetStamp
	1030 000-020   jetStamp
	1030 000-030   <i>jetStamp</i>









| 13



Video *jetStamp*® 1025

1025 incl. case + ink P5-S-BK
 1025 incl. case + ink P5-MP3-BK
 1025 incl. case + ink P5-MP4-BK
 1025 incl. case + ink P5-MP6-BK

## *jetStamp*<sup>®</sup> *graphic* 970 <sup>Ha</sup> *graphic* 970 <sup>Ha</sup> *pr* THE HANDY PRO



Handy and easy to program – the *jetStamp® graphic* 970 is an inkjet printer that marks documents or products easily and quickly, and at the highest print quality.

The specially developed MP-ink permits printing on different materials for perfect, machinereadable marking. The device is sealed in the station to prevent the ink from drying out during longer work breaks. Its mobility makes it possible to integrate the *jetStamp® graphic* 970 in the process chain just where it is needed.

The required print images can be created quickly and easily at the computer and transferred by USB or Bluetooth.


A memory option for up to four imprints that can be switched easily via a setting wheel optimises work steps and saves working time. The *jetStamp*<sup>®</sup> *graphic* 970 prints dates, times, texts, numbers, graphics, sequential 1D codes and 2D codes, multiline imprints

- For medium and small imprint areas
- Diverse imprint options
- Lightweight device
- The device is securely stored and placed well by the station
- Quick print image change



#### Technical details

Dimensions (L x W x H):	140 x 160 x 85 mm   Base
Weight:	approx. 520 g
Printing technology:	Inkjet
Max. imprint size (W x H):	65 x 12.7 mm
Max. print speed:	< 1 s/imprint
Print resolution:	300 dpi
Battery capacity:	up to 1,000 imprints
Order number:	970 000-000   jetStamp®
	970 000-001   jetStamp®
	970 000-020   jetStamn®



14 |









e station 155 x 140 x 30 mm



Video jetStamp® graphic 970

graphic 970 incl. case + ink P3-S-BK graphic 970 incl. case + ink P3-MP3-BK graphic 970 incl. case + ink P3-MP4-BK

# *jetStamp*<sup>®</sup> 990 THE QUICK AND HANDY ONE



The REINER jetStamp<sup>®</sup> 990 is characterised by rapid speed and particularly handy use thanks to its compact size.

The smallest device from the *jetStamp*<sup>®</sup> family permits quick and simple markings on any smooth or irregular surface. Like its bigger siblings, the inkjet printer is characterised by optimal integration options:

it can be used mobile at the respective workplace integrated into the production line.

The robust jetStamp® 990 MP offers perfect flexibility with its memory options. Up to 25 customised texts or special functions can be stored in the device. Five of these slots are filled with pre-set example images at delivery.

The integrated LC display shows the set print image easily legible at all times in order to prevent marking errors.

0

The jetStamp® 990 prints date, time, texts, numbers, one- and two-line imprints

- Ideal for small areas
- Also prints on curved surfaces
- User-friendly
- Starting model
- Quick imprint



#### **Technical details**

Dimen Weigh Printir

Max. Max. p Print Batter

Order

sions (L x W x H):	105 x 85 x 160 mm   Base
t:	approx. 520 g
ng technology:	Inkjet
mprint size (W x H):	2 lines, each 42 x 3.2 mm
orint speed:	< 1 s/imprint
esolution:	96 dpi
y capacity:	up to 1,000 imprints
number:	990 000-000   jetStamp®
	990 000-010   jetStamp®
	990 000-020   jetStamp®
	990 000-030   jetStamn®














station 120 x 145 x 35 mm

990 incl. case + ink P1-S-BK 990 incl. case + ink P1-MP2-BK 990 incl. case + ink P1-MP4-BK 990 incl. case + ink P1-MP6-BK



# REINER 940 EVEN IF IT IS ROUND

· REINER 940 •

Made in GERMANY

Quick and weighing only 530 g: The REINER 940 is a mobile inkjet printer that marks products and packaging easily and in the blink of an eye.

The rechargeable battery permits up to 1,000 imprints per charge, wirelessly and not bound to any one location. The device stores up to four print images that can be switched easily with a setting wheel. Marking takes place by rolling the REINER 940 over the surface and is even possible contact-free.

Clever: Since different hand movement speeds prevent perfectly even work, integrated sensors regulate ink supply for perfect machine-readable marking.

Integrated capping to seal the print head keeps ink from drying out even with longer breaks between uses.

0-0

The REINER 940 prints date, time, texts, numbers, graphics, sequential 1D codes and 2D codes, multiline imprints

- Ideal for large and curved surfaces
- Long imprint area
- Mobile or stationary marking
- Imprint also possible by pulling motion
- Suitable for left- and right-handed users



#### Technical details

Dimensions (L x W x H):	47 x 147 x 221 mm
Weight:	approx. 530 g
Printing technology:	Inkjet
Max. imprint size (W x H):	140 x 12.7 mm
Max. print speed:	400 mm/s
Print resolution:	300 dpi
Battery capacity:	up to 1,000 imprints
Order number:	940 000-000   REINER 94
	940 000-050   REINER 94
	940 000-020   REINER 94







Video REINER 940

40 incl. case + ink P3-S-BK 40 incl. case + ink P3-MP3-BK 40 incl. case + ink P3-MP4-BK

# speed-i-Jet 798 THE LITTLE FAST ONE

Complete independence: The *speed*-i-Jet 798 is the handy marking solution for mobile printing of custom texts, sequential numbers, date, and time.

The print image can be created easily on the computer before use and transmitted via USB. Absorbent and even irregular surfaces can be marked directly and individually.

The handy pocket format fits into any work clothing.


Clever: In spite of different hand motion speeds, all the print images will appear in optimal quality.

The *speed*-i-Jet 798 is easy to operate: Simply pull it across the surfaces


to be printed on and push the red button. Done!

## The *speed*-i-Jet 798 prints date, time, texts, numbers, imprints in one line

- Handy pocket format
- 100% mobile
- User-friendly
- Simple handling
- Suitable for left- and right-handed users



Dimensions (L $\times$ W $\times$ H):	173 x 32 x 43 n
Weight:	approx. 125 g
Printing technology:	Inkjet
Number height:	3.2 mm
Max. imprint size:	40 characters, i
Print resolution:	96 dpi
Battery capacity:	up to 1,000 imp
Order number:	798 000-000   s





R





mm

in one line

nprints <u>speed-i</u>-Jet 798 + ink P1-S-BK



Video *speed-*i-Jet 798

# THE MATCHING **INK** FOR YOUR USE...

Marking

device

Colour

Designation

Material

#### When material

**matters** REINER offers high-quality inks matching the surface of the material to be marked: light inks for dark surfaces, dark inks for light surfaces, and UV ink that is only visible under UV light.

Item no.

#### Would you like

**a little more?** Using the matching REINER accessories permits precise adjustment of the mobile marking devices to their areas of use. The "small and large helpers" facilitate and secure repeating work processes and support ergonomic workplace design.



Accessories

jetStamp® 1025	jetSt graph

etStamp® 1025	Black	P5-S-BK	Paper, cardboard, wood	1037 100-000
etstump® 1025		Р5-МР3-ВК	Paper, cardboard, wood, metal, plastic	1037 100-000
REINER		P5-MP4-BK		
	Black		Paper, cardboard, wood, metal, plastic, glass	1037 100-130
-	Yellow	P5-MP6-YE	Paper, cardboard, wood, metal, plastic, glass	1037 100-140
jetStamp® graphic 970	Black	P3-S-BK	Paper, cardboard, wood	947 100-000
REINER 940	Magenta	P3-S-MG	Paper, cardboard, wood	947 100-002
	Black	РЗ-МРЗ-ВК	Paper, cardboard, wood, metal, plastic	947 100-120
	Black	P3-MP4-BK	Paper, cardboard, wood, metal, plastic, glass	947 100-130
	UV	P3-MP5-UV	Paper, cardboard, wood, metal, plastic, glass	947 100-140
istStamp® 000	Die d	P1-S-BK	Daner eartheart weed	201 207 000
jetStamp® 990	Black		Paper, cardboard, wood	801 307-000
	Red	P1-S-RD	Paper, cardboard, wood	801 307-050
	Black	P1-MP2-BK	Paper, cardboard, wood, metal, plastic	791 060-000
	Black	P1-MP4-BK	Paper, cardboard, wood, metal, plastic, glass	791 060-030
	Yellow	P1-MP6-YE	Paper, cardboard, wood, metal, plastic, glass	791 060-040
speed-i-Jet 798	Black	P1-S-BK	Paper, cardboard, wood	801 307-000
	Red	P1-S-RD	Paper, cardboard, wood	801 307-050
-				



## WELL EQUIPPED WITH THE RIGHT ACCESSORIES...

tamp® hic 970	jetStamp® 990	REINER 940	speed-i-Jet 798	
		-		
-		-		
010-100	1037 010-100	1037 010-100		
	-			
210-000	1037 210-000			
	-			
)50-030	381050-005			
270-000	1037 270-000			
270-000	1057 270-000			



## NeumannMarking.com Shop.NeumannMarking.com

780.434.9152

1.800.268.7636



			_	 -	_	_	_	 	_	 	_	_	_	_			_									_							_	_	_	_	_	_		_	
																						Er	nst	: Re	ein	er	Gn	ıb⊦	8	Со	. <b>K</b>	G									
																							aun																		
																							aun	Idi	IIIS	LIC	lise	TC													0
																						78	312	0 F	ur	tw	and	aen		Ger	ma	ınv									04.2020
																																<u> </u>									04
																						Pł	nor	ie:	+4	97	72	3 6	o57	-0											
																						re	ine	r a	)re	ine	or c	P													changes reserved
																																									re
																						W	ww	.re	ine	er.c	le														Jges
																																									chai
																																									19-0080   Technical
																																									Tec
																																									<sup>2</sup> 0 <sup>2</sup>
																																									<b>80</b> 0-
																																									19
																																									<b>_</b>
																																									001
																																									30-
																																									76230-001