


KÄRCHER

makes a difference



COMPACT, FAST AND SIMPLE.

Small-area compact extractor with a 10-inch cleaning path.

PROFESSIONAL | BRC 30/15 C

Get to know the faster, simpler solution for small area extraction.

The BRC 30/15 C is designed to productively clean carpet with less effort, resulting in time-saving productivity gains. In interest of simplicity this machine requires minimal service. It is lightweight and compact for ease of use and transportability. Compact deep cleaning solution.



1 Vacuum motor and floating brush

- High performance vacuum motor for faster drying time
- Extraction is no sweat
- Perform Alert™ wear indicators.

2 Control panel

- Simple operation

3 Vacuum shoe

- Wrap around soft-sided bumper for surface protection

4 Tank and handle

- Four-gallon solution and recovery tank for home or commercial cleaning
- Solution tank designed with no-mess splash back protection and protective filter screen to remove debris
- Comfort grip, adjustable handle with one-button activation and ergonomically positioned handle for balanced lifting
- Fold-down handle for easy transportation in any vehicle.

5 Large wheels

- 10-inch non-marking wheels
- Easy transport and maneuverability

Technical data and equipment.



BRC 30/15 C

TECHNICAL SPECIFICATIONS

Cleaning path/width	in	10,5
Solution/recovery capacity	gal	4,5/4
Operating noise level	dBa	77
Power cord length	ft	25
Vacuum	hp, stage	1,5, 3
Water lift	in	120
Pump pressure	psi	26
Flow rate	gpm	0,38
Weight	lbs	79
Dimensions (L x W x H)	in	23 x 14 x 28

EQUIPMENT

Order No.	Description
1.008-058.0	BRC 30/15 C, 4 gallon carpet extractor

ACCESSORIES

Order No.	Description
<input checked="" type="checkbox"/> 8.621-604.0	Brush, chevron, 10-inch
<input checked="" type="checkbox"/> 8.629-552.0	Brush, extractor, natural bristles
<input checked="" type="checkbox"/> 8.631-030.0	Assembly, adapter (1/8"m x 1/4" fpt nipple)
<input type="checkbox"/> 8.629-036.0	Hose and hand tool kit, bag Included
<input type="checkbox"/> 8.600-075.0	Adapter 1/8 to 1/4 quick-disconnect for accessory solution hose

Included Optional