

# KÄRCHER

makes a difference



## VACS FOR RENTAL AND THE PROFESSIONAL CONTRACTOR.

High performance, self cleaning commercial vacuums.

# Standard class – high suction.

These standard class wet and dry vacuum cleaners are ideal for wet and dry vacuuming of small areas with powerful suction performance. Robust, affordable and versatile, they effortlessly pick up dirt and liquid and are ideal for contract cleaners and for use in the automotive industry.



## 1 Container draining

- An easily accessible drain hose enables convenient and safe container emptying.

## 2 Accessory storage

- Accessories can be stored at the back of the container.

## 3 Electronic tank level monitor

# Technical data and equipment.



**NT 48/1**

## TECHNICAL SPECIFICATIONS

|                          |             |                  |
|--------------------------|-------------|------------------|
| Vacuum width, floor tool | in          | 12               |
| Vacuum hose length       | ft          | 8                |
| Power cord length        | ft          | 25               |
| Waste container capacity | gal         | 12               |
| Operating noise level    | dB(A)       | 72               |
| Air flow rate            | cfm         | 142              |
| Waterlift                | in of water | 80               |
| Motor                    | watts       | 1,380            |
| Weight                   | lbs         | 22               |
| Dimensions (LxWxH)       | in          | 19 x 15.3 x 30.3 |

## EQUIPMENT

| Order No.   | Description                       |
|-------------|-----------------------------------|
| 1.428-623.0 | NT 48/1, 13-gallon wet/dry vacuum |

## ACCESSORIES

| Order No.     | Description  |
|---------------|--|
| ■ 6.414-789.0 | Cylindrical Dust Filter  |
| ■ 6.904-285.0 | Paper filter bag (5-pack, 1 bag Included with machine)   |
| ■ 6.906-512.0 | All-Purpose Nozzle   |
| ■ 6.900-385.0 | 8.3-inch all purpose crevice nozzle  |
| ■ 4.440-626.0 | 8 feet x 1.375 inch hose with comfortable hand grip  |
| ■ 6.900-514.0 | Metal suction tube, 1.4 inch X 1.6 feet  |
| ■ 6.906-240.0 | Crevice nozzle, 1.4-inch   |
| □ 6.904-211.0 | Wet Filter Bag   |
| □ 6.906-384.0 | 14.6" Aluminum All-Purpose Nozzle with Height-Adjustable Cylindrical, Brush Strips and Oil Resistant Squeegees |
| □ 6.906-513.0 | 10.2-inch plastic all-purpose nozzle   |
| □ 6.906-554.0 | 14.2-inch plastic all-purpose head with cylindrical, brush strips and standard squeegee                        |
| □ 6.906-383.0 | 17.7" Aluminum All-Purpose Head with Height-Adjustable cylindrical, Brush Stripes and oil-resistant Squeegees  |
| □ 2.860-113.0 | Upholstery hand tool   |
| □ 2.860-114.0 | 10-inch turbo nozzle with reducer 35/32  |
| □ 6.903-033.0 | 11.4" Crevice Tool   |
| □ 6.900-233.0 | 4.7" Plastic Upholstery Nozzle, 35 mm ID   |
| □ 6.903-034.0 | Radiator Brush for use with 6.900-385.0  |
| □ 6.903-035.0 | Plastic, Pipe Diameter 3.9"  |
| □ 6.903-862.0 | Suction Brush, Natural Hair, Pivotal, 35 mm ID   |
| □ 2.860-116.0 | Nozzle Set, Crevice Tool, Upholstery Tool, Round Brush, 35 mm ID   |
| □ 2.863-147.0 | All-Purpose Brush, Soft Bristles 35 mm ID  |
| □ 8.622-960.0 | Replacement 15-inch squeegee blade   |

■ Included □ Optional