


# REAR FLIP SEAT FOR CLUB CAR PRECEDENT




# HARDWARE:


SHOWN TO SCALE

Unit: mm


(4)H104




(2)H105




(4)H106




(12)H107




(4)H119




(6)H111




(2)H115




(22)H101



(44)H102




(4)H121




(4)H122



(2)H112




(2)H114




## STEP 1

Remove rear struts while supporting top(Retain factory hardware).




## STEP 2

Remove front seat back cushion and sweater basket(Retain factory hardware).



## STEP 3

Remove both basket retainers.




## STEP 4

Install seat back supports.

**Tighten hardware fully.**



Use a 3/8" drill bit to open up the (2) rear most holes in the bagwell area. Drill completely through the rivet and the frame.



## STEP 5

Install seat frame with plastic board.

**Hand tighten only.**




## STEP 6

Install support bracket.

Hand tighten only.

The installation method on the other side is the same.


The installation method on the other side is the same.



## STEP 7

Install footrest support brackets.



Hand tighten only.



## STEP 8

Install footrest brackets and footrest.

Hand tighten only.





The installation method on the other side is the same, with part E on other side.

## STEP 9

Install rear strut.

Hand tighten only.




The other side is the same.

## STEP 10



Install seat cushion.

Caution: Use hand screw driver and  
Install screws loosely prior to tightening.



## STEP 11

Install seat back.



## **STEP 12**

Reinstall the front seat back using original hardware.

## **STEP 13**

Reinstall the top using Original Hardware according to the disassembly method.

## **STEP 14**

Tighten all hardware and enjoy!

