

SAFETY DATA SHEET

1. Identification

Product identifier	DeckSpray		
Other means of identification			
Product Code	1660		
Recommended use	General Purpose Cleaner		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier	r/Distributor information		
Manufacturer			
Company name Address	Presta Products 361 Fairview Ave Barberton, OH 44203 United States		
Telephone	Phone	800-253-2526	
Website E-mail Contact person Emergency phone number	Fax www.prestaproducts.com msdsinfo@malcopro.com Technical Department Phone	330-777-8317 1-800-424-9300	
2. Hazard(s) identificatior	1		
Physical hazards	Not classified.		
Health hazards	Acute toxicity, oral		Category 5
	Skin corrosion/irritation		Category 1B
	Serious eye damage/eye ir	ritation	Category 2
	Specific target organ toxicit		Category 3 respiratory tract irritation
Environmental hazards	Not classified.		
OSHA defined hazards	Not classified.		
Label elements			



Danger

Signal word Hazard statement

Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye irritation. May cause respiratory irritation.

Precautionary statement Prevention

Response

Do not breathe mist or vapor. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and

Hazard(s) not otherwise classified (HNOC)	None known.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Storage	Store in a well-ventilated place. Keep container tightly closed. Store locked up.
	keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If eye irritation persists: Get medical advice/attention. Wash contaminated clothing before reuse.

Material name: DeckSpray		SDS US	
1660	Version #: 01	Issue date: 11-26-2019	1 / 8

6.53% of the mixture consists of component(s) of unknown acute dermal toxicity. % of the mixture consists of component(s) of unknown acute inhalation toxicity. 8.27% of the mixture consists of Supplemental information component(s) of unknown acute hazards to the aquatic environment. 5.19% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Tetrasodium Ethylenediaminetetraacetate		64-02-8	3 - < 5
"Sulfonic Acids, C14-16-alkane Hydroxy And C14-16-alkene, Sodium Salts"		68439-57-6	1 - < 3
2-(2-Butoxyethoxy)ethanol		112-34-5	1 - < 3
DISODIUM METASILICATE		6834-92-0	1 - < 3
Sodium Hydroxide		1310-73-2	< 0.2
Sodium Silicate		1344-09-8	< 0.2
Trisodium Nitrilotriacetate		5064-31-3	< 0.2
Other components below reportable le	evels		90 - 100

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Most important symptoms/effects, acute and delayed	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.
General information	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment	Self-contained breathing apparatus and full protective clothing must be worn in case of fire

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

Materi	al name: DeckS	pray	SDS US
1660	Version #: 01	Issue date: 11-26-2019	2 / 8

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	Туре	Value	
Sodium Hydroxide (CAS 1310-73-2)	PEL	2 mg/m3	
US. ACGIH Threshold Limit	Values		
Components	Туре	Value	Form
2-(2-Butoxyethoxy)ethanol (CAS 112-34-5)	TWA	10 ppm	Inhalable fraction and vapor.
Sodium Hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3	
US. NIOSH: Pocket Guide to	o Chemical Hazards		
Components	Туре	Value	
Sodium Hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3	
logical limit values	No biological exposure limits noted f	or the ingredient(s).	
propriate engineering strols	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.		

Individual protection measures, such as personal protective equipment

Eve/face protection Wear safety glasses with side shields (or goggles) and a face shield. Face shield is

Eyenace protection	recommended.
Skin protection	
Hand protection	Wear appropriate chemical resistant gloves.
Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment. Chemical respirator with organic vapor cartridge.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.

Materi	al name: DeckS	pray	SDS US
1660	Version #: 01	Issue date: 11-26-2019	3 / 8

General hygiene
considerationsKeep away from food and drink. Always observe good personal hygiene measures, such as
washing after handling the material and before eating, drinking, and/or smoking. Routinely wash
work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance	Clear.
Physical state	Liquid.
Form	Liquid.
Color	Colourless to light yellow.
Odor	Glycol
Odor threshold	Not available.
рН	12.5
Melting point/freezing point	733.67 °F (389.82 °C) estimated
Initial boiling point and boiling range	446.72 °F (230.4 °C) estimated
Flash point	> 210.0 °F (> 98.9 °C)
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.0009 hPa estimated
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	5 cP
Viscosity temperature	68 °F (20 °C)
Other information	
Density	8.71 lbs/gal
Explosive properties	Not explosive.
Flammability class	Combustible IIIB estimated
Kinematic viscosity	4.7856 cSt
Kinematic viscosity temperature	68 °F (20 °C)
Oxidizing properties	Not oxidizing.
VOC	0 % w/w by weight
10. Stability and reactivity	
Reactivity	Reacts violently with strong acids. This product may react with oxidizing agents.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials. Do not mix with other chemicals.

Materi	al name: DeckS	pray	SDS US
1660	Version #: 01	Issue date: 11-26-2019	4 / 8

Incompatible materials	Acids. Oxidizing agents.
Hazardous decomposition	No hazardous decomposition products are known.
products	

11. Toxicological information

Information on likely routes of exposure

Inhalation	May cause irritation to the respiratory system. Prolonged inhalation may be harmful.		
Skin contact	Causes severe skin burns.		
Eye contact	Causes serious eye damage.		
Ingestion	Causes digestive tract burns. May be harmful if swallowed.		
Symptoms related to the physical, chemical and toxicological characteristics	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation.		

Information on toxicological effects

Acute toxicity

In high concentrations, vapors are anesthetic and may cause headache, fatigue, dizziness and central nervous system effects. May be harmful if swallowed.

Components	Species	Test Results
2-(2-Butoxyethoxy)ethanol (CAS	112-34-5)	
Acute		
Dermal		
LD50	Rabbit	2700 mg/kg
Oral		
LD50	Rat	4500 mg/kg
Sodium Silicate (CAS 1344-09-8)		
Acute		
Oral		
LD50	Rat	1.1 g/kg
Trisodium Nitrilotriacetate (CAS 5	064-31-3)	
Acute		
Oral		
LD50	Rat	1100 mg/kg
Skin corrosion/irritation	Causes severe skin burns and eye damage.	
Serious eye damage/eye irritation	Causes serious eye damage.	
Respiratory or skin sensitizatio	n	
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cause skin sensit	tization.
Germ cell mutagenicity	erm cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	Not classifiable as to carcinogenicity to humans.	
IARC Monographs. Overall	Evaluation of Carcinogenicity	
Not listed.		
OSHA Specifically Regulate	ed Substances (29 CFR 1910.1001-1052)	
Not regulated.	ogram (NTP) Report on Carcinogens	

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	May cause respiratory irritation.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	
Chronic effects	Prolonged inhalation may be harmful.	
Material name: DeckSpray		SDS US
1660 Version #: 01 Issue date: 11	1-26-2019	5/8

12. Ecological information

cotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.			
Components		Species	Test Results	
"Sulfonic Acids, C14-16-alka	ne Hydroxy And	C14-16-alkene, Sodium Salts" (CAS 68439	9-57-6)	
Aquatic				
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	4.14 - 4.95 mg/l, 48 hours	
2-(2-Butoxyethoxy)ethanol (0	CAS 112-34-5)			
Aquatic				
Fish	LC50	Bluegill (Lepomis macrochirus)	1300 mg/l, 96 hours	
DISODIUM METASILICATE	(CAS 6834-92-0))		
Aquatic				
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	0.28 - 0.57 mg/l, 48 hours	
Fish	LC50	Western mosquitofish (Gambusia affinis)	1800 mg/l, 96 hours	
Sodium Hydroxide (CAS 131	0-73-2)			
Aquatic	,			
Fish	LC50	Western mosquitofish (Gambusia affinis)	125 mg/l, 96 hours	
Sodium Silicate (CAS 1344-0	09-8)			
Aquatic	-			
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	0.28 - 0.57 mg/l, 48 hours	
Fish	LC50	Western mosquitofish (Gambusia affinis)	1800 mg/l, 96 hours	
Tetrasodium Ethylenediamin	etetraacetate (C	AS 64-02-8)		
Aquatic	,			
Fish	LC50	Bluegill (Lepomis macrochirus)	472 - 500 mg/l, 96 hours	
Trisodium Nitrilotriacetate (C	AS 5064-31-3)			
Aquatic	,			
Fish	LC50	Bluegill (Lepomis macrochirus)	175 - 225 mg/l, 96 hours	
ersistence and degradability	No data is av	vailable on the degradability of this product.		
oaccumulative potential				
Partition coefficient n-octa 2-(2-Butoxyethoxy)ethanol	nol / water (log	Kow) 0.56		
obility in soil	No data avai	lable.		
ther adverse effects		erse environmental effects (e.g. ozone depl docrine disruption, global warming potential)	•	
3. Disposal consideratio	ons			
sposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.			
ocal disposal regulations	Dispose in a	ccordance with all applicable regulations.		
azardous waste code	The waste co disposal com	ode should be assigned in discussion betwe ipany.	en the user, the producer and the waste	
Waste from residues / unused products Dispose of in accordance with local regulations. Empty containers or liners may retain so product residues. This material and its container must be disposed of in a safe manner (s			•	

Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

Material name: DeckSpray	SDS US
1660 Version #: 01 Issue date: 11-26-2019	6 / 8

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List. TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) Not regulated. CERCLA Hazardous Substance List (40 CFR 302.4) Sodium Hydroxide (CAS 1310-73-2) Listed. SARA 304 Emergency release notification Not regulated. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052) Not regulated. Superfund Amendments and Reauthorization Act of 1986 (SARA) SARA 302 Extremely hazardous substance Not listed. SARA 311/312 Hazardous Yes chemical Classified hazard Acute toxicity (any route of exposure) Skin corrosion or irritation categories Serious eye damage or eye irritation Respiratory or skin sensitization Specific target organ toxicity (single or repeated exposure) SARA 313 (TRI reporting) Not regulated. Other federal regulations Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List Not regulated. Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated. Safe Drinking Water Act Not regulated. (SDWA) **US state regulations California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Sodium Hydroxide (CAS 1310-73-2)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Material name: DeckSpray		SDS US
1660 Version #: 01 Issue dat	e: 11-26-2019	7 / 8

Country(s) or region	Inventory name	On inventory (yes/no)*
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Toxic Chemical Substances (TCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	11-26-2019
Version #	01
Disclaimer	Presta Products cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Materia	al name: DeckS	pray	SDS US
1660	Version #: 01	Issue date: 11-26-2019	8 / 8