Royal Bath & Marble

your source for luxury

CATALOGUE PROFESSIONAL

Shower / Sinks / Wall Panels

Royal Bath & Marble

your source for luxury

INDEX



Shower base:
ERA



Shower base:
RIO



Wall panels:
PANELS



Sinks
PETRA

TEXTURE

Texture:
STONE

FEATURES

ANTI-BACTERIAL

ANTI-SLIP. CLASS 3



RESISTANT TO THERMAL SHOCK

RESISTANT TO IMPACT





COLOURED MASS

CUT TO SIZE

REPAIRABLE

EASY CLEANING



ERA

STANDARD SIZES



CSA B45.5 /
ANSI Z.124

SIZE

A”	B”	C”
72	42	17 3/4
60	36/32/30	17 3/4
48	36	17 3/4
40	40	20
36	36	18



GRID



SOLID COLORS

WHITE

CEMENT

GRAPHITE

* Customized product: 10 extra colors. Under request.

CREAM
RAL 9001

OYSTER WHITE
RAL 1013

SAND YELLOW
RAL 1002

PLATINUM GREY
RAL 7036

LIGHT GREY
RAL 7035

SLATE GREY
RAL 7015

ANTHRACITE GREY
RAL 7016

GENTIAN BLUE
RAL 5010

PALE GREEN
RAL 6021

LIGHT PINK
RAL 3015

LIST

36” x 36”	ERASTONE3636BL
	ERASTONE3636GR
	ERASTONE3636CE
40” x 40”	ERASTONE4040BL
	ERASTONE4040GR
	ERASTONE4040CE
48” x 36”	ERASTONE4836BL
	ERASTONE4836GR
	ERASTONE4836CE
60” x 30”	ERASTONE6030BL
	ERASTONE6030GR
	ERASTONE6030CE
60” x 32”	ERASTONE6032BL
	ERASTONE6032GR
	ERASTONE6032CE
60” x 36”	ERASTONE6036BL
	ERASTONE6036GR
	ERASTONE6036CE
72” x 42”	ERASTONE7242BL
	ERASTONE7242GR
	ERASTONE7242CE

*** Custom sizes are available upon request.**

DECOR COLORS



MARQUINA

CALACATTA WHITE

LIST

36″ x 36″	ERASTONE3636CA
	ERASTONE3636MA
40″ x 40″	ERASTONE4040CA
	ERASTONE4040MA
48″ x 36″	ERASTONE4836CA
	ERASTONE4836MA
60″ x 30″	ERASTONE6030CA
	ERASTONE6030MA
60″ x 32″	ERASTONE6032CA
	ERASTONE6032MA
60″ x 36″	ERASTONE6036CA
	ERASTONE6036MA
72″ x 42″	ERASTONE7242CA
	ERASTONE7242MA

*** Custom sizes are available upon request.**

RIO

STANDARD SIZES





GRID

CSA B45.5 /
ANSI Z.124

SOLID COLORS

WHITE



CEMENT

GRAPHITE

* Customized product: 10 extra colors. Under request.

CREAM
RAL 9001

OYSTER WHITE
RAL 1013

SAND YELLOW
RAL 1002

PLATINUM GREY
RAL 7036

LIGHT GREY
RAL 7035

SLATE GREY
RAL 7015

ANTHRACITE GREY
RAL 7016

GENTIAN BLUE
RAL 5010

PALE GREEN
RAL 6021

LIGHT PINK
RAL 3015

LIST

48″ x 36″	RIOSTONE4836BL
	RIOSTONE4836GR
	RIOSTONE4836CE
60″ x 30″	RIOSTONE6030BL
	RIOSTONE6030GR
	RIOSTONE6030CE
60″ x 32″	RIOSTONE6032BL
	RIOSTONE6032GR
	RIOSTONE6032CE
60″ x 36″	RIOSTONE6036BL
	RIOSTONE6036GR
	RIOSTONE6036CE
66″ x 42″	RIOSTONE6642BL
	RIOSTONE6642GR
	RIOSTONE6642CE

*** Custom sizes are available upon request.**



DECOR COLORS



MARQUINA

CALACATTA WHITE

LIST

48″ x 36″	RIOSTONE4836CA
	RIOSTONE4836MA
60″ x 30″	RIOSTONE6030CA
	RIOSTONE6030MA
60″ x 32″	RIOSTONE6032CA
	RIOSTONE6032MA
60″ x 36″	RIOSTONE6036CA
	RIOSTONE6036MA
66″ x 42″	RIOSTONE6642CA
	RIOSTONE6642MA

⋆ Custom sizes are available upon request.

PANEL

STANDARD SIZES

94”



30” 32” 33” 36” 42”

CSA B45.5 /
ANSI Z.124

2 WALLS CORNER



A”	B”
60	30
60	32
60	36
66	42
72	42

3 WALLS ALCOVE



A”	B”
60	30
60	32
60	36
66	42
72	42

SOLID COLORS

WHITE

GRAPHITE

LIST

2 WALLS CORNER

60” x 30”	PANSTONE60302BL
	PANSTONE60302GR
60” x 32”	PANSTONE60322BL
	PANSTONE60322GR
60” x 36”	PANSTONE60362BL
	PANSTONE60362GR
66” x 42”	PANSTONE66422BL
	PANSTONE66422GR
72” x 42”	PANSTONE72422BL
	PANSTONE72422GR

*** Custom sizes are available upon request.**



3 WALLS ALCOVE

60” x 30”	PANSTONE60303BL
	PANSTONE60303GR
60” x 32”	PANSTONE60323BL
	PANSTONE60323GR
60” x 36”	PANSTONE60363BL
	PANSTONE60363GR
66” x 42”	PANSTONE66423BL
	PANSTONE66423GR
72” x 42”	PANSTONE72423BL
	PANSTONE72423GR

*** Custom sizes are available upon request.**



PETRA

STANDARD SIZES



CSA B45.5 /
ANSI Z.124

SOLID COLORS

WHITE

CEMENT

GRAPHITE

* Customized product: 10 extra colors. Under request.

CREAM
RAL 9001

OYSTER WHITE
RAL 1013

SAND YELLOW
RAL 1002

PLATINUM GREY
RAL 7036

LIGHT GREY
RAL 7035

SLATE GREY
RAL 7015

ANTHRACITE GREY
RAL 7016

GENTIAN BLUE
RAL 5010

PALE GREEN
RAL 6021

LIGHT PINK
RAL 3015

LIST

40” x 18”	PETSTONE4018BL
	PETSTONE4018GR
	PETSTONE4018CE
48” x 18”	PETSTONE4818BL
	PETSTONE4818GR
	PETSTONE4818CE
55” x 18”	PETSTONE5518BL
	PETSTONE5518GR
	PETSTONE5518CE

CHEMICAL AGENTS ASSAY

SOLID COLORS

PRODUCT	EXPOSURE TIME	RESULT
VINEGAR	24 H	RESISTIS
BLEACH	24 H	RESISTIS
TURPENTINE	24 H	RESISTIS
HAIR COLOR	24 H	RESISTIS
GENERIC CLEANER	24 H	RESISTIS
DEGREEASER	24 H	RESISTIS
ANTICAL	24 H	RESISTIS
NAIL-POLISH	24 H	RESISTIS
ALCOHOL 96º	24 H	RESISTIS
HYDROGEN PEROXIDE	24 H	RESISTIS
AMMONIA	24 H	RESISTIS

DECOR COLORS

PRODUCT	EXPOSURE TIME	RESULT
VINEGAR	24 H	RESISTIS
BLEACH	-	NO RESISTIS
TURPENTINE	-	NO RESISTIS
HAIR COLOR	1 H	RESISTIS
GENERIC CLEANER	24 H	RESISTIS
DEGREEASER	-	NO RESISTIS
ANTICAL	1 H	RESISTIS
NAIL-POLISH	-	NO RESISTIS
ALCOHOL 96º	-	NO RESISTIS
HYDROGEN PEROXIDE	1 H	RESISTIS
AMMONIA	-	NO RESISTIS

USE AND MAINTENANCE

SOLID COLORS

Once the shower tray has been installed, to eliminate any cement glue residue or mortar residue that have remained in the same, use descaling for joints or cement removers. Avoid rubbing directly on the shower tray to avoid scratching.
It should be cleaned with water after use and ensure good ventilation of the bathroom.
For the routine cleaning of the shower tray, use water, liquid cleaners and soft cloths or non-abrasive sponges. Never use a scourer as they can damage the surface of the shower tray. Don´t mix different products in cleaning.
Periodically, to remove any traces of lime that may remain in the shower tray, use a domestic anti-lime as follows:
1- Remove the grid from the drain and apply the anti-lime with a damp cloth on the entire surface of the shower tray.
2- Let the product act for 15 minutes, after this time, rinse with water.
3- Place the grid at his place and rinse again the shower tray.
Grid should be regularly cleanded, remove it from the drain and use a special stainless steel cleaner following instructions of products.
If hair dyes are used, rinse the shower tray with soap and water after the shower is finished.
The logo can be damaged in the cleaning process, clean it gently.
When the surface of the shower tray is wet, increases the potential risk of slippage, this is more significant with the use of soap, shampoo, bath oils or similar products.

DECOR COLORS

Pay special attention to the product installation, any mortar or concrete residue may damage it. In the event you need to eliminate them, use a cement remover. Avoid rubbing directly on the shower tray to avoid scratching.
It should be cleaned with water after use and ensure good ventilation of the bathroom.
For the routine cleaning of the shower tray, use water, liquid cleaners and soft cloths or non-abrasive sponges. Never use a scourer as they can damage the surface of the shower tray. Don´t mix different products in cleaning.
Periodically, to remove any traces of lime that may remain in the shower tray, use a domestic anti-lime as follows:
1- Remove the grid from the drain and apply the anti-lime with a damp cloth on the entire surface of the shower tray.
2- Let the product act for 15 minutes, after this time, rinse with water.
3- Place the grid at his place and rinse again the shower tray.
Avoid contact with nail polish, nail polish remover, solvents, etc. These contacts can damage the shower tray surface.
If hair dyes are used, rinse the shower tray with soap and water after the shower is finished.
The logo can be damaged in the cleaning process, clean it gently.
When the surface of the shower tray is wet, increases the potential risk of slippage, this is more significant with the use of soap, shampoo, bath oils or similar products.

SAFETY AND STANDARDS

NORM	DESCRIPTION	TEST	RESULT
UNE- EN 14527	SHOWER TRAYS FOR DOMESTIC PURPOSES	WATER DRAINAGE	OK
		CLEANABILITY	
		STABILITY OF THE BOTTOM	
		RESISTANCE TO CHEMICALS AND STAINS	
		RESISTANCE TO TEMPERATURE CHANGES	
UNE- EN 67001	CERAMIC SANITARY APPLIANCES	THERMAL SHOCK RESISTANCE	OK
UNE- ENV 12633	DETERMINATION OF SLIP RESISTANCE	PENDULUM	OK

The colours, information, weight and descriptions contained in this catalogue are used as a guidance. The aspect of the material can vary slightly from the one showed in the photographies. Royal Bath & Marble. keeps the right to add without previous notice and at any time or for any motive, all the modifications that should consider appropriate.
Any reproduction, partial or total not authorised remains totally prohibited. The above mentioned violation will be prosecuted by the law.

PRODUCTS FEATURES

PACKING AND SHIPPING CONDITIONS: All Royal Bath & Marble shower trays are individually packed in either a wood box or cardboard box according to the shower tray measures. Box contains shower tray completely protected and also: 1.- Installation instructions in different languages. 2.- AISI 304 stainless steel grid. High precision laser cut and polished, ready to install over trap. Or, integrated cover made with resin and gelcoat.

Claims for damage are not accepted once the POD is signed.

USE AND MAINTENANCE CONDITIONS: A correct care of your ROYAL BATH & MARBLE shower tray will let you enjoy it for many years. On a daily routine basis, a simple water wash out and a good ventilation of the bathroom is enough.
When a more thorough cleaning is needed, cleaning must be performed only with water, regular house cleaning soap and a NON abrasive sponge. DO NOT USE any kind scourer or scrubber.
AVOID USING CLEANING PRODUCTS CONTAINING SOLVENTS OR ACIDS. DO NOT USE ANY KIND OR ABRASIVE PRODUCT OR CLOTH.

It is most important to protect the shower tray against possible hits and scratches during the installation process. A cardboard sheet is also provided in the box for this purposes. Using this protective cardboard will also help to avoid mortar, cement, adhesive or even painting remains to stain shower tray. We strongly recommend to protect shower tray during the installation process.

Please be especially careful with the special cement grouts used for ceramic tiles or stone. these products usually contain lime, sands and

resins and if they end drying on the shower tray surface, this results in a stain difficult to clean. To avoid letting these products fry on the shower tray surface, wash out it with regularly and with plenty of water and leave the shower tray without any residue. SO,

PROTECT WITH CARTON BOARD AND RAISE WITH WATER ANY RESIDUE BEFORE IT DRIES.
In case mortar or cement grout have finally stained the shower tray, we recommend this cleaning procedure: 1.- Remove stainless steel grid from shower show tray. 2.- Dilute a commercial descaler product (Viakal, Bosque Verde, etc.) in a 1:3 proportion (1 part of descaler i 3 parts of water). 3.- Apply this solution with a non abrasive cloth to all the shower tray surface. 4.- Leave ONLY 15 minutes. 5.- After this time, RINSE all shower tray with plenty water, DO NOT leave any part of the shower tray without rinsing. 6.- If needed repeat again the cleaning process from the beginning but remember not to leave the solution more from 15 minutes and also to rinse it completely with plenty of water. 7.- When finished, install stainless grid.

INSTALLING REPLACING PANELS: Royal Bath & Marble shower tray completes its line with replacing PANELS to attach to the bathroom wall.

Sealing and grouting. Royal Bath & Marble products can be cut using circular saws or grinding machines with diamond discs, as those usually used building. Fixing of the different elements to be realised following the fitting up instructions.

REPAIRING AN ROYAL BATH & MARBLE SHOWER TRAY: In most cases it is possible to repair the surface of a shower tray deteriorated by on improper use. A repair kit is available. This kit must be ordered specifying the colour of the shower tray to repair.

FREQUENT ASKED QUESTIONS (FAQ'S)
- What tool to use for cutting Royal Bath & Marble shower tray or panels?
Circular saw with diamond disc, similar to those use for cutting stone, ceramic tiles, etc.

- What cleaning products can be used for ROYAL BATH & MARBLE shower trays and worktops?
To clean any traces of glue and cement mortar joints use a descaler called Fugasoap (KERAKOLL), DETERDEK from FILA brand, because it is specific for the removal of debris from construction works, also used for the removal of other components such as salt, rust and lime, please read the instructions. DO NOT RUB, let the product act; NEVER USE PADS (SCOTCH BRITE, or NATURAL FIBER) nor SOLVENTS, ACID, ALKALI OR ABRASIVE. After cleaning, rinse thoroughly and ensure sufficient ventilation of the bathroom. It is not dangerous for the user and not dangerous for the environment.

- What products can be used to fix and install shower trays or panels?
The bonding of the various elements must be done using SIKAFLEX (SIKA), SUPERFLEX (KERAKOLL) and sealing with grouting ceramic material or silicone nonacidic.

- What is draining flow rate of the shower trays?
All shower trays have a 0,6 litres/second draining flow rate.

- What is the thickness of a Royal Bath & Marble shower tray?
The thickness of these shower trays ERA is 25 mm to 30 mm depending on the size, RIO is 30 mm to 33mm depending on the size. Please check Spec Sheets for most accurate information.

- What is the thickness of replacing panels?
The panels are 6 mm thick.

- Where to order spare parts or repairing kits?
You can order spare parts like shower traps, stainless steel grid, repairing kits, instructions and installation leaflets, etc. Please address to ROYAL BATH & MARBLE commercial department, they will be pleased to give you a quotation and fulfil your requests.

- Is any promotion material available for Royal Bath & Marble shower trays?
Yes, to properly promote and exhibit Royal Bath & Marble shower trays, there is a special exhibitor unit.

NOTES

Royal Bath & Marble

your source for luxury

1 800 413 5130
www.royalbathandmarble.com
info@royalbathandmarble.com