

## Safety Data Sheet

R-auto-renu-id  
Date Prepared: 06/15/2022

### Section 1. Identification

Manufacturer:  
AutoRenu  
308 E Market St  
New Albany, IN 47150  
(855) 275-2788  
(800) 424-9300

#### **EMERGENCY TELEPHONE NUMBER**

24-Hour Emergency Contact: CHEMTREC +1 800-424-9300

#### **Product Identification: Auto-Renu Interior Detailer**

Suggested Use: Use to clean and maintain interior vehicle surfaces

### Section 2. Hazard(s) Identification

Hazard Class & Category Codes	Hazard Statement Codes	Pictograms & Signal Word
None	None	None
<b>Precautionary Statements Codes</b> N/A	<b>Precautionary Statements</b> Avoid contact with eyes: Rinse for 15 minutes remove contacts after an initial rinse and continue rinsing.	

### Section 3. Composition/Information on Ingredients

Component Name	CAS Number	EC Number	Percentage
Water	7732-18-5	231-791-2	96.8%+
<b>Poly Amino Functional Siloxane,</b> Diammonium dihydroxybis	<b>75718-16-0</b> 65104-06-5		<b>0.18%</b> 0.048% to 0.144%
<b>Isopropyl alcohol</b> Octamethylcyclotetrasiloxane	<b>67-63-0</b> 556-67-2		<b>1.8%</b> 0.0007% to 0.007%
<b>isotridecanol, branched, ethoxylated</b>	<b>69011-36-5</b>		<b>&lt;0.044% to 0.008%</b>
<b>2-phenoxyethanol</b>	<b>122-99-6</b>		<b>0.0225% to 0.0045%</b>
2,2-dibromo3nitrilopropionamide	10222-01-2		<0.001%

## **Section 4. First Aid Measures**

**Eyes:** Flood with large amounts water at least 20 min.; get immediate medical attention if irritation persists. Can cause irritation, redness, tearing, and blurred vision.

**Skin:** Flush exposed area with water. Remove all contaminated clothing. Prolonged or repeated contact can cause moderate irritation.

**Inhalation:** If affected, remove individual to fresh air. If breathing is difficult, administer oxygen. If breathing has stopped, give artificial respiration. Keep person warm, calm, and get medical attention.

**Oral:** If swallowed, induce vomiting. Vomiting can be induced with syrup of Ipecac. Give fluids until the vomitus is clear. Get medical attention.

**ingestion** Clean mouth with water and drink afterwards plenty of water.

## **Section 5. Fire Fighting Measures**

**Flash Point:** N/A

**Autoignition Temperature:** Not determined

**Flammability Limits in Air:** Not determined

**Extinguishing Media:** Carbon dioxide (CO<sub>2</sub>) water spray. Dry chemical foam can be used to cool fire-exposed containers.

**Fire Fighting Procedure:** Self-contained breathing apparatus and protective clothing should be worn in fighting fires involving chemicals. Evacuate area in case of overheating or fire. Vapors are heavier than air and may travel to a source of ignition and flash back. Static electricity will accumulate and may ignite vapors.

**Hazardous Decomposition Products:** Carbon oxides and various hydrocarbons.

## **Section 6. Accidental Release Measures**

### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Special danger of slipping by leaking/spilling product. Ensure adequate ventilation, especially in confined areas. Do not breathe gas/fumes/vapor/spray. Evacuate personnel to safe areas.

### Environmental Precautions Environmental Precautions

See Section 12 for additional Ecological Information.\*\*\*

### Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Soak up with inert absorbent material. Dam up. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Use personal protective

# AutoRenu

## **Section 7: Handling and Storage**

**Handling (Personnel):** Avoid contact with oxidizing agents. Spilled substance increases risk of slippage.

**Storage:** Keep container tightly closed.

Ensure adequate ventilation, especially in confined areas. Do not breathe gas/fumes/vapor/spray. Use personal protective equipment as required. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Avoid contact with skin, eyes or clothing

## **Section 8: Exposure Controls and Personal Protection**

### **Engineering Controls:**

**Local Exhaust:** Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below TLV(s).

**General exhaust:** Recommended

### **Personal Protective Equipment for Routine Handling:**

**Eyes:** Use proper protection – safety glasses as a minimum.

**Skin:** Washing at meal time and end of shift is adequate.

**Suitable Gloves:** butyl rubber protection gloves

**Inhalation:** If spraying or other operations that generate an aerosol mist are conducted, respiratory protection for exposed personnel is recommended.

**Precautionary Measures:** Avoid eye contact.

## **Section 9: Physical and Chemical Properties:**

Physical Form:	Liquid	Viscosity:	Not determined
Color:	Milky white	Melting Point:	Not determined
Odor:	Fresh	Boiling Point:	Not determined
Specific Gravity @ 25° C:	1.01	Flash Point:	250° F
Solubility in Water:	Soluble	Vapor Pressure @ 25° C	Not determined
VOC content (% by weight)	0.001-0.005%	pH:	Neutral

## **Section 10: Stability and Reactivity**

**Chemical Stability:** Stable

**Hazardous Polymerization:** Will not polymerize

**Conditions to Avoid:** None known

**Materials to Avoid:** Strong oxidizing agents and strong acids.

## **Section 11: Toxicological Information**

None known

## **Section 12: Ecological Information**

# AutoRenu

None known

## **Section 13: Disposal Considerations**

Landfill and/or incinerate where permitted in compliance with all applicable Federal, State and local government regulations.

## **Section 14: Transportation Information**

### **DOT (US)**

Not dangerous goods

### **IMDG**

Not dangerous goods

### **IATA**

Not dangerous goods

## **Section 15: Regulatory Information**

Contents of this MSDS comply with the OSHA Hazard Communication Standard 29 CFR 1910.1200.

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all the information required by the CPR.

TSCA Status: All chemical substances in this material are included on or exempted from listing on the TSCA inventory of chemical substances.

EPA SARA Title III Section 302 Extremely Hazardous Substances None

Section 304 CERCLA Hazardous Substances None

Section 312 Hazard Class

Acute	No
Chronic	No
Fire	No
Pressure	No
Reactive	No

Section 313 Toxic Chemicals None

Supplemental State Compliance Information None

US State Regulations California Proposition 65

This product is below Proposition 65 chemicals "safe harbor level" and not required to be listed as prop 65

## **Section 16: Other Information**

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. Any material supplied is the sole

# *AutoRenu*

responsibility of the user. All materials may present unknown health hazards and we cannot guarantee that the hazards listed herein are the only hazards that exist.